Informatica® Axon Data Governance
7.3.8

Data Marketplace Administrator Guide

Informatica Axon Data Governance Data Marketplace Administrator Guide
7.3.8
October 2026

© Copyright Informatica LLC 2019, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

This Software may be protected by patents. See https://www.informatica.com/legal/patents.html.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices and AI assistant acknowledgements are included with the product.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Publication Date: 2026-09-22

Table of Contents

Preface. . . . 4
Informatica Resources. . . . 4
Informatica Network. . . . 4
Informatica Knowledge Base. . . . 4
Informatica Documentation. . . . 4
Informatica Product Availability Matrices. . . . 5
Informatica Marketplace. . . . 5
Informatica Global Customer Support. . . . 5

Chapter 1: Introduction. . . . 6
Introduction to Axon Data Marketplace. . . . 6
Audience. . . . 6
User Profiles in Axon Data Marketplace. . . . 7
Administration Process. . . . 8

Chapter 2: Configuring Data Marketplace. . . . 9
Overview. . . . 9
Enable Data Marketplace. . . . 9
Assign Users and Specify Default Terms of Use. . . . 10
Configure Delivery Options. . . . 11
Configure Custom Fields. . . . 14
Create or Modify Categories for Data Collections. . . . 20
Disable Requests for New Data Collections. . . . 20
Bulk Upload Consumer Access Details for Data Collections. . . . 20
Connect to External Change Request Systems. . . . 21

Index. . . . 22

Preface

Use the *Axon Data Marketplace Administrator Guide* to configure Data Marketplace after it is installed in your organization. The guide includes steps to perform administrative tasks, such as managing users, configuring roles, assigning permissions, and customizing the Data Marketplace interface.

This guide is written for the Data Marketplace administrator. You can do some administrative tasks in the Linux environment and some task in the Data Marketplace web interface.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Network

The Informatica Network is the gateway to many resources, including the Informatica Knowledge Base and Informatica Global Customer Support. To enter the Informatica Network, visit https://network.informatica.com.

As an Informatica Network member, you have the following options:

- Search the Knowledge Base for product resources.
- View product availability information.
- Create and review your support cases.
- Find your local Informatica User Group Network and collaborate with your peers.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Product Availability Matrices

Product Availability Matrices (PAMs) indicate the versions of the operating systems, databases, and types of data sources and targets that a product release supports. You can browse the Informatica PAMs at https://network.informatica.com/community/informatica-network/product-availability-matrices.

Informatica Marketplace

The Informatica Marketplace is a forum where you can find solutions that extend and enhance your Informatica implementations. Leverage any of the hundreds of solutions from Informatica developers and partners on the Marketplace to improve your productivity and speed up time to implementation on your projects. You can find the Informatica Marketplace at https://marketplace.informatica.com.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:
https://www.informatica.com/services-and-training/customer-success-services/contact-us.html.

To find online support resources on the Informatica Network, visit https://network.informatica.com and select the eSupport option.

CHAPTER 1

Introduction

This chapter includes the following topics:

- Introduction to Axon Data Marketplace, 6
- Audience, 6
- User Profiles in Axon Data Marketplace, 7
- Administration Process, 8

Introduction to Axon Data Marketplace

Axon Data Marketplace is the space where you can publish data collections for business use and find data collections that other users in your organization have published. If you are the owner of a data set in Axon Data Governance, you can make the data available for others on a self-service basis from the Axon Data Marketplace interface. Similarly, if you want to use the data published by other members in your organization, you can request for access to the data on a self-service basis.

Audience

As an administrator, you can perform various administrative tasks, such as managing users, configuring roles, assigning permissions, adding users, customizing the Axon interface, and troubleshooting issues. You can do some administrative tasks in the Linux environment and some tasks in the Axon web interface.

Axon Administrator

A non-root user performs some of the administrative tasks from the Linux environment. The root user must create a non-root user to manage Axon. This user is called the **Axon Administrator** in this guide.

Admin or SuperAdmin Profile

If you have the Admin or SuperAdmin profile, you can perform many of the administrative tasks in the Axon Admin Panel. To access the Admin Panel, perform the following steps:

1. Log in to Axon with an Admin or SuperAdmin profile.
2. From the Axon toolbar, click the **Admin Panel** menu item under your user name.

User Profiles in Axon Data Marketplace

The following types of users can publish data, access data, and perform actions in the Data Marketplace:

Data Consumer

The data consumer is an Axon user who wants to use a data collection that is published to the Data Marketplace by a data owner. The data consumer must find the data collection and request access from the data owner. Any user in Axon Data Marketplace can be a data consumer.

For example, if a manager in an organization requests access to all the employee hire date data set, the manager is a data consumer.

Data Owner

When a data set stakeholder publishes the data sets from Axon Data Governance to the Data Marketplace, all the stakeholders for the data sets become the data owners for the data collections. By publishing the data, the stakeholder makes the data available for other Axon users who might need the data to make business decisions. Typically, the data owner is a data steward who onboards data sets to Axon, manages the data assets inventory, and defines the quality of the data asset.

For example, if the data steward of the HR team in an organization publishes the employee hire date data sets to the Data Marketplace, the data steward is a data owner.

Technical Owner for a Data Collection

The technical owner is an Axon user who has the technical rights to a data collection. The technical owner is responsible for delivering the data sets of a data collection to a data consumer.

For example, if the data consumer wants access to a database, the technical owner might be a database administrator who can grant secure access to the database. If the data consumer wants access to a spreadsheet, the technical owner might send the spreadsheet file to the data consumer by email.

Depending on the access request, the technical owner might be the same user as the data owner.

Modify a data collection to specify the technical owner for the collection. For more information, see the *Edit Data Collections* topic in the *Axon Data Governance Data Marketplace User Guide*.

Default Technical Owner for the Data Marketplace

The default technical owner is an Axon user who has the technical rights to all data collection. The technical owner is responsible for delivering the data sets of any data collection to a data consumer.

Go to the Admin Panel to assign default technical owners for all data collections. For more information, see the *Enable Data Marketplace and Assign Users* topic in the *Axon Data Governance Data Marketplace Administrator Guide*.

Data Marketplace Administrator

The Data Marketplace Administrator is the owner of all data collections and can additionally perform administrative tasks.

Go to the Admin Panel to assign Axon users with the Administrator profile in the Data Marketplace. For more information, see the *Enable Data Marketplace and Assign Users* topic in the *Axon Data Governance Data Marketplace Administrator Guide*.

SuperAdmin

All SuperAdmin users in Axon Data Governance are also SuperAdmin users in the Data Marketplace.

To see the list of tasks that are associated with the user profiles, see the *User Profiles and Tasks* topic in the *Axon Data Governance Data Marketplace User Guide*.

Administration Process

As an administrator, you can perform the following types of administrative tasks for Axon Data Marketplace:

- Configuration. One-time tasks that are required to set up Axon after installation.
- Customization. Settings that change the look and feel of your specific Axon instance.
- Monitoring. Regular operational tasks that are required to keep Axon running without problems.
- Troubleshooting. Maintenance activities that are required to fix problems when errors occur.

CHAPTER 2

Configuring Data Marketplace

This chapter includes the following topics:

- Overview, 9
- Enable Data Marketplace, 9
- Assign Users and Specify Default Terms of Use, 10
- Configure Delivery Options, 11
- Configure Custom Fields, 14
- Create or Modify Categories for Data Collections, 20
- Disable Requests for New Data Collections, 20
- Bulk Upload Consumer Access Details for Data Collections, 20
- Connect to External Change Request Systems, 21

Overview

Before Axon users can find and access data in the Data Marketplace, you must specify the Data Marketplace Administrator, configure delivery options and targets, and create the relevant categories and policy types for data collections.

Enable Data Marketplace

You can enable or disable the Axon Data Marketplace from the Admin Panel in Axon Data Governance.

You must have the SuperAdmin profile to perform this task.

1. From the Axon Data Governance toolbar, click the **Admin Panel** menu item under your user name.
2. In the menu on the left, under the **Customize & Configure** category, click **System Settings**.
3. In the **Group** list, select **Data Marketplace**.

4. Click **Edit**, and configure the following property:

Property	Description
Enable Data Marketplace	Select **Enable Marketplace**. If you enable Data Marketplace, logged-in users can view the **Data Marketplace** menu in the Axon toolbar.

5. Click **Save**.
6. In the Linux environment, run the following command to clear the Axon cache and restart the necessary services:

```
sh <INSTALLATION_DIR>/axonhome/third-party-app/scripts/paramsync
```

When you run the `paramsync` script, Axon restarts the HTTPD, Memcached, and email notification services.

Note: When you clear the cache and restart the Axon services, the Axon web interface might be disrupted for some users that are logged into Axon. Informatica recommends that you update the cache after you save your changes in all the **System Settings** pages. Additionally, perform this action during a maintenance period when very few users are using Axon.

Assign Users and Specify Default Terms of Use

Assign administrators who can manage the data collections in the Data Marketplace. Enter the terms of use message that appears when data consumers request access to a data collection. The terms of use provide usage requirements and guidelines that a data consumer must accept in order to use the data.

- To assign administrators and technical owners, you must have the SuperAdmin profile.
- To define the terms of use, you must have one of the following user profiles:
  - Data Marketplace Administrator
  - Default Technical Owner of the Data Marketplace
  - Axon SuperAdmin

1. From the Axon Data Marketplace toolbar, click the **Settings** menu item under your user name.
2. To assign administrators and technical owners who can manage the data collections, and enter the terms of use message, go to the **General** tab .
3. Click **Edit** in the **User Administration** section, and configure the following properties:

Property	Description
Data Marketplace Administrators	Specify the administrators of the Data Marketplace. Administrators are the owners of all data collections and can approve access requests to data collections.
Data Marketplace Technical Owners	Specify the default technical owners of the Data Marketplace. Technical owners provision data sets to users that have requested access to data collections. Make sure to assign technical owners to the data collections so that the Data Marketplace allows data users to place order for the data collections.

4. Click **Save**.
5. Click **Edit** in the **Policy Administration** section.

6. In the **Terms of Use Message** field, enter the terms of use text. You can click **Show Editor** to display options for HTML formatting.

   Make sure to configure the terms of use message so that the Data Marketplace allows data users to place orders for the data collections.
7. In the **Require User to Agree** section, choose one of the following options:
   - Yes. The users are required to agree to the terms of use message.
   - No. The users are not required to agree to the terms of use message.
8. In the **EULA Information Policy Type** section, select the policy type that appears for a data collection request.
9. In the **EULA Confirmation Policy Type** section, select the policy type that appears for a data collection request.

   The policy that you specify will appear in the **Policies** section of the data collection.
10. Click **Save**.

Configure Delivery Options

Specify the formats and methods that are possible options for data owners to deliver data to data consumers. Combine methods and formats to create data presentations. Configure the data presentation that data owners can use to deliver data sets to consumers. The formats and methods you specify are available to data owners when they create data collections in the Data Marketplace.

You must be a Data Marketplace Administrator to perform this task.

1. From the Data Marketplace toolbar, click **Settings**.
2. Click **Delivery**.

   The **Delivery Options** page displays the delivery formats, delivery methods, and data presentations that you have created.
3. To configure a delivery target, go to the **Delivery Targets** section.
   a. To add a new delivery target, click **Add**.

      The **Add Delivery Target** window appears.
   b. Configure the following properties for the delivery target:

Field	Description
Name	Name of the delivery target.
Description	Description of the delivery target.
Preferred Target	Specify the delivery target as default for the system. This target is the default delivery target that appears when data owners create data collections.

Field	Description
Default Location	Default location to deliver the data collection. Specify the location that is most suitable for the data format and method.
System	Enter the Axon systems for which you want to specify the data presentations.
Presentation	Data presentation for the Axon systems.
Status	Select **Active** to make the delivery target available for data owners. Select **Deprecated** to save the delivery target but make it unavailable for data owners for use.

c. Click **Add**.

d. To modify the existing delivery target, click the ••• button and select **Edit**.

The **Edit Delivery Target** window appears.

e. Modify the following properties for the delivery target:

Field	Description
Name	Name of the delivery target.
Description	Description of the delivery target.
Preferred Target	Specify the delivery target as default for the system. This target is the default delivery target that appears when data owners create data collections.
System	Enter the Axon systems for which you want to specify the data presentations.
Default Location	Default location to deliver the data collection. Specify the location that is most suitable for the data format and method.
Presentation	Data presentation for the Axon systems.
Status	Select **Active** to make the delivery target available for data owners. Select **Deprecated** to save the delivery target but make it unavailable for data owners for use. If you change the status of the delivery target from **Active** to **Deprecated**, the delivery section of the data collection still shows the previously configured delivery target in the **Preferrred Target** field. However, you cannot configure new delivery options for the deprecated delivery targets. Data owner must manually updated the data collections if required.

f. Click **Save**.

4. To configure a delivery format, go to the **Delivery Formats** section.

a. To add a new delivery format, click **Add**.

The **Add Delivery Format** window appears.

b. Configure the following properties for the delivery format:

Field	Description
Name	Name of the delivery format.
Description	Description of the delivery format.

c. Click **Add**.

d. To modify the existing delivery format, click the ••• button and select **Edit**.
The **Edit Delivery Format** window appears.

e. Modify the following property for the delivery format:

Field	Description
Description	Description of the delivery format.

f. Click **Save**.

5. To configure a delivery method, go to the **Delivery Methods** section.

a. To add a new delivery method, click **Add**.
The **Add Delivery Method** window appears.

b. Configure the following properties for the delivery method:

Field	Description
Name	Name of the delivery method.
Description	Description of the delivery method.

c. Click **Add**.

d. To modify the existing delivery method, click click the ••• button and select **Edit**.
The **Edit Delivery Method** window appears.

e. Modify the following properties for the delivery method:

Field	Description
Name	Name of the delivery method.
Description	Description of the delivery method.

f. Click **Save**.

6. To configure a data presentation, go to the **Data Presentation** section.
   a. To add a new data presentation, click **Add**.

      The **Add Data Presentation** window appears.
   b. Configure the following properties for the data presentation:

Field	Description
Method	Select the data delivery method.
Format	Select the delivery format.
Status	Select **Active** to make the data presentation available when you configure data delivery targets. Select **Inactive** to hide the data presentation when you configure delivery targets.

   c. Click **Add**.
   d. To modify the existing data presentation, click the ••• button and select **Edit**.

      The **Edit Data Presentation** window appears.
   e. Modify the following property for the data presentation:

Field	Description
Status	Select **Active** to make the data presentation available when you configure data delivery targets. Select **Inactive** to hide the data presentation when you configure delivery targets.

   f. Click **Save**.

You can create several formats for data delivery. For example, if you specify JSON and XML as delivery formats, data owners must deliver data to consumers in JSON or XML format.

Similarly, you can specify the methods that data owners can use to deliver data. For example, if you specify FTP, email, and API as delivery methods, data owners can choose one of these three options to deliver data.

The data owners cannot select any combination of format or method to deliver data. You must create a combination of format and method to create a unique data presentation. For example, you can create the following data presentations:

- Data Presentation 1: JSON format and email delivery
- Data Presentation 2: JSON format and FTP delivery
- Data Presentation 3: XML format and email delivery
- Data Presentation 4: JSON format and API delivery

Configure Custom Fields

You can create custom fields that are displayed to data consumers when they request access to a data collection. The custom fields appear on the **Summary** section of a data collection. If you are a data owner,

you can update the custom field values when you create or edit data collections. If you are a data consumer, you can view the custom fields when you access data collections.

To create custom fields, you must have SuperAdmin or Data Marketplace Administrator profile.

When a data consumer requests access to a data collection, the request and checkout pages display the default fields that the data consumer must fill. If you want additional fields to be displayed in the request and checkout pages, you must create custom fields from the Data Marketplace Settings Panel. For example, if you want the data consumer to specify the duration for which the access is required, you can create a custom **Required Till** field of the date type. The data owner decides to grant access to the data collection based on the information in the default and custom fields.

1. From the Data Marketplace toolbar, click the **Settings** button.
2. Click **Custom Fields**.

   The **Custom Fields** page displays the custom fields that you have created for data collections, orders, and requests.
3. To configure a custom field for data collections, go to the **Custom Fields for Data Collection** section.
   a. To add a custom field for data collections, click **Add**.

      The **Add Custom Field** dialog box appears.
   b. Configure the following properties:

Field	Description
Name	Name of the custom field that needs to appear in the Axon interface. **Note:** The custom field name should not exceed 255 characters.
Mandatory	Optional. If you select a custom field as mandatory, the data consumer must enter a value for the field while creating or editing a data collection. Data Marketplace indicates a mandatory field with a red asterisk.
Description	Description for the custom field.
Type	The type of value that the user can enter in the custom field. - Text. The user must enter the text string. - Number. The user must enter a numeric integer value. **Note:** The integer value cannot exceed seven digits. - Decimal. The user must enter a numeric value or decimal value. **Note:** If the user enters a decimal value, the integer part of a decimal value cannot exceed seven digits and decimal part of a decimal value cannot exceed four digits. For example, `xxxxxxx.xxxx` - Date. The user must select a date. You cannot select the date type for the Data Attributes facet. - Checkbox. The field is a check box that the user can either select or clear. - Time. The user must select a time. You cannot select the time type for the Data Attributes facet. - Percentage. The user must enter a percentage value. - Single Selection Dropdown. The user must select a value from a list of dropdown values. - Multiple Selection Dropdown. The user can select multiple values from a dropdown list.

Field	Description
Default Value	Optional. Enter a value that must appear for the field by default. **Note:** If you configure a custom field as required for the user to enter, you must provide a default value.
Placeholder Text	Optional. Enter a descriptive text that instructs the user about the purpose of the custom field. The text that you enter in this field appears in grey color for the user.

c. Click **Save**.

d. To modify the existing custom field property, click the ••• button and select **Edit**.

The **Edit Custom Field** dialog box appears.

e. Configure the following properties:

Field	Description
Name	Name of the custom field that needs to appear in the Axon interface. **Note:** The custom field name should not exceed 255 characters.
Mandatory	Optional. If you select a mandatory custom field, you must add a value when you create or edit data collections. Data Marketplace marks the mandatory field with a red asterisk.
Description	Description for the custom field.
Default Value	Optional. Enter a value that must appear for the field by default. **Note:** If you configure a custom field as required, you must provide a default value.
Placeholder Text	Optional. Enter a descriptive text that instructs the user about the purpose of the custom field. The text that you enter in this field appears in grey color for the user.

f. Click **Save**.

g. To delete the existing custom fields for data collections, click **Delete**.

4. To configure a custom field for orders, go to the **Custom Fields for Orders** section.

a. To add a custom field for orders, click **Add**.

The **Add Custom Field** dialog box appears.

b. Configure the following properties:

Field	Description
Name	Name of the custom field that needs to appear in the Axon interface. **Note:** The custom field name should not exceed 255 characters.
Mandatory	Optional. If you select a mandatory custom field, a data consumer must enter a value in the custom field when he requests access to a data collection. Data Marketplace marks the mandatory field with a red asterisk.
Description	Description for the custom field.
Type	The type of value that the user can enter in the custom field. - Text. The user must enter the text string. - Number. The user must enter a numeric integer value. **Note:** The integer value cannot exceed seven digits. - Decimal. The user must enter a numeric value or decimal value. **Note:** If the user enters a decimal value, the integer part of a decimal value cannot exceed seven digits and decimal part of a decimal value cannot exceed four digits. For example, `xxxxxxx.xxxx` - Date. The user must select a date. You cannot select the date type for the Data Attributes facet. - Checkbox. The field is a check box that the user can either select or clear. - Time. The user must select a time. You cannot select the time type for the Data Attributes facet. - Percentage. The user must enter a percentage value. - Single Selection Dropdown. The user must select a value from a list of dropdown values. - Multiple Selection Dropdown. The user can select multiple values from a dropdown list.
Default Value	Optional. Enter a value that must appear for the field by default. **Note:** If you configure a custom field as required for the user to enter, you must provide a default value.
Placeholder Text	Optional. Enter a descriptive text that instructs the user about the purpose of the custom field. The text that you enter in this field appears in grey color for the user.

c. Click **Save**.

d. To modify the existing custom field property, click the ••• button and select **Edit**.

The **Edit Custom Field** dialog box appears.

e. Configure the following properties:

Field	Description
Name	Name of the custom field that needs to appear in the Axon interface. **Note:** The custom field name should not exceed 255 characters.
Mandatory	Optional. If you select a mandatory custom field, a data consumer must enter a value in the custom field when he requests access to a data collection. Data Marketplace marks the mandatory field with a red asterisk.
Description	Description for the custom field.
Default Value	Optional. Enter a value that must appear for the field by default. **Note:** If you configure a custom field as required, you must provide a default value.
Placeholder Text	Optional. Enter a descriptive text that instructs the user about the purpose of the custom field. The text that you enter in this field appears in grey color for the user.

f. Click **Save**.

g. To delete the existing custom fields for orders, click **Delete**.

5. To configure a custom field for requests, go to the **Custom Fields for Requests** section.

a. To add a custom field for requests, click **Add**.

The **Add Custom Field** dialog box appears.

b. Configure the following properties:

Field	Description
Name	Name of the custom field that needs to appear in the Axon interface. **Note:** The custom field name should not exceed 255 characters.
Mandatory	Optional. If you select a mandatory custom field, a data consumer must enter a value in the custom field when he requests access to a data collection. Data Marketplace marks the mandatory field with a red asterisk.
Description	Description for the custom field.

Field	Description
Type	The type of value that the user can enter in the custom field. - Text. The user must enter the text string. - Number. The user must enter a numeric integer value. **Note:** The integer value cannot exceed seven digits. - Decimal. The user must enter a numeric value or decimal value. **Note:** If the user enters a decimal value, the integer part of a decimal value cannot exceed seven digits and decimal part of a decimal value cannot exceed four digits. For example, `xxxxxxx.xxxx` - Date. The user must select a date. You cannot select the date type for the Data Attributes facet. - Checkbox. The field is a check box that the user can either select or clear. - Time. The user must select a time. You cannot select the time type for the Data Attributes facet. - Percentage. The user must enter a percentage value. - Single Selection Dropdown. The user must select a value from a list of dropdown values. - Multiple Selection Dropdown. The user can select multiple values from a dropdown list.
Default Value	Optional. Enter a value that must appear for the field by default. **Note:** If you configure a custom field as required, you must provide a default value.
Placeholder Text	Optional. Enter a descriptive text that instructs the user about the purpose of the custom field. The text that you enter in this field appears in grey color for the user.

c. Click **Save**.

d. To modify the existing custom field property, click the ••• button and select **Edit**.

The **Edit Custom Field** dialog box appears.

e. Configure the following properties:

Field	Description
Name	Name of the custom field that needs to appear in the Axon interface. **Note:** The custom field name should not exceed 255 characters.
Mandatory	Optional. If you select a mandatory custom field, a data consumer must enter a value in the custom field when he requests access to a data collection. Data Marketplace marks the mandatory field with a red asterisk.
Description	Description for the custom field.
Default Value	Optional. Enter a value that must appear for the field by default. **Note:** If you configure a custom field as required, you must provide a default value.
Placeholder Text	Optional. Enter a descriptive text that instructs the user about the purpose of the custom field. The text that you enter in this field appears in grey color for the user.

f. Click **Save**.

g. To delete the existing custom fields for requests, click **Delete**.

Create or Modify Categories for Data Collections

When data owners publish data assets to the Data Marketplace, they must add the data sets within a data category. Data categories help data owners publish the data to appropriate groups so that data consumers can search and find the data assets easily.

You must be an Axon SuperAdmin user or the Data Marketplace Administrator to create or modify data categories in the Data Marketplace. Use the bulk upload process to create or update data categories. For more information on how to use bulk upload templates, see the *Bulk Uploading Data* topic in the *Bulk Upload Templates Reference Guide*. To understand the fields in the bulk upload template for Data Marketplace categories, see the *Data Marketplace Templates* topic in the *Bulk Upload Templates Reference Guide*.

Disable Requests for New Data Collections

You can prevent users from requesting for new data collections. Use this option if you want a managed environment where users should not have the option to request new data collections that currently do not exist.

Perform the following steps:

1. Open the following file: `<INSTALLATION_DIR>/axonhome/axon/app/config/parameters.ymlc`
2. Modify the `disable_request_new_data_collection` parameter.
   The default value is `false` for the parameter. This means that users can request for new data collections. To modify this option, change this value to `true`. When you set the value to `true`, the **Request New Data Collection** button does not appear on a data collection page.
3. In the Linux environment, run the following command to clear the Axon cache and restart the necessary services:

   ```
   sh <INSTALLATION_DIR>/axonhome/third-party-app/scripts/paramsync
   ```

   When you run the `paramsync` script, Axon restarts the HTTPD, Memcached, and email notification services.

   Note: When you clear the cache and restart the Axon services, the Axon web interface might be disrupted for some users that are logged into Axon. Informatica recommends that you update the cache after you save your changes in all the **System Settings** pages. Additionally, perform this action during a maintenance period when very few users are using Axon.

Bulk Upload Consumer Access Details for Data Collections

If you have large amounts of consumer access details to enter in the Data Marketplace, you can use the option to bulk upload data.

You can download a consumer access template from Axon to bulk upload consumer access details.

For more information on how to use bulk upload templates, see the *Bulk Uploading Data* topic in the *Bulk Upload Templates Reference Guide*. To understand the fields in the bulk upload template for Data Marketplace consumer access details, see the *Data Marketplace Templates* topic in the *Bulk Upload Templates Reference Guide*.

Connect to External Change Request Systems

You can configure Axon Data Marketplace to connect to external change request systems that you use in your organization. When you request access to a data collection, the Data Marketplace can create a ticket in the change request system and include the object stakeholders in the workflow.

You must be a Data Marketplace Administrator to perform this task.

1. From the Data Marketplace toolbar, click **Settings**.
2. To specify the change request system that Axon can use, go to the **Integration** section.
3. Choose one of the following options:
   - Internal. Use the Axon change request system.
   - Automatic. Use the ServiceNow to connect to the external system to create change requests.

INDEX

A

administrator 7

C

custom fields
  configuring 15

D

data collection
  create category 20
data collection technical owner 7
data consumer 7
Data Marketplace technical owner 7
data owner 7

S

SuperAdmin 7

U

user types
  administrator 7
  data collection technical owner 7
  data consumer 7
  Data Marketplace technical owner 7
  data owner 7
  SuperAdmin 7