Informatica® Axon Data Governance
7.3.8

What's New and Changed

Informatica Axon Data Governance What's New and Changed
7.3.8
September 2026

© Copyright Informatica LLC 2017, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Subject to your opt-out rights, the software will automatically transmit to Informatica in the USA information about the computing and network environment in which the Software is deployed and the data usage and system statistics of the deployment. This transmission is deemed part of the Services under the Informatica privacy policy and Informatica will use and otherwise process this information in accordance with the Informatica privacy policy available at https://www.informatica.com/in/privacy-policy.html. You may disable usage collection in Administrator tool.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-09-21

Table of Contents

Preface 13

Informatica Resources 13

Informatica Network 13

Informatica Knowledge Base 13

Informatica Documentation 13

Informatica Product Availability Matrices 14

Informatica Marketplace 14

Informatica Global Customer Support 14

Chapter 1: Axon 7.3.8 15

New Features in Version 7.3.8 15

Bulk Manage LinkedIn Profile URLs for People Objects 15

Bulk Deletion for Data Marketplace Categories and Collections 15

Customize Browser Tab Title 16

Customize Application Notification Preferences 16

Data Quality Run Failure Notifications 16

Changes in Version 7.3.8 16

Third Party Library Changes 16

Updated Styling for Confirmation and Alert Dialogs 17

User ID Appears in Bulk Upload Logs 17

Chapter 2: Axon 7.3.7 18

New Features in Version 7.3.7 18

Enhanced Gmail Email Integration through SMTP 18

Gmail Option Removed from Mailer Transport 18

Product Reference Field Mapping in Bulk Upload for Glossary X Product Relationships 18

Type-Ahead Search for Role Selection Under Stakeholders 19

View Last Updated By Field in Unison Grid 19

View Custom Field Description on Hover 19

Changes in Version 7.3.7 19

Display All Attributes of a Data Quality Rule in Unison Search 19

Third Party Library Changes 20

Chapter 3: Axon 7.3.6 21

New Features in Version 7.3.6 21

Added Relationship Type for Regulation X Regulator Relationships 21

Automation of Data Quality Rules for Databricks Advanced Scanner, JDBC, and Hive Resources 21

Customized Email Templates 21

HTML Tags in Axon Data Marketplace Description 22

Log Object History. . . . 22
Optional Reindexing of Axon Facets During Upgrade. . . . 22
URL Field Addition to the Policy Facet. . . . 23
Changes in Version 7.3.6. . . . 23
Customize Sender Display Name. . . . 23
Excluding Scores from Inactive and Deleted Data Quality Rules. . . . 23
Hide Fields for Objects. . . . 23
Removed RegulatorRegRef field 23
Third Party Library Changes. . . . 24

Chapter 4: Axon 7.3.5.1 25

Installation and Upgrade Changes. . . . 25
Reindexing Not Required After Applying 7.3.5.1 Service Pack. . . . 25
New Features in Version 7.3.5.1. . . . 25
Delete Data Quality Reports Through REST API. . . . 25
Enhanced Bulk Upload for Data Quality Attributes. . . . 26
Enhanced Bulk Upload for Role Attributes. . . . 26
Enhanced Log Management System. . . . 26
Enhanced Security: Transition to HTTPS for Microservice APIs. . . . 26
Hide the Empty Fields for Axon Objects. . . . 26
View Stakeholder Role Descriptions. . . . 26
Changes in Version 7.3.5.1. . . . 27
Third Party Library Changes. . . . 27

Chapter 5: Axon 7.3.5. . . . 28

Important Notices. . . . 28
Third-Party Support Updates (7.3.5). . . . 28
Support for 10.5.8 Axon Agent. . . . 28
New Features in Version 7.3.5. . . . 28
Hops Count. . . . 29
Retrieve Data Quality Report with REST API. . . . 29
Restrict Non-Public Object Web User Access for Non-Stakeholders. . . . 29
Run Status. . . . 29
Technical Rules Reference. . . . 29
View Exceptions and Volume of Data Quality Rules in Unison Grid. . . . 30
Changes in Version 7.3.5. . . . 30
Configure Session Expiry Time Limit. . . . 30
Data Quality Rule Format Support for Valid and Invalid. . . . 30
Use First Name or Combine First Name and Last Name for People Objects. . . . 30
Modify Attributes with Data Quality Rules. . . . 31
Third Party Library Changes. . . . 31

Chapter 6: Axon 7.3.4. 32

Important Notices. 32

Dropped Support for On-Screen Interactive Tutorials. 32

Dropped Support for 10.4.0 and 10.4.1 Axon Agent. 32

New Features in Version 7.3.4. 32

Automation of Data Quality Rules for Google BigQuery Resources. 32

Configure Axon with Operating System Profiles Enabled User for Data Integration Service. 33

Resume Failed Onboarding Job. 33

Changes in Version 7.3.4. 33

Display on Main Dashboard Page. 33

Update Target and Threshold Values in Data Quality Rules. 33

Ownership Transfer for Deleted Users. 34

Third Party Library Changes. 34

Chapter 7: Axon 7.3.3.1. 35

New Features in Version 7.3.3.1. 35

Configure Timeout Limit Parameter for Precomputation Process. 35

Customize Facet Name in Bulk Upload File Templates. 35

Delete and Edit Role. 35

Enable Notification for Onboarding Process Failures. 36

Restrict Axon Data Views for Guest Users. 36

Save Settings in the Insights Maps Palette. 36

Changes in Version 7.3.3.1. 36

Searches Shared With Me. 36

Third Party Library Changes. 37

Chapter 8: Axon 7.3.3. 38

Important Notices. 38

Deprecated Support. 38

Dropped Support. 38

New Features in Version 7.3.3. 38

Technical Name Prefix. 39

Delete Objects With the Bulk Upload Wizard or the REST API. 39

Attribute Data Types in Admin Panel. 39

Automatic Role and Stakeholder Assignment for Onboarded Data Sets. 39

Changes in Version 7.3.3. 40

Default Axon Status Field Values in Bulk File Uploads. 40

Attribute Template Fields. 40

Attribute API Fields. 40

Security Changes. 40

Third Party Library Changes. 40

Chapter 9: Axon 7.3.2.1. 42

New Features in version 7.3.2.1. 42

Session Alert Expiry. 42

Changes in version 7.3.2.1. 42

Third Party Library Changes. 42

Accessibility Support. 42

Chapter 10: Axon 7.3.2. 44

New Features in version 7.3.2. 44

Automatic deletion of change requests. 44

Bulk Upload Users to Share Dashboards. 44

Create and Search for Data Marketplace Objects using REST API. 44

Disable Requests for New Data Collections. 45

Document upload for Data Quality facet. 45

Notification for Data Inconsistency. 45

Password Reset Time Limit. 45

Retrieve Object History with REST API. 46

Upload Documents to a New Data Collection Request. 46

Changes in version 7.3.2. 46

Third Party Library Changes. 46

Improved Encryption for Sensitive Information. 47

Axon with Enterprise Data Catalog. 47

Role Assignment. 47

Start Workflow Automatically When Stakeholders are Bulk Uploaded. 47

Chapter 11: Axon 7.3.1.2. 49

New Features in version 7.3.1.2. 49

Axon with Enterprise Data Catalog. 49

Deletion of Auto Onboarded Lineage. 49

Quick Look Browser Extension. 49

Reindex. 50

Retrieve Changes to Review Grid Details of Primary Objects 50

Retrieve Document with REST API. 50

Changes in version 7.3.1.2. 50

Changes in Axon with Enterprise Data Catalog Integration 50

Third Party Library Changes. 50

Chapter 12: Axon 7.3.1.1. 52

New Features in version 7.3.1.1. 52

Axon with Enterprise Data Catalog. 52

Bulk Upload Template. 52

Colored Glossary Types. 52

Data Quality. . . . 53
Support for Modern Authentication. . . . 53
Email Alerts for Failure of Automated Bulk Upload Jobs. . . . 53
Enhancements in Unison Search. . . . 53
Retrieve Change Request. . . . 54
Searching in Direct and Indirect Relationships. . . . 54
Scheduler to Clear Pending Bulk Upload Jobs. . . . 54
Changes in version 7.3.1.1. . . . 54
Changes in Trend and Usage Statistics. . . . 55
LDAP Synchronization Script Changes. . . . 55
Role Assignment. . . . 55
Third Party Library Changes 55

Chapter 13: Axon 7.3.1. . . . 56

New Features in Version 7.3.1. . . . 56
Export Stakeholder Details. . . . 56
Software Requirements. . . . 56
Additional Support for LDAP Integration. . . . 56
Support for Data Quality Source. . . . 56
Enhancement in Axon and Enterprise Data Catalog Integration. . . . 56
Customize Session Expiry Time. . . . 57
Changes in Version 7.3.1. . . . 57
Enhancements in Bulk Upload Templates. . . . 57
Request Access to Data Collection. . . . 57
Sorting the Objects in a Facet. . . . 57
Automatically Start a Workflow. . . . 58
Enhancement in Local Data Quality Rule. . . . 58
Third Party Library Changes 58

Chapter 14: Axon 7.3.0.1. . . . 59

New Feature in Version 7.3.0.1. . . . 59
Additional Ticket Types in Change Request System. . . . 59
Bulk Migrate Relationships. . . . 59
Tag Axon Objects in Rich Text Entry Fields. . . . 59
Enhancement in Trend and Usage Statistics 60
Support for Additional Enterprise Data Catalog Resources. . . . 60
Enhancement in LDAP Configuration to Import Users. . . . 60
Enhancement in REST API. . . . 60
Changes in Version 7.3.0.1. . . . 60
Changes in Add Delivery Dialog Box. . . . 60
Enhancement in Email Notification. . . . 61
Detect Duplicate Relationships between Objects in Bulk Upload. . . . 61
Enhancement in Manual Change Request. . . . 61

Enhancement in Default Change Request 61

Chapter 15: Axon 7.3. 62

New Features in Version 7.3. 62
Usage Statistics. 62
Workflows and Change Requests. 62
Unison Search Improvements. 63
Axon with Enterprise Data Catalog. 63
Data Marketplace Enhancement. 64
Data Quality Rule Automation Support for New Resources. 64
Fuzzy Duplicate Detection for Bulk Upload. 64
Axon Kubernetes Enhancements. 64
Changes in Version 7.3. 65
Object History Page Changes. 65
Map Changes. 65
Object Export Enhancement. 65
Language Support. 65

Chapter 16: Axon 7.2.3. 66

New Features in Version 7.2.3. 66
Axon Quick Look Browser Extension. 66
Support for Additional Enterprise Data Catalog Resources and Physical Fields. 66
Unison Search Filter Improvements. 67
Axon Data Marketplace Features and Enhancements. 67
Bulk Update the Criticality of a Data Quality Rule. 68
Data Quality Rule Execution Support for New Resources. 68
Changes in Version 7.2.3. 68
Object Relationship Enhancements. 68
Unison Changes. 69
Dashboard Interaction Improvements. 69
Date Range Increase for Custom Fields. 70
Object Summary Page Changes. 70
Object History Page Changes. 70
Sort Hierarchy of Related Objects Alphabetically. 71
Browser Support. 71
REST API Changes. 71
Axon Installer Changes. 71
Documentation. 71

Chapter 17: Axon 7.2.2. 72

New Features in Version 7.2.2. 72
API Support for Change Requests. 72
Axon Data Marketplace Features and Enhancements. 72

Axon with Enterprise Data Catalog. . . . 73
Bulk Upload. . . . 73
Custom Field Type Enhancement. . . . 73
Configure Email Notification Frequency. . . . 74
Data Quality Rule Automation Support for New Resources. . . . 74
Email Notifications for Data Quality Results. . . . 74
Email Notifications for Workflow Discussions. . . . 74
Hide Sensitive Personal Information. . . . 74
Single Sign-On Authentication for Axon Quick Look. . . . 75
Transfer Ownership of Dashboards and Shared Searches. . . . 75
Unison Search Date Filter Enhancements. . . . 75
Changes in Version 7.2.2. . . . 75
Axon Agent Support for Informatica 10.5.1. . . . 75
Axon Installer Changes. . . . 75
Basic Access Authentication. . . . 76
Bulk Delete Objects Enhancements. . . . 76
Glossary Properties. . . . 76
New Glossary Properties Support for Axon Quick Look. . . . 76
Onboarding Objects from Different Schemas in a Resource. . . . 76
System Interface Information in Map View. . . . 77

Chapter 18: Axon 7.2.1. . . . 78

New Features in Version 7.2.1. . . . 78
Data Migration. . . . 78
Axon with Enterprise Data Catalog. . . . 78
Data Quality Enhancements. . . . 79
Data Marketplace Features and Enhancements. . . . 79
Delete Predefined Dropdown Configuration Values. . . . 80
Edit Dashboard Widgets. . . . 80
Clear Notifications. . . . 80
View Glossary Hierarchy. . . . 81
Hide Fields. . . . 81
Hide Non-Public Objects. . . . 81
Save Text Search Preferences. . . . 81
View System Hierarchy. . . . 82
View Policy Type. . . . 82
Changes in Version 7.2.1. . . . 82
Data Marketplace Changes. . . . 82
Apply EBF-21759 for Axon Agent. . . . 82

Chapter 19: Axon 7.2. . . . 83

New Features in Version 7.2. . . . 83
Cross-Segment Relationships. . . . 83

Usage Statistics. . . . 83
Custom Field for Change Request. . . . 84
Standard Data Quality Rule Enhancements. . . . 84
Axon with Enterprise Data Catalog. . . . 84
Data Quality Rule Bulk Upload Enhancements. . . . 85
Run Data Quality Rule on S3 CSV Files 85
Data Marketplace Features and Enhancements. . . . 85
Dashboard Widgets for Additional Fields. . . . 86
View Data Usage in Unison Search. . . . 86
View Predefined List of Users for Stakeholder Roles. . . . 86
Grid Layout Settings in Unison Search. . . . 87
Axon Kubernetes Utility. . . . 87
Value List API. . . . 87
Axon Quick Look on Mac. . . . 87
Export to Excel in Unison Search. . . . 87
Default Stakeholder Assignment to Users that Bulk Upload Data. . . . 87
Support Office 365 and SendGrid to Deliver Email Notifications 88
Restrict IDP Users to Create or Update Users in Axon via SSO. . . . 88
Unison Search Enhancements. . . . 88
Support for Informatica Data Quality Version 10.5, Enterprise Data Quality 10.5, and Data Privacy Management 10.5. . . . 88
Axon Agent Support for Informatica 10.5 88
New Linux Version Support. . . . 88
Changes in Version 7.2. . . . 89
Axon with Enterprise Data Catalog. . . . 89
Enhancements to Natural Language Processing (NLP) Capabilities for CLAIRE® Recommendations. . . . 89
Local Data Quality Rules. . . . 89
Label Change in Data Marketplace. . . . 90
People Objects. . . . 90
Label Changes in Axon Data Governance. . . . 90
Date Filter. . . . 90
Change Requests. . . . 90
Unison Search Results. . . . 90
Mailer Transport. . . . 91

Chapter 20: Axon 7.1. . . . 92

New Features in Version 7.1. . . . 92
Axon with Enterprise Data Catalog. . . . 92
Data Marketplace Features and Enhancements. . . . 96
Workflows and Change Requests. . . . 97
Work with Segments. . . . 97
Retrieve Users from Multiple LDAP Servers to Axon. . . . 98

View Profiles and Scorecards Associated with Local Data Quality Rules in Informatica Analyst Tool. . . . 98
Bulk Upload Data. . . . 98
APIs to Create or Delete Single and Multiple Roles. . . . 98
Delete Dropdown Configuration Values. . . . 99
Unison and API Search Filter. . . . 99
Periodic Review of Objects. . . . 99
Phone Home Enhancements. . . . 100
Notifications via Email to Object Follower. . . . 100
New Walkthroughs. . . . 100
Axon Docker Utility. . . . 101
PostgreSQL Database. . . . 101
Configure Graph Database Cluster on External Nodes. . . . 101
Support for Azure SQL Data Warehouse Source for Profiles and Scorecards. . . . 102
View User and Session Timeout Details in Logs. . . . 102
Supported Browsers. . . . 102
New Operating System Version Support. . . . 102
Changes in Version 7.1. . . . 102
Axon with Enterprise Data Catalog. . . . 102
Share Dashboard with All Users. . . . 104
Bulk Update Attributes. . . . 104
Custom Fields. . . . 104
Label Changes in Axon. . . . 104
Performance Improvements. . . . 105
Documentation. . . . 105

Chapter 21: Axon 7.0. . . . 106

New Features in Version 7.0. . . . 106
Segmentation. . . . 106
Enhancements to Axon and Enterprise Data Catalog Integration. . . . 107
Data Marketplace Features and Enhancements. . . . 108
Workflows and Change Requests. . . . 109
New Relationships for Product. . . . 110
Bulk Delete Relationships. . . . 110
Bulk Delete Attributes. . . . 110
Data Quality Rule Templates. . . . 110
Glossary Types. . . . 111
Disable Export of People Objects. . . . 111
Support for Amazon Redshift Source for Profiles and Scorecards. . . . 111
PostgreSQL Database on Separate Node. . . . 111
New Interface Languages. . . . 111
Changes in Version 7.0. . . . 111
LDAP Support for Axon Quick Look. . . . 112

Workflows and Change Requests. 112
Default Org Unit for LDAP Users. 112
LDAP Credentials to Connect Axon Agent or Enterprise Data Catalog Scanner. 112
LDAP Credentials to Make API Calls. 113
Support for Segments in API Calls. 113
Changes to Axon and Enterprise Data Catalog Integration. 113
Data Set X Product X Legal Entity Relationship Type. 113
Local Data Quality Rules. 114
Display Last Visited Page When Returning Users Log In. 114
New User Guide for Data Marketplace. 114
New Walkthroughs. 114

Preface

Read the *What's New and Changed* to know about new features and enhancements, behavior changes between versions, and tasks you might need to perform after you upgrade Axon from a previous version.

This guide is written for all types of users who are interested in the new features and changed behavior of a new Axon release.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Network

The Informatica Network is the gateway to many resources, including the Informatica Knowledge Base and Informatica Global Customer Support. To enter the Informatica Network, visit https://network.informatica.com.

As an Informatica Network member, you have the following options:

- Search the Knowledge Base for product resources.
- View product availability information.
- Create and review your support cases.
- Find your local Informatica User Group Network and collaborate with your peers.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Product Availability Matrices

Product Availability Matrices (PAMs) indicate the versions of the operating systems, databases, and types of data sources and targets that a product release supports. You can browse the Informatica PAMs at https://network.informatica.com/community/informatica-network/product-availability-matrices.

Informatica Marketplace

The Informatica Marketplace is a forum where you can find solutions that extend and enhance your Informatica implementations. Leverage any of the hundreds of solutions from Informatica developers and partners on the Marketplace to improve your productivity and speed up time to implementation on your projects. You can find the Informatica Marketplace at https://marketplace.informatica.com.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:
https://www.informatica.com/services-and-training/customer-success-services/contact-us.html.

To find online support resources on the Informatica Network, visit https://network.informatica.com and select the Support option.

CHAPTER 1

Axon 7.3.8

This chapter includes the following topics:

- "New Features in Version 7.3.8" on page 15
- "Changes in Version 7.3.8" on page 16

New Features in Version 7.3.8

This section describes new Axon features in version 7.3.8.

Bulk Manage LinkedIn Profile URLs for People Objects

Effective in version 7.3.8, you can add or update the LinkedIn profile URLs for multiple People objects at once with the Bulk Upload Template.

The feature adds a clickable LinkedIn icon to the profile.

To remove an existing URL and its icon, clear the field in the template. You can remove any outdated or incorrect links in bulk.

For more information about how to create or update a People object with the Bulk Upload Template, see the *Informatica® Axon Data Governance 7.3.8 Bulk Reference Guide* and *Informatica® Axon Data Governance 7.3.8 User Guide*.

Bulk Deletion for Data Marketplace Categories and Collections

Effective in version 7.3.8, you can perform bulk deletions of Data Collections and Categories within the Axon Data Marketplace. The feature eliminates the need for tedious manual cleanup and helps to quickly remove outdated entries, correct accidental uploads, or perform large-scale maintenance on the Axon Marketplace.

You can leverage the Remove existing items option within the Bulk Upload wizard to remove multiple Data Collections and Categories simultaneously. If any record in the uploaded file contains an error, the entire transaction is aborted to prevent partial updates to the Marketplace.

When you bulk delete a Data Category, Axon unpublishes all of the Data Collections nested within it and streamlines the entire cleanup process. Deleting a Data Collection unpublishes it from the Marketplace and removes its link to the underlying dataset. Deleting a Category sets the status to Inactive and unpublishes all its associated collections.

Customize Browser Tab Title

Effective in version 7.3.8, you can customize the browser tab title in Axon to align with organizational branding. The custom title appears on the browser tab.

Administrators can configure the custom title in the Admin Panel.

If you do not set the browser tab title, Axon retains the default page-specific browser tab titles.

For more information about how to customize the browser tab title for Axon, see the *Informatica® 7.3.8 Axon Data Governance Administrator Guide*.

Customize Application Notification Preferences

Effective in version 7.3.8, you can manage Axon application notifications that appear in the bell icon on the top navigation.

You can disable real-time alerts and enable the alerts again at any time. Axon retains notifications that arrive during the disabled state and displays the notifications after you enable notifications again. The setting is independent of the email notification frequency setting and persists for future sessions.

For more information about how to update application notification preferences, see the *Informatica® Axon Data Governance 7.3.8 User Guide*.

Data Quality Run Failure Notifications

Effective in version 7.3.8, you can resolve issues faster with the Data Quality run failure notifications.

To enhance monitoring and transparency, Axon sends an email alert to responsible users if a Data Quality rule fails to run when you use the **Run Rule and Retrieve Data** option. The email includes the name of the failed rule and a direct link to its details page for easy troubleshooting.

For more information about Data Quality run failure notifications in Axon, see the *Informatica® Axon Data Governance 7.3.8 User Guide*.

Changes in Version 7.3.8

This section describes the changes to Axon in version 7.3.8.

Third Party Library Changes

The following table depicts the third-party library upgrades for Axon 7.3.8:

Third Party Library (TPL)	Upgrade Version
Apache httpd	2.4.68
Apache Tomcat	9.0.121
Erlang	28.5.0.5
Java	17.0.19

Third Party Library (TPL)	Upgrade Version
Node.js	24.19.0
OrientDB	3.2.55
PHP	8.5.9
PostgreSQL	18.6
RabbitMQ	4.3.5

Updated Styling for Confirmation and Alert Dialogs

Effective in version 7.3.8, confirmation and alert dialogs in Axon Data Governance feature an updated visual style to enhance the user experience.

All functional behavior, button labels, and dialog outcomes remain the same.

User ID Appears in Bulk Upload Logs

Effective in version 7.3.8, the Logs page on the Admin Panel shows the user ID for bulk upload entries.

The feature allows Administrators to easily see who ran a specific job and to search the logs by a specific User ID to track all of the bulk upload activities.

Previously, the user ID information was not available in the logs.

For more details about viewing system log file content, see the *Informatica® Axon Data Governance 7.3.8 Administrator Guide*.

CHAPTER 2

Axon 7.3.7

This chapter includes the following topics:

- "New Features in Version 7.3.7" on page 18
- "Changes in Version 7.3.7" on page 19

New Features in Version 7.3.7

This section describes new Axon features in version 7.3.7.

Enhanced Gmail Email Integration through SMTP

Effective in version 7.3.7, email functionality uses the Gmail settings through the SMTP Mailer Transport.

Previously, Axon configured Gmail email integration with the selection of Gmail as a dedicated option from the Mailer Transport dropdown menu.

For more information, see the Configure Email Delivery Options topic in the *Informatica® Axon Data Governance 7.3.7 Administrator Guide*.

Gmail Option Removed from Mailer Transport

Effective in version 7.3.7, Axon removed the Gmail option from the Mailer Transport dropdown menu.

If you upgrade from a previous Axon version, the Gmail mailer transport option may no longer function.

Previously, Axon used the Gmail mailer transport option.

For more information, see the Configure Email Delivery Options topic in the *Informatica® Axon Data Governance 7.3.7 Administrator Guide*.

Product Reference Field Mapping in Bulk Upload for Glossary X Product Relationships

Effective in version 7.3.7, you can include the Product Ref. field in the bulk upload payload to uniquely identify products in Glossary X Product relationships.

When you specify the Product Ref. field, the bulk upload process uses the reference value to match the product. The Product Ref. field allows you to successfully create relationships with multiple products that have identical names.

Download the updated template to bulk upload in Axon.

For more information about how to create Glossary X Product relationships, see the *Informatica® Axon Data Governance 7.3.7 Bulk Upload Reference Guide*.

Type-Ahead Search for Role Selection Under Stakeholders

Effective in version 7.3.7, you can use the type-ahead search functionality for the role selection in the Stakeholders tab.

You can quickly navigate to specific roles by typing partial text. For example, typing `Glos` helps to easily navigate to the `Glossary Steward`.

View Last Updated By Field in Unison Grid

Effective in version 7.3.7, the Unison grid page displays the **Last Updated By** column for most Axon facets and Change Requests.

The column displays a link to the profile of the last user who made updates. To export the column, use the Export options in Unison to generate PDF, Microsoft Excel, or CSV file formats.

Note: Last Updated By column applies to most Axon facets and Change Requests except for the Active Tasks, Physical Fields, and for the Role and People Axon facets.

For more information about how to view columns on Unison Search page, see the *Informatica® Axon Data Governance 7.3.7 User Guide*.

View Custom Field Description on Hover

Effective in version 7.3.7, when you create or view an Axon object, you can hover over the tooltip icon beside the custom field to view the custom field description.

To add tooltip text to a custom field, enter it in the **Description** property when you create the custom field.

For more information about how to add description for a custom field in Axon, see the *Informatica® Axon Data Governance 7.3.7 Administrator Guide*.

Changes in Version 7.3.7

This section describes the changes to Axon in version 7.3.8.

Display All Attributes of a Data Quality Rule in Unison Search

Effective in version 7.3.7, Axon Data Governance displays multiple attributes associated with a Data Quality Rule in the Unison search.

The enhancement introduces, you can see a +<number> indicator when a Data Quality Rule contains additional attributes. When you click the indicator, Axon UI displays the complete list of attributes. The Attribute Reference column displays all associated reference numbers as a comma-delimited list.

The Unison API response now displays the following updated field names:

Previous versions	Effective from 7.3.7
attributeRef	attributesRef
attributeName	attributesName

Previously, when a Data Quality Rule contained multiple attributes, the Unison search displayed one attribute of the Data Quality facet in the Attribute Name column and one reference number in the Attribute Ref column.

Third Party Library Changes

The following table depicts the third-party library upgrades for Axon 7.3.7:

TPL Name	Upgrade Version
Apache Tomcat	9.0.115
Elasticsearch	9.3.0
Erlang	27.3.4.8
Hibernate	6.5.2.Final
Apache HTTP Server (httpd)	2.4.66
Java	17.0.17
Logstash	9.3.0
Node.js	24.13.1
OrientDB	3.2.49
PHP	8.3.30
PostgreSQL	17.9
RabbitMQ	4.2.4
Spring Framework	6.2.14
Symfony	5.4.51

CHAPTER 3

Axon 7.3.6

This chapter includes the following topics:

- "New Features in Version 7.3.6" on page 21
- "Changes in Version 7.3.6" on page 23

New Features in Version 7.3.6

This section describes new Axon features in version 7.3.6.

Added Relationship Type for Regulation X Regulator Relationships

Effective in version 7.3.6, Axon has added the Relationship Type field to the Regulation X Regulator relationship. You can configure the field through the Admin panel and update from the Regulation facet summary page.

The Relationship Type field is a mandatory field in the Bulk Upload and Bulk Delete templates. Unison returns relationship type data, history pages audit changes, and the update resolves existing data consistency issues in Bulk Delete and Data Migration operations.

For more information, see the *Informatica® Axon Data Governance 7.3.6 Bulk Upload Reference Guide*.

Automation of Data Quality Rules for Databricks Advanced Scanner, JDBC, and Hive Resources

Effective in version 7.3.6, you can automate the process to run the Data Quality rules to verify the data quality for the following resources in Axon:

- Databricks Advanced Scanner
- Hive
- JDBC (The certified drivers are Oracle, DB2, and Microsoft SQL Server.)

For more information about automation of Data Quality rules, see the *Informatica® Axon Data Governance 7.3.6 User Guide*.

Customized Email Templates

Effective in version 7.3.6, customized email templates that enable Super Admins to personalize the content, design, and formatting of email notifications related to data governance workflows.

The template customization capabilities include the following key features:

- Personalization of email content, design, and formatting for workflow notifications
- Configuration of email subjects and body content with HTML formatting and CSS styling
- Option to select the preferred locale for the email template to ensure localized communication
- Implementation of default fields and placeholders for context-specific messaging
- Delivery of professional communications to data stewards, owners, and collaborators

For more information about how to customize email templates, see the *Informatica® Axon Data Governance 7.3.6 Data Governance Administrator Guide*.


HTML Tags in Axon Data Marketplace Description

Effective in version 7.3.6, you can use HTML tags to format text in the header description of Axon Data Marketplace in the en-GB.json file.

For example, use the following HTML snippet to format the header description text in the en-GB.json file:

```
<p><strong>Hello</strong>, visit <a href=\"https://example.com\" target=\"_blank
\">this site</a>, see <em>italic</em> and <u>underlined</u> text.</p>
```

The Axon Data Marketplace user interface renders the provided HTML snippet as follows:



For more information about how to edit the Axon Data Marketplace description, see the How to change the page description and labels in Axon Data Marketplace? Knowledge article.

Log Object History

Effective in version 7.3.6, you can configure Axon to track and store the audit history of an object. You can store the audit history of the object under the **Customize & Configure** category in the **Admin** panel. You can also access the version history through the REST API.

For more information about storing object history, see the *Informatica® Axon Data Governance 7.3.6 Administrator Guide*.

Optional Reindexing of Axon Facets During Upgrade

Effective in version 7.3.6, reindexing of Axon facets during an upgrade is optional.

If the Data Health Check Utility reports no data inconsistencies, Axon allows you to skip reindexing of facets. If inconsistencies are found, reindexing Axon facets is a mandatory step to complete the upgrade.

For more information about the Data Health Check Utility, see the *Informatica® Axon Data Governance 7.3.6 Upgrade Guide*.

URL Field Addition to the Policy Facet

Effective in version 7.3.6, the URL field is available as a column in the Unison grid under the Policy facet. You can add the URL field though the Columns menu in Unison. The feature enables quick visibility into the policies and objects that include links to their source documents.

For more information about the URL field, see the *Informatica® Axon Data Governance 7.3.6 User Guide*.

Changes in Version 7.3.6

This section describes the changes to Axon in version 7.3.6.

Customize Sender Display Name

Effective in version 7.3.6, you can personalize the sender display name. The sender display name appears as the email sender in outbound email headers. For custom branding and improved email delivery control, Administrators can choose to override the default sender identity.

Previously, the sender display name was hardcoded.

For more information, see the *Informatica® Axon Data Governance 7.3.6 Data Governance Administrator Guide*.

Excluding Scores from Inactive and Deleted Data Quality Rules

Effective in version 7.3.6, when you set the status of a Data Quality rule to deleted or inactive, Axon stops retrieving the scores. With the excluded scores, the Data Quality reports remain accurate and consistent.

Previously, Axon would fetch scores for all rules regardless of the inactive or deleted status.

Hide Fields for Objects

Effective in version 7.3.6, the SuperAdmin user can hide fields with empty values from the view mode of the Summary page across all objects in Axon.

Previously, the option was available for only a few objects.

For more information about how to hide the empty fields, see the *Informatica® Axon 7.3.6 Data Governance Administrator Guide*.

Removed RegulatorRegRef field

Effective in version 7.3.6, Axon removed the RegulatorRegRef field from the Bulk Upload templates, UI, and Data Migration files.

Previously, the RegulatorRegRef field was available.

Third Party Library Changes

The following table depicts the third-party library upgrades for Axon 7.3.6:

TPL Name	Upgrade Version
Apache Tomcat	9.0.112
Elasticsearch and Logstash	8.19.3
Erlang	27.3.4.3
HTTPd	2.4.65
Java	11.0.28
Node.js	24.10.0
OrientDB	3.2.40
PHP	8.3.23
PostgreSQL	17.6
RabbitMQ	4.1.4

CHAPTER 4

Axon 7.3.5.1

This chapter includes the following topics:

- "Installation and Upgrade Changes" on page 25
- "New Features in Version 7.3.5.1" on page 25
- "Changes in Version 7.3.5.1" on page 27

Installation and Upgrade Changes

Reindexing Not Required After Applying 7.3.5.1 Service Pack

Effective in 7.3.5.1, after you apply the service pack, you no longer need to manually run the `sh reIndex.sh` script from the `<Axon_Installation_Directory>/scripts` directory to reindex the Axon database and services.

The change impacts service pack releases.

For more information about applying the 7.3.5.1 service pack, see the *Informatica® Axon Data Governance 7.3.5.1 Release Notes*.

New Features in Version 7.3.5.1

This section describes new Axon features in version 7.3.5.1.

Delete Data Quality Reports Through REST API

Effective in version 7.3.5.1, you can delete Data Quality reports of one or more DQ Rules using a REST API call.

You can delete specific Data Quality report using the `DELETE` method with the endpoint `/api/v1/dqscorereport`

For more information about deleting a Data Quality report, see the *Informatica® Axon Data Governance 7.3.5.1 REST API Guide*.

Enhanced Bulk Upload for Data Quality Attributes

Effective in version 7.3.5.1, you can perform bulk uploads of attributes linked to Data Quality rules.

With the introduction of a new template for Local Data Quality Rule X Attribute, you can perform bulk uploads efficiently to manage a large set of Data Quality rules and attributes.

For more information about the streamlined bulk upload for Data Quality attributes, see the *Informatica® Axon Data Governance 7.3.5.1 Bulk Upload Reference Guide* and the *Informatica® Axon Data Governance 7.3.5.1 REST API Guide*.

Enhanced Bulk Upload for Role Attributes

Effective in version 7.3.5.1, you can perform bulk uploads of attribute roles.

With the new template for attribute roles, you can perform bulk uploads efficiently to manage a large set of attribute roles.

For more information about the streamlined bulk upload for Data Quality attributes, see the *Informatica® Axon Data Governance 7.3.5.1 Bulk Upload Reference Guide* and the *Informatica® Axon Data Governance 7.3.5.1 REST API Guide*.

Enhanced Log Management System

Effective in version 7.3.5.1, Axon implements an automated log rotation and deletion feature.

To streamline the log management processes, Axon includes the following key feature updates:

- Daily log rotation for prod.log and dev.log
- Automated deletion of outdated log files.

For more information about how to set up the enhanced log, see the *Informatica® Axon 7.3.5.1 Data Governance Administrator Guide*.

Enhanced Security: Transition to HTTPS for Microservice APIs

Effective in version 7.3.5.1, Axon has enhanced security by switching all the internal microservice APIs to HTTPS, including Asset Onboarder, Authorization, Bulk Upload, Change Request, Document, Event Monitor, Marketplace, Notification, Unison, Valuelist, and the health check APIs.

Hide the Empty Fields for Axon Objects

Effective in version 7.3.5.1, the SuperAdmin user can hide fields with empty values from the Summary page of Business Area, Client, Data Quality, Product, Project, Regulation, and System Interface objects, in addition to the previously supported Data Set, Policy, Process, System, and Glossary objects.

For more information about how to hide the empty fields, see the *Informatica® Axon 7.3.5.1 Data Governance Administrator Guide*.

View Stakeholder Role Descriptions

Effective in version 7.3.5.1, you can view the description of a stakeholder role in the Role Description column on both the view and edit pages within the Stakeholders tab.

Axon generates the role description content based on the role assigned to the stakeholder.

For more information about the Stakeholder tab, see the *Informatica® Axon 7.3.5.1 Data Governance User Guide*.

Changes in Version 7.3.5.1

This section describes the changes to Axon in version 7.3.5.1.

Third Party Library Changes

The following table depicts the third-party library upgrades for Axon 7.3.5.1:

TPL Name	Upgrade Version
Apache Tomcat	9.0.105
Apache HttpClient	4.5.14
Java	1.8.452
Jetty	9.4.57.v20241219
Jquery-validate	1.21.0
Spring Framework	5.3.48-INFA

CHAPTER 5

Axon 7.3.5

This chapter includes the following topics:

- "Important Notices" on page 28
- "New Features in Version 7.3.5" on page 28
- "Changes in Version 7.3.5" on page 30

Important Notices

Third-Party Support Updates (7.3.5)

Effective in version 7.3.5, Axon applications support the updated versions of the following third-party tools and standards:

Transport Layer Security Protocol Version 1.3

Effective in version 7.3.5, Axon Agent 10.5.8 supports Transport Layer Security (TLS) protocol version 1.3.

By default, Axon Agent 10.5.8 uses Transport Layer Security (TLS) protocol version 1.2.

Support for 10.5.8 Axon Agent

Effective in version 7.3.5, the Axon installer supports 10.5.8 Axon Agent.

New Features in Version 7.3.5

This section describes new Axon features in version 7.3.5.

Hops Count

Effective in version 7.3.5, use hops count to limit and specify the number of upstream and downstream lineages shown in the map view.

Hops count refers to the number of upstream and downstream lineages associated with a selected object. When the map view displays multiple lineages, the map becomes complex and difficult to navigate. With hops count, you can restrict the number of lineages to view within the map.

Axon allows hop counts between 1 to 99. However, Axon recommends you to restrict the view to 15 lineages for selected objects. Hops count is available for both system lineage and data lineage.

For more information about Hop Counts, see the *Informatica® Axon Data Governance User Guide*.

Retrieve Data Quality Report with REST API

Effective in version 7.3.5, you can retrieve the Data Quality report with REST API.

You can retrieve the Data Quality report by data quality rule ID using the following GET method:

```
api/v1/dqreports/ <DQ_RULE_ID>
```

For more information about retrieving Data Quality report by data quality rule ID, see the *Informatica® Axon Data Governance REST API Guide*.

Restrict Non-Public Object Web User Access for Non-Stakeholders

Effective in version 7.3.5, you can configure Axon to restrict access to non-public objects for web users who are non-stakeholders. To enable restricted access, ensure you have SuperAdmin privileges.

To hide non-public objects for web users, you can enable the Restrict Non-Public Object Web User Access for Non-Stakeholders option in the Environment group under the System Settings tab of Customize & Configure category from the Admin Panel. Default is false.

For more information about restricting non-public objects for web users, see the *Informatica® Axon Data Governance Administrator Guide*.

Run Status

Effective in version 7.3.5, you can view the run status in Unison and in the Report tab of the Data Quality Rule page. The run status indicates the status of the Data Quality jobs. If the job fails to run, the status appears as failed. If the job succeeds, the status appears as completed.

For more information, see the *Informatica® Axon Data Governance 7.3.5 User Guide*.

Technical Rules Reference

Effective in Axon version 7.3.5, you can obtain the technical rule reference in Unison for the Data Quality facet. When you download the files, you can export the grid reports for each of the rules along with their corresponding technical rule in any of the supported formats with the Unison export option.

For more information about the technical rules, see the *Axon Data Governance 7.3.5 User Guide*.

View Exceptions and Volume of Data Quality Rules in Unison Grid

Effective in version 7.3.5, you can view the Exceptions and Volume fields of Data Quality rules in the Unison grid page. When you export Data Quality rules from the Unison grid page, the exported file contains the Exceptions and Volume field values.

For more information about Exceptions and Volume fields in the Unison grid page, see the *Informatica® Axon Data Governance 7.3.5 Data Governance User Guide*.

Changes in Version 7.3.5

This section describes the changes to Axon in version 7.3.5.

Configure Session Expiry Time Limit

Effective in version 7.3.5, you can configure the session expiry time limit in minutes.

You can use the `maxSessionExpireTime` variable to set the maximum limit for session expiry time. The session expiry time range that you specify in the Admin panel should not exceed the value that you specify in `maxSessionExpireTime` variable. The maximum value that you can specify in `maxSessionExpireTime` variable is 1440 minutes.

Previously, the maximum limit for session expiry time was 480 minutes.

For more information about session expiry time limit, see the *Informatica® Axon Data Governance 7.3.5 Data Governance Administrator Guide*.

Data Quality Rule Format Support for Valid and Invalid

Effective in version 7.3.5, the Data Quality rule supports the new result formats: Valid or Invalid.

The legacy formats '0'/'1', 'Yes'/'No', and 'True'/'False' remain supported.

For more information about Data Quality rules, see the *Informatica® Axon Data Governance User Guide*.

Use First Name or Combine First Name and Last Name for People Objects

Effective in version 7.3.5, you can now enter a full name in the First Name field when you create or edit people objects.

If your LDAP configuration supports full names, directly enter them in the First Name field when you create or edit objects, either from the Axon Governance user interface or through the Bulk Upload process. In addition, the Last Name field is now optional. Previously, you had to enter full names by separating them into the First Name and Last Name fields, and the Last Name field was mandatory.

For more information about create and edit objects, see the *Informatica® Axon Data Governance Bulk Upload Guide*.

Modify Attributes with Data Quality Rules

Effective in version 7.3.5, you can't change attributes with a Data Quality rule to a different dataset.

To change the dataset associated with the attributes, unlink the attributes from the Data Quality rule.

For more information about changing attributes to a different dataset, see the *Informatica® Axon Data Governance 7.3.5 User Guide*.

Previously, you could change the attributes with Data Quality rules to a different dataset without unlinking the objects.

Third Party Library Changes

The following table depicts the third-party library upgrades for Axon 7.3.5:

TPL Name	Upgrade Version
Apache Tomcat	9.0.102
Apache-Http Server	2.4.63
Java	8u442
Jetty Server for MarketPlace	9.4.57.v20241219
Mocha	11.1.0
Node	20.18.2
Symfony	5.4.49
phpspreadsheet	3.9.0

CHAPTER 6

Axon 7.3.4

This chapter includes the following topics:

- "New Features in Version 7.3.4" on page 32
- "Changes in Version 7.3.4" on page 33

Important Notices

Dropped Support for On-Screen Interactive Tutorials

Effective in version 7.3.4, Informatica has dropped support for on-screen interactive tutorials in Axon Data Governance.

Dropped Support for 10.4.0 and 10.4.1 Axon Agent

Effective in version 7.3.4, the Axon installer dropped support for 10.4.0 and 10.4.1 versions of the Axon Agent. The 7.3.4 Axon installer supports 10.5.7 Axon Agent.

New Features in Version 7.3.4

This section describes new Axon features in version 7.3.4.

Automation of Data Quality Rules for Google BigQuery Resources

Effective in version 7.3.4, you can automate the process to run data quality rules to check the quality of the data in your systems for Google BigQuery resources in Axon.

For more information about automation of data quality rules, see the *Informatica® Axon Data Governance 7.3.4 User Guide*.

Configure Axon with Operating System Profiles Enabled User for Data Integration Service

Effective in version 7.3.4, you can configure Axon with operating system profiles enabled user for the Data Integration Service during the Axon Agent installation or upgrade process.

For more information about configuring Axon with Data Integration Service enabled operating system profiles, see the *Informatica® Axon Data Governance 7.3.4 Installation Guide* and *Informatica® Axon Data Governance 7.3.4 Upgrade Guide*.

Resume Failed Onboarding Job

Effective in version 7.3.4, you can choose to resume the previously failed onboarding job instead of restarting it.

When you configure access to Enterprise Data Catalog in the Admin panel, select the Resume Failed Onboarding Job check box to resume the previously failed onboarding job instead of restarting it.

For more information about the option to resume failed onboarding job, see the *Informatica® Axon Data Governance 7.3.4 Administrator Guide*.

Changes in Version 7.3.4

This section describes the changes to Axon in version 7.3.4.

Display on Main Dashboard Page

Effective in version 7.3.4, the dashboards shared by deleted users appear on the main dashboard page, or the Home page.

Previously, the dashboards shared by deleted users were not displayed and caused the main dashboard page to stop responding.

For more information about the main dashboard page, see the *Informatica® Axon Data Governance 7.3.4 Administrator Guide*.

Update Target and Threshold Values in Data Quality Rules

Effective in version 7.3.4, you can update the Target and Threshold field values in the Report Tab of Data Quality Rule page and in the template to bulk upload data quality reports to Axon. The Data Quality scores are highlighted in red, amber, or green based on the Target and Threshold field values that you specify.

Previously, the Target and Threshold fields were not editable in the Report tab of Data Quality Rule page and the template to bulk upload data quality reports to Axon.

For more information about the editable Target and Threshold fields in Data Quality Rules, see the *Informatica® Axon Data Governance 7.3.4 User Guide*.

Ownership Transfer for Deleted Users

Effective in version 7.3.4, the ownership transfer for the deleted users functions accurately. The dashboards and saved searches shared by deleted users appear without hyperlinks on the **Dashboard and Search Ownership Transfer** page.

Previously, the shared dashboards and searches of the deleted users were not visible on the **Dashboard and Search Ownership Transfer** page.

For more information about the ownership transfer for deleted users, see the *Informatica® Axon Data Governance 7.3.4 Administrator Guide*.

Third Party Library Changes

The following table depicts the third-party library upgrades for Axon 7.3.4:

TPL Name	Upgrade Version
Apache Tomcat	9.0.97
PostgreSQL	16.5
Highchart	11.4.8
jQuery UI	1.14.1
handlebars	4.7.8
Data Tables	2.1.8
php	8.3.12
Node	20.17.0
Java	8u432
Spring Framework	5.3.44-INFA

CHAPTER 7

Axon 7.3.3.1

This chapter includes the following topics:

- "New Features in Version 7.3.3.1" on page 35
- "Changes in Version 7.3.3.1" on page 36

New Features in Version 7.3.3.1

This section describes new Axon features in version 7.3.3.1.

Configure Timeout Limit Parameter for Precomputation Process

Effective in version 7.3.3.1, you can use the `precomputation_status_refresh_timeout` parameter to configure the timeout limit for the precomputation process.

Set the `precomputation_status_refresh_timeout` parameter in the `parameters.ymlc` file to define the timeout period in seconds. The specified timeout period overrides the default setting.

For more information about configuring the timeout limit parameter for the precomputation process, see the *Informatica® Axon 7.3.3.1 Data Governance Administrator Guide*.

Customize Facet Name in Bulk Upload File Templates

Effective in version 7.3.3.1, you can customize the facet name in the messages.en-GB.po file and view the changes in Bulk Upload File Templates in EN locale.

For more information about Bulk Upload File Templates, see the *Informatica® Axon 7.3.3.1. Bulk Upload Reference Guide*.

Delete and Edit Role

Effective in version 7.3.3.1, you can delete a role with the Super Admin profile on the Roles and Responsibilities page in the Admin Panel.

You can edit the description, role type, and facet for the object role.

You can delete the role when the role permission is present.

For more information about the roles that you can configure, see the *Informatica® Axon Data Governance 7.3.3.1 Administrator Guide*.

Enable Notification for Onboarding Process Failures

Effective in version 7.3.3.1, you can activate an email alert for the SuperAdmin when a data onboarding job fails.

You can choose to enable notification for onboarding process failures. You can activate the email alerts when you configure Enterprise Data Catalog parameters in Axon.

For more information about enabling notifications while configuring access from Enterprise Data Catalog to Axon, see the *nformatica® Axon 7.3.3.1 Data Governance Administrator Guide*.

Restrict Axon Data Views for Guest Users

Effective in version 7.3.3.1, you can configure Axon to restrict access of data views for users without a login. To enable restricted access, ensure you have SuperAdmin privileges.

To hide the Axon data views for guest users, you can enable the Restrict Access for Guest Users option in the Environment group under the System Settings tab of Customize & Configure category from the Admin Panel. Default is false.
For more information about restricting Axon data access for guest users, see the *Informatica® Axon 7.3.3.1 Data Governance Administrator Guide*.

Save Settings in the Insights Maps Palette

Effective in version 7.3.3.1, you can configure and save the settings in the Insights Maps palette for a logged-in user.

You can reset to the default settings of the map.

For more information about the save and reset settings in the Insights Maps palette, see the *Informatica® Axon Data Governance 7.3.3.1 User Guide*.

Changes in Version 7.3.3.1

This section describes the changes to Axon in version 7.3.3.1.

Searches Shared With Me

Effective in version 7.3.3.1, you can modify the sharing of the searches on the **Searches Shared With Me** tab with the SuperAdmin privilege. The search owner gets an email notification when the SuperAdmin modifies the shared search.

Previously, the SuperAdmin could not modify the sharing of the searches on the **Searches Shared With Me** tab.

Third Party Library Changes

The following table depicts the third-party library upgrades for Axon 7.3.3.1:

TPL Name	Upgrade Version
Camunda Tomcat	9.0.93
HTTPD	2.4.62

CHAPTER 8

Axon 7.3.3

This chapter includes the following topics:

- "New Features in Version 7.3.3" on page 38
- "Changes in Version 7.3.3" on page 40

Important Notices

Deprecated Support

Read this section to learn more about the deprecated support for the release.

Deprecated Support for Microsoft Azure PostgreSQL Single Server in the Upgrade Installer

Effective in version 7.3.3, the Microsoft Azure PostgreSQL Single Server is deprecated in the upgrade installer. Informatica intends to drop support for Microsoft Azure PostgreSQL Single Server in a future release.

When you upgrade to version 7.3.3, Informatica recommends that you use Microsoft Azure PostgreSQL Flexible Server. If required, you can use the previous Microsoft Azure PostgreSQL Single Server.

Dropped Support

Read this section to learn more about the dropped support for the release.

Dropped Support for Microsoft Azure PostgreSQL Single Server in Installer

Effective in version 7.3.3, the Axon installer dropped support for Microsoft Azure PostgreSQL Single Server. You can instead use the Microsoft Azure PostgreSQL Flexible Server.

New Features in Version 7.3.3

This section describes new Axon features in version 7.3.3.

Technical Name Prefix

Effective in version 7.3.3, when you first create a custom field, the Display Name you enter becomes its Technical Name, prefixed by cf.

For more information about the Technical Name, see the *Axon 7.3.3 Data Governance Administrator Guide*.

Delete Objects With the Bulk Upload Wizard or the REST API

Effective in version 7.3.3, users with SuperAdmin privileges can delete one or more Axon objects of a facet such as Interfaces, Data Sets, and Attributes asynchronously with the Bulk Wizard or the REST API. You can delete objects from the Object page, Unison page, Bulk Wizard page, or with the REST API.

You can delete objects in Axon with the following list of options:

Bulk Wizard

The Bulk Wizard includes an Upload from File section specifically designed to manage large-scale data modifications effectively. Within the Upload from File section, the Remove Existing Items option allows you to specify which items to delete by updating the IDs in the uploaded template. After you set the template upload, you can map the IDs on the Mapping page to initiate the advanced bulk delete process. To delete a single object on the Object page, select the edit option followed by Delete. Previously, you had to manually select the rows on the Unison page and then choose the Bulk delete option.

Bulk Delete API

Use the *DELETE* method in the Bulk Delete API to delete multiple objects of a facet in batches.

Single Delete API

Use the *DELETE* method in the Single Object Delete API to delete objects of a facet individually.

For more information about how to delete objects, see the *Informatica® Axon Data Governance 7.3.3 Bulk Upload Reference Guide* and *Informatica® Axon Data Governance 7.3.3 Data Governance REST API Guide*.

Attribute Data Types in Admin Panel

To add, configure, or delete an attribute data type, you can use **Attribute Data Type** option in the Dropdown Configurations page under Meta-Model Administration in the Admin Panel. Ensure you specify a valid and a unique name for the attribute data type. Before you configure custom options, you must have SuperAdmin privileges.

The Data Type column of the Data Set attributes populates the data types that you configure in the **Attribute Data Type** option in the Admin Panel.

Automatic Role and Stakeholder Assignment for Onboarded Data Sets

Effective in version 7.3.3, you can map roles to the stakeholders in the Edit Data Onboarding Rules page. Additionally, when the Dataset Onboarding job onboards objects from Enterprise Data Catalog to Axon, the onboarding job automatically maps relevant system roles to the dataset roles.

For more information on the automated onboarding process, see the *Informatica® Axon Data Governance 7.3.3 User Guide*.

Changes in Version 7.3.3

This section describes the changes to Axon in version 7.3.3.

Default Axon Status Field Values in Bulk File Uploads

Effective in version 7.3.3, bulk file uploads in Axon overwrites the Axon status field values with the default values that the system administrator specified in the Default Change Requests page.

Previously, Axon didn't overwrite the Axon status field values in the files that you upload with the default values specified by the system administrator.

For more information about the default Axon status field values, see the *Informatica® Axon Data Governance 7.3.3. Data Governance Administrator Guide.* For more information about bulk file uploads, see the *Informatica® Axon Data Governance 7.3.3 Bulk Upload Reference Guide*.

Attribute Template Fields

Effective in version 7.3.3, you can set the attributes **Data Type** and **Data Length** when you choose to upload a new attribute or update an existing attribute during bulk upload.

Previously, you had to set the data type and data length attributes together as **DB Format** field of the Attribute template.

For more information about Bulk Upload Attribute template, see the *Informatica® Axon Data Governance 7.3.3 Bulk Upload Reference Guide*.

Attribute API Fields

Effective in version 7.3.3, you can set the attributes **Data Type** and **Data Length** as separate entities in the Attribute Create or Attribute Update API. Attribute Retrieve API retrieves the attributes **Data Type** and **Data Length** as separate entities.

Previously, you had to set the data type and data length attributes together as **DB Format** field in the Attribute Create or Attribute Update API. Attribute Retrieve API retrieves the data type and data length attributes together as the field **DB Format**.

Security Changes

Effective in version 7.3.3, Axon supports Transport Layer Security (TLS) 1.3 and OpenSSL 3.0.x.

Third Party Library Changes

The following table depicts the third-party library upgrades for Axon 7.3.3:

TPL Name	Upgrade Version
Camunda Tomcat	9089
Elasticsearch	8.13.2
Google-guava	33.1.0-jre

TPL Name	Upgrade Version
Hazelcast	5.3.7
HTTPD	2.4.59
JDK	8.0.412
Logstash	8.13.2
Node	20.12.2
PHP	8.2.19
Postgres	12.18
Postgresql JDBC	42.6.2
Snake yaml	2.2
Spring AMQP	2.4.17
Spring Framework	5.3.32
Symfony	5.4.36

CHAPTER 9

Axon 7.3.2.1

This chapter includes the following topics:

- "New Features in version 7.3.2.1" on page 42
- "Changes in version 7.3.2.1" on page 42

New Features in version 7.3.2.1

This section describes new Axon features in version 7.3.2.1

Session Alert Expiry

Effective in version 7.3.2.1, you can customize the session alert expiry in minutes. Set the time in minutes when the user gets notified before the session expires.

For more information about the session alert expiry, see the *Informatica® Axon Data Governance 7.3.2.1 Data Governance Administrator Guide*.

Changes in version 7.3.2.1

This section describes the changes to Axon in version 7.3.2.1.

Third Party Library Changes

The following table depicts the TPL upgrades for Axon 7.3.2.1:

TPL Name	Upgrade Version	Location
Tomcat	9.0.86	Axon

Accessibility Support

Axon Data Governance supports accessibility in compliance with the Web Content Accessibility Guidelines (WCAG) 2.2 AA standards including Section 508, UAT, and VPAT standards.

For more information, see the *Informatica® 7.3.2.1 Axon Data Governance User Guide*.

CHAPTER 10

Axon 7.3.2

This chapter includes the following topics:

- "New Features in version 7.3.2" on page 44
- "Changes in version 7.3.2" on page 46

New Features in version 7.3.2

This section describes new Axon features in version 7.3.2.

Automatic deletion of change requests

You can now automatically delete change requests for an Axon object that is in complete or cancelled state. Select **Change Requests** from the **Group List** and check the **Enable automatic deletion of change requests** option if you want Axon to automatically delete change requests for the Axon object. You can also configure the number of days that the change request should be present after the object is deleted.

For more information, see the *Configure Behavior of Change Requests* topic in the *Object Management* chapter of the *Data Governance Administrator Guide*.

Bulk Upload Users to Share Dashboards

You can now share a dashboard with many users by entering their details in a bulk upload template and uploading the template file to Axon.

For more information, see the *Share Dashboard with Other Users* topic in the *Dashboards and Widgets* chapter of the *Data Governance User Guide*.

Create and Search for Data Marketplace Objects using REST API

You can create Data Marketplace objects using the existing Axon REST API endpoints. Additionally, you can search for Data Marketplace objects using the Axon API endpoints and see their details.

The following details apply if you want to work with Data Marketplace objects using APIs:

- To create or update objects, for the `type` parameter, enter the `Data Collection` value.

The following table lists the endpoints that you need:

Purpose	Endpoint	Method
Create several objects	**/bulkupload/v1/objects**	POST
Update several objects	**/bulkupload/v1/objects**	PUT

- To search for objects, for the `mainFacet` parameter, enter the `MARKETPLACE_DATACOLLECTION` value. Use the **/unison/v2/facet/_search** endpoint and the POST method to search for objects and see their details.

For more information, see the *Axon Data Governance REST API Guide*.

Disable Requests for New Data Collections

If you are the Axon Data Marketplace administrator, you can disable the option for users to request new data collections that do not exist.

For more information, see the *Disable Requests for New Data Collections* topic in the *Configuring Data Marketplace* chapter of the *Data Marketplace Administrator Guide*.

Document upload for Data Quality facet

You can now upload related documents for an object in the **Document** section of the **Summary** tab for the Data Quality facet.
You can upload documents in the following formats: `.JPG`, `.GIF`, `.PNG`, `.TXT`, `.DOC`, `.DOCX`, `.RTF`, `.PDF`, `.XLS`, `.XLSX`, `.PPT`, `.PPTX`, `.VDX`, `.VSD`, `.VSDX`.

For more information, see the *Creating an Object* topic in the *Create and Edit Objects* chapter of the *Data Governance User Guide*.

Notification for Data Inconsistency

If there is data inconsistency between an object that you create, modify or delete and the object that appears in Unison search, Axon notifies you by email. Axon then remedies the inconsistency by performing a partial reindex job. You can choose to view the log file to identify the inconsistent data and perform a partial reindex manually to remedy the inconsistency.

For more information, see the *Monitor Data Inconsistency Issues* topic in the *Monitor Axon* chapter of the *Data Governance Administrator Guide*.

Password Reset Time Limit

Effective in version 7.3.2, you can set the password reset time limit. The password reset time limit is the interval in minutes after which users can request password reset links.

For more information about the password reset time limit, see the *Informatica® Axon Data Governance 7.3.2 Data Governance Administrator Guide*.

Retrieve Object History with REST API

You can retrieve the audit history of an object with REST API.

For more information, see the *Axon Data Governance 7.3.2 REST API Guide*.

Upload Documents to a New Data Collection Request

In Axon Data Marketplace, when you order a new data collection that does not exist, you can upload a document to the request.

For more information, see the *Request Access to a New Data Collection* topic in the *Find and Access Data* chapter of the *Axon Data Marketplace User Guide*.

Changes in version 7.3.2

This section describes the changes to Axon in version 7.3.2.

Third Party Library Changes

The following table depicts the TPL upgrades for Axon 7.3.2:

TPL Name	Upgrade Version	Location
edu.stanford.nlp:stanford-corenlp	4.5.4	Axon Agent
Elasticsearch	7.17.13	Axon
google-gson	2.10.1	Axon Agent
HTTPD	2.4.58	Axon
Jose4j	0.9.3	Axon
Logstash	7.17.13	Axon
Node	16.20.2	Axon
OkIO	3.5.0	Axon
PostgreSQL Database Server	12.16	Axon
rabbitmq amqp-client	5.18.0	Axon
Spring AMQP	2.4.7	Axon
Spring Boot	2.7.15	Axon Agent
Spring Framework	5.3.29	Axon Agent
Spring Security	5.8.6	Axon Agent

TPL Name	Upgrade Version	Location
Summernote	0.8.20	Axon
Tomcat	9.0.82	Axon

Improved Encryption for Sensitive Information

For users who log in to Axon with native credentials, the encryption algorithm is changed from SHA-128 to SHA-256 for Axon 7.3.2 for improved storage of the sensitive information such as passwords used for external integration with Enterprise Data Catalog, Data Privacy Management, LDAP, ServiceNow, and so on stored in Axon.

Axon with Enterprise Data Catalog

Improved suggestions on the Manage Catalog Links page

In the **Parent** field on the **Manage Catalog Links** page, Axon now displays suggestions for table names along with the schema information for only the selected resource.

Earlier, Axon displayed the suggestions for all available resources.

Improved search on the Manage Catalog Links page

On the **Manage Catalog Links** page, you can now filter the search results further by specifying a search keyword in **Keyword** field even after you have specified a parent name in the **Parent** field.

Earlier, you could only use the **Parent** field to filter the search results.

Resource name in the physical field path

For a data set that has the physical field path appended to its name, Axon now also displays the resource name in the physical field path. This allows you to easily distinguish between data sets that onboarded from similar schemas from different resources.

Earlier, the physical field path that was appended to a data set's name did not contain the name of the resource.

For more information, see Axon Data Governance 7.3.2 User Guide.

Role Assignment

After you enable the role assignment in the Admin panel and perform bulk upload, use the **Add as a Stakeholder** checkbox to add users as a stakeholder.

Previously, users configured in the role assignment were added as a stakeholder to the object.

For more information, see the *Configure Role Assignments* topic in the *Data Governance Administrator Guide*.

Start Workflow Automatically When Stakeholders are Bulk Uploaded

If there are one or more objects in automatic change requests that are in the Pending Start state, a stakeholder or Admin or Super Admin user can use the bulk upload operation to assign several stakeholders

to those objects. In this situation, as soon as the stakeholders are assigned to the objects, the default workflow starts and the change request moves through the steps defined in the workflow.

For more information, see the *Automatic Change Requests* topic in the *Workflows and Change Requests* chapter of the *Data Governance User Guide*.

CHAPTER 11

Axon 7.3.1.2

This chapter includes the following topics:

- "New Features in version 7.3.1.2" on page 49
- "Changes in version 7.3.1.2" on page 50

New Features in version 7.3.1.2

This section describes new Axon features in version 7.3.1.2.

Axon with Enterprise Data Catalog

The linked physical fields appear in CSV or PDF file formats after the export of an attribute grid from the following facets:

- Glossary
- System
- Policy
- Process
- Project
- Data set

Deletion of Auto Onboarded Lineage

When you remove a lineage in Enterprise Data Catalog, the corresponding Auto Onboarded lineage deletes in Axon.

Receive emails and notification when the Auto Onboarded lineage deletes in Axon.

Quick Look Browser Extension

Axon Quick Look Browser extension plug-in is available in the Chrome Web Store.

For more information, see the *Axon Data Governance 7.3.1.2 Quick Look Browser Extension User Guide*.

Reindex

If the reindex fails unexpectedly, you can chose to resume or restart the indexing process. You can index the search database with partial index or complete reindex.

For more information, see the *Axon Data Governance 7.3.1.2 Administrator Guide*.

Retrieve Changes to Review Grid Details of Primary Objects

Use the REST APIs to retrieve the change details for a dataset, glossary, system, or process facets.

For more information about how to retrieve change requests, see the *Axon Data Governance 7.3.1.2 REST API Guide*.

Retrieve Document with REST API

You can retrieve a document information related to any facet with REST API.

For more information, see the *Axon Data Governance 7.3.1.2 REST API Guide*.

Changes in version 7.3.1.2

This section describes the changes to Axon in version 7.3.1.2.

Changes in Axon with Enterprise Data Catalog Integration

When you delete a lineage in Enterprise Data Catalog, the Axon scheduler automatically removes the lineage from Axon.

Note: You can view the deleted lineages in the following directory path: `<INSTALLATION_DIRECTORY>/axonhome/axon_scheduler/referenceLink/tmp`.

Previously, if you delete a lineage in Enterprise Data Catalog without deleting the associated field, you could incorrectly view the lineage in Axon.

For more information about how to view lineages from Enterprise Data Catalog, see the *Axon Data Governance 7.3.1.2 User Guide*.

Third Party Library Changes

The following table depicts the TPL upgrades for Axon 7.3.1.2:

TPL Name	Upgrade Version
Apache Tomcat	9.0.78
Elasticsearch and Logstash	7.17.10
Java	8u372
Node Js	16.20.1

TPL Name	Upgrade Version
PostgreSQL JDBC Driver	42.6.0
wkhtmltopdf	0.12.6

CHAPTER 12

Axon 7.3.1.1

This chapter includes the following topics:

- "New Features in version 7.3.1.1" on page 52
- "Changes in version 7.3.1.1" on page 54

New Features in version 7.3.1.1

This section describes new Axon features in version 7.3.1.1.

Axon with Enterprise Data Catalog

Axon and Enterprise Data Catalog integration includes Databricks MetaDex scanner.

Use the Databricks MetaDex scanner to onboard the following physical fields from Enterprise Data Catalog to Axon:

- External Columns
- Column
- View Column
- Field

Bulk Upload Template

Bulk upload templates contain the column description as notes.

For more information, see the *Axon 7.3.1.1 Bulk Upload Reference Guide*.

Colored Glossary Types

In the Admin Panel, you can highlight the Glossary Type with different colors to visually differentiate the glossary types in Unison and Object details page.

For more information, see the *Configure Custom Colors for Glossary Types* topic in the *Axon 7.3.1.1 Data Governance Administrator Guide*.

Data Quality

The local Data Quality rules that have attributes are visible in the Dashboard sub-tab. The local Data Quality rules that are associated with Dataset are visible in the Rules sub-tab. The local data quality rules created before 7.3.1 without any attributes belong to the segment of the system. The local data quality rules created after 7.3.1 belong to the segment of the dataset.

Deleting a data set also deletes the local data quality rules that do not have any attributes associated with it. For more information about the Data Quality rules and deletion process, see the *Axon 7.3.1.1 Data Governance User Guide*.

Support for Modern Authentication

You can enable the following modern authentication options to configure the Email Options under the System Settings section in the Admin Panel:

- Gmail
- Azure

For more information, see the *Axon 7.3.1.1 Data Governance Administrator Guide*.

Email Alerts for Failure of Automated Bulk Upload Jobs

You can receive emails when the following automated bulk upload jobs fail:

- LDAP synchronization
- Asset Onboarder

Enhancements in Unison Search

The Unison search includes the following enhancements:

Axon Viewing

You can filter and view the Axon Viewing field for the following facets in the Unison grid:

- System
- Glossary
- Data Quality Rule
- Business Area
- Committee
- Policy
- Process
- Project
- System interface
- Capability
- Client
- Legal entity
- Product
- Regulation

- Dataset

Policy Facet

Under the **Policy** facet in Unison, you can filter the search results using the following filters:

- Effective Date
- End Date

Scope of Unison Search

If you search for business area or capability, you can extend the scope of the search to include data set and attributes linked through system or glossary.

If you search for geography, you can extend the scope of the search to include the objects linked through legal entity, such as process, policy, product, data set, attribute, system and capability.

If you search for Business Area linked to System, the search scope expands to the system interface for the source or target system short name.

Search Filter Improvements

Use the Last Updated and Created Date filters in Unison to curate the search results based on the object creation and last updated dates available for all facets.

Retrieve Change Request

In retrieve API, the response includes the ticket number and ticket URL for the external change requests.

For more information, see the *Axon 7.3.1.1 REST API Guide*.

Searching in Direct and Indirect Relationships

You can search for direct or indirect relationships. You can apply the specific filters in Unison search.

For more information, see the *Informatica Axon Data Governance 7.3.1.1 User Guide*.

Scheduler to Clear Pending Bulk Upload Jobs

Use the automated `clearPendingBUJobsScript.sh` scheduler to clear pending bulk upload jobs that exceed the job duration set in the Bulk Upload microservice. The default bulk upload job duration is 6 hours but you can customize it.

For more information, see the *Axon 7.3.1.1 Data Governance Administrator Guide*.

Changes in version 7.3.1.1

This section describes the changes to Axon in version 7.3.1.1.

Changes in Trend and Usage Statistics

In the Axon usage statistics, you can view additional user status values for the following tables in the materialized views:

- cr_top_creators
- usr_login_stats

Previously, you could only view users with `Active` or `Inactive` user status.

For more information, see the *View Usage Statistics* topic in the *Axon 7.3.1.1 Data Governance Administrator Guide*.

LDAP Synchronization Script Changes

The LDAP synchronization script, `sync_ldap.sh`, now successfully completes its execution by skipping invalid records.

If the LDAP bulk upload job fails due to invalid records, the script removes them and attempts to run the job again. The script saves the invalid records into a .CSV file in the `<INSTALLATION_DIR>/axonhome/axon_ldap_synchronizer/tmp` directory.

Previously, the synchronization script failed due to invalid records.

Role Assignment

After you enable the role assignment in the Admin panel and perform bulk upload, users configured in the role assignment adds as a stakeholder to the object.

For role assigned users, you can preview 200 users at a time from the drop down list of users for the stakeholder under the involved party.

Previously, you had to type at least 2 characters to view the list of role assigned users if it matched the entered values. There was no other way to view the complete list of role assigned users.

For more information about the role assignment, see the *Axon 7.3.1.1 Data Governance Administrator Guide*.

Third Party Library Changes

The following table depicts the TPL upgrades for Axon 7.3.1.1:

TPL Name	Upgrade Version
Apache Tomcat	9.0.74
httpd	2.4.57
Underscore Js	1.13.6
Handlebars	4.7.7

CHAPTER 13

Axon 7.3.1

This chapter includes the following topics:

- "New Features in Version 7.3.1" on page 56
- "Changes in Version 7.3.1" on page 57

New Features in Version 7.3.1

This section describes new Axon features in version 7.3.1.

Export Stakeholder Details

Axon now allows you to export the stakeholder information of a facet from the Unison page.

For more information, see the *Exporting Search Results* topic in the *Axon Governance User Guide*.

Software Requirements

Axon 7.3.1 supports the following versions of CentOS Linux and Red Hat Enterprise Linux::

- CentOS Linux version 8.5, 8.6, or 9.0
- Red Hat Enterprise Linux version 9.0

Additional Support for LDAP Integration

LDAP integration now has additional support for eDirectory in Linux.

Support for Data Quality Source

Axon can now link profile and scorecards created on Hive JDBC customized data object with local data quality rule.

System Owners can control the data quality rules execution on their physical source system.

Enhancement in Axon and Enterprise Data Catalog Integration

Effective in version 7.3.1, Axon and Enterprise Data Catalog integration includes the following enhancements:

Support for Additional Resources

Effective in version 7.3.1, you can onboard the Snowflake Advanced Scanner resources from Enterprise Data Catalog.

For more information, see the *Resources* topic in the *Axon Data Governance User Guide*.

Updates in Manual and Automatic Onboard

The list below shows the updates in automatic and manual onboard functionality in Axon and Enterprise Data Catalog integration:

- Changes made in Business Term or Data Domain for Physical Fields in Enterprise Data Catalog are updated in Axon
- Attribute description is pre-populated for manual onboarding of physical fields based on Glossary selection.
- The physical fields removed from Enterprise Data Catalog gets updated in the onboarded attributes with the review status as Deleted.
- Ability to configure **Axon Status** and **Lifecycle** field from Admin panel for Datasets to be onboarded.
- The **Notifications** section displays the Download and Preview task for viewing assets to be onboarded.

For more information, see the *Automate Object Onboarding from Enterprise Data Catalog*, *Data Onboarding Rules for a System*, and *Create a Change Request Manually* topic in the *Axon Data Governance User Guide*.

Customize Session Expiry Time

Axon now allows a SuperAdmin user to modify the session expiry time from the Admin panel.

For more information, see the *Customize Session Expiry Time* topic in the *Axon Data Governance Admin Guide*.

Changes in Version 7.3.1

This section describes the changes to Axon in version 7.3.1.

Enhancements in Bulk Upload Templates

Effective in version 7.3.1, you can upload the relationships between a glossary and a system using the bulk upload template.

For more information, see the *Relationships Template* topic on the *Axon Bulk Upload Reference Guide*.

Request Access to Data Collection

Axon now allows a Data Marketplace Administrator and Data Owner to request a data collection access.

For more information, see the *Request Access to Data Collection* topic in the *Axon Data Marketplace User Guide*.

Sorting the Objects in a Facet

Users with a SuperAdmin profile can define the sort order of objects that WebUser or Admin see in Unison page.

For more information, see the *Sorting the Objects in a Facet* topic in the *Axon Governance User Guide*.

Automatically Start a Workflow

Axon can start the workflow automatically when a user raises a change request based on the selected change request type for an object in a facet. An Admin or SuperAdmin user can configure this change request type from the **Admin panel > Default Workflow** page.

For more information, see the *Create a Default Workflow* topic in the *Axon Data Governance Administration Guide*.

Enhancement in Local Data Quality Rule

Axon now allows attributes to be added for a local data quality rule based on the Dataset from where the local data quality was created.

Third Party Library Changes

The following table depicts the TPL upgrades for Axon 7.3.1:

TPL Name	Upgrade Version
Orient DB	3.2.14
Apache Tomcat	9.0.69
Elasticsearch and Logstash	7.17.6
Java	8u345
httpd	2.4.54
Node Js	15.14.0
CKEditor	4.20.0
jQuery UI	1.13.2
PostgreSQL	12.13
PostgreSQL JDBC Driver	42.5.0
RabbitMQ	3.9.3

CHAPTER 14

Axon 7.3.0.1

This chapter includes the following topics:

- New Features in Version 7.3.0.1on page 59
- “Changes in Version 7.3.0.1” on page 60

New Feature in Version 7.3.0.1

This section describes new Axon features in version 7.3.0.1.

Additional Ticket Types in Change Request System

Axon now provides the following additional options for the **Ticket Type** field on the **Change Request System** window of the Admin Panel:

- Problem
- Change Request

For more information, see the *Connect to External Change Request Systems* in the *Axon Governance Administration Guide*.

Bulk Migrate Relationships

When you perform bulk migration of relationship from the facet, the following relationships are included in the migration:

- **Attribute x Attribute** relationships
- **Process x Process** relationships
- **Policy x Policy** relationships
- **Glossary x Glossary** relationships

.

Tag Axon Objects in Rich Text Entry Fields

You can now tag objects present in Axon in rich text fields. Objects can be tagged using '`#`' followed by `<facet name>` and `<object name>`. For example: `#Glossary:testglossary1`

For more information, See the *Tag Axon Objects* topic in the *Axon Data Governance User Guide*.

Enhancement in Trend and Usage Statistics

User search statistics now captures the number of searches in Unison for a facet over a period of time. This also includes searches that users make using the REST API.

For more information, see the *View Usage Statistics* topic in the *Axon Data Governance Administration Guide*.

Support for Additional Enterprise Data Catalog Resources

Axon supports the following Enterprise Data Catalog resources:

- Tibco Spotfire Scanner
- Amazon S3 - V2 Scanner
- ADLS Gen2 - V2 Scanner

For more information, refer to the *Linking to Enterprise Metadata* chapter in the *Axon Data Governance User Guide*.

Enhancement in LDAP Configuration to Import Users

Axon now provides support to import users from Active Directory Light Weight Directory Service (AD-LDS) directory.

Enhancement in REST API

Query Locked or Unlocked State for an Object

You can pass a REST API query to know the status of any object, whether it is in the locked or unlocked state. If the object is in edit mode or change request is in progress, the object appears in locked state.

For more information, see *Retrieve Objects based on Locked or Unlocked State* topic in the *Axon REST API Guide*.

Retrieve Data Collection Using REST API

Axon Data Marketplace now provides a REST API to retrieve data collections based on the following criteria:

- Retrieve data collection based on the status, whether published or unpublished.
- Retrieve data collection based on the dataset ID.

For more information, see *Retrieve Data Collection* topic in the *Axon REST API Guide*.

Changes in Version 7.3.0.1

This section describes the changes to Axon in version 7.3.0.1.

Changes in Add Delivery Dialog Box

Axon Data Marketplace now allows you to select the values of format and method of a data collection from a single field named **Data Presentation (Format | Method)**.

For more information, see the *Search, View, and Enrich Data Collections* topic in the *Axon Data Marketplace User Guide*.

Enhancement in Email Notification

Effective in version 7.3.0.1, Axon provides the following information in the email notifications sent to the user:

- Exact URL of the shared dashboard.
- Daily digest email contain additional information in each section.

Detect Duplicate Relationships between Objects in Bulk Upload

Axon detects and displays an error message while you attempt to bulk upload duplicate relationships between objects. Axon evaluates the new bulk upload data using the existing relationships.

Enhancement in Manual Change Request

You can complete a manual change request by providing the **Analysis** and **Resolution** field values without assigning the workflow.

Enhancement in Default Change Request

You can now configure Axon to create workflow approvals for facet changes made by Admin or SuperAdmin users.

For more information, see the *Configure Default Values for Automatic Change Request* topic in the *Axon Governance Administration Guide*.

CHAPTER 15

Axon 7.3

This chapter includes the following topics:

- New Features in Version 7.3, 62
- Changes in Version 7.3, 65

New Features in Version 7.3

This section describes new Axon features in version 7.3.

Usage Statistics

You can view the following types of usage statistics:

- Number of searches in Unison for a facet over a period of time.
- Frequently used keywords to search for objects in Unison over a period of time.
- Most searched objects in Unison over a period of time.
- Users who conducted the most searches in Unison over a period of time.
- Number of quick searches over a period of time.
- Most viewed object in a facet over a period of time.
- Number of change requests created by a user over a period of time.

You can use external applications such as Tableau, Power BI, and Qlikview to visualize the usage data. For more information, see the *View Usage Statistics* topic in the *Axon Data Governance Administrator Guide*.

Workflows and Change Requests

Integration with Jira Cloud

You can configure Atlassian Jira Cloud as an external change request system for Axon. For any change request, Axon can create a ticket in Jira and include the object stakeholders in the workflow.

Customize workflow notifications

For a change request, as a SuperAdmin user, you can configure the actions on which Axon sends notifications to stakeholders of an object. You can configure Axon to send notifications on one of or both of the following scenarios:

- **When a comment is added to a change request**
  You can configure Axon to not send a notification when a comment is added to a change request. If an object stakeholder is mentioned in the comment, they will receive a notification even if you disable notifications on comments.
- **When a workflow step is completed**
  You can configure Axon to not send a notification when a stakeholder completes a workflow step. If a workflow step requires an object stakeholder to take action, they will receive a notification even if you disable notifictations for workflow step completion.

For more information, see the *Customize Workflow Notifications* topic in the *Axon Data Governance Administrator Guide*.

Delegates assigned to an object during the progress of a workflow can perform workflow tasks

During the progress of a change request workflow, if you assign a new stakeholder or a delegate to an object or modify the stakeholder or delegate of an object, the new stakeholder or delegate can participate in the stakeholder responsibilities that befall them.

For more information, see the *Assign a Delegate to an Object* topic in the *Axon Data Governance User Guide*.

Unlock an object that has an active change request

If the **Axon Status** of the user account of an object stakeholder is set to `Deleted` and if that object has an active change request, you can unlock the object.

For more information, see the *Manage Locks* topic in the *Axon Data Governance Administrator Guide*.

Unison Search Improvements

Attributes facet

Under the **Attributes** facet in Unison, Axon displays the business logic of an attribute. To view them, select **Business Logic** from the **Choose Columns** sub-menu in Unison.

Business Logic filter

You can use the Unison filter options to curate attributes by business logic.

Axon with Enterprise Data Catalog

The Axon and Enterprise Data Catalog integration includes the following enhancements:

Support for additional resources and physical fields

You can onboard Salesforce V2 resources from Enterprise Data Catalog.

You can onboard the following types of physical fields from Enterprise Data Catalog:

- List View Column
- Field

Onboarding Objects from Different Schemas in a Resource

When a physical field is linked to separate glossaries, if you onboard objects, synonyms or public synonyms with same table or physical field names but with different schemas, Axon appends the physical field path to the name of the onboarded data sets to make the onboarded data sets distinguishable. The first data set that is onboarded does not have its physical field path appended to its name.

Link removal

Axon stores all the links that are removed from the physical field to attribute for seven days. This allows you to re-establish the attribute and physical field links.

For more information, refer to the *Linking to Enterprise Metadata* chapter in the *Axon Data Governance User Guide*.

Data Marketplace Enhancement

Data Marketplace allows you to edit the value of a custom field only while placing a data collection request. You cannot edit the value if the data collection request is completed, approved, fulfilled, or rejected.

Data Quality Rule Automation Support for New Resources

You can automate the process of running data quality rules on the following newly added resources:

- Microsoft Azure Data Warehouse
- Snowflake

For more information, see the *Automate Data Quality Rules* chapter in the *Axon Data Governance User Guide*.

Fuzzy Duplicate Detection for Bulk Upload

You can configure Axon to locate objects that are similar to the one that you want to create using a bulk upload template. These objects may have a misspelled name, rearranged keywords, or might not contain one of the keywords.

Axon Kubernetes Enhancements

If you deploy Axon Data Governance on Kubernetes, you can observe the following enhancements :

Cluster configuration and auto-scaling support

Axon supports cluster configuration and auto-scaling for the following:

- PostgreSQL database
- OrientDB database
- Elasticsearch
- RabbitMQ

This allows you to create multiple pods.

Amazon Elastic Kubernetes Service (EKS) support

You can deploy an Axon image in an Amazon Elastic Kubernetes Service (EKS) environment.

High availability of Axon core pod

The availability of the Axon core pod is improved.

For more information, see the *Deploy Axon Data Governance 7.3 on Kubernetes using Axon Deployment Manager* article.

Changes in Version 7.3

This section describes the changes to Axon in version 7.3.

Object History Page Changes

Stakeholder deletion

On the **History** tab of an object, Axon displays the date when you added, modified or removed the stakeholder of the object .

Enterprise Data Catalog links

On the **History** tab of an attribute, Axon displays the following information:

- Linking of physical fields that are imported from Enterprise Data Catalog to the attributes in Axon Data Governance
- Linking of resources that are imported from Enterprise Data Catalog to the systems in Axon Data Governance

Map Changes

On the **Maps** page, Axon displays dotted lines if the name of an object is too long. You can hover your cursor over a dotted line to reveal the complete the name.

Object Export Enhancement

When you export physical fields to a CSV file, you can view the **Status** metadata.

Language Support

Japanese language support for walkthroughs

The walkthrough modules now support the Japanese language.

Download translated bulk upload templates

When you download a bulk upload template, the field names appear in the language that you selected for Axon.

CHAPTER 16

Axon 7.2.3

This chapter includes the following topics:

- New Features in Version 7.2.3, 66
- Changes in Version 7.2.3, 68

New Features in Version 7.2.3

This section describes new Axon features in version 7.2.3.

Axon Quick Look Browser Extension

Effective in version 7.2.3, Axon Quick Look browser extension has been added to the Axon family of products.

Axon Quick Look browser extension is a search utility that makes it easy to find objects across all facets in Axon without opening the Axon web page. The extension searches every item in Axon for a match. You can look up objects in Axon from any web page. You can also select keywords from other web pages, and use a hotkey to perform a search in the Axon Quick Look browser extension.

For more information, see the *Axon Data Governance 7.2.3 Quick Look Browser Extension User Guide*.

Support for Additional Enterprise Data Catalog Resources and Physical Fields

Effective in version 7.2.3, the Axon and Enterprise Data Catalog integration includes the following enhancements:

Support for Additional Resources

You can onboard Azure Blob Storage, Azure Synapse and Google Cloud Storage resources from Enterprise Data Catalog.

Support for Additional Physical Fields

You can onboard the following types of physical fields from Enterprise Data Catalog:

- SAP HANA Calculated Attribute
- SAP HANA Calculated Measure

For more information, refer to the *Linking to Enterprise Metadata* chapter in the *Axon Data Governance 7.2.3 User Guide*.

Unison Search Filter Improvements

Current Logged in User Filter

Effective in version 7.2.3, you can use the Unison filter options to search for results relevant to the current logged in user. If you share this filter with other users, they will see results that are relevant only to them.

For more information, see the *Unison Search Filter Options* chapter in the *Axon Data Governance 7.2.3 User Guide*.

User Filter

Effective in version 7.2.3, you can use the **People | User** filter in Unison to search for results relevant to a specific user.

Data Set in Data Marketplace Filter

Effective in version 7.2.3, you can use the **Data Sets | Data Set in Data Marketplace** filter in Unison to curate the search results to display objects that relate to data sets that you have either published in Axon Data Marketplace or not published in Axon Data Marketplace.

Format Type Filter

Effective in version 7.2.3, you can use the **Glossary | Format Type** filter in Unison to curate the search results to display objects that relate to glossaries of the format you select. You can also use the saved search you create with this filter to create a new widget on your **My Dashboard** page.

For more information, see the *Axon Data Governance 7.2.3 Data Governance User Guide*.

Axon Data Marketplace Features and Enhancements

Effective in version 7.2.3, Axon Data Marketplace includes the following enhancements:

Changes to Custom Field Behavior

If your organization's SuperAdmin adds a new custom field, the data collection summary doesn't display any information pertaining to the newly added field. However, when you edit a data collection, Axon displays the newly added custom field and populates it with a default value. You can edit this value. If you save the data collection, the data collection summary page displays the custom field details. If you cancel the changes, the data collection summary remains unchanged.

Addition of Category Column

In Axon Data Marketplace, in the **Approve** tab and the **Fulfil** sub-tabs under the **Tasks** tab, Axon displays the categories of a data collection.

Addition of Attachments to an Order

On the order details page, you can use the newly added the **Attachments** section to view, add and download sample data files. You must have one of the following user profiles to modify the **Attachments** section:

- Data Consumer
- Data Owner
- Technical Owner for a Data Collection
- Data Marketplace Administrator
- Default Technical Owner of the Data Marketplace

Additionally, participants of a review request of an order can also modify the **Attachments** section.

For more information, see the *Axon Data Governance 7.2.3 Data Marketplace User Guide*.

Bulk Update the Criticality of a Data Quality Rule

Effective in version 7.2.3, you can use the Bulk Update function in Unison to update the criticality of data quality rules.

Data Quality Rule Execution Support for New Resources

Effective in version 7.2.3, you can automate the process of running data quality rules on the following newly added resources:

- Partitioned parquet files stored in Amazon S3
- Amazon Redshift

For more information, see the *Automate Data Quality Rules* chapter in the *Axon Data Governance 7.2.3 User Guide*.

Changes in Version 7.2.3

This section describes the changes to Axon in version 7.2.3.

Object Relationship Enhancements

Object Relationship Changes

Effective in version 7.2.3, you can link a policy, process or project directly to a data set or to an attribute. Previously, to connect these objects, you required to link the process, policy or project to a system or to a glossary.

If you had previously linked a policy, process or project to a system or a glossary so that you can connect these objects to a data set or to an attribute, Informatica recommends that you review these system and glossary relationships. Cleaning up object relationships will simplify the ongoing maintenance, as well as improve the accuracy of search results when you search for an object in Unison.

For more information, refer to the *Search for Related Objects in Unison* topic in the *Axon Data Governance 7.2.3 Data Governance User Guide*.

Unison Search Changes

Effective in version 7.2.3, when you search for a policy, process or project in Unison, Axon displays all the related objects. For example, consider a data set that is directly connected to a project or indirectly connected to a project via Project X System or Project X Glossary relationships. If you search for the data set, Axon displays the linked project if the project has one of the following connection paths to the data set:

- Data Set to Project
- Data Set to Attribute and Attribute to Project
- Data Set to System and System to Project
- Data Set to Glossary and Glossary to Project

Previously, when you searched for a policy, process or project in Unison, Axon displayed the related objects only if all the connection paths existed. For example, consider a data set that is directly connected to a project or indirectly connected to a project via Project X System or Project X Glossary

relationships. If you searched for the data set, Axon displayed the linked project only if the project had all the following connection paths to the data set:

- Data Set to Project
- Data Set to System and System to Project
- Data Set to Glossary and Glossary to Project

For more information, refer to the *Search Related Objects in Unison* topic in the *Axon Data Governance 7.2.3 Data Governance User Guide*.

Bulk Upload Changes

Effective in version 7.2.3, you can use bulk upload templates to directly create or update the following relationships:

- Policy X Attribute
- Policy X Data Set
- Process X Attribute
- Process X Data Set
- Project X Attribute
- Project X Data Set

Previously, Axon required a policy, process or project to have a related system or glossary to use the bulk upload template to create or update the above relationships.

Unison Changes

Interface Facet

Effective in version 7.2.3, under the **Interface** facet in Unison, Axon displays the transfer method and transfer format of an interface. To view them, select **Transfer Method** and **Transfer Format** from the **Choose Columns** sub-menu in Unison.

Data Sets Facet

Effective in version 7.2.3, under the **Data Sets** facet in Unison, Axon displays the data collections associated with a data set. To view them, select **Data Collections** from the **Choose Columns** sub-menu in Unison.

Dashboard Interaction Improvements

Change Requests Widget

Effective in version 7.2.3, when you click the **Change Requests** pie chart widget under **My Dashboard**, Axon redirects you to the corresponding section under the **Change Request** tab of your **My Account** page. Under the **Change Request** tab of your **My Account** page, Axon displays only the change requests that correspond to the section of the pie chart that you click on. For example, if you click the section representing the change requests that are open for less than 7 days then you will see the same under the **Change Request** tab of your **My Account** page.

Roles Not Accepted Widget

Effective in version 7.2.3, when you click the **Roles Not Accepted** pie chart widget under **My Dashboard**, Axon redirects you to the corresponding facet sub-tab in the **Responsibilites** tab of your **My Account** page. Under the facet sub-tab in the **Responsibilites** tab, Axon displays only the roles that you have not accepted for the facet that corresponds to the section of the pie chart that you click on.

For more information, refer to the *View Default Widgets* chapter in the *Axon Data Governance 7.2.3 User Guide*.

Date Range Increase for Custom Fields

Effective in version 7.2.3, you can enter a date ranging from January 01, 1901 to December 31, 9999 as an input for a date type field.

Object Summary Page Changes

Document Count Added to Object Summary Page

Effective in version 7.2.3, you can see the count of documents uploaded for an object in the **Documents** section under the **Summary** page of objects in the following facets:

- Data Set
- System
- Glossary
- Process

Technical Rule Reference Update Details

Effective in version 7.2.3, when you update the **Technical Rule Reference** field of a local data quality rule, Axon updates the **Last Updated** and **Last Updated By** fields on the object summary page to reflect the changes.

Associated Data Collections Listed on the Data Set Summary Page

Effective in version 7.2.3, if the SuperAdmin user has configured Axon Data Marketplace for your organization's Axon instance, Axon displays the data collections in Axon Data Marketplace associated with a data set on the **Summary** page of the data set.

For more information, see the *Axon Data Governance 7.2.3 User Guide*.

Object History Page Changes

Sort Objects in History Tab and Difference Report by Date

Effective in version 7.2.3, in the **History** tab and the **Difference Report** of an object, Axon sorts the items in descending order using the **Date** column by default. To change the sorting order , click the **Date** column header. To change the sorting criteria, click the header of the column that you want to use. This is applicable to the objects in the following facets:

- Data Set
- System
- Glossary
- Geography
- Process
- Policy
- Project
- Business Area
- Data Quality
- Legal Entity

Changes to History Tab of a Change Request

Effective in version 7.2.3, in the **History** tab of a change request, Axon displays the changes made to the **Documents** section in the **Summary** tab.

Sort Hierarchy of Related Objects Alphabetically

Components

In the **Components** tab of an object, Axon sorts the hierarchy of related objects in alphabetically ascending order. To change the sorting order, click the grid header.

Relationships

In the **Hierarchy** sub-tab under the **Relationships** tab of an object, Axon sorts all glossary relationships in alphabetically ascending order. To change the sorting order, click the grid header.

For more information, see the *Axon Data Governance 7.2.3 User Guide*.

Browser Support

Support for Internet Explorer

Effective in version 7.2.3, Axon does not support Internet Explorer.

Supported Browsers

Effective in version 7.2.3, you can use the following web browsers to access Axon:

- Google Chrome 60.0 and later.
- Microsoft Edge 16.0 and later.

REST API Changes

Changes to response body of API to retrieve the Attribute x Attribute relationship

Effective in version 7.2.3, the `sourcingLogic` parameter has been added to the response body of the REST API that allows you to retrieve the relationship between attributes from Axon.

For more information, see the *Retrieve Primary Objects and Their Related Objects* chapter in the *Axon Data Governance 7.2.3 REST API Guide*.

Axon Installer Changes

Supported Linux Distributions for Upgrade

Effective in version 7.2.3, you can install Axon on the following Linux distributions:

- Red Hat Enterprise Linux versions 7.9 through 8.5
- CentOS 8.5

.

Documentation

Restructuring of Data Governance Administrator Guide

Effective in version 7.2.3, the *Data Governance Administrator Guide* has been restructured to facilitate easier navigation of its contents.

CHAPTER 17

Axon 7.2.2

This chapter includes the following topics:

- New Features in Version 7.2.2, 72
- Changes in Version 7.2.2, 75

New Features in Version 7.2.2

This section describes new Axon features in version 7.2.2.

API Support for Change Requests

Effective in version 7.2.2, you can use REST APIs to create, retrieve, start, update, complete and cancel change requests in Axon Data Governance.

For more information, see the *Change Request APIs* topic in the *Axon Data Governance 7.2.2 REST API Guide*.

Axon Data Marketplace Features and Enhancements

Effective in version 7.2.2, Axon Data Marketplace includes the following enhancements:

Request Review Comments for Data Collection Requests

If you are a Data Marketplace administrator, data owner, default technical owner, or technical owner, you can request for comments or agreement from another user for a data collection request. If you are a participant, you can view the request for inputs from the **Tasks** > **Data Collection Request Inputs** page.

Data Marketplace APIs

The Data Marketplace Administrator can use an API to create an order on behalf of a data consumer.

The following guidelines apply to this API:

- To create an order on behalf of a data consumer using REST API, the Data Marketplace Administrator role must be assigned to the user's profile in Axon.
- A Data Marketplace Administrator cannot use this API to create an order on behalf of another Data Marketplace Administrator. The administrator can use this API to create an order only on behalf of data consumers who have not been assigned with the Data Marketplace Administrator role.

For more information, see the *Axon Data Governance 7.2.2 Data Marketplace User Guide*, *Axon Data Governance 7.2.2 Data Marketplace Administrator Guide* and *Axon Data Governance 7.2.2 REST API Guide*.

Axon with Enterprise Data Catalog

Effective in version 7.2.2, the Axon and Enterprise Data Catalog integration includes the following enhancements:

Support for Informatica MDM Resources

You can view the Informatica Master Data Management (MDM) resources from Enterprise Data Catalog.

Support for Additional Physical Fields

You can view the following types of physical fields from Enterprise Data Catalog:

- Tableau Column
- Tableau Columns
- Tableau Field
- Tableau Mark
- Tableau Marks
- Tableau Row
- Tableau Rows
- MDM Base Object Column
- MDM Landing Table Columns
- MDM Staging Table Columns
- MDM XREF Table Column
- MDM Business Entity Table Column
- MDM Child Business Entity Table Column

For more information, see the *Axon Data Governance 7.2.2 User Guide*.

Bulk Upload

System X Data Onboarding Rule

Effective in version 7.2.2, you can upload the relationships between a system and a data onboarding rule using the bulk upload template.

Data Quality Role

Effective in version 7.2.2, you can use the bulk upload template to assign stakeholder roles to local data quality rules and to standard data quality rules.

For more information, see the *Relationship Templates* topic in the *Axon Data Governance 7.2.2 Bulk Upload Reference Guide*.

Custom Field Type Enhancement

Effective in version 7.2.2, you can see the following changes to custom fields:

1. Renamed **Dropdown** field type to **Single Selection Dropdown**.
2. **Multiple Selection Dropdown** added as a new custom field type. Allows the Axon user to select multiple values from a dropdown list.
3. **Bulk Upload Templates**
   You can upload custom field values of Multiple Selection Dropdown type by entering them as comma-separated values in the bulk upload template files.

For more information, see the *Axon Data Governance 7.2.2 Bulk Upload Reference Guide* and, the *Configure Custom Fields* topic in the *Axon Data Governance 7.2.2 Administrator Guide*.

Configure Email Notification Frequency

Effective in version 7.2.2, a SuperAdmin user can configure Axon to send email notifications whenever a task is assigned to users. A SuperAdmin user can also configure the default notification frequency for all the users in the organization. The notification frequency that you specify in the **Activity Stream** tab of the **My Account** page takes will take precedence over the default value configured by the SuperAdmin.

For more information, see the *Configure Email Delivery Options* topic in the *Axon Data Governance 7.2.2 Administrator Guide*.

Data Quality Rule Automation Support for New Resources

Effective in version 7.2.2, you can automate the process of running data quality rules on the following newly added resources:

- CSV flat files stored in Microsoft Azure ADLS Gen2
- Parquet files stored in Amazon S3
- Db2 for IBM z/OS

For more information, see the *Automate Data Quality Rules* chapter in the *Axon Data Governance 7.2.2 User Guide*.

Email Notifications for Data Quality Results

Effective in version 7.2.2, you can configure Axon to send email notifications to stakeholders when a data quality score for a data quality rule goes down.

For more information, see the *Configure Email Delivery Options* topic in the *Axon Data Governance 7.2.2 Administrator Guide*.

Email Notifications for Workflow Discussions

Effective in version 7.2.2, Axon sends email notifications if you are mentioned in the workflow discussion of a change request. The email contains the change request ID, the comment where you were tagged, the timestamp of the comment and the name of the author of the comment .

For more information, see the *Axon Data Governance 7.2.2 User Guide*.

Hide Sensitive Personal Information

Effective in version 7.2.2, you can restrict the visibility of the **Email**, **Employee Type** and **LAN ID** information of objects listed under the **People** facet in Unison to only users that have logged in to Axon.. Users who have not logged in will not be able to view these fields or open the objects.

For more information, see the *Hide Sensitive Personal Information* topic in the *Axon Data Governance 7.2.2 Administrator Guide*.

Single Sign-On Authentication for Axon Quick Look

Effective in version 7.2.2, you can log in to Axon Quick Look by using a refresh token for Single Sign-On (SSO) authentication.

For more information, see the *Axon Data Governance 7.2.2 Quick Look User Guide*.

Transfer Ownership of Dashboards and Shared Searches

Effective in version 7.2.2, you can transfer the ownership of dashboards and shared searches from one Axon user to another.

The ownership transfer is possible only if the owner of the dashboard or the shared search is an inactive user. Axon does not permit transfer of ownership between two active users.

You must have a SuperAdmin profile to perform this task.

For more information, see the *Transfer Ownership of Dashboards and Shared Searches* topic in the *Axon Data Governance 7.2.2 Administrator Guide*.

Unison Search Date Filter Enhancements

Effective in version 7.2.2, you can see the following changes to the filter in Unison Search:

- You can filter objects in Unison Search using the **Last ____ Days** filter.
  For example, if you want to find all the glossaries created in the last 10 days. Select the **Glossary** facet and choose the **Created Date** filter and enter `10` in to the **Last ____ Days** field.

  Axon will display the glossaries created in the last 10 days.

- You can filter people in Unison Search by their last login.
  For example, if you want to find all the people who logged in to Axon in the last couple of days. Select the **People** facet and choose the **Last Login** filter and select the date range from the **From** and **To** fields. Alternatively, you can enter a numeric value in the **Last____Days** field.

  Axon will display the people who logged in to Axon in the specified time period.

For more information, see the *Unison Search Filter Options* topic in the *Axon Data Governance 7.2.2 User Guide*.

Changes in Version 7.2.2

This section describes the changes to Axon in version 7.2.2.

Axon Agent Support for Informatica 10.5.1

Effective in version 7.2.2, you can choose the Informatica domain version 10.5.1 for the Axon Agent when you install Axon Data Governance. For more information, see the Product Availability Matrices (PAM).

Axon Installer Changes

Supported Linux Distributions for Upgrade

Effective in version 7.2.2, you can install Axon on Red Hat Enterprise Linux versions 7.9 through 8.4.

Support for New PostgreSQL Version

Effective in version 7.2.2, you can install Axon on PostgreSQL versions 12.4 through 12.7.

Basic Access Authentication

Effective in version 7.2.2, in the REST API client, you can use basic access authentication to generate an access token or refresh token to validate API calls.

For more information, see the Axon Data Governance 7.3.8 REST API Guide.

Bulk Delete Objects Enhancements

Effective in version 7.2.2, the requirements to delete multiple facet objects using the **Bulk Delete** feature have been revised.

For more information, see the *Bulk Delete Objects* topic in the *Axon Data Governance 7.2.2 User Guide*.

Glossary Properties

Effective in version 7.2.2, in the **Documents** section under the **Summary** tab of a glossary, the URL display behavior has been altered. If the URL is valid, the Item column of the **Documents** section displays the name of the web page the URL redirects to. If the URL is not valid, if the target web page requires additional authentication or if the URL redirects to a web page that is not accessible on the organization network, the **Item** column displays the name of the document that you entered in the **Name** column.

For more information, see the Axon Data Governance 7.3.8 User Guide.

New Glossary Properties Support for Axon Quick Look

Effective in version 7.2.2, Axon Quick Look displays the following glossary information:

Field	Description
Created Date	The date on which the glossary was created.
Business Logic	The calculation that applies if the glossary object is a numeric value.
Last Approved Date	The latest date on which the glossary object was approved.

For more information, see the *View Glossary Properties* topic in the *Axon Data Governance 7.2.2 Quick Look User Guide*.

Onboarding Objects from Different Schemas in a Resource

Effective in version 7.2.2, when onboarding objects with same table or physical field names but with different schemas, to make the onboarded data sets distinguishable, Axon appends the physical field path to the name of the onboarded data sets, with the exception of the first data set which does not have its physical field path appended to its name.

For more information, see the *Axon Data Governance 7.2.2 User Guide*.

System Interface Information in Map View

Effective in version 7.2.2, Axon displays the system interface information in a system lineage map. To hide the interface information, locate and click the **Show or Hide Interface** ( ) icon in the top pane.

For more information, see the Axon Data Governance 7.3.8 User Guide.

CHAPTER 18

Axon 7.2.1

This chapter includes the following topics:

- New Features in Version 7.2.1, 78
- Changes in Version 7.2.1, 82

New Features in Version 7.2.1

This section describes new Axon features in version 7.2.1.

Data Migration

Effective in version 7.2.1, you can migrate all or specific Axon objects and the related objects across environments in your organization. For example, you might have development, testing, and production environments. You can migrate the objects, roles, and relationships from a testing environment and import the migrated data into a development environment.

For more information, see the *Axon Data Governance 7.2.1 Administrator Guide* and *Axon Data Governance 7.2.1 User Guide*.

Axon with Enterprise Data Catalog

Effective in version 7.2.1, the Axon and Enterprise Data Catalog integration includes the following enhancements:

System ID in Data Set Template

To uniquely identify a system for a data set and help in automated onboarding, you can enter a unique identifier for a system in the Data Set template. When you use bulk upload templates to upload new data sets or update existing data sets, you can enter a system identifier in the **System ID** column. During automated onboarding, if there are two systems with duplicate names, Axon uses the system identifier to uniquely identify a system and automatically onboards data sets and attributes into the system.

You can view the **ID** column from the **System** facet on Unison search.

Support for Additional Resources and Physical Fields

You can view the following resources from Enterprise Data Catalog:

- AWS Glue
- Power BI - Cloud Advanced Scanners

You can view the following types of physical fields from Enterprise Data Catalog:

- AWS Glue Field
- Power BI Field

For more information, see the *Axon Data Governance 7.2.1 Bulk Upload Reference Guide* and *Axon Data Governance 7.2.1 User Guide*.

Data Quality Enhancements

Effective in version 7.2.1, the Data Quality facet includes the following enhancements:

Configure Custom Fields for Data Quality

You can configure custom fields for the Data Quality facet from the Admin Panel. The custom fields appear for both standard and local data quality rules. After you configure custom fields for the Data Quality facet, you can view the custom fields in the following areas:

- Data Quality facet on Unison grid
- Exported files for Data Quality objects
- Data Quality object view
- Unison search results
- Unison search filters
- Bulk upload template for Data Quality Rule

Apply Result Filter for Local Data Quality Rules

You can apply the **Result** filter in Unison search to filter local data quality rules based on the status of scores. On the Unison search page, select the **Data Quality** facet, select the **Result** filter, and choose the **Red**, **Amber**, or **Green** target to view the data quality rules based on status of the scores.

When you create or edit a dashboard widget, you can choose the **Result** column for the **Data Quality** facet. You can choose the **Result** option to filter dashboard results based on the Red, Green, or Amber target.

Apply Filters to Data Quality Results in a Local Data Quality Rule

You can apply filters to quickly load the **Data Quality Results** chart for a local data quality rule. From the **Reports** tab of a local data quality rule, apply a filter based on the number of records or choose a date range to view the **Data Quality Results** chart.

Data Quality Rule Name

You can view the name of a data quality rule from the **Data Quality** tab of Glossary and Data Set objects.

For more information, see the *Axon Data Governance 7.2.1 User Guide*, *Axon Data Governance 7.2.1 Bulk Upload Reference Guide*, and *Axon Data Governance 7.2.1 Administrator Guide*.

Data Marketplace Features and Enhancements

Effective in version 7.2.1, Data Marketplace includes the following enhancements:

Request New Data Collection

A data consumer can request for a new data collection from within a category. From the **Home** page, you can select a category that fits your requirements and submit the request for a new data collection.

Request Review Comments for Consumer Access

If you are a Data Marketplace administrator, data owner, default technical owner, or technical owner, you can request for comments or agreement from another user for a consumer access object. If you are a participant, you can view the request for inputs from the **Tasks** > **Consumer Access Inputs** page.

Configure Custom Fields for Data Collections

If you are a SuperAdmin, default technical owner, or Data Marketplace administrator user, you can configure mandatory or optional custom fields for data collections. The custom fields appear on the **Summary** section of a data collection. If you are a data owner, you can update the custom field values when you create or edit data collections. If you are a data consumer, you can view the custom fields when you access data collections.

Category Filter

You can filter the access withdrawal tasks based on the category of a data collection. Apply the **Category** filter from the **Tasks** > **Withdraw** tab.

Parent Category

You can view the parent of a category if the category belongs to a hierarchy. When you open a category, you can view the **Parent Category** field in the **Summary** section. If you are a Data Marketplace administrator or category owner, you can edit the parent field.

Data Marketplace APIs

Use APIs to interact with Axon Data Marketplace. Create and manage orders and consumer access objects. You can also retrieve custom fields and delivery targets for a data collection.

For more information, see *Axon Data Marketplace 7.2 .1 User Guide* and *Axon Data Marketplace 7.2.1 Administrator Guide*.

Delete Predefined Dropdown Configuration Values

Effective in version 7.2.1, you can delete the predefined values for dropdown configuration parameters. Axon performs validation of the delete operation depending on the values and their usage in Axon.

You cannot delete some of the default dropdown configuration values because of their impact and dependency across Axon. For more information, see the *Axon Data Governance 7.2.1 Administrator Guide*.

Edit Dashboard Widgets

Effective in version 7.2.1, you can edit the widgets that you create on dashboards.

When you edit a widget, you can either edit the fields or change the widget type. If you have shared the dashboard widget with a user and you edit the widget, the same widget changes apply on the dashboard of the shared user.

For more information, see the *Axon Data Governance 7.2.1 User Guide*.

Clear Notifications

Effective in version 7.2.1, you can use the following methods to clear Axon notifications:

Automatic

You can periodically clear **Catalog**, **Workflow**, and **Bulk Upload** notifications that are older than the number of days you configure. You cannot configure to automatically clear notifications for the **Roles** facet.

Manual

You can manually clear all **Catalog**, **Roles**, **Workflow**, and **Bulk Upload** notifications from the notification center ().

In the **Roles** tab, you can accept and clear all roles or navigate to roles and responsibilities for a user.

For more information, see the *Axon Data Governance 7.2.1 Administrator Guide* and *Axon Data Governance 7.2.1 User Guide*.

View Glossary Hierarchy

Effective in version 7.2.1, you can view the hierarchy for a single Glossary object or all Glossary objects from the **Glossary** facet on Unison search. When you export glossaries, the exported file contains the **Hierarchy** column if you choose to view the hierarchy for all Glossary objects.

For more information, see the *Axon Data Governance 7.2.1 User Guide*.

Hide Fields

Effective in version 7.2.1, you can hide fields with empty values from the **Summary** page of Process, Policy, Data Set, System, and Glossary objects.

For more information, see the *Axon Data Governance 7.2.1 Administrator Guide* and *Axon Data Governance 7.2.1 User Guide*.

Hide Non-Public Objects

Effective in version 7.2.1, you can hide objects with the **Axon Viewing** field set to "Non-Public" for users that are not object stakeholders. If you hide the non-public objects, the non-public objects do not appear in Unison search results for a WebUser that has no stakeholder role on any object of the facet type. The object stakeholders, SuperAdmin, and Admin users can view the non-public objects.

For more information, see the *Axon Data Governance 7.2.1 Administrator Guide* and *Axon Data Governance 7.2.1 User Guide*.

Save Text Search Preferences

Effective in version 7.2.1, you can choose to save the text search preferences for a facet.

When you choose to save the text search preferences, you can perform the following actions:

Save Text Search Filters

Configure and save your text search filters.

Reset Text Search Filters

Reset your text search filters to the default settings.

Save Default Text Search Filters

Configure and save the default text search filters for all users. You must be a SuperAdmin user to view and configure this setting.

Reset Default Text Search Filters

Reset the text search filters to default settings for all users. You must be a SuperAdmin user to view and configure this setting.

For more information, see the *Axon Data Governance 7.2.1 User Guide*.

View System Hierarchy

Effective in version 7.2.1, you can view the complete hierarchy of a system from the **Relationships** tab of the System object. You can view the system hierarchy in the View and Edit modes of a System object. When you export the object or export the **Relationships** grid, you can also view the system hierarchy in the exported file.

For more information, see the *Axon Data Governance 7.2.1 User Guide*.

View Policy Type

Effective in version 7.2.1, if an object is connected to a Policy object, you can view the policy type information in the **Impact** tab of the object. For example, if a data set is connected to a policy, you can view the **Policy Type** column in the **Impact > Policy** tab of the data set.

When you search and add policies from the **Impact > Policy** of an object, you can perform a search based on the **Policy Type** field.

For more information, see the *Axon Data Governance 7.2 .1 User Guide*.

Changes in Version 7.2.1

This section describes the changes to Axon in version 7.2.1.

Data Marketplace Changes

Effective in version 7.2.1, Data Marketplace includes the following changes:

Add Comments for Order Inputs

When you add comments to request inputs from a user for an order, you can view the following changes:

- If you tag a user using the `@` symbol to request for order inputs, the popup list that appears does not include the names of the users that are already tagged or has pending review requests for the order. Previously, the popup list that appeared included the users that are already tagged and the users that had pending review requests.
- You can delete a user from the list of tagged users. If you delete a tagged user from the comment, the user list is updated in the information panel.
  Previously, to delete a tagged user, you had to delete all tagged users and then add the required users again. The information panel was not updated.

Label Change

Under the **Tasks** tab, the **Inputs** sub-tab is renamed to **Order Inputs**.

For more information, see the *Axon Data Governance 7.2 .1 Data Marketplace Administrator Guide* and *Data Marketplace 7.2.1 User Guide*.

Apply EBF-21759 for Axon Agent

Effective in version 7.2.1, you must apply EBF-21759 to Axon Agent that is configured with Informatica Data Quality 10.5.0. If a data source has no rows, Axon displays "0" as the data quality score for those rows.

Previously, Axon did not update the data quality scores for data sources with no rows.

Fo more information, see the *Axon Data Governance 7.2 User Guide*.

CHAPTER 19

Axon 7.2

This chapter includes the following topics:

- New Features in Version 7.2, 83
- Changes in Version 7.2, 89

New Features in Version 7.2

This section describes new Axon features in version 7.2.

Cross-Segment Relationships

Effective in version 7.2, you can connect an object from the Enterprise segment to an object in a private segment. For a parent-child relationship in Axon, the entire hierarchy must be part of the same segment. If an object belongs to a segment, you can change the segment when you edit the object. You can either manually connect the objects from the Axon interface or use bulk upload templates.

For more information, see the *Axon Data Governance 7.2 Administrator Guide*, *Axon Data Governance 7.2 User Guide*, and *Axon Data Governance 7.2 Bulk Upload Reference Guide*.

Usage Statistics

Effective in version 7.2, you can access reports on Axon usage statistics, such as resolved change requests, top change request creators, and user login activity. For example, a data governance officer can monitor Axon performance by viewing the number of users logged in to Axon and the number of change requests that are resolved every day. You can use external visualization applications, such as Tableau, Power BI, and ClickView, to view the usage reports.

You can view the following types of usage statistics:

- Number of resolved change requests and the duration of resolved change requests.
- Number of change requests created and edited for an object over a period.
- Status and count of change requests.
- Number of created, edited, or deleted objects for a facet over a period of time.
- Creators of top 10 change requests.
- Number of created and deleted users.
- Number of automatic and manual change requests.

- Login activity of users.

For more information, see the *Axon Data Governance 7.2 Administrator Guide*.

Custom Field for Change Request

Effective in version 7.2, you can create custom fields for change request.

For more information, see the *Axon Data Governance 7.2 Administrator Guide*.

Standard Data Quality Rule Enhancements

Effective in version 7.2, you can associate more than one glossary with the standard data quality rule when you configure **Technical Rule Reference** field.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Axon with Enterprise Data Catalog

Effective in version 7.2, the Axon and Enterprise Data Catalog integration includes the following enhancements:

Automatic Change Requests for Systems, Data Sets, and Attributes

You can configure default change requests for System and Data Set facets in the Admin Panel. Axon triggers automatic change requests in the following scenarios:

- If you create a system when you manually link resources to systems. After you click **Save** or **Save and Submit**, Axon triggers automatic change request for the system.
- If you edit a data set to add new attributes or create a data set when you manually link physical fields to attributes. After you click **Save** or **Save and Submit**, Axon triggers automatic change request for the data set.
- If you edit a data set to add new attributes or create a data set when you manually link all the physical fields of a parent to attributes. After you click **Save** or **Save and Submit**, Axon triggers automatic change request for the data set.
- During automated onboarding when attributes are onboarded into a data set. The workflow starts automatically if all stakeholders are assigned to the data set.

Support for Additional Resources and Physical Fields

You can view the Workday resource type and the **Property** field from Enterprise Data Catalog.

You can view the following types of physical fields from Enterprise Data Catalog for Microstrategy:

- Report Metric
- Attribute Form

For more information, see the *Axon Data Governance 7.2 Administrator Guide* and *Axon Data Governance 7.2 User Guide*.

Data Quality Rule Bulk Upload Enhancements

Effective in version 7.2, the Data Quality Rule template includes the following changes:

Additional Columns in Data Quality Rule Template

The Data Quality Rule bulk upload template includes the following additional columns:

- Hour
- Day
- Month
- Date
- Start Date
- Execute Rule

Standard Data Quality Rule X Technical Rule Reference Relationship

You can use a bulk upload template to upload relationships between standard data quality rules and technical rule references.

Local Data Quality Rule X Technical Rule Reference Relationship

You can use a bulk upload template to upload relationships between local data quality rules and technical rule references. You can also assign or delete profiles and scorecards for data quality rules through bulk upload template.

For more information, see the *Axon Bulk Upload Reference 7.2 Guide*.

Run Data Quality Rule on S3 CSV Files

Effective in version 7.2, you can run data quality rules on S3 CSV files stored in Amazon S3 resource in Enterprise Data Catalog for Informatica Data Quality version 10.4.x, 10.4.1.x, and 10.5.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Data Marketplace Features and Enhancements

Effective in version 7.2, the Data Marketplace includes the following enhancements:

View Categories and Subcategories

In the **Home** page, you can view categories in which data collections are arranged in your organization. The **Category** page displays the details of the category and the associated subcategories. The left pane of the page displays all the categories in a tree view.

Sample Files

In the **Attachments** section of a data collection, a data user can view and download sample data files to understand the data collection.

Manage Data Sets

You can add and remove data sets to a data collection. You can also the data sets in Axon Data Governance.

Participants Details in the Task page

When a data owner, technical owner, or Data Marketplace administrator is assigned to a order, you can view participant details in the **Task** page.

Add Policies and Usage Guideline to Data Collection

The data owner can add policies to data collections. When a data consumer requests access to data sets, the checkout page displays the attached policies and usage guide. The data consumer must agree to the policies before completing the access order.

Request Comments on the Order Page

If you are a data owner, you can mention data users by their names and request them to provide inputs on an order.

View Pending Request in the Access Section

When you request access to a new data collection, you can see your pending request in the **Access** section of a similar data collection. After the data owner publishes the new data collection, you can find the data collection in the Search page.

Bulk Upload of Data Collections

An Axon SuperAdmin or the Data Marketplace Administrator can bulk upload data collections from Axon Data Governance to the Data Marketplace.

Filter Data Collections and Attributes

You can create and use filters to search data collections and attributes according to your requirements.

For more information, see *Axon Data Marketplace 7.2 User Guide*, *Axon Data Marketplace 7.2 Administrator Guide*, and *Axon Bulk Upload 7.2 Reference Guide*.

Dashboard Widgets for Additional Fields

Effective in version 7.2, you can add custom field widgets of dropdown and binary values in the **My Dashboard** page.

You can also add Out of the Box boolean fields in the **Group by** field.

For more information, see the *Informatica Axon 7.2 Data Governance User Guide*.

View Data Usage in Unison Search

Effective in version 7.2, you can view the usage details for a data set in Unison search.

You can view the **Data Usage** field for the Data Set facet in the following areas:

- Unison grid column
- File exported from Unison search results
- Unison search text filter

For more information, see the *Axon Data Governance 7.2 User Guide*.

View Predefined List of Users for Stakeholder Roles

Effective in version 7.2, you can assign stakeholders to an object by selecting from a predefined list of users.

To configure role assignments, assign users to each role for a facet. The roles vary based on the selected facet. For example, if you select the Data Set facet, you can assign users to Data Steward and Data Owner roles. You must assign at least one user to a role.

For more information, see the *Axon Data Governance 7.2 Administrator Guide* and *Axon Data Governance 7.2 User Guide*.

Grid Layout Settings in Unison Search

Effective in version 7.2, you can choose to save the grid-level settings, such as additional columns and column size, for a facet.

You can choose to perform the following actions from the Unison search grid:

Save Default Layout

Configure and save the default grid layout preferences for a facet for all users. You must be a SuperAdmin user to view and configure this setting.

Save Layout

Save your preferences for the grid layout for a facet.

Reset Layout

Reset your grid layout preferences for a facet to the default settings.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Axon Kubernetes Utility

Effective in version 7.2, you can run the Docker image to deploy Axon pods on-premise in the Kubernetes environment.

The Axon Deployment Manager provides quick and easy access to install and configure Docker for Axon in the Kubernetes environment. You can also manage an existing deployment of Axon Data Governance in Kubernetes using Axon Deployment Manager.

For more information, see the *Install Axon on Kubernetes with the Axon Deployment Manager How-to Library Article*.

Value List API

Effective in version 7.2, you can use APIs to view, create, update, and delete value lists for data set attributes.

For more information, see the *Axon Data Governance 7.2 REST API Guide*.

Axon Quick Look on Mac

Effective in version 7.2, you can install Axon Quick Look on a Mac operating system.

For more information, see the *Axon Data Governance 7.2 Quick Look User Guide*.

Export to Excel in Unison Search

Effective in version 7.2, you can export Unison search results to the Microsoft Excel file format.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Default Stakeholder Assignment to Users that Bulk Upload Data

Effective in version 7.2, when you bulk upload new objects, Axon assigns you as the default stakeholder for the objects. If you have configured default roles for a facet in the Admin Panel, Axon assigns the default roles to the user that bulk uploads data.

For more information, see the *Axon Data Governance 7.2 Bulk Upload Reference Guide*.

Support Office 365 and SendGrid to Deliver Email Notifications

Effective in version 7.2, you can configure email encryption mode based on the email protocol. For example, if you use SendGrid or Office 365, configure mailer encryption to "ssl" or "tls" if you choose to use the SMTP email protocol.

For more information, see the *Axon Data Governance 7.2 Administrator Guide*.

Restrict IDP Users to Create or Update Users in Axon via SSO

Effective in version 7.2, you can restrict Identity Provider (IDP) users to create and update users in Axon via SSO. Disable the **Create and Update Users** option from the Admin Panel to restrict IDP users to create or update users in Axon.

For more information, see the *Axon Data Governance 7.2 Administrator Guide*.

Unison Search Enhancements

Effective in version 7.2, you can see the following enhancements to Unison search:

- You can use wildcard character * in the search box to find matching entries.
- You can perform a Unison search for text and dropdown options for non-mandatory and custom fields that have empty values. For example, if the field is of type Availability and you have not assigned any value to the field, you can select the "Not defined" filter to search for the object. You can also enter double quotes ("") in the text search option to search for such objects.
- When you type a search keyword, Axon displays the most relevant result on the top of the list of items.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Support for Informatica Data Quality Version 10.5, Enterprise Data Quality 10.5, and Data Privacy Management 10.5

Effective in version 7.2, you can integrate Axon Data Governance with Informatica Data Quality version 10.5, Enterprise Data Quality version 10.5, and Data Privacy Management 10.5.

For more information, see the *Product Availability Matrices (PAM)*.

Axon Agent Support for Informatica 10.5

Effective in version 7.2, you can choose the Informatica domain version 10.5 for the Axon Agent when you install Axon Data Governance on the Docker utility.

For more information, see the Product Availability Matrices (PAM).

New Linux Version Support

Effective in version 7.2, you can install Axon on the following versions of the Linux operating system:

- SUSE Linux Enterprise Server 15
- Red Hat Enterprise Linux version 8.x
- CentOS Linux version 8.x

For more information on supported operating systems and versions, see the *Product Availability Matrices (PAMs)*.

Changes in Version 7.2

This section describes the changes to Axon in version 7.2.

Axon with Enterprise Data Catalog

Effective in version 7.2, the Axon and Enterprise Data Catalog integration includes the following changes:

Onboarding Objects from Different Schemas in a Resource

If two parents with the same name belong to two different schemas in Enterprise Data Catalog, Axon creates two different data sets based on the linked glossaries. For example, the EMP table is present in both FIN and HR schemas. The EMP table in the FIN schema is linked to the NAME glossary, and the EMP table in the HR schema is linked to the ID glossary. During automated onboarding, two data sets with the name EMP are created in Axon.

Previously, if two parents with the same name belonged to two different schemas in Enterprise Data Catalog, Axon created a single data set based on the linked glossaries.

Accept Onboarded Objects

You can choose to accept onboarded objects when you run a data onboarding rule from a System object. The **Accept Onboarded Objects** field is moved from the Enterprise Data Catalog parameters on the Admin Panel to the **System** > **Enterprise Catalog** > **Data Onboarding Rules** page.

Previously, you could choose to accept onboarded objects from the Admin Panel.

For more information, see the *Axon Data Governance 7.2 Administrator Guide* and *Axon Data Governance 7.2 User Guide*.

Enhancements to Natural Language Processing (NLP) Capabilities for CLAIRE® Recommendations

Effective in version 7.2, when you enter a technical description for a standard data quality rule, CLAIRE® interprets the technical description and recommends a single rule or multiple rules. You can enter the technical description using flexible sentence constructions. CLAIRE® provides up to a maximum of four recommendations to generate a rule.

Previously, CLAIRE® recommended only a single rule based on the technical description that you entered. You could enter the technical description in a restricted format for CLAIRE® to recommend a rule.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Local Data Quality Rules

Effective in version 7.2, local data quality rules include the following changes:

- Axon automatically populates system name in the **System Measured In** field when you create a local data quality rule. You cannot modify the name of the system when you create or modify the local data quality rule. Even if the system belongs to the segment that is assigned to you, you cannot modify name of the system.
- In the **Measure Against** field, you can select a system, data set, and attribute values based on the segments that are assigned to you. If a data set belongs to the segment and you are not assigned to that particular segment, you cannot view the **Measured Against** field.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Label Change in Data Marketplace

Effective in version 7.2, the **Inventory** tab name is changed to **Task** in the Data Marketplace interface.

For more information, see the *Axon Data Marketplace 7.2 User Guide*.

People Objects

Effective in version 7.2, People objects include the following changes:

- Only SuperAdmin users can update People objects through the Axon interface or bulk upload template. Previously, both Admin and SuperAdmin users could edit the details of the users.
- A user with the Admin, SuperAdmin, or WebUser profile is restricted from modifying the details of users that are retrieved via LDAP directory or SSO.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Label Changes in Axon Data Governance

Effective in version 7.2, you can see several label changes in the Axon interface and bulk upload templates. For example, **System Name** is changed to **Short Name** in the System object and role templates, and **System Name** is changed to **System Short Name** in the relationship templates, such as Capability X System and Business Area X System. When you create a data set or view the Data Set facet on Unison search, you can see that the **System** field is changed to **System Short Name**. When you link an Axon system to an Enterprise Data Catalog resource, you can see that the **System Name** field is changed to **Short Name**.

For more information on all the label changes in Axon 7.2, see the Informatica Knowledge Base article at https://knowledge.informatica.com/s/article/LabelChanges-in-Axon-Data-Governance-72?language=en_US.

Date Filter

Effective in version 7.2, you can apply the date range filter in a single query on Unison search. You can select the **Created Date** filter and enter the **From** and **To** values in a single query.

Previously, you had to create two separate queries to select a single date range. You had to select the **Created Date From** and **Created Date To** values.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Change Requests

Effective in version 7.2, the change request has the following changes:

- The **Status** and **Lifecycle** fields are required for non-mandatory workflows.
- You cannot edit a change request after the change request is completed or cancelled.

Fo more information, see the *Axon Data Governance 7.2 User Guide*.

Unison Search Results

Effective in version 7.2, if a Policy object is related to a Glossary object and the Glossary object is related to a System object via a Data Set or an Attribute object, Axon displays the related Glossary, Attribute, Data Set,

and Systems objects if you perform a Unison search on the Policy object. This Unison search behavior applies to Policy, Process, and Project objects.

Previously, Axon displayed the related Glossary, Attribute, and Data Set objects if you performed a Unison search on a Policy object.

For more information, see the *Axon Data Governance 7.2 User Guide*.

Mailer Transport

Effective in version 7.2, the **Mailer Transport** field appears as a dropdown list instead of a text field.

For more information, see the *Axon Data Governance 7.2 Administrator Guide*.

CHAPTER 20

Axon 7.1

This chapter includes the following topics:

- New Features in Version 7.1, 92
- Changes in Version 7.1, 102

New Features in Version 7.1

This section describes new Axon features in version 7.1.

Axon with Enterprise Data Catalog

Effective in version 7.1, the Axon and Enterprise Data Catalog integration includes the following enhancements:

Enterprise Data Catalog Parameters

You can configure the following Enterprise Data Catalog parameters in Admin Panel:

Enable Lineage Recommendation Notifications

Send notifications for the recommended attribute relationships based on the lineage in Enterprise Data Catalog.

Default Glossary

The default glossary name that you want to associate with the objects onboarded from Enterprise Data Catalog. Axon uses this default glossary if you choose to not onboard objects with associated glossaries to a System object.

Automatically Delete Attribute Relationships

Automatically deletes attribute relationships that are no longer valid if a linked physical field is deleted from Enterprise Data Catalog. This deletion applies to attribute relationships that are automatically created based on the lineage recommendations from Enterprise Data Catalog.

View Custom Attributes for Physical Fields

View custom attributes for physical fields from Enterprise Data Catalog.

Restrict Access Based on Enterprise Data Catalog Permissions

You can restrict access to assets in Axon based on the access permissions to the assets in Enterprise Data Catalog.

Configure Timeout Period for Enterprise Data Catalog API

The maximum time period in seconds that Axon waits for the Enterprise Data Catalog API to respond.

Enterprise Data Catalog Server Proxy Host

The proxy host name for the Enterprise Data Catalog server.

Enterprise Data Catalog Server Proxy Port Number

The proxy port number for the Enterprise Data Catalog server.

Test Connection

After you configure the Enterprise Data Catalog parameters from the Admin Panel, you can test the connectivity to Enterprise Data Catalog to ensure that the specified parameters are correct. If all the parameters are correct, you can view that the connection is successful. If any parameter is incorrect, the connection fails and an error message appears. You cannot test the connectivity for the Enterprise Data Catalog proxy parameters.

Bulk Upload Validations

When you bulk upload Attribute X Physical Field and System X Resource templates, Axon validates the bulk upload task based on your permissions to access the physical fields in Enterprise Data Catalog.

Automatically Created Attribute Relationships

If there are multiple hop relationships between the physical fields in Enterprise Data Catalog, you can view the automatically created attribute relationships in Axon. To view additional relationships that are created, you need to run the Axon scanner.

Link Removal Notifications

If a resource or physical field is deleted from Enterprise Data Catalog and if you have not configured to automatically delete attribute relationships from the Admin Panel, the automatically created attribute relationships are not removed from Axon. Axon sends email and interface notification to the Data Set stakeholder about the relationships that are not valid. Axon sends notifications based on the **Automatically Delete Attribute Relationships** and **Enable Lineage Recommendation Notifications** configuration in the Admin Panel.

Data Onboarding Rules

Create data onboarding rules from the Admin Panel to control the onboarding of objects into Axon systems. In a System object, apply data onboarding rules that you have configured. You need to enable the automated onboarding process from the System object. Based on the rule configuration, the Enterprise Data Catalog assets are filtered and the corresponding data set and attributes are onboard to the Axon system.

You can also apply data onboarding rules in a System object to download and preview data in the CSV format. Use this data later to bulk upload data manually to Axon.

Onboarded Attributes Metadata

After the attributes are onboarded, you can view additional columns, such as **Data Type**, **Data Length**, and **Key**, with the values populated from Enterprise Data Catalog in Axon. You can view these columns while you manually link attributes to physical fields from the Axon interface.

You can view the additional columns from the following areas in the Axon interface:

- The **Data** > **Data Attributes** view of a Glossary object
- The **Attributes** facet view from the Unison search
- The **Attributes** tab of a Data Set object

- The **Data** > **Data Attributes** view of a System object

Physical Field Details

In Axon, you can view the physical field details, such as datatype, primary key, custom attributes, and pattern, from Enterprise Data Catalog. When you click a physical field name, a dialog box appears in Axon with additional details for the physical field from Enterprise Data Catalog.

You can view the physical field details from the following areas of Axon:

- **Create** > **Manage Catalog Links** > **Physical Fields**
- **System** > **Enterprise Catalog** > **Physical Fields**
- **Glossary** > **Enterprise Catalog** > **Physical Fields**
- **Data Set** > **Enterprise Catalog** > **Physical Fields**
- **Glossary** > **Data** > **Data Attributes**
- **System** > **Data** > **Data Attributes**
- **Data Set** > **Data Attributes**
- **Physical Fields** facet in Unison search

Export Resource Metadata

To retrieve more information on the Enterprise Data Catalog resources, you can export the resources metadata to a CSV file. For example, if you want to bulk upload the relationship between Enterprise Data Catalog resources and Axon systems, you need additional information, such as resource identifiers.

You can export resources metadata from the following areas of Axon:

- **Create** > **Manage Catalog Links** > **Resources**.
- **System** > **Enterprise Catalog** > **Resources**.

Support for Additional Resources and Physical Fields

You can view the following additional types of resources from Enterprise Data Catalog:

- SAP ERP
- SAP HANA
- SAP S/4HANA
- SAP BW
- SAP BW/4HANA
- QlikSense

You can view the following types of physical fields from Enterprise Data Catalog:

- QlikSense Column
- QlikSense Dimension
- QlikSense Measure
- SAP HANA Attribute
- SAP HANA Measure
- SAP S/4HANA View Field
- SAP S/4HANA Table Field
- SAP BW Field
- SAP BW Dimension Field

- SAP BW Key Figures Field
- SAP BW Data Source Field
- SAP BW Characteristics Field
- SAP BW Navigational Attribute Field
- SAP BW Query Field
- SAP BW/4HANA Data Source Field
- SAP BW/4HANA Query Field
- SAP BW/4HANA Dimension Field
- SAP BW/4HANA Key Figures Field
- SAP BW/4HANA Navigational Attribute Field
- SAP BW/4HANA Characteristics Field
- SAP BW/4HANA Field

Note: For SAP ERP resources, View Field appears as "View Column" and Table Field appears as "Column" in Axon.

Axon Scanners

You can configure the Axon resource to extract metadata from the following assets:

- Attribute. Enterprise Data Catalog extracts the manually created as well as the curated attributes.
- Policy
- System
- Dataset

You can view the following attributes in the Catalog for the assets:

Asset	Attributes
Attribute	Name, Definition, Object URL, Data type, and Data length
Policy	Name, Definition, Lifecycle, Status, Access Type, Policy Type, and Object URL
System	Name, Definition, Lifecycle, Status, Access Type, System Type, and Object URL
Dataset	Name, Definition, Object URL, Status, Lifecycle, Access Type, and DataSet type

You can also read the details of the native users, LDAP users, and SSO users associated with the assets in the Catalog.

You can view the following relationships in the Catalog:

- Parent-child relationship between Axon artifacts and extracted objects
- Semantic relationship between the glossary assets

You can reconcile the domain users by selecting the **Allow Filtering** option for the Email system attribute in the Catalog Administrator.

For more information on Axon Scanners, see the *Informatica 10.4.1 Enterprise Data Catalog Scanner Configuration Guide*.

For more information on the Axon application, see the *Informatica Axon 7.1 Data Governance Administrator Guide* and *Informatica Axon 7.1 Data Governance User Guide*.

Data Marketplace Features and Enhancements

Effective in version 7.1, the Data Marketplace includes the following enhancements:

New Log in Page

You can now launch the Data Marketplace through a URL. A guest user can access home page and search page, and view data collections. You must enter your login details to request an access to the data collections in the Data Marketplace.

Home Page

The Data Marketplace home page displays tile view of the data collections. The page displays maximum of 16 tiles. The tiles show the number of data consumers who have access to the data collections.

Configure Data Marketplace

You can perform the following configuration tasks in the Data Marketplace:

- Assign administrators and technical owners to the data collections.
- Attach policies and usage guidelines to data collection. You can configure default `Eula` policies.
- Configure formats, methods, delivery targets, and data presentations for the data collections.
- Specify the change request system when the data user requests access to a data collection.
- Create custom fields for orders and requests of the data collections.

Search and Filter Data Collection

You can search data collections by their names in the Data Marketplace. You can create and use filters to narrow down your search. In the search page you can view the list of the data collections that matches your search and filter criteria.

Rate a Data Collection

You can view the overall rating and rating break down score of the data collection. The **Ratings and Comments** section in the data collection displays the ratings and comments in the chronological order. Data owners and Technical owners can review the ratings of their data collections. Data consumers can add their comments and rate the data collections.

Request a New Data Collection

If you cannot find a data collection that matches your requirement, you can ask a data owner to publish a new collection. You can see your request in the **My Request** page. After the data owner publishes the new data collection, you can find the data collection in the **Search** page.

View Data Sets in Axon Data Governance

If you are a data owner or data user, you can view a data set in Axon Data Governance.

Inventory Tab

The **Inventory** section allows a data owner or the default technical owner to view the list of the ordered data sets and the status of the ordered data sets across all the data collections.

Email Notification

Data Marketplace sends notifications to a data consumer and data user in the following scenarios:

- A data owner receives the email notification when a data consumer requests access to the data collection.
- A data consumer receives the email notification on the status of the access request.
- A data consumer receives the email notification when a data owner publishes the requested data collection.

Bulk Upload of Access Order Details

An Axon SuperAdmin or the Data Marketplace Administrator can bulk upload access order details from Axon Data Governance in the Data Marketplace.

Integration with ServiceNow

You can configure Axon Data Marketplace to connect to the ServiceNow as an external change request system. When you request access to a data collection, the Data Marketplace can create a ticket in the change request system and include the object stakeholders in the workflow.

Discussion Tab

A data consumer can view and add comments in the **Discussion** section of the data collection page. The new comments appears at the top of the section.

Column Settings in Tables

You can choose to hide or show column names according to your requirements in the table that contains data collections. For example, you can choose to hide columns that contain details, such as owner and consumer. You can choose to show external ticket column.

Download Data Collection

You can download data collections in a `.csv` file.

Tile View of Data Collections

The **Data I Own**, **Data I Use**, and **My Orders** pages display data collections in the tile view.

For more information, see *Informatica Data Marketplace 7.1 User Guide*, *Informatica Data Marketplace 7.1 Administrator Guide*, and *Informatica Axon Bulk Upload 7.1 Reference Guide*.

Workflows and Change Requests

Effective in version 7.1, you can configure different workflows for different object types. For example, you can specify a workflow for change requests created for the Glossary domain object and another workflow for change requests created for the Glossary term object.

For more information, see the *Informatica Axon Data Governance 7.1 User Guide* and *Informatica Axon Data Governance 7.1 Administrator Guide*.

Work with Segments

Effective in version 7.1, segments contain the following configuration tasks:

Assign Segment Admin Users to Segment

The SuperAdmin can assign Segment Admin users to a segment through Single Sign-On (SSO) identity provider.

Assign Users to Segment

The SuperAdmin or Segment Admin user can assign Axon users to a segment through SSO. Before you assign users to the segment from the SSO identity provider, make sure to configure Axon to retrieve users from the SSO identity provider.

View Segments in Unison Search

On the Unison search page if you want to view the segment to which an object belongs, you can select the **Segments** option from the list of columns. The **Segments** column is hidden by default. If an object belongs to more than one segment, the **Segments** column displays segment names in the following

format: `Segment Name 1, +n`. When you click the **+n** hyperlink, you can view the additionally assigned segments.

Recent Objects

You can view the recently visited objects based on the segments that you can access. If you visit an object that belongs to a segment and you are removed from the segment later, you cannot see the object from the **My Items** > **Recent** view.

For more information, see the *Informatica Axon 7.1 Administrator Guide*, *Informatica Axon 7.1 Data Governance User Guide*, and *Informatica Axon 7.1 Bulk Upload Reference Guide*.

Retrieve Users from Multiple LDAP Servers to Axon

Effective in version 7.1, Axon can connect to the multiple LDAP servers in your organization, retrieve users, assign user profiles, and display users in the Axon interface.

For more information, see the *Informatica Axon Data Governance 7.1 User Guide* and *Informatica Axon Data Governance 7.1 Administrator Guide*.

View Profiles and Scorecards Associated with Local Data Quality Rules in Informatica Analyst Tool

Effective in version 7.1, you can open profiles or scorecards in Informatica Analyst tool from Axon local data quality rules.

A clickable reference link appears in Axon data quality rules when the administrator configures the Analyst tool instance URL in the **System Settings** of the Admin Panel.

For more information, see the *Informatica Axon Data Governance 7.1 User Guide* and *Informatica xon Data Governance 7.1 Administrator Guide*.

Bulk Upload Data

Effective in version 7.1, the bulk upload operation includes the following enhancements:

Bulk Update Data Quality Rules

Use the bulk update templates to update the standard and local data quality rules.

Bulk Delete Roles

Use the bulk upload templates to delete roles for the objects instead of deleting the role for each object from the Axon interface. To update roles in bulk, you have to first delete the existing roles and then create the roles that you want.

For more information, see the *Informatica Axon 7.1 Bulk Upload Reference Guide*.

APIs to Create or Delete Single and Multiple Roles

Effective in version 7.1, you can use APIs to create or delete single and multiple roles from Axon.

For more information, see the *Informatica Axon Data Governance 7.1 REST API Guide*.

Delete Dropdown Configuration Values

Effective in version 7.1, you can choose to delete the dropdown configuration value that you added in the Admin Panel.

For more information, see the *Informatica Axon 7.1 Data Governance Administrator Guide*.

Unison and API Search Filter

Effective in version 7.1, you can apply a filter in Unison and API search to find all the objects that a user has created or updated.

Select a facet and apply the **Created By** filter to search and add the users.

You can apply the **Created By** filter for the following facets:

- System
- Glossary
- Data Set
- Attribute
- Policy
- Project
- Process
- System Interface

In the **searchGroups** category of the API query, you can specify the value type to search all the objects that a user has created or updated.

For more information, see the *Informatica Axon 7.1 Data Governance User Guide* and *Informatica Axon 7.1 REST API Guide*.

Periodic Review of Objects

Effective in version 7.1, you can configure Axon to periodically initiate the review process to ensure that the objects are updated according to the data governance requirements of your organization.

You can configure periodic review for the following facets:

- Data Set
- Glossary
- Process
- System

You can choose to start the review of the objects at different frequencies, such as monthly, quarterly, and yearly. When the periodic review of objects starts, Axon sends email notifications to the users.

For more information, see the *Informatica Axon Data Governance 7.1 User Guide* and *Informatica Axon Data Governance 7.1 Administrator Guide*.

Phone Home Enhancements

Effective in version 7.1, Axon sends the following diagnostic information to Informatica if the Phone Home option is enabled:

- Number of the licensed users and active licensed users.
- Axon facets and objects in the facet.

For more information, see *Informatica Axon Data Governance 7.1 Administrator Guide*.

Notifications via Email to Object Follower

Effective in version 7.1, you can choose to receive notifications via email if a user has made changes to an object where you are a follower.

The content of the notification email can vary based on whether the role is included in the underlying workflow.

For more information, see *Informatica Axon Data Governance 7.1 User Guide*.

New Walkthroughs

Effective in version 7.1, you can view the following new and updated walkthroughs in Axon:

New Walkthroughs

You can view the following new walkthroughs in Axon:

- Configure Access to Enterprise Data Catalog
- Configure Access to LDAP
- Configure Access to Informatica Data Quality
- Create Default Workflows
- Configure Default Change Requests
- Connect External Change Request System
- Introduction Data Marketplace
- Enable Data Marketplace
- Configure Data Marketplace
- Publish Data Set
- Shop For Data
- Approve or Reject Data Access Request
- Fulfill Data Access Request

Updated Walkthroughs

You can view the following updated walkthroughs in Axon:

- Configure Email Notifications
- Create a Segment
- Assign Users to a Segment
- Bulk Upload
- Create Change Request

- Share Dashboard

Axon Docker Utility

Effective in version 7.1, you can run the docker image to deploy Axon or the Axon Agent on Amazon Web services (AWS), Microsoft Azure, or on-premises.

The Informatica container utility provides quick and easy access to install and configure Docker for Axon or the Axon Agent. You can create standard Docker images and create a container using Docker.

With quick deployment feature, you can run the Informatica Docker image with a standard pre-built image of Axon or the Axon Agent.

For more information, see *Install Axon or Axon Agent on Docker with the Container Utility*.

PostgreSQL Database

Effective in version 7.1, you can perform the following tasks for the PostgreSQL database:

External PostgreSQL Database Instances

While you install Axon, you can choose to configure the PostgreSQL database on external instances, such as Amazon Relational Database Service (RDS) and Microsoft Azure Database for PostgreSQL, in the advanced settings. You can choose to provide a connect string to connect to the PostgreSQL instance on Amazon RDS or Azure PostgreSQL. If you do not choose to provide a connect string, specify the host name, port number, administrator user name, administrator user password, and the existing PostgreSQL database name on the Amazon RDS or Azure PostgreSQL instance.

Configure Passwords for PostgreSQL Databases

While you install Axon, you can choose to configure custom password for PostgreSQL databases in the advanced settings. After you configure a password for the Axon Core service, you can either choose to configure the same password or separate passwords for the other database services.

Update Passwords for PostgreSQL Databases

After you install or upgrade Axon, your database administrator might modify a database user password later according to the security policies of your organization. After your database administrator modifies the password, you must update the password in Axon configuration to connect to the database.

For more information, see the *Informatica Axon Data Governance 7.1 Installation Guide* and *Informatica Axon Data Governance 7.1 Administrator Guide*.

Configure Graph Database Cluster on External Nodes

Effective in version 7.1, you can configure the graph database in a cluster on external nodes for better search concurrence, scaling, and performance.

When you install Axon, you need to provide the graph database cluster information in the advanced configuration.

For more information, see the *Informatica Axon Data Governance 7.1 Installation Guide*.

Support for Azure SQL Data Warehouse Source for Profiles and Scorecards

Effective in version 7.1, you can associate a local data quality rule with a profile or scorecard in Informatica Data Quality on an Azure SQL Data Warehouse.

For more information, see *Informatica Axon Data Governance 7.1 User Guide*.

View User and Session Timeout Details in Logs

Effective in version 7.1, you can view user name, user email, and session timeout details in the log files.

For more information, see *Informatica Axon Data Governance 7.1 Administrator Guide*.

Supported Browsers

Effective in version 7.1, you can open the Axon application in the following browsers:

- Microsoft Edge Chromium
- Safari

For more information on supported browser versions and operating systems, see the *Product Availability Matrices (PAMs)*.

New Operating System Version Support

Effective in version 7.1, you can install Axon on the following versions of the operating systems:

- SUSE Linux Enterprise Server 12 SP5
- Red Hat Enterprise Linux version 7.8 and 7.9
- CentOS Linux version 7.7

For more information on supported on operating systems and versions, see the *Product Availability Matrices (PAMs)*.

Changes in Version 7.1

This section describes the changes to Axon in version 7.1.

Axon with Enterprise Data Catalog

Effective in version 7.1, you can view the following changes for automated onboarding of objects and notifications in Axon:

Automated Onboarding of Objects

You can apply data onboarding rules and enable automated onboarding from a system. The objects are automatically onboarded to the system based on the configured rule. The parameters, such as confidence score, requirement for an associated glossary, and onboarded attribute names, are applied at a system-level.

Previously, the objects were automatically onboarded to any system.

Enterprise Data Catalog Parameters

You can view the changes for the following Enterprise Data Catalog parameters:

- The **Enable Automatic Onboarding** option is removed from the Admin Panel.
  You can choose to automatically onboard objects to a system using the **Enable Automated Onboarding** option that appears on the **System** > **Enterprise Catalog** > **Data Onboarding Rules** page.
- The **Confidence Score Threshold** option is removed from the Enterprise Data Catalog configuration parameters. You can configure the confidence score value in the **Confidence Score** field that appears when you create a data onboarding rule from the **Operational Management** > **Data Onboarding Rules** page of the Admin Panel.
- The **Configure Onboarded Attribute Names** option is removed from the Admin Panel.
  You can configure onboarded attribute names from the **Onboarding** section when you create a data onboarding rule from the **Operational Management** > **Data Onboarding Rules** page of the Admin Panel.
- The **Accept Lineage Recommendations and Create Links** option is renamed to **Automatically Accept Lineage Recommendations** in the Admin Panel.

Associated Glossary

To automatically onboard objects, the glossary to physical field association in Enterprise Data Catalog is not required. If a physical field or data domain is not linked to a glossary in Enterprise Data Catalog, the onboarding job uses the default glossary specified in the Admin Panel to automatically onboard objects into Axon.

Previously, it was required for a physical field or data domain to be associated to a glossary for automated onboarding of objects.

Lineage Notifications

Axon sends email and interface notifications about the automatically created attribute relationships to the stakeholders. Axon also sends email and interface notification about the recommended attribute relationships. Axon sends notifications based on the **Automatically Accept Lineage Recommendations** and **Enable Lineage Recommendation Notifications** configuration in the Admin Panel.

Previously, you could view only the interface notifications for recommended attribute relationships and automatically created attributes.

Glossary Asset

You can view the following attributes for the Glossary asset in the Catalog:

- Name
- Definition
- Status
- Lifecycle
- Access Type
- Business Logic
- Examples
- Alias names
- Security Classification
- Glossary Type

For more information, see the *Informatica Axon 7.1 Data Governance Administrator Guide* and *Informatica Axon 7.1 Data Governance User Guide*.

Share Dashboard with All Users

Effective in version 7.1, you can share the dashboard with all users and selected users in your organization, or stop sharing the dashboard with other users. The **Share Dashboard** option is renamed to **Modify Sharing**.

Previously, you could share the dashboard only with selected users.

For more information on dashboard sharing, see the *Axon Data Governance 7.1 User Guide*.

Bulk Update Attributes

Effective in version 7.1, when you bulk update attributes from the Unison search page to update the data set, you can view the data set name, system that contains the data set, and description for the data set.

Previously, you could only view the data set names when you performed a bulk update operation on attributes from the Unison search page.

For more information on bulk update, see the *Axon Data Governance 7.1 User Guide*.

Custom Fields

Effective in version 7.1, you can see the following changes for custom fields:

Display Name and Technical Name

The **Name** field is renamed to **Display Name**. The Display Name that you enter for the first time when you create a custom field becomes the Technical Name for the field. You need the Technical Name for API calls. If you enter names with spaces in the Display Name, the Technical Name field stores the names without spaces. You cannot modify the Technical Name later.

Default Values in Custom Fields

When you create an object, you can see the default values that you configured in the Admin Panel appear for the custom fields.

Previously, the default values did not appear for custom fields when you created objects.

Bulk Upload Templates

If you want to bulk upload objects with default values for custom fields, you must not map the non-mandatory custom fields with the Axon properties.

Previously, the default values did not appear even if you mapped or unmapped the custom fields with the Axon properties.

For more information, see the *Axon Data Governance 7.1 Administrator Guide*, *Axon Data Governance 7.1 Administrator Guide*, and *Axon Data Governance 7.1 Bulk Upload Reference Guide*.

Label Changes in Axon

Effective in version 7.1, you can view the following label changes in the Axon interface:

Axon Interface	Old Label	New Label
Glossary > **Data** > **Data Sets**	Data Set Instances	Data Sets
Glossary > **Data** > **Data Attributes**	Data Set Attribute Instances	Data Attributes
Glossary > **Data** > **Data Attributes**	Data Set Name	Data Set

Axon Interface	Old Label	New Label
Data Set > **Relationships** > **Outbound Relationships**	Related Attribute Name	Related Attribute
Data Set > **Relationships** > **Outbound Relationships**	Used in Data Set	Data Set
Data Set > **Relationships** > **Outbound Relationships**	Attribute Name	Attribute
Meta-Model Administrator > **Segments**	By Users	Assigned Manually

For more information, see the *Informatica Axon 7.1 Data Governance User Guide*.

Performance Improvements

Effective in version 7.1, you can see that the Summary page of the objects loads faster with some of the sections collapsed for the following facets:

- System
- Process
- Glossary
- Data Set

For example, the Summary page of a Process object shows collapsed sections, such as Documents, Process Predecessors, and Context. You can expand the section if you want to view any of the collapsed sections.

Previously, the Summary page of these objects were loaded in an expanded form and took a longer time to load.

Documentation

Effective in version 7.1, the Axon online help and documentation contain the following changes:

Bulk Upload Reference Guide

The Bulk Upload documentation is moved from the *Axon Data Governance User Guide* to *Bulk Upload Reference Guide*.

Use the *Bulk Upload Reference Guide* to learn how to bulk upload data to Informatica Axon. If you have large amounts of objects, relationships, and roles to enter in Axon, you can use the option to bulk upload data using Microsoft Excel templates. This guide covers the tasks that you can perform using the bulk upload option in the Axon Web interface.

Data Marketplace Administrator Guide

The administrative tasks documentation for Data Marketplace is moved from the *Axon Data Governance Administrator Guide* to *Data Marketplace Administrator Guide*.

Use the *Data Marketplace Administrator Guide* to configure Data Marketplace after it is installed in your organization. The guide includes the steps to perform administrative tasks, such as managing users, configuring roles, assigning permissions, adding users, customizing the interface, and troubleshooting issues. The guide is written for the Data Marketplace Administrator.

CHAPTER 21

Axon 7.0

This chapter includes the following topics:

- New Features in Version 7.0, 106
- Changes in Version 7.0, 111

New Features in Version 7.0


This section describes new Axon features in version 7.0.

Segmentation

Effective in version 7.0, you can create, manage, and use segments to restrict data access to a limited set of users based on their location, business area, and function within an organization.

You can create segments to control access to the content that might be sensitive or requires to be granted limited access due to regulatory needs. Create segments based on your organization requirements such as geography, business area, business function, and legal entity.

The following image describes different segments and users that are part of the segments:



You can associate an object to a segment. Only the users with access to the segment can view the objects that belong to the segment. An Enterprise segment is a public segment that all users can access. In the example, you can see that the operating entities are defined as segments. Each segment has assigned users

and contains Axon objects. Though the operating entity governance users belong to different segments, they can access the Enterprise segment.

When you create or edit an object, you can assign the object to a segment. The object and its related or dependent objects must be part of the same segment. You can view the assigned segments from the Unison search page. The search results vary based on the segments that you select. You can also see the changes in dashboards if you change the segments.

For more information, see the *Informatica Axon 7.0 Administrator Guide* and *Informatica Axon 7.0 Data Governance User Guide*.

Enhancements to Axon and Enterprise Data Catalog Integration

Effective in version 7.0, the Axon and Enterprise Data Catalog integration includes the following enhancements:

Automated Lineage from Enterprise Data Catalog

Axon automatically creates links between attributes based on the lineage recommendations from Enterprise Data Catalog. Axon notifies about the newly created links to the data set stakeholders only with the Stewardship Role type.

Automated lineage between attributes is created in Axon based on the following conditions:

- Physical fields must be directly connected to each other in Enterprise Data Catalog.
- Attributes must be associated with the fields.

The onboarded relationship between the attributes is unique. The uniqueness of the Attribute X Attribute relationship is not validated based on the Sourcing Type. You can view the newly created links based on the created date.

If you do not choose to accept lineage recommendations and automatically create links, you can manually create links later from the lineage recommendation notifications.

Link Removal Notifications

If a resource or physical field is deleted from Enterprise Data Catalog, the links from the resource to Axon system or physical field to attribute is removed. Axon sends the link removal notifications through the interface and emails to the data set and system stakeholders.

Onboarding Parent of Physical Fields as Data Set

You can link all physical fields of a parent to attributes at once instead of individually linking each field of a parent to an attribute. This type of linking simplifies the process of onboarding of a parent-level object, such as folders and tables, as data sets in Axon. When you choose to perform the parent-level linking, the information, such as attribute names, definition, and glossary, is populated automatically.

Configure Onboarded Attribute Name

You can choose to have either the Axon glossary name or Enterprise Data Catalog physical field name for the onboarded attributes.

View Enterprise Catalog in Data Set and Glossary

You can view the physical field information in the **Enterprise Catalog** tab of a Data Set object after you link the Enterprise Data Catalog physical fields to Axon attributes.

In the View mode of a Glossary object, the **Enterprise Catalog** tab shows the physical fields that are associated only to the Glossary object.

Physical Fields Metadata

The **Physical Fields** view includes an additional **Path** column. You can view the location of a physical field in the **Path** column.

When you export the physical fields to a CSV file, you can view the following additional metadata:

- Parent
- Glossary Name

Masked Data in Resources and Physical Fields

You might see some masked data based on the segments that you can access. If you are assigned only to a particular segment, you can see the systems, data sets, and attributes that belong to the segment. If a resource is linked to a system that belongs to a segment that you cannot access, you can see that the data is masked for the system in the **Linked Axon Systems** column in the **Resources** tab.

If a physical field is linked to a glossary that belongs to a segment that you cannot access, you can see that the data is masked for the glossary in the **Glossary Name** column in the **Physical Fields** tab.

If a physical field is linked to an attribute that belongs to a segment that you cannot access, you can see masked attributes, data sets, and systems in the **Associated Attributes** pop-up in the **Physical Fields** tab.

Support for Additional Resources and Physical Fields

You can view the following additional types of resources from Enterprise Data Catalog:

- Apache Cassandra
- MongoDB
- Snowflake
- Tableau 19.x

You can view the following types of physical fields from Enterprise Data Catalog:

- MongoDB Field
- Snowflake Field

Bulk Upload Validations

When you bulk upload the System X Resource relationship template, Axon validates the operation based on the following conditions:

- The Enterprise Data Catalog instance is configured, available, and running.
- The resource name and resource identifier are present in Enterprise Data Catalog.

When you bulk upload the Attribute X Physical Field relationship template, Axon validates the operation based on the following conditions:

- The Enterprise Data Catalog instance is configured, available, and running.
- The field name, field identifier, and field type are present in Enterprise Data Catalog.

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Data Marketplace Features and Enhancements

Effective in version 7.0, the following features and enhancements are available for Axon Data Marketplace.

Display Data Quality Scores for Data Collections

Data Marketplace displays data quality scores for the data collections. The Data Marketplace displays scores of the local data quality rules for the data sets that belong to the collections. Data consumers

can see the data quality rule types and the scores for each type. The consumers can also see the scores for each attribute of the data sets. The consumers can use the scores to decide whether the data is helpful to make business decisions.

Specify Delivery Methods, Formats, and Targets

The Data Marketplace Administrator can configure several formats and methods to deliver data. The data owner can specify a preferred format, method, and location to deliver the data, and the data consumer can choose a delivery target from the list of available locations.

For example, in the Admin Panel, the Data Marketplace Administrator can specify SQL or JSON format to deliver the data. The Administrator can also specify API or FTP delivery method. Additionally, the Administrator can create specific location targets for data delivery, such as a particular cloud storage service or a particular shared folder.

After the Data Marketplace Adminstrator has configured several delivery targets in the Admin Panel, the data owner or technical owner of a data collection can specify one or more delivery targets for each data collection.

When a data consumer requests access to a data collection, the consumer can specify a combination of the delivery method and format and choose a preferred target for delivery.

Attach Policies and Usage Guidelines to Data Collection

To ensure compliance and good governance practices, the data owner can require data consumers to agree to certain terms and conditions before accessing the data sets in a data collection.

The data set stakeholders can link Policy objects to Data Set objects in Axon Data Governance. When a data consumer requests access to the data sets, the checkout page displays the related Policy objects. The data consumer must agree to the policies before completing the access order.

Capture Additional Context for Data Access Using Custom Fields

You can create custom fields in the Admin Panel that appear in the checkout page of a data access request. Use custom fields to capture additional context to the data used by data consumers. For example, to determine how long the data consumer requires access to the data, you can display the **Required Till** custom field in the checkout page.

For more information, see the *Axon Data Governance 7.0 Data Marketplace User Guide* and *Axon Data Governance 7.0 Administrator Guide*.

Workflows and Change Requests

Effective in version 7.0, the following new features are available for workflows and change requests.

Integration with ServiceNow

You can integrate Axon with ServiceNow to use the ServiceNow ticketing system for changes in Axon. When you create or modify objects in Axon, a change request is created in ServiceNow. Axon uses the workflow that is defined in ServiceNow and completes the change request when the ServiceNow workflow reaches completion. When you open the change request, Axon retrieves and displays the ServiceNow ticket number and other relevant details in the **Summary** tab.

Mandatory Approval for Changes in All Tabs

Axon automatically creates a change request when you modify object details in any tab for the Glossary, System, Data Set and Process facets. Automatic change requests are not supported for the **Stakeholders** tab.

Change Requestor as a Participant in a Workflow

You can create a workflow to include the Requestor user. The Requestor is a user who raises a change request for an object without being a stakeholder for the object.

For more information, see the *Axon Data Governance 7.0 User Guide* and *Axon Data Governance 7.0 Administrator Guide*.

New Relationships for Product

Effective in version 7.0, you can add the following additional relationships to the Product facet:

- Product X Business Area
- Product X Client
- Product X Legal Entity

You can connect a product to a geography through a legal entity.

You can add the relationships through the interface, or use the bulk upload templates to bulk upload the relationships to Axon.

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Bulk Delete Relationships

Effective in version 7.0, you can use bulk upload templates to delete relationships between the objects. You can delete relationships between objects in bulk instead of deleting the relationship for each object from the Axon interface. If you want to update relationships, you have to first bulk delete the relationships and then create relationships.

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Bulk Delete Attributes

Effective in version 7.0, you can delete attributes in bulk from the Unison search page and the **Attributes** tab of a Data Set object.

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Data Quality Rule Templates

Effective in version 7.0, you can bulk upload standard data quality rules to Axon. In the Data Quality Rule template, select **Standard** in the **Data Quality Rule Type** column. You need to have the Edit permission on Glossary objects to bulk upload standard data quality rules.

The Data Quality Rule template includes the following additional columns:

- Data Quality Rule Type
- Glossary Ref.
- Glossary Name
- Parent Glossary Name

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Glossary Types

Effective in version 7.0, you can choose the **Metric** and **Subdomain** types for a glossary. The **Entity** type is removed for a glossary.

A metric is a measurement of a specific business activity that may be a combination of other glossary concepts for the measurement. A subdomain is a division within a domain that facilitates a separation of definitions across relevant themes, for example, client or transaction.

If you perform a fresh installation of Axon, you can see the **Metric** and **Subdomain** glossary types, but you cannot find the **Entity** type.

If you upgrade to Axon 7.0 from an earlier version, you can see the same glossary types from the earlier version.

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Disable Export of People Objects

Effective in version 7.0, you can disable export of People objects from the Unison Search grid. When you disable export of people objects, you protect sensitive information from unauthorized access.

For more information, see the *Axon Data Governance 7.0 Administrator Guide*.

Support for Amazon Redshift Source for Profiles and Scorecards

Effective in version 7.0, you can associate a local data quality rule with a profile or scorecard in Informatica Data Quality on an Amazon Redshift source.

For more information, see the *Axon Data Governance 7.0 User Guide*.

PostgreSQL Database on Separate Node

Effective in version 7.0, you can deploy the PostgreSQL database on an external node instead of the Axon installation node.

For more information, see the *Axon Data Governance 7.0 Installation Guide*.

New Interface Languages

Effective in version 7.0, you can use the Axon interface in the following additional languages:

- Dutch (Netherlands)
- Korean
- Portugese (Brazilian)
- Russian

If you change a language locale and log out of Axon, the same selected locale persists after you log in again.

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Changes in Version 7.0

This section describes the changes to Axon in version 7.0.

LDAP Support for Axon Quick Look

Effective in version 7.0, you can configure Axon Quick Look to use LDAP users for authentication.

For more information on using Axon Quick Look, see the *Axon Data Governance 7.0 Quick Look User Guide*.

Workflows and Change Requests

Effective in version 7.0, the following enhancements are available for workflows and change requests.

Automatic Completion of Change Requests

The SuperAdmin can configure Axon to automatically mark change requests as complete when an object has reached the end of the workflow. Previously, users had to manually specify a change request as complete.

Unlock Object at Any Step of the Workflow

For object changes with mandatory approvals, you can configure a workflow to unlock an object at any step of the workflow. When the step is complete, Axon locks the object. Previously, an object remained locked throughout the workflow.

Mandatory Workflows for Deletion of Relationships

Axon starts a mandatory workflow if a user deletes a relationship using the bulk upload template or the API interface.

View Workflow Step Properties for a Change Request

When you open a change request, the **Workflow Diagram** section displays the properties of a step when the user clicks on a step in the workflow.

Notification for Completion or Cancellation of Change Requests

When a change request is completed or cancelled, stakeholders receive a notification in the notification center and also by email.

For more information on deleting a relationship using the bulk upload template, see the *Axon Data Governance 7.0 User Guide*, *Axon Data Governance 7.0 Administrator Guide*, and *Axon Data Governance 7.0 REST API Guide*.

Default Org Unit for LDAP Users

Effective in version 7.0, you can specify the LDAP attribute that corresponds to org units for Axon users, or you can specify a default org unit that Axon assigns to all users who have been retrieved from the LDAP directory.

For more information, see the *Axon Data Governance 7.0 Administrator Guide*.

LDAP Credentials to Connect Axon Agent or Enterprise Data Catalog Scanner

Effective in version 7.0, you can enter the LDAP login credentials to connect the Axon Agent or Enterprise Data Catalog scanner to Axon.

For more information, see the *Axon Data Governance 7.0 Installation Guide* and *Enterprise Data Catalog Scanner Configuration Guide*.

LDAP Credentials to Make API Calls

Effective in version 7.0, you can provide your LDAP login user name and password in the REST API client to generate a refresh token and access token. Previously, you could enter only your Axon login credentials.

For more information, see the *Axon Data Governance 7.0 REST API Guide*.

Support for Segments in API Calls

Effective in version 7.0, the APIs to retrieve and create Axon objects contain information about the object segments.

In the query API, you can specify the segment from which you want to retrieve and display Axon objects. In the create API, you can specify the segment for which you want to create Axon objects.

For more information, see the *Axon Data Governance 7.0 REST API Guide*.

Changes to Axon and Enterprise Data Catalog Integration

Effective in version 7.0, you can view the following changes for Enterprise Data Catalog physical fields in Axon:

Physical Field to Attribute Linking

If a resource is linked to a system, you can link the physical field of the resource only to the attribute of the data set that belongs to the system. The **Axon Status** value for the data set must be "Active."

Previously, you could link the physical fields to attributes of a data set that belonged to any system.

Metadata

You can view the following name changes for Enterprise Data Catalog physical fields metadata in Axon:

- In the **Physical Fields** tab, the **Glossary** column is renamed to **Glossary Name** column. The exported file for physical fields also shows the **Glossary Name** column.
- In the **System Lineage** maps view, the **Column Name** filter for the Attributes overlay is renamed to **Physical Fields**.
- In the **Data Set Lineage** maps view, the **Column Name** filter for the Attributes overlay is renamed to **Physical Fields**.
- The **Linked Fields** column is renamed to **Physical Fields** in the following areas:
  - In the **Attributes** tab of a Data Set object.
  - In the **Data** > **Data Attributes** tab of a System object.
  - In the **Data** > **Data Attributes** tab of a Glossary object.
- The **Attribute X Field** template is renamed to **Attribute X Physical Field**.

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Data Set X Product X Legal Entity Relationship Type

Effective in version 7.0, you can see the following changes for the Data Set X Product X Legal Entity relationship type:

- The **Data Set X Product X Legal Entity Relationship Type** option is removed from the list of dropdown configurations from the Admin Panel.
- In the **Impact** > **Product** view of a Data Set object, the **Legal Entity Relationship Type** and **Legal Entity** columns are removed.

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Local Data Quality Rules

Effective in version 7.0, the local data quality rule includes the following changes:

Permissions

You need to have the Edit permission on Data Set objects to create or bulk upload local data quality rules.

Previously, you could create or bulk upload local data quality rules if you had the New permission on Data Quality Rule objects.

Data Quality Rule Type

To bulk upload local data quality rules, you must select **Local** in the **Data Quality Rule Type** column of the Data Quality Rule template.

Previously, the Data Quality Rule template was used to bulk upload only local data quality rules.

Measured in System

The **Measured in System** column of the Data Quality Rule template has become optional. You need to specify a value in the **Measured in System** column only if you upload a local data quality rule.

Previously, the **Measured in System** column of the Data Quality Rule template was required.

Frequency

The **Frequency** column of the Data Quality Rule template has become mandatory.

Previously, the **Frequency** column was optional.

Add Attribute

Navigate to the **Attribute Items in Measure** section of the **Summary** tab of a local data quality rule on the Axon interface. Edit the **Measure Against** parameter for an attribute. The **Select Component** dialog box that appears is renamed to **Add Attribute**. The **Component** field is renamed to **Attribute**.

For more information, see the *Informatica Axon 7.0 Data Governance User Guide*.

Display Last Visited Page When Returning Users Log In

Effective in version 7.0, when a user logs in, Axon displays the page at which the user logged out. Previously, Axon would always display the home page when users logged in.

New User Guide for Data Marketplace

Effective in version 7.0, the documentation for Data Marketplace is moved to the new *Data Marketplace User Guide*, which is available in the Informatica Documentation Portal. The former *User Guide* is now called *Data Governance User Guide*.

New Walkthroughs

Axon version 7.0 introduces more than 20 new walkthroughs that help you understand and use data governance features in Axon.

To launch a walkthrough, click on the **?** help icon in the toolbar, select **Walkthroughs**, and click a tutorial. You can also click the **Help Me** icon on the bottom of the page to see walkthroughs for the current page.