Informatica 10.5.10 Release Notes (10.5.10)

February 2026

© Copyright Informatica LLC 2026

Contents

Preface . . . 2
Important Notices . . . 2
Support Updates (10.5.10) . . . 2
Installation . . . 2
Installation and Upgrade . . . 2
Upgrade Paths (10.5.10) . . . 3
Before You Upgrade . . . 5
Before You Roll Back . . . 5
10.5.10 Fixed Issues . . . 5
Data Asset Analytics Fixed Issues (10.5.10) . . . 5
Data Engineering Integration Fixed Issues (10.5.10) . . . 6
Enterprise Data Catalog Fixed Issues (10.5.10) . . . 7
MetaDex Scanner Fixed Issues (10.5.10) . . . 10
Informatica Data Quality Fixed Issues (10.5.10) . . . 11
On Premise Connectivity Fixed Issues (10.5.10) . . . 11
PowerCenter Fixed Issues (10.5.10) . . . 13
Profiling and Scorecards Fixed Issues (10.5.10) . . . 14
Test Data Management Fixed Issues (10.5.10) . . . 15
Third-Party Fixes (10.5.10) . . . 15
10.5.10 Known Issues . . . 15
Data Engineering Integration Known Limitations (10.5.10) . . . 16
Informatica Data Quality Known Limitations (10.5.10) . . . 16
On Premise Connectivity Known Limitations (10.5.10) . . . 16
Emergency Bug Fixes Merged into 10.5.10 . . . 16
Cumulative Known Limitations . . . 17
Data Engineering Integration Known Limitations (Cumulative) . . . 17
Data Engineering Streaming Known Limitations (Cumulative) . . . 17
Enterprise Data Catalog Known Limitations (Cumulative) . . . 18
On Premise Connectivity Known Limitations (Cumulative) . . . 18
PowerCenter Known Limitations (Cumulative) . . . 19

Third-Party Known Limitations (Cumulative) 19

Preface

Informatica 10.5.10 is a hotfix release that contains information about multiple emergency bug fixes, restricted functionality, known issues, and bug fixes.

The hotfix supports PowerCenter, Informatica Data Quality, Data Engineering products, Data Catalog products, Data Privacy Management, Enterprise Data Preparation, and Test Data Management products.

It is available on Linux, AIX, and Windows, and you can download it from the Informatica Network.

Note: Product documentation is updated for every major release even if a guide does not contain any updated functionality. Product documentation is updated for service packs and hotfixes only if a guide contains updated functionality. If you can't find a guide for a service pack or hotfix, look at the previous version.

Important Notices

Informatica 10.5.10 release includes the following important notices:

Support Updates (10.5.10)

Informatica 10.5.10 packages upgraded versions of the following components:

Component Name	Upgrade Version
Azul JDK	17
Spring	6.X
Hibernate	5.X
Apache Tomcat	10.X

Installation

Read this section to learn about the installation and Upgrade in version 10.5.10.

Installation and Upgrade

Informatica version 10.5.10 is a hotfix release. This version supports PowerCenter, Informatica Data Quality, Data Engineering products, Data Catalog products, Data Privacy Management, and Test Data

Management products as part of the unified installer. Test Data Management and Data Privacy Management require an upgrade of services in addition to applying the hotfix.

You can choose one of the following installation approaches to use Informatica version 10.5.10:

- New installation
- Upgrade from a supported version
- Apply the hotfix to 10.5, 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5, 10.5.6, 10.5.7, 10.5.8, or 10.5.9

The instructions to install, upgrade, or apply the hotfix to a product are in the individual guides for each product.

Upgrade Paths (10.5.10)

The upgrade path that you take depends on the products and versions that you're currently using.

Consider the following rules and guidelines to applying the hotfix or upgrade:

- You can apply the hotfix if you are on any version associated with the major release. For example 10.5 is a major release, so you can apply the hotfix from any version of 10.5.x.
- If you're not currently using a version associated with the major release, you can upgrade to the current release from any supported previous release.
- If you are on a version that doesn't support a direct upgrade, you must first upgrade to a supported version.
- Any supported update also includes hotfixes, service packs, and cumulative patches.

Important: If Data Engineering is in the same domain as any other product supported by the Informatica installer, verify that all products are upgraded to the same supported upgrade version before you upgrade to 10.5.10.

The following table lists the upgrade paths for each product that the installer supports.

Product	Versions
PowerCenter	You can apply the10.5.10 hotfix to version 10.5, 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5, 10.5.6, 10.5.7, 10.5.8, or 10.5.9 including any service pack or cumulative patch. You can upgrade to version 10.5.10 from the following previous versions: - 10.2 including any hotfix, service pack, or cumulative patch - 10.4 including any service pack or cumulative patch - 10.4.1 including any service pack or cumulative patch
Informatica Data Quality	You can apply the 10.5.10 hotfix to version 10.5, 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5, 10.5.6, 10.5.7, 10.5.8, or 10.5.9 including any service pack or cumulative patch. You can upgrade to version 10.5.10 from the following previous versions: - 10.2 including any hotfix, service pack, or cumulative patch - 10.4 including any service pack or cumulative patch - 10.4.1 including any service pack or cumulative patch

Product	Versions
Data Engineering Integration Data Engineering Quality	You can apply the 10.5.10 hotfix to version 10.5, 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5, 10.5.6, 10.5.7, 10.5.8, or 10.5.9 including any service pack or cumulative patch. You can upgrade to version 10.5 from the following previous versions, and then you can apply 10.5.10 hotfix: - 10.2 including any hotfix, service pack, or cumulative patch - 10.2.1 including any hotfix, service pack, or cumulative patch - 10.2.2 including any hotfix, service pack, or cumulative patch - 10.4 including any service pack or cumulative patch - 10.4.1 including any service pack or cumulative patch **Important:** If Data Engineering is in the same domain as any other product supported by the Informatica installer, verify that all products are upgraded to the same supported upgrade version before you upgrade to 10.5.10.
Data Engineering Streaming	You can apply the 10.5.10 hotfix to version 10.5, 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5, 10.5.6, 10.5.7, 10.5.8, or 10.5.9 including any service pack or cumulative patch. You can upgrade to version 10.5 from the following previous versions, and then you can apply 10.5.10 hotfix: - 10.2.2 including any hotfix, service pack, or cumulative patch - 10.4 including any service pack or cumulative patch - 10.4.1 including any service pack or cumulative patch
Data Privacy Management	You can apply the 10.5.10 hotfix to versions 10.5, 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5, 10.5.6, 10.5.7, 10.5.8, or 10.5.9 including any service pack or cumulative patch. You can upgrade to version 10.5 from the following previous versions, and then you can apply 10.5.10 hotfix: - 10.4 including any service pack or cumulative patch - 10.4.1 including any service pack or cumulative patch
Enterprise Data Catalog	You can apply the 10.5.10 to version 10.5, 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5, 10.5.6, 10.5.7, 10.5.8, or 10.5.9 including any service pack or cumulative patch. You can upgrade to version 10.5, 10.5.1, 10.5.2, 10.5.3, or 10.5.4 from the following previous versions, and then you can apply the 10.5.10 hotfix: - 10.4 (including any service packs or cumulative patches) - 10.4.1 (including any service packs or cumulative patches) **Important:** If Enterprise Data Catalog and Data Engineering are in the same domain of a version 10.4.1, 10.4 or earlier, upgrade them both to version 10.5, 10.5.1, 10.5.2, 10.5.3, or 10.5.4 before you upgrade to 10.5.10.
Enterprise Data Preparation	You can apply the 10.5.10 hotfix to version 10.5, 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5, 10.5.6, 10.5.8, or 10.5.9 including any service pack or cumulative patch. You can upgrade to version 10.5, 10.5.1, 10.5.2, 10.5.3, or 10.5.4 from the following previous versions, and then you can apply 10.5.10 hotfix: - 10.4 including any service pack or cumulative patch - 10.4.1 including any service pack or cumulative patch
Test Data Management	You can apply the 10.5.10 hotfix to versions 10.5, 10.5.1, 10.5.2, 10.5.3, 10.5.4, 10.5.5, 10.5.6, 10.5.7, 10.5.8, or 10.5.9 including any service pack or cumulative patch. You can upgrade to version 10.5 from the following previous versions, and then you can apply 10.5.10 hotfix: - 10.4 including any service pack or cumulative patch - 10.4.1 including any service pack or cumulative patch

Before You Upgrade

Update JVM Parameters for Test Data Management

Effective in version 10.5.10, Test Data Management deprecates the -XX:+UseConcMarkSweepGC JVM parameter.

Before you upgrade to version 10.5.10, complete the following steps to update the JVM parameter:

1. Log in to Administrator tool.
2. Navigate to the **Services and Nodes** tab.
3. From the **Domain Navigator** in the left pane, select **TDM**.
4. In the **Advanced Properties** section, select **JVM Params**.
5. Edit the value to remove `-XX:+UseConcMarkSweepGC`.
6. Click **OK** to save the changes.
7. Recycle the Test Data Manager service.

Before You Roll Back

Remove SMTP OAuth Configuration for Alert Service

Before you roll back the hotfix to a version earlier than 10.5.10, remove any SMTP OAuth settings that you have configured for Alert services.

To remove the SMTP OAuth settings and associated data from the domain service, run the following infacmd removeSMTPOAuthOptions command:

```
infacmd.bat removeSMTPOAuthOptions
<-DomainName|-dn> domain_name
<-UserName|-un> user_name
<-Password|-pd> password
[<-SecurityDomain|-sdn> security_domain]
[<-Gateway|-hp> gateway_host1:port gateway_host2:port...]
[<-ResilienceTimeout|-re> timeout_period_in_seconds]
```

10.5.10 Fixed Issues

This section contains issues and enhancements that were fixed in 10.5.10.

Data Asset Analytics Fixed Issues (10.5.10)

Fixed Issues

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
DAA-2753	When you run Data Asset Analytics repository cleanup, the lineage records sometimes return incorrect resource names.
DAA-2746	Data Asset Analytics fails to generate lineage records for sources or targets that are non-reference assets.

Data Engineering Integration Fixed Issues (10.5.10)

Fixed Issues

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
PLAT-32100	When you create a new Data Processor Transformation library object, the Data Processor fails to display the artifacts until you close and reopen it.
PLAT-31906	When you configure LDAP, an invalid port error occurs.
PLAT-31904	User passwords appear in plain text instead of using the encrypted format in the Administrator tool and in the PowerCenter clients.
PLAT-30381	Informatica applications fail to encrypt the domain passwords on login.
IIS-6120	In EMR 7.9, Spark mappings fail with NullPointerException during Hive metastore initialization when using in-transit encryption and Kerberos authentication.
BDM-43488	When you run Sqoop mappings on Amazon EMR 7.9, the mapping fails with the following error: `java.lang.NoSuchMethodError: 'void org.apache.avro.Schema $Field.<init>(java.lang.String, org.apache.avro.Schema, java.lang.String, org.codehaus.jackson.JsonNode)'at org.apache.sqoop.orm.AvroSchemaGenerator.generate(AvroSchemaGenerator.java:97)`
BDM-43475	When you create a mapping with Snappy compression format on either source or target, where Flat File or Hive is the source and HDFS is the target on Hadoop distribution EMR 7.9, the mapping fails to run on the Spark engine.
BDM-43453	In CDP public cloud version 7.3.1, the fetch aggregated cluster logs fail with NullPointerException and PKIX path building errors.
BDM-43387	Htype mappings with transformations fail in version 10.5.10 on Spark engine with JDK version 17 and EMR version 7.9.

Issue	Description
BDM-43380	Mappings fail with the following unsupported Java class version error between the Eclipse Core Runtime and the Java Runtime Environment: `Caused by: java.lang.UnsupportedClassVersionError: org/eclipse/core/runtime/Platform has been compiled by a more recent version of the Java Runtime (class file version 61.0), this version of the Java Runtime only recognizes class file versions up to 55.`
BDM-43353	When you run flat file mappings on a Spark engine on Amazon EMR version 7.9 or above with AWS Glue metastore in a non-Kerberos cluster, the mapping fails with java.lang.NoSuchMethodError due to JAR incompatibility.
BDM-43220	When an unrecognized service name error occurs in the High Availability (HA) Oracle JDBC connection during Oracle Disaster Recovery failover, the Spark engine fails to run.
BDM-43199	Mappings with a Flat File source and Hive target fail to run on the Blaze engine.
BDM-43180	When you create an application from a mapping with complex datatypes, such as arrays with the infacmd command, a warning message appears.
BDM-43164	When you process data volumes that exceed 17 million records, Spark mapping intermittently fails during Sqoop tasks.
BDM-43096	The Create_Cluster_Task utility fails to create an HDInsight 5.1 cluster when using the auto-deployment feature and displays the following error: `java.lang.NoClassDefFoundError`
BDM-41535	When you refresh a cluster connection object in the Administrator tool, the connection fails with a `NullPointerException` error.

Enterprise Data Catalog Fixed Issues (10.5.10)

Fixed Issues

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
EIC-69956	After you upgrade Enterprise Data Catalog, the Business Glossary resource incorrectly extracts terms from glossaries without spaces in the names and fails to extract terms from glossaries with spaces.
EIC-69946	When you apply search filters in the Tableau extension of Enterprise Data Catalog, the filter fails to return results.
EIC-69895	When you save a reusable or custom schedule with a start date provided and your browser display language is set to Turkish, the Catalog Administrator displays the following error: `Start Date is required`

Issue	Description
EIC-69875	In Enterprise Data Catalog, Data Access Analytics (DAA) statistics do not populate in the catalog and fail with a RuntimeException error.
EIC-69872	After you follow an asset in the Enterprise Data Catalog, the refresh button fails to reload Followers in the People section.
EIC-69865	When you run profiling jobs from Enterprise Data Catalog in Databricks pushdown mode and specify a staging directory location other than `/tmp` in the Databricks DBFS, the profiling job fails.
EIC-69864	When you profile Databricks Delta Lake tables that contain complex data type columns in Databricks pushdown mode, the profiling job fails.
EIC-69849	In Enterprise Data Catalog, the SAP Business Objects (SAP BO) resource fails to load SAP BO resources and displays the following error: `ERROR MBCM_F0029 java.lang.NullPointerException`
EIC-69794	After you click search results in the Tableau Cloud dashboard with Enterprise Data Cloud extension, the search result becomes unavailable.
EIC-69759	When you export Asset Impact Summary containing 100,000 or more records in Enterprise Data Catalog, the export fails with the following error: `"errorCode":"infa.core.INTERNAL_ERROR","description":"An internal error occurred.`
EIC-69750	After you set the Axon status of a top-level glossary to Deleted and run the Axon resource with an Axon classifier, the scan fails.
EIC-69734	Enterprise Data Catalog fails to connect to the Microsoft OneDrive resource with an invalid credential error despite valid credentials and appropriate permissions.
EIC-69724	When an Enterprise Data Catalog resource name contains three consecutive underscores, you cannot access the Enterprise Data Catalog resource linked with Axon.
EIC-69717	When you process large Tableau workbooks with millions of group filter elements, MITI harvesting performance degrades significantly.
EIC-69715	When you expand a complex lineage, the Expand All option alerts if the lineage is too large to display in its entirety.
EIC-69627	After you upgrade, Solr service fails to start with the following error: `ERROR StatusConsoleListener Could not create plugin of type class org.apache.logging.log4j.core.appender.RollingRandomAccessFileAppender for element RollingRandomAccessFile: java.security.AccessControlException: access denied`
EIC-69611	When you apply the default filter and expand lineage, the Enterprise Data Catalog user interface loads the lineage indefinitely.
EIC-69589	Enterprise Data Catalog fails to import DataModules with relevant assets from an IBM Cognos resource.
EIC-69574	Unable to expand nodes in the lineage view due to insufficient permissions.

Issue	Description
EIC-69565	When you import assets with the Bulk import option, the Catalog Service shuts down unexpectedly.
EIC-69555	After a Data Domain Propagation scan completes, the system fails to delete the temporary staged files.
EIC-69529	When you click the Expand All option for large lineages, the lineage might load indefinitely.
EIC-69521	When you scan a Google BigQuery resource, the scan fails during metadata extraction with a NullPointerException.
EIC-69508	When you save an edited resource in the Catalog Administrator, you may experience a delay before the save completes.
EIC-69501	Metadata fails to load into LDM admin due to a compatibility issue with the Multidomain MDM resource.
EIC-69462	Resource filter in the Manage Multiple Connections option under Connection Assignment displays an incomplete list of matching resources.
EIC-69457	The asset type of Solr search results in Electronic Health Information is inconsistent with the details on the asset Overview page.
EIC-69455	When you expand and collapse lineage in the lineage view, Enterprise Data Catalog fails to display the lineage object count.
EIC-69431	When you set a filter in the Lineage and Impact tab that contains assets without view permission, the following message appears along with a NullPointerException: `Node cannot be expanded because it is too large to display.`
EIC-69246	After you upgrade to Informatica 10.5.8 and Axon 7.3.5.1, the Axon resource in Enterprise Data Catalog disappears due to a removed model element error.
EIC-69219	When you delete staged files during Amazon S3 metadata extraction, the extraction process may last longer than expected.
EIC-68339	You cannot extract view definitions and lineage that you create in Trino on Hive.
EIC-68184	Enterprise Data Catalog fails to extract Oracle Business Intelligence reports from the Oracle Business Intelligence Enterprise Edition source.
EIC-66426	Atlas metadata resource extraction may show as complete but fails to import actual resources into Enterprise Data Catalog.
EIC-61347	Resource Contains section of the Overview tab fails to display all first-class objects associated with an SAP BusinessObjects resource.

Closed Enhancements

The following table describes closed enhancements:

Issue	Description
EIC-69585	The data domains count in the Data Asset Enrichment dashboard includes data domains associated with external columns.
EIC-69222	You can export expressions of system attributes associated with SAP BO Measure Variables from an exported CSV file.

MetaDex Scanner Fixed Issues (10.5.10)

Fixed Issues

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
SCAN-25602	When you scan Snowflake stored procedures that declare a cursor variable, the resource encounters a parsing error and cannot extract lineage information.
SCAN-25505	After you upgrade, the MetaDex Advanced resource fails to load the license through HTTPS.
SCAN-24985	Zero-width spaces in Power Query expressions cause the PowerBI Scanner to fail with parsing errors.
SCAN-24785	Empty cells in XLSX file headers cause SAS Base Programs (Accelerator) catalog source jobs to fail with a NullPointerException error.
SCAN-24778	Import of a Databricks configuration from a previous release fails in MetaDex with the following warning: `Cannot run job because not all required fields are filled`
SCAN-24584	SAS Base Programs (Accelerator) catalog source jobs fail with the following parse error: `Parse error (InputMismatch) on token: '('`
SCAN-24378	Custom Python exception handling in Databricks notebooks causes the Databricks Advanced resource to fail.
SCAN-24058	Control activities in Microsoft Azure Data Factory catalog source jobs result in a NullPointerException error.
SCAN-23317	APPEND clauses in SAS OPTIONS statements cause SAS Base Programs (Accelerator) catalog source jobs to fail with a parse error.
SCAN-21939	Python DataFrame operations in Databricks workflows cause the resource to fail to parse the expressions.
SCAN-21851	Microsoft Azure Data Factory catalog source job fails with an out of memory error.

Issue	Description
SCAN-21691	Ampersand (&) character in DataStage job names, folder paths, or column references cause the IBM DataStage resource to fail to parse ISX expressions.
SCAN-21688	Missing Parameter Set file references in DataStage job configurations cause the IBM DataStage resource to fail to parse the ISX expressions.
SCAN-21204	Reports that access dataset measures without table qualification cause metadata extraction jobs to complete with the following warning message: `Cannot resolve the DAX identifier due to unavailable reference`
SCAN-20939	Microsoft Azure Data Factory catalog source jobs encounter a graph conversion error.

Informatica Data Quality Fixed Issues (10.5.10)

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
MRS-2803	MRX_MAPPING_STAT_SUM database view fails to populate data for some columns
IDQ-11025	The `infacmd wfs recoverWorkflow` command incorrectly reports a `workflow was canceled` error for workflows that are still active in recovery mode.
IDQ-11015	When you promote a record and mark it as reviewed in the Analyst tool with a note, either by selecting Save and Continue or Save and Finish, the save action fails and returns a `JSONObject["cellValue"]` error.

Closed Enhancements

The following table describes closed enhancements:

Issue	Description
IDQ-11014	The Analyst tool enables input selection for arithmetic operations and functions in rule specifications.

On Premise Connectivity Fixed Issues (10.5.10)

Fixed Issues

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
OCON-32141	After you upgrade, workflows that invoke unconnected Teradata pre-session or post-session stored procedures fail.
OCON-32109	After you upgrade PowerCenter and use Windows authentication, DSN-less connections to Microsoft SQL Server fail.
OCON-32083	The SR2025 libraries cause the SWIFT library validation rules to disappear upon import and the manual addition of rules fails.
OCON-32051	When the integration service runs in ASCII mode, session run transformation errors with error records can corrupt subsequent records in the Amazon S3 files.
OCON-32046	When you call the TR_INSERT_REQUEST_WITH_TASKS in SAP HANA S/4 2020, a data type mismatch error occurs in Z_PM_RFC_CREATE_WBR. This issue causes the installation to abort with uncaught errors.
OCON-32037	SAP Full Load sessions in stage mode fail with the following error in the PowerCenter Integration Service log: `double free or corruption (!prev)`
OCON-32036	Selecting the Import from Siebel option in Siebel Business Components causes the import wizard to fail to appear.
OCON-32012	After you upgrade, PowerExchange for Lotus Notes sessions fail.
OCON-32011	Amazon S3 Parquet target columns incorrectly truncate string values longer than 4000 characters in dynamic mappings.
OCON-31996	When you run mappings with Parquet files in Amazon S3 buckets that have object lock enabled, the mappings fail on Hadoop version 3.3.6 (EMR 7.1).
OCON-31959	Teradata loaders truncate error table names to 27 characters in the control file instead of using full names.
OCON-31955	When an Oracle database failover occurs, the Data Engineering Streaming fails on Spark mappings.
OCON-31952	When you run mappings with Microsoft SQL Server that use the JDBC connections, the mapping job becomes unresponsive.
OCON-31804	On CDP 7.3.1, the Sqoop mappings with Oracle as the target fail with ORA-00604 and ORA-12705 errors related to National Language Support (NLS) environment issues.

Closed Enhancements

The following table describes closed enhancements:

Issue	Description
OCON-31146	Informatica MongoDB ODBC driver upgrades the Java version in the MongoDB SchemaEditor runtime.
OCON-30940	The Designer successfully imports table metadata from MySQL versions 8.0.26 and later.

PowerCenter Fixed Issues (10.5.10)

Fixed Issues

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
PLAT-32161	When you configure the SSL domain with ciphers, the domain and Web Services Hub fail to honor the cipher settings.
PLAT-32145	The `infacmd wfs recoverworkflow` command fails on canceled workflow instances with the following error: `ICMD_10033] Command [recoverworkflow] failed with error [[WorchSI_10057] Workflow [workflow] with instance ID <ID> was canceled.]`
CORE-5512	In Japanese and German locale environments, the upgrade process stalls at the Windows Service Configuration page.
CORE-11576	During backup or restore, you can retain or skip runtime statistics from the Administrator tool.
CORE-11551	The Repository Service of PowerCenter shuts down unexpectedly after a restart with the following error: `ERROR: Unexpected condition in Repository Service at file:[/export/home/builds/pc9x_root/1059/build/powrmart/common/reposit/../../reposit/repcommon/src/connmodule.cpp] line:[1626]. Application terminating. Contact Informatica Technical Support for assistance.`
CORE-11523	When the PowerCenter SYSTIMESTAMP('NS') function fails to generate unique nanosecond-level timestamps, duplicate timestamp values that lead to workflow failures occur with unique constraint errors.
CORE-11517	The Detailed Metering Report fails to report short sessions that were part of the long-running workflow.
CORE-11515	After you upgrade on Linux, PowerCenter and PowerExchange workflows might fail with the following error in the session log: `PWX-00967 Unexpected keyword parameter "PaceSize=". Position 100.`
CORE-11495	After you upgrade PowerCenter, mappings that contain an HTTP transformation fail with the following error: `[ERROR] HTTP Invoker encountered an error while invoking the HTTP. Reason: OpenSSL/3.5.0: error:0A000410:SSL routines::ssl/tls alert handshake failure`
CORE-11480	When PowerCenter on RHEL 8 sends files to Amazon S3, null characters corrupt records.
CORE-11443	When you deploy an object in PowerCenter, the following error occurs: `Error : An error occurred during deployment. Cannot deploy, object has name conflicts`
CORE-11442	The Teradata FastLoad utility truncates auxiliary error table names to 30 characters when load processes share the same error tables.
CORE-11418	When you delete or reactivate workflows, duplicate records appear in the OPB_TASK_ATTR table.

Issue	Description
CORE-11414	The PowerCenter repository incorrectly converts from non-versioned to versioned repository, which causes metadata inconsistencies.
CORE-11381	When you upgrade the Domain from 10.4.x to 10.5.x and then migrate the PowerCenter Repository Service from the upgraded domain to the installed 10.5.x version, the PowerCenter Repository loses the database connection passwords.
CORE-11377	The IDOC real-time job incorrectly appears under Cloud Data Integration for PowerCenter – Compute Hours but does not appear under Cloud Data Integration for PowerCenter - Change Data Capture and Real-Time.
CORE-11375	When using the pmrep CreateConnection command with the -T option for DSN-less ODBC SSL connections to SSL-enabled Microsoft SQL Server databases, the message incorrectly includes Sybase instead of referencing just Microsoft SQL Server.

Closed Enhancements

The following table describes closed enhancements:

Issue	Description
CORE-11432	You can enable DSN (Data Source Name) less support to enforce strict encryption for Microsoft SQL Transformation.
CORE-11420	Enhanced metering collection logic for improved accuracy and reliability.
CORE-11331	Added a Test Connection button in the Connection Object Definition and Microsoft SQL Server connection dialogs to validate DSN-less Microsoft SQL Server TLS 1.2 and 1.3 connections. The button provides clear success or failure messages.

Profiling and Scorecards Fixed Issues (10.5.10)

Fixed Issues

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
IDQ-10982	After you upgrade Informatica Data Quality, profiles and scorecards export fail with the following NullPointerException error: `Cannot export profile results`
IDE-5890	When you profile a Hive table on the Spark engine, the NULL% statistic incorrectly displays as 100% even when the column contains non-null values.
IDE-5880	When the primary node is down with the Data Integration Service runs on a multi-node GRID environment, the profile run command, `infacmd ps executeprofile` fails.

Issue	Description
IDE-5873	After you upgrade, the Data Quality scorecards fail to load and displays the following error: `Could not initialize class com.informatica.profiling.services.apiimpl.ServiceHelper`
IDE-5872	The Defender service fails to parse scorecard URLs that contain parentheses.
IDE-5870	After you upgrade Informatica Data Quality with Kerberos authentication enabled, you cannot run, edit, or save profiles and scorecards in the Analyst tool.

Test Data Management Fixed Issues (10.5.10)

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
TDM-30675	If the users or user groups in Test Data Manager exceed 60,000, the Permissions tab becomes unresponsive.

Third-Party Fixes (10.5.10)

Fixed Issues

Review the Release Notes of previous releases for information about previous fixed issues.

The following table describes fixed issues:

Issue	Description
BDM-43419	When you run Advanced Databricks Native Profiling with the Data Integration Service configured to launch jobs in separate local processes, profiling fails with an Arrow Buffer initialization error.
IIS-6115	When you run mappings on Amazon EMR 7.9 clusters, the mappings may fail with the following error during file transfer operations between HDFS and Amazon S3: `Caused by: java.lang.ClassNotFoundException: com.informatica.util.hadoop.emr.InfaEMRCustomCredentialsProvider`
OCON-31845	When you run a Sqoop mapping on the Spark engine in Amazon Elastic MapReduce version 7.1, the mapping fails with the following error: `java.lang.NoSuchMethodError: 'void org.apache.avro.Schema $Field.<init>(java.lang.String, org.apache.avro.Schema, java.lang.String, org.codehaus.jackson.JsonNode)'`

10.5.10 Known Issues

This section contains known issues that were found in 10.5.10.

Data Engineering Integration Known Limitations (10.5.10)

The following table describes known issues that were found in 10.5.10:

Issue	Description
BDM-43488	The `sqoop-1.4.6-hadoop200.jar` is incompatible with EMR version 7.9.
BDM-43478	When you write CSV or flat files to Amazon S3 on Amazon EMR 7.1, the Overwrite If Exists option causes the Spark mapping to fail.
BDM-43475	When you use a flat file or Hive source, the Snappy compression on HDFS targets causes Spark engine mappings to fail.
PLAT-32128	Avro files with column names starting with a digit cause Amazon S3 resource jobs to fail in the native environment with the following error: `com.infa.products.ldm.scanners.profilescanner.ProfileScannerUtils- Could not create id creator for schema:Tutorials/AllFiles/twitter.avro and table:twitter.avro due to missing row count result summary`

Informatica Data Quality Known Limitations (10.5.10)

The following table describes known issues that were found in 10.5.10:

Issue	Description
PLAT-32117	After you apply the HotFix, a domain rollback to a previous version fails to remove the OAuth authentication parameters configured for the Email service in the Administrator tool.

On Premise Connectivity Known Limitations (10.5.10)

The following table describes known issues that were found in 10.5.10:

Issue	Description
OCON-32170	The Data Integration Service node does not distribute private key files to the other nodes in the cluster. Workaround: Manually copy the private key files to all other cluster nodes.
OCON-32097	Sessions with Microsoft SQL Server DSN-less connections fail when the Encryption Method is set to None the server-level encryption property Force Encryption is set to Yes.

Emergency Bug Fixes Merged into 10.5.10

Informatica merged Emergency Bug Fixes (EBFs) from previous releases into version 10.5.10. These EBFs provided fixes for issues that were found in previous releases.

For a list of EBFs that were merged into version 10.5.10, see the following Informatica Knowledge Base article:

https://knowledge.informatica.com/s/article/FAQ-What-are-the-Emergency-Bug-Fixes-EBFs-merged-into-Informatica-10-5-10

Cumulative Known Limitations

This section contains known limitations that are carried forward from previous releases.

Data Engineering Integration Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Issue	Description
BDM-39707	When you run Kudu mapping with Update Strategy, the transformation fails to validate.
BDM-41987	Unable to import complex file formats such as Avro, Parquet, or ORC with MapR Hadoop distribution.
PLAT-31623	When you profile a JSON file with 25,000 unique fields in the Spark engine, the profile fails during Spark scala code generation with the following error: `SEVERE: Spark task [InfaSpark0] failed with the following error: [com.informatica.sdk.dtm.ExecutionException: [SPARK_1003] Spark task [InfaSpark0] failed with the following error: [User class threw exception: java.lang.Exception: Compilation failed: error: Error while emitting com/informatica/exec/InfaSpark0$ Method too large: com/informatica/exec/InfaSpark0$.$anonfun$main$2 (Lorg/apache/spark/sql/Dataset;)Lorg/apache/spark/sql/Dataset`

Data Engineering Streaming Known Limitations (Cumulative)

The following table describes known issues that are carried forward from previous releases:

Issue	Description
IIS-5842	When Kafka XML Data object encounters a complex XML schema that has fields with a 'dash', it fails to load data into the Hive table.
IIS-5774	When you run a dynamic mapping with Confluent Kafka as the source and target, incorrect data appears when the following conditions are true: - Data object is of Avro format. - Enable the option to get data object columns from the data source at run time.

Enterprise Data Catalog Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Issue	Description
EIC-69346	When you profile data on Google BigQuery tables that contain columns with data types allowing values longer than 255 characters, the data discovery fails with the following error: `ORA-12899: value too large for column.`
EIC-69261	The Db2 for z/OS resource extracts aliases as synonyms but omits breadcrumb navigation and column information from the extracted metadata.
EIC-68305	When you run the IICS resource, there might be a significant delay in the metadata load and staging steps.
EIC-66428	The Enrichment Migration Utility fails to migrate enrichments for objects that has the same name and the same parent. Workaround: Import the enrichments for these objects manually.
EIC-60369	Add-on applications for the Enterprise Data Catalog fail to open in Internet Explorer.
EIC-57719	When you launch the Informatica domain using a Docker container image and run the Enterprise Data Catalog Docker image, the upgrade fails.
DFA-597	If a Data Flow Analytics resource name contains Japanese characters, the Download Report job in Enterprise Data Catalog fails to download the report.
ANT-2187	When you select the Show Default schema option in Administrator Tool, the Azure SQL data base import fails.

On Premise Connectivity Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Issue	Description
OCON-31311	When you run concurrent workflows using PowerExchange for Message Queue to read messages from a single queue, message duplication issues occur.
OCON-30444	When you use PowerExchange for Amazon Simple Storage Service Version 2 (S3 V2) to load data to a target with multiple partitions, a significant delay occurs.

Issue	Description
OCON-29823	Azure Cosmo mappings that run on the Spark 3.x with Scala 2.12 sometimes fail with a Scala version mismatch error. Workaround:Update the Azure Cosmos Scala code version 2.12, such as azure-cosmos-spark_3-2_2-12-4.6.0-uber
OCON-27432	When you configure the PowerCenter Integration Service for a full pushdown optimization using the Update Strategy transformation and join two tables, the Google BigQuery session fails.

PowerCenter Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Issue	Description
CORE-11352	When restoring a repository in PowerCenter having a Microsoft SQL Server workflow connection with encryption enabled, the Trust Store Password field in the connection settings is empty.
CORE-11259	When you configure the encryption method to None in Microsoft SQL Server, the TLS options remain enabled instead of being disabled. The Microsoft SQL Server ignores and uses the default behavior.

Third-Party Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Issue	Description
EIC-68292	When you browse the library with Tibco Spotfire 14.x, the following error occurs: `MITI.MIRException: org.apache.axis2.AxisFault: Transport error: 405 Error`
OCON-30416	Unable to use multiple BAPIs in a single session with latest SAP NW RFC SDK 7.5 libraries patch 11.
BDM-41746	When you enable the Spark dynamic allocation under the advanced properties, mappings that run on the Spark engine fail.
IIS-5702	When you run a data preview job for a mapping with a Kafka source formatted in JSON with struct set as an array, the following error occurs: `org.apache.avro.SchemaParseException`