How-To Library

Informatica

Clean up the Data Profile Warehouse

© Copyright Informatica LLC 2020, 2021. Informatica Corporation. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica Corporation. All other company and product names may be trade names or trademarks of their respective owners and/or copyrighted materials of such owners.

Abstract

When you run a profile or scorecard, the profile and scorecard results are saved in the profile warehouse. You can delete the profile and scorecard results from the Model Repository. The deleted results remain in the profile warehouse and appear in the trend charts.

This article discusses how to clean up the orphan profiles and scorecards from the profile warehouse.

Supported Versions

- PowerCenter 10.4.1
- Data Quality 10.4.1

Table of Contents

Abstract. 0
Overview. 2
Clean up the Data Profile Warehouse. 2
Identify Orphan Results. 3
Delete the Orphan Results. 3
Delete Old Profiles. 3
Delete Old Scorecards. 4

Overview

You create, run, and delete the profiles and scorecards in the Developer tool or Analyst tool. You create new profiles and run the profiles and scorecards to create trend charts.

When you delete the profile and scorecard, the Developer tool removes the profile and the metadata from the Model repository. The profile warehouse retains the profile and scorecard results. The results of the deleted profile or scorecard are called orphan results. The orphan profile or scorecard results affect the accuracy of the trend charts. You can clean up the profile warehouse to increase the accuracy of the trend charts.

Clean up the Data Profile Warehouse

Based on your requirement, you can delete the orphan or old results from the data profile warehouse. Perform the following steps to clean up the data profile warehouse:

1. Identify orphan results. Detect the orphan results from the profile warehouse with the `infacmd` command. You must save the outputs of the command in the file with .dat extension.
2. Delete the orphan results. Delete the orphan results from the profile warehouse with the `infacmd` command.
3. Delete old profiles. Delete the profiles that are older than the certain number of days.
4. Delete old scorecards. Delete the scorecards that are older than the certain number of days.

Identify Orphan Results

To identify the orphan results, you can run the infacmd.bat ps detectOrphanResults command and save the output in the file with .dat extension.

The infacmd.bat ps detectOrphanResults command uses the following syntax:

```
infacmd.bat ps detectOrphanResults
<-DomainName|-dn> domain_name
<-UserName|-un> user_name
<-SecurityDomain|-sdn> security_domain
<-Password|-pd> password
<-MrsServiceName|-msn> MRS_name
<-DsServiceName|-dsn> data_integration_service_name
```

The output of the command is the list of orphan profile and scorecard results. Save the orphan results in the file with .dat extension.

The sample Output of infacmd.bat ps detectOrphanResults command:

```
COLUMN_PROFILE,Profile_DQ_L_FDB,U:UzkqoeNZEeiiNkVjxTTs-A
COLUMN_PROFILE,Profile_C_S_FDB_FACLTY_TELEPHONE,U:XHIo90QJEeiyq5m9Scd_xQ
COLUMN_PROFILE,Profile_DQ_L_AMS,U:jBGOW-NbEeiiNkVjxTTs-A
COLUMN_PROFILE,Profile_CopyOf_ff_FDB_Source,U:hZfY8ON1EeiiNkVjxTTs-A
COLUMN_PROFILE,Profile_CopyOf_ff_FDB_Source1,U:pnQrweN1EeiiNkVjxTTs-A
```

Save the output in the file `orphanresults.dat`

Delete the Orphan Results

To delete the orphan results, you can run the infacmd.bat ps purgeOrphanResults command.

The infacmd.bat ps purgeOrphanResults command uses the following syntax:

```
infacmd.bat ps detectOrphanResults
<-DomainName|-dn> domain_name
<-UserName|-un> user_name
<-SecurityDomain|-sdn> security_domain
<-Password|-pd> password
<-MrsServiceName|-msn> MRS_name
<-DsServiceName|-dsn> data_integration_service_name
<-FilePathName|-fpn> file_Path_Name
```

Delete Old Profiles

You can delete profiles that are older than the certain number of days. To delete the old profiles, you can run the infacmd.bat ps Purge command.

The infacmd.bat ps Purge command uses the following syntax:

```
infacmd.bat ps Purge
<-DomainName|-dn> domain_name
<-UserName|-un> user_name
<-Password|-pd> password
<-SecurityDomain|-sdn> security_domain
<-MrsServiceName|-msn> MRS_name
<-DsServiceName|-dsn> data_integration_service_name
<-ObjectType|-ot> object_type
<-RetainDays|-rd> results_retain_days
<-ProjectFolderPath|-pf> project_folder_path
<-Recursive|-r> recursive
```

If you want to remove the profile results older than 90 days, for a particular project and all of the sub-folders within the project, use the following command:

```
infacmd.bat ps Purge
-dn Domain_infaserver
-un Administrator
-pd pwd_infa
-sdn Native
-msn INFA_MRS
-dsn INFA_DIS
-ot profile
-rd 90
-pf MY_PROFILE_PROJECT
-r
```

Delete Old Scorecards

You can delete the scorecards that are aged. To delete the old scorecards, you can run the infacmd.bat ps Purge command.

The infacmd.bat ps Purge command uses the following syntax:

```
infacmd.bat ps Purge
<-DomainName|-dn> domain_name
<-UserName|-un> user_name
<-Password|-pd> password
<-SecurityDomain|-sdn> security_domain
<-MrsServiceName|-msn> MRS_name
<-DsServiceName|-dsn> data_integration_service_name
<-ObjectType|-ot> object_type
<-RetainDays|-rd> results_retain_days
<-ProjectFolderPath|-pf> project_folder_path
<-Recursive|-r> recursive
```

If you want to remove the scorecards older than 90 days, for a particular project and all of the sub-folders within the project, use the following command:

```
infacmd.bat ps Purge
-dn Domain_infaserver
-un Administrator
-pd pwd_infa
-sdn Native
-msn INFA_MRS
-dsn INFA_DIS
-ot scorecard
-rd 90
-pf MY_PROFILE_PROJECT
-r
```

Authors

Janet Sitchin

Nidhi Jain