Informatica® MDM SaaS
April 2026

Customer 360 Extension for Consent Management

Informatica MDM SaaS Customer 360 Extension for Consent Management
April 2026

© Copyright Informatica LLC 2025, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-04-11

Table of Contents

Preface 5

Informatica Resources 5

- Informatica Documentation 5
- IDMC web site 5
- Intelligent Data Management Cloud Communities 5
- IDMC Marketplace 5
- Informatica Knowledge Base 6
- IDMC Trust Center 6
- Informatica Global Customer Support 6

Chapter 1: Introducing Customer 360 Extension for Consent Management 7

Guidelines for importing assets 8

Guidelines for migrating assets 8

Prerequisites 8

Chapter 2: Predefined Customer 360 Extension for Consent Management assets 9

Data model attributes 9

- General fields of the Person business entity 10
- Alternate Names field group of Person business entity 12
- Citizenship field group of Person business entity 12
- Communication Channel Preferences field group of the Person business entity 13
- Demographics field group of the Person business entity 14
- Documents field group of Person business entity 14
- Education field group of Person business entity 15
- Electronic Address field group of the Person business entity 16
- Employment field group of Person business entity 21
- Financial field group of Person business entity 22
- Identification field group of the Person business entity 22
- Insurance field group of Person business entity 27
- Lifestyle field group of Person business entity 28
- Loyalty field group of Person business entity 28
- Phone Communication field group of the Person business entity 29
- Postal Address field group of the Person business entity 34
- Rights Request field group of the Person business entity 39
- Segment field group of Organization business entity 40
- Social Media field group of the Person business entity 40
- Specialization field group of Person business entity 44
- Status field group of Person business entity 45
- Tax Details field group of Person business entity 45

Pages. 46
Search result layout component. 46
Data quality assets. 47

Chapter 3: Deploying Customer 360 Extension for Consent Management. 48

Downloading and extracting Customer 360 Extension for Consent Management. 48
Importing data model, pages, and search result layout components. 49
Adding predefined pages and component. 49
Importing reference data assets. 50
    Prerequisites. 51
    Importing the reference data. 51
Deploying the BPR file. 51
Importing the Cloud Application Integration assets. 52
Publishing the Cloud Application Integration process. 52

Index. 53

Preface

Follow the instructions in *Customer 360 Extension for Consent Management* to deploy Customer 360 Extension for Consent Management.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the IDMC Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Data Management Cloud Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all IDMC components. Subscribing to all components is the best way to be certain you never miss an update.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introducing Customer 360 Extension for Consent Management

An MDM SaaS extension is a ready-to-use package that streamlines and accelerates the implementation of MDM SaaS. MDM SaaS extensions contain pre-configured assets and integrations that extend and enhance the MDM SaaS business applications. Use an extension to reduce implementation time, enhance data quality, and achieve faster business outcomes.

Use Customer 360 Extension for Consent Management to manage customer consents, preferences, processing purposes, and lawful bases collected from multiple channels. You can track data subject rights requests and ensure compliance with global data privacy laws. Use the centralized customer consent data to conduct lawful marketing, enable compliant data processing, and deliver personalized customer engagement.

Use Customer 360 Extension for Consent Management to achieve the following goals:

Provide a unified view of consent master data

Maintain a trusted system of record that consolidates customer consents, communication preferences, and data-sharing choices across multiple channels. You can use the unified consent and preference data to preserve customer loyalty, deliver consistent and respectful communications, enhance overall engagement, and improve customer experience.

Track data subject rights requests

Leverage the trusted view of consent data to track the status of data subject rights requests, such as access, erasure, rectification, portability, and objection, in a unified system. Ensure timely fulfillment of data subject rights to build trust and strengthen customer retention.

Apply jurisdiction-specific policies

Enforce consent policies, regulations, and legal bases in accordance with the jurisdiction applicable to each customer.

Ensure compliance with global privacy regulations

Manage consents and data subject rights requests in a unified system to ensure compliance with global data privacy laws, such as General Data Protection Regulation (GDPR) and California Consumer Privacy Act/California Privacy Rights Act (CCPA/CPRA).

Guidelines for importing assets

Consider the following guidelines before you import the extension assets:

- Set up the prerequisite MDM SaaS business application.
- Import the extension assets before you customize the business entities. You can safely import multiple extension assets that use different business entities and in different MDM SaaS business applications. When you import the assets in an environment that already has an extension with the same business entities, the import fails.
- After you import the assets, consider them as your custom assets.
- Once you deploy an extension, upgrading to a newer version of the extension isn't supported.

Guidelines for migrating assets

Consider the following guidelines before you migrate the extension assets to another environment:

- To migrate the extension assets to higher environments, such as QA and production, export the assets from the development environment. Then, import them into the QA and production environments. For more information about migrating assets, see *Migrating projects and assets*.
- Don't import the extension assets again into a higher environment.

Prerequisites

Before you deploy Customer 360 Extension for Consent Management, perform the following prerequisites:

- Ensure that you have the license for Customer 360 SaaS Edition.

  Note: The use of the extension doesn't confer any additional license or entitlement to license consumption beyond the terms specified in the applicable licensing agreements.
- Ensure that the extension package version and your current MDM SaaS build version where you import the extension assets are the same.

  If the extension package version differs from your current MDM SaaS build version, contact Informatica Global Customer Support to get a compatible extension package if available.

  To verify your current MDM SaaS version, in Business 360 Console, click **About** in the IDMC Help menu and verify the build version.

  To verify the version of the extension, navigate to the readme.txt file in the extracted extension package.

CHAPTER 2

Predefined Customer 360 Extension for Consent Management assets

Customer 360 Extension for Consent Management is available as a package for installation on request.

The extension package includes the following predefined assets:

- Person business entity
- Pages
- Search result layout component
- Data quality assets
- Cloud Application Integration assets
- Reference data assets

Data model attributes

The data model attributes include the data dictionary of metadata, such as the Person business entity, the fields that the business entity contains, and field descriptions. The data dictionary helps to understand the data model for Customer 360 Extension for Consent Management.

The Person business entity stores information about a customer, such as customer details, lawful basis of processing data, consent purposes, and communication channel preferences. It also maintains data subject rights requests, data sharing preferences, and details about controllers and processors.

General fields of the Person business entity

The general fields store information about a person, such as name, date of birth, and data-sharing and processing preferences.

The following table lists the general fields that the Person business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
First Name	firstName	Text	255	NA	First name of a person.
Middle Name	middleName	Text	255	NA	Middle name of a person.
Last Name	lastName	Text	255	NA	Last name of a person.
Full Name	fullName	Text	255	NA	Full name of a person.
Title	title	Text	255	NA	Title associated with the name of a person.
Birth Place	birthPlace	Text	255	NA	Place of birth of a person.
Birth Date	birthDate	Date Time	NA	NA	Date of birth of a person.
Gender	gender	Lookup	NA	Gender	Gender of a person.
Image	imageUrl	Text	255	NA	URL of the image of a person.
Prefix Name	prefixName	Lookup	NA	PrefixName	Prefix for the name of a person, such as Dr, Mr, or Mrs.
Suffix Name	suffixName	Lookup	NA	SuffixName	Suffix name of a person, such as Sr, Jr, II, or III.
Designation	designation	Text	255	NA	Designation or position of a person.
Marital Status	maritalStatus	Lookup	NA	MaritalStatus	Marital status of a person, such as single, married, or divorced.
Anonymized Data Indicator	X_infac360cm_anonymizedFlag	Boolean	NA	NA	Indicates whether data is anonymized to protect privacy.
Block Geolocation Tracking Indicator	X_infac360cm_blockGeolocationTracking	Boolean	NA	NA	Indicates whether a person prefers to block geolocation tracking on mobile devices.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Do Not Process Indicator	X_infac360cm_doNotProcess	Boolean	NA	NA	Indicates whether a person doesn't prefer their personal data to be processed.
Do Not Profile Indicator	X_infac360cm_doNotProfile	Boolean	NA	NA	Indicates whether a person prefers not to be profiled based on their personal data.
Do Not Solicit Indicator	X_infac360cm_doNotSolicit	Boolean	NA	NA	Indicates whether a person prefers to avoid marketing solicitation of products and services.
Do Not Track Indicator	X_infac360cm_doNotTrack	Boolean	NA	NA	Indicates whether a person prefers not to be tracked based on their online or web activities, such as browsing behavior, site visits, and interactions.
Data Portability Indicator	X_infac360cm_portabilityFlag	Boolean	NA	NA	Indicates whether a person record is portable based on the applicable global data privacy regulations.
Export Individual's Data Indicator	X_infac360cm_exportIndividual'SData	Boolean	NA	NA	Indicates whether a person requests delivery of their exported personal data.
Store PII Data Elsewhere Indicator	X_infac360cm_okToStorePiiDataElsewhere	Boolean	NA	NA	Indicates whether a person consents to storing their personally identifiable information (PII) outside the legal jurisdiction of their primary location. For example, you can store personal data of an EU citizen in the US based on their consent.
Forget Individual Indicator	X_infac360cm_forgottenFlag	Boolean	NA	NA	Indicates whether a person prefers to delete their personal data and related records.
Minor Indicator	X_infac360cm_minorIndicator	Boolean	NA	NA	Indicates whether a person is a minor.

Alternate Names field group of Person business entity

The Alternate Names field group stores the details of alternate names. Alternate names can be alias, previous name, doing business as and maiden name.

The following table lists the fields that the Alternate Names field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name Type	alternateNameType	Lookup	NA	AlternateNameType	Type of the alternate name.
Alternate Name	AlternateName	Text	255	NA	Alternate name of the person such as alias, previous name and maiden name.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the alternate name is valid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the alternate name.

Citizenship field group of Person business entity

The Citizenship field group stores the details of citizenship of a person, such as country and status of citizenship.

The following table lists the fields that the Citizenship field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Citizen of Country	citizenOfCountry	Lookup	NA	Country	Country to which the person belongs.
Citizenship Status	citizenshipStatus	Text	255	NA	Status of the citizenship.
Supporting Document Name	supportingDocumentName	Text	255	NA	Name of the supporting document that proves the citizenship.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the citizenship is valid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of citizenship.

Communication Channel Preferences field group of the Person business entity

The Communication Channel Preferences field group stores details about the preferred communication channel of a person.

The following table lists the fields that the Communication Channel Preferences field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Channel Type	X_infac360cm_channel Type	Lookup	NA	infac360cm_channel Type	Type of communication channel through which a person gives consent, such as email, phone call, or in-person.
Consent Capture Source	X_infac360cm_consentCaptureSource	Text	255	NA	A system, application, or interface where a person gave or withdrew their consent to process personal data.
Consent Date	X_infac360cm_consentDate	Date	NA	NA	Date on which a person provides consent to process their personal data.
Consent Description	X_infac360cm_consentDescription	Text	255	NA	Description of a consent that a person gives to process their personal data.
Consent Status	X_infac360cm_consentStatus	Lookup	NA	infac360cm_ConsentStatus	Status of consent, such as opted in or opted out, to store and process personal data.
Purpose	X_infac360cm_purpose	Lookup	NA	infac360cm_purpose	Purpose of processing personal data, such as law enforcement, advertising, or emergency medical care, as determined by a controller.
Retention End Date	X_infac360cm_retentionEndDate	Date	NA	NA	Date on which the consent given to process personal data ends.

Demographics field group of the Person business entity

The Demographics field group stores the demographic details of a person.

The following table lists the fields that the Demographics field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Type	demographicType	Lookup	NA	DemographicType	Demographic segment type of a person, such as, income, age, location, or spending pattern.
Value	demographicValue	Lookup	NA	DemographicValue	A demographic segment type can have segment values, such as, lower middle class, upper high class, or upper middle class. If income is the segment type, then lower middle class, upper high class, and upper middle class are segment values.

Documents field group of Person business entity

The Documents field group stores the document details, such as bank statement, salary slip, qualification certificate, identity proof, and residence proof.

The following table lists the fields that the Documents field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Type	documentType	Lookup	NA	DocumentType	Type of document.
Document Name	documentName	Text	255	NA	Name of the document.
Document Link	documentLink	Text	255	NA	URL to access the document.
File Name	fileName	Text	255	NA	Name of the file.
Valid From	validFrom	Date Time	NA	NA	Date from when the document is valid.
Valid To	validTo	Date Time	NA	NA	Date until when the document is valid.

Education field group of Person business entity

The Education field group stores the education details of a person. The education details can include the name of the institution where a person graduated, address of the institution, and year of passing.

The following table lists the fields that the Education field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Qualification Type	qualificationType	Lookup	NA	QualificationType	Type of qualification, such as illiterate, certification, diploma, bachelor, master, or doctoral.
Qualification Status	qualificationStatus	Lookup	NA	QualificationStatus	Status of the qualification.
Qualification Name	qualificationName	Text	255	NA	Name of the qualification.
Institution Name	institutionName	Text	255	NA	Name of the institution.
Student Number	studentNumber	Text	255	NA	Student number in the institution.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the qualification.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the qualification.
Address Line 1	addressLine1	Text	255	NA	Line 1 of the address of the educational institution.
Address Line 2	addressLine2	Text	255	NA	Line 2 of the address of the educational institution.
City	city	Text	255	NA	City in which the institution is located.
Postal Code	postalCode	Text	255	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	255	NA	Postal code extension of the address.
State	state	Lookup	NA	State	State in which the institution is located.
Country	country	Lookup	NA	Country	Country in which the institution is located.

Electronic Address field group of the Person business entity

The Electronic Address field group stores information about an electronic address, such as email address, status, and usage type.

The following table lists the fields that the Electronic Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	X_infac360cm_defaultIndicator	Boolean	NA	NA	Indicates whether an email address is primary or default.
Effective End Date	X_infac360cm_effectiveEndDate	Date Time	NA	NA	End date for an email address.
Effective Start Date	X_infac360cm_effectiveStartDate	Date Time	NA	NA	Start date for an electronic address.
Electronic Address	X_infac360cm_electronicAddress	Text	255	NA	Electronic address of a person.
Electronic Address Status	X_infac360cm_electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of an email address, such as, active, blocked, or not in use.
Enriched Indicator	X_infac360cm_enrichedIndicator	Boolean	NA	NA	Indicates whether an address verification service verified the address.
Hygiene Status	X_infac360cm_hygieneStatus	Text	255	NA	Hygiene status for an electronic address, such as, safe to send, invalid, or spam.
Net Protect Code	X_infac360cm_netProtectCode	Text	255	NA	Net protect codes identify which service or appliance is monitoring a given network.
Usage Type	X_infac360cm_usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of an electronic address, such as, business, work, or personal.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Verification Message	X_infac360cm_verificationMessage	Text	255	NA	Message that an address verification service generates to indicate how valid and trusted an address is.
Verification Status	X_infac360cm_verificationStatusCode	Text	255	NA	Verification status of an electronic address.
Consent	X_infac360cm_electronicAddress_Consent	Nested field group	NA	NA	Consent that a person gives to process their electronic address data.

Consent nested field group of the Person business entity

The Consent nested field group stores the consent preferences of a person to store, process, and share their electronic address data. Examples of these preferences include consent description, lawful basis of processing, controller, processor, and cross-border data sharing indicator.

The following table lists the fields that the Consent nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Consent Date	X_infac360cm_consentDate	Date	NA	NA	Date on which a person gave consent to process their electronic address data.
Consent Description	X_infac360cm_consentDescription	Text	255	NA	Description of the consent wherein organizations inform customers about why they need to collect electronic address data, how it will be used, and with whom it might be shared.
Consent Status	X_infac360cm_consentStatus	Boolean	NA	infac360cm_ConsentStatus	Status of the consent, such as opted in or opted out, to process the electronic address data of a person.
Cross-border Data Sharing Indicator	X_infac360cm_crossBorderDataSharingIndicator	Boolean	NA	NA	Indicates whether a person consents to sharing their electronic address data across borders.
Document Name	X_infac360cm_documentName	Text	200	NA	Name of a consent policy document.
Document URL	X_infac360cm_documentUrl	URL	255	NA	URL to access a consent policy document.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	X_infac360cm_language	Lookup	NA	Language	Language of a consent policy.
Lawful Basis of Processing	X_infac360cm_lawfulBasisOfProcessing	Lookup	NA	infac360cm_lawfulBasisOfProcessing	Legal grounds under which electronic address data of a person can be processed by an organization.
Object to Processing Indicator	X_infac360cm_objectToProcessingIndicator	Boolean	NA	NA	Indicates whether a person has an objection against processing their electronic address data.
On Behalf of Indicator	X_infac360cm_onBehalfOfIndicator	Boolean	NA	NA	Indicates whether someone gave consent to process their electronic address data on behalf of a person.
Policy	X_infac360cm_policy	Lookup	NA	infac360cm_Policy	A formal document outlining how an organization collects, manages, stores, and uses consent of a person to process their electronic address data.
Policy Effective End Date	X_infac360cm_policyEffectiveEndDate	Date	NA	NA	End date of a consent policy until which consent to process electronic address data is valid.
Policy Effective Start Date	X_infac360cm_policyEffectiveStartDate	Date	NA	NA	Start date of a consent policy from which consent to process electronic address data is valid.
Policy Long Description	X_infac360cm_policyLongDescription	Text	255	NA	Long text that contains the details of a consent policy.
Policy Short Description	X_infac360cm_policyShortDescription	Text	255	NA	Short text that explains a consent policy.
Portability From	X_infac360cm_portabilityFrom	Text	255	NA	Name of the controller that transmitted the electronic address data to the receiving controller for the purpose of consent.
Proof of Consent	X_infac360cm_proofOfConsent	URL	255	NA	URL to access a digital file that serves as proof of consent of a person to process their electronic address data.
Proof Type	X_infac360cm_proofType	Lookup	NA	infac360cm_ProofType	Type of proof of consent, such as audio recording, email, or scanned document, to process the electronic address data of a person.
Retention Days	X_infac360cm_retentionDays	Text	50	NA	Number of days for which the consent for the purpose remains valid.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Retention End Date	X_infac360cm_retentionEndDate	Date	NA	NA	Date on which the consent given to process the electronic address data ends.
Retention Months	X_infac360cm_retentionMonths	Text	50	NA	Number of months for which the consent for the purpose remains valid.
Retention Years	X_infac360cm_retentionYears	Text	50	NA	Number of years for which the consent for the purpose remains valid.
Share with Third Party Indicator	X_infac360cm_sharedWithThirdPartyIndicator	Boolean	NA	NA	Indicates whether a person consents to share their electronic address data with a third party.
Data Controller	X_infac360cm_dataController	Nested field group	NA	NA	A body that determines the means and purpose of processing electronic address data.
Data Processor	X_infac360cm_dataProcessor	Nested field group	NA	NA	A body that processes electronic address data on behalf of controllers.
Data Sharing Excluded Countries	X_infac360cm_dataSharingExcludedCountries	Nested field group	NA	NA	Countries with which controllers don't share the electronic address data of a person.
Data Sharing Included Countries	X_infac360cm_dataSharingIncludedCountries	Nested field group	NA	NA	Countries with which controllers share the electronic address data of a person.
Processing Purpose	X_infac360cm_processingPurpose	Nested field group	NA	NA	Purpose for which a controller processes the electronic address data of a person, such as advertising, customer service, or humanitarian aid.

Data Controller nested field group of the Person business entity

The Data Controller nested field group stores details about controllers who determine the means and purpose of processing the electronic address data of a person.

The following table lists the fields that the Data Controller nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Controller	X_infac360cm_controller	Lookup	NA	infac360cm_Controller	Description of a controller, such as identifier, name or ID of the company or business unit controlling the data processing.

Data Sharing Excluded Countries nested field group of the Person business entity

The Data Sharing Excluded Countries nested field group stores details about countries with which controllers don't share the electronic address data of a person.

The following table lists the fields that the Data Sharing Excluded Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller doesn't share the electronic address data of a person.

Data Sharing Included Countries nested field group of the Person business entity

The Data Sharing Included Countries nested field group stores details about countries with which controllers share the electronic address data of a person.

The following table lists the fields that the Data Sharing Included Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller shares the electronic address data of a person.

Data Processor nested field group of the Person business entity

The Data Processor nested field group stores details about entities who process the electronic address data of a person on behalf of the controllers.

The following table lists the fields that the Data Processor nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Processor	X_infac360cm_processor	Lookup	NA	infac360cm_Processor	Description of a processor, such as identifier, name or ID of the company or business unit controlling the data processing.

Processing Purpose nested field group of the Person business entity

The Processing Purpose nested field group stores details about the purpose of processing the electronic address data of a person.

The following table lists the fields that the Processing Purpose nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enabled Indicator	X_infac360cm_enabledIndicator	Boolean	NA	NA	Indicates whether the purpose is enabled or disabled.
Purpose Description	X_infac360cm_purposeDescription	Text	255	NA	Description of a purpose.
Purpose	X_infac360cm_Purpose	Lookup	NA	infac360cm_Purpose	Purpose of processing electronic address data of a person, such as law enforcement, advertising, or emergency medical care, as determined by a controller.

Employment field group of Person business entity

The Employment field group stores the employment details, such as the employer name, the type of employment, and the status of employment.

The following table lists the fields that the Employment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Employer Name	employerName	Text	255	NA	Name of the employer.
Employment Type	employmentType	Lookup	NA	EmploymentType	Type of employment, such as permanent, contract, and part-time.
Employment Status	employmentStatus	Lookup	NA	EmploymentStatus	Status of employment, such as active, inactive, resigned, and terminated.
Designation	designation	Text	255	NA	Designation of the person.
Line of Business	lineOfBusiness	Text	255	NA	Line of business, such as retail or mortgage.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of employment.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of employment.
Location	location	Text	255	NA	Location of the employer.

Financial field group of Person business entity

The Financial field group stores financial information of a person.

The following table lists the fields that the Financial field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	NA	PersonStatusValue	Total value of the finance.
Currency	currency	Lookup	NA	Currency	Currency in which the financial information is provided.
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, and debt.
Financial Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period	timePeriod	Text	255	NA	Finance period for which the data is collected.
Time Period Type	timePeriodType	Lookup	NA	TimePeriodType	Type of the finance period. For example, quarterly or yearly.
Unit	unit	Lookup	NA	FinancialUnit	Unit of the amount. For example, thousands, millions, or billions.

Identification field group of the Person business entity

The Identification field group stores the identifier details of a person, such as social security number, driver's license number, or passport number.

The following table lists the fields that the Identification field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Identification Type	alternateIdentifierType	Lookup	NA	AlternateIdType	Type of alternate identifier, such as driver's license, or passport.
Identification Value	alternateIdentifierValue	Text	255	NA	Value of alternate identifier, such as driver's license number, or passport number.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority that has issued the identifier to the person.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status	identifierStatus	Lookup	NA	IdentifierStatus	Status of the alternate identifier, such as example, effective, disqualified, expired, and temporary.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Issued date of the identifier.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the identifier.
Consent	X_infac360cm_identification_Consent	Nested field group	NA	NA	Consent that a person gives to process their identification data.

Consent nested field group of the Person business entity

The Consent nested field group stores the consent preferences of a person to store, process, and share their identification data. Examples of these preferences include consent description, lawful basis of processing, controller, processor, and cross-border data sharing indicator.

The following table lists the fields that the Consent nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Consent Date	X_infac360cm_consentDate	Date	NA	NA	Date on which a person gave consent to process their identification data.
Consent Description	X_infac360cm_consentDescription	Text	255	NA	Description of the consent wherein organizations inform customers about why they need to collect identification data, how it will be used, and with whom it might be shared.
Consent Status	X_infac360cm_consentStatus	Boolean	NA	infac360cm_ConsentStatus	Status of the consent, such as opted in or opted out, to process the identification data of a person.
Cross-border Data Sharing Indicator	X_infac360cm_crossBorderDataSharingIndicator	Boolean	NA	NA	Indicates whether a person consents to sharing their identification data across borders.
Document Name	X_infac360cm_documentName	Text	200	NA	Name of a consent policy document.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document URL	X_infac360cm_documentUrl	URL	255	NA	URL to access a consent policy document.
Language	X_infac360cm_language	Lookup	NA	Language	Language of a consent policy.
Lawful Basis of Processing	X_infac360cm_lawfulBasisOfProcessing	Lookup	NA	infac360cm_lawfulBasisOfProcessing	Legal grounds under which identification data of a person can be processed by an organization.
Object to Processing Indicator	X_infac360cm_objectToProcessingIndicator	Boolean	NA	NA	Indicates whether a person has an objection against processing their identification data.
On Behalf of Indicator	X_infac360cm_onBehalfOfIndicator	Boolean	NA	NA	Indicates whether someone gave consent to process their identification data on behalf of a person.
Policy	X_infac360cm_policy	Lookup	NA	infac360cm_Policy	A formal document outlining how an organization collects, manages, stores, and uses consent of a person to process their identification data.
Policy Effective End Date	X_infac360cm_policyEffectiveEndDate	Date	NA	NA	End date of a consent policy until which consent to process identification data is valid.
Policy Effective Start Date	X_infac360cm_policyEffectiveStartDate	Date	NA	NA	Start date of a consent policy from which consent to process identification data is valid.
Policy Long Description	X_infac360cm_policyLongDescription	Text	255	NA	Long text that contains the details of a consent policy.
Policy Short Description	X_infac360cm_policyShortDescription	Text	255	NA	Short text that explains a consent policy.
Portability From	X_infac360cm_portabilityFrom	Text	255	NA	Name of the controller that transmitted the identification data to the receiving controller for the purpose of consent.
Proof of Consent	X_infac360cm_proofOfConsent	URL	255	NA	URL to access a digital file that serves as proof of consent of a person to process their identification data.
Proof Type	X_infac360cm_proofType	Lookup	NA	infac360cm_ProofType	Type of proof of consent, such as audio recording, email, or scanned document, to process the identification data of a person.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Retention Days	X_infac360cm_retentionDays	Text	50	NA	Number of days for which the consent for the purpose remains valid.
Retention End Date	X_infac360cm_retentionEndDate	Date	NA	NA	Date on which the consent given to process the identification data ends.
Retention Months	X_infac360cm_retentionMonths	Text	50	NA	Number of months for which the consent for the purpose remains valid.
Retention Years	X_infac360cm_retentionYears	Text	50	NA	Number of years for which the consent for the purpose remains valid.
Share with Third Party Indicator	X_infac360cm_sharedWithThirdPartyIndicator	Boolean	NA	NA	Indicates whether a person consents to share their identification data with a third party.
Data Controller	X_infac360cm_dataController	Nested field group	NA	NA	A body that determines the means and purpose of processing identification data.
Data Processor	X_infac360cm_dataProcessor	Nested field group	NA	NA	A body that processes identification data on behalf of controllers.
Data Sharing Excluded Countries	X_infac360cm_dataSharingExcludedCountries	Nested field group	NA	NA	Countries with which controllers don't share the identification data of a person.
Data Sharing Included Countries	X_infac360cm_dataSharingIncludedCountries	Nested field group	NA	NA	Countries with which controllers share the identification data of a person.
Processing Purpose	X_infac360cm_processingPurpose	Nested field group	NA	NA	Purpose for which a controller processes the identification data of a person, such as advertising, customer service, or humanitarian aid.

Data Controller nested field group of the Person business entity

The Data Controller nested field group stores details about controllers who determine the means and purpose of processing the postal address data of a person.

The following table lists the fields that the Data Controller nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Controller	X_infac360cm_controller	Lookup	NA	infac360cm_Controller	Description of a controller, such as identifier, name or ID of the company or business unit controlling the data processing.

Data Sharing Excluded Countries nested field group of the Person business entity

The Data Sharing Excluded Countries nested field group stores details about countries with which controllers don't share the identification data of a person.

The following table lists the fields that the Data Sharing Excluded Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller doesn't share the identification data of a person.

Data Sharing Included Countries nested field group of the Person business entity

The Data Sharing Included Countries nested field group stores details about countries with which controllers share the identification data of a person.

The following table lists the fields that the Data Sharing Included Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller shares the identification data of a person.

Data Processor nested field group of the Person business entity

The Data Processor nested field group stores details about processors who process the identification data of a person on behalf of the controllers.

The following table lists the fields that the Data Processor nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Processor	X_infac360cm_processor	Lookup	NA	infac360cm_Processor	Description of a processor, such as identifier, name or ID of the company or business unit controlling the data processing.

Processing Purpose nested field group of the Person business entity

The Processing Purpose nested field group stores details about the purpose of processing the identification data of a person.

The following table lists the fields that the Processing Purpose nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enabled Indicator	X_infac360cm_enabledIndicator	Boolean	NA	NA	Indicates whether the purpose is enabled or disabled.
Purpose Description	X_infac360cm_purposeDescription	Text	255	NA	Description of a purpose.
Purpose Type	X_infac360cm_Purpose	Lookup	NA	infac360cm_Purpose	Purpose of processing identification data of a person, such as law enforcement, advertising, or emergency medical care, as determined by a controller.

Insurance field group of Person business entity

The Insurance field group stores the insurance details, such as the name of the insurance provider, the policy number, the insurance type, and the validity.

The following table lists the fields that the Insurance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Policy Number	policyNumber	Text	255	NA	Policy number of the insurance.
Insurance Value	insuranceValue	Double	NA	NA	Amount insured.
Unit	unit	Lookup	NA	FinancialUnit	Unit for the amount.
Currency	currency	Lookup	NA	Currency	Currency in which the person is insured.
Insurance Provider	insuranceProvider	Text	255	NA	Company that provides the insurance.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	Type of insurance, such as life, health and accident, professional indemnity, or medical malpractice.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is life, the subtypes might be non-participating, participating, indeterminate premium, economic, limited pay, or single premium.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Insurance Status	insuranceStatus	Lookup	NA	InsuranceStatus	Status of the insurance. For example, active or expired.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the insurance.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the insurance.

Lifestyle field group of Person business entity

The Lifestyle field group stores the details related to the lifestyle of a person. Lifestyle details give additional information about the person, such as behavior and interests. Lifestyle information includes travel style, hobbies, and entertainment preferences.

The following table lists the fields that the Lifestyle field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Lifestyle Type	lifestyleType	Lookup	NA	LifestyleType	Type of lifestyle, such as classical music listener, decision maker or movie maniac.
Lifestyle Value	lifestyleValue	Text	255	NA	Value for a specified lifestyle.

Loyalty field group of Person business entity

The Loyalty field group stores the loyalty account details of a person.

The following table lists the fields that the Loyalty field group entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Type	accountType	Lookup	NA	LoyaltyAccountType	Type of loyalty accounts. For example, elite, silver, gold, or privileged.
Account Number	AccountNumber	Text	255	NA	Loyalty account number.
Redemption Preferences	redemptionPreferences	Lookup	NA	RedemptionPreferences	Preference for the redemption of loyalty points. For example, cash back or credit.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the loyalty account.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the loyalty account.
Account Status	accountStatus	Lookup	NA	LoyaltyAccountStatus	Status of the account. For example, active, inactive, or dormant.

Phone Communication field group of the Person business entity

The Phone Communication field group stores the phone details of a person, such as phone type, phone usage type, and consent to process phone communication data.

The following table lists the fields that the Phone Communication field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	X_infa360rtl_defaultIndicator	Boolean	NA	NA	Indicates whether a phone number is the default number.
Do Not Call Indicator	X_infa360rtl_doNotCallIndicator	Boolean	NA	NA	Indicates whether a person is interested to receive unsolicited phone calls from marketers.
Phone Number	X_infa360rtl_phoneNumber	Text	255	NA	Phone number of a person.
Phone Type	X_infa360rtl_phoneType	Lookup	NA	PhoneType	Type of phone, such as landline, mobile, or fax.
Phone Usage Type	X_infa360rtl_phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of a phone, such as personal, business, and customer service.
Consent	X_infac360cm_phoneCommunication_Consent	Nested field group	NA	NA	Consent that a person gives to process their phone communication data.

Consent nested field group of the Person business entity

The Consent nested field group stores the consent preferences of a person to store, process, and share their phone communication data. Examples of these preferences include consent description, lawful basis of processing, controller, processor, and cross-border data sharing indicator.

The following table lists the fields that the Consent nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Consent Date	X_infac360cm_consentDate	Date	NA	NA	Date on which a person gave consent to process their phone communication data.
Consent Description	X_infac360cm_consentDescription	Text	255	NA	Description of the consent wherein organizations inform customers about why they need to collect phone communication data, how it will be used, and with whom it might be shared.
Consent Status	X_infac360cm_consentStatus	Boolean	NA	infac360cm_ConsentStatus	Status of the consent, such as opted in or opted out, to process the phone communication data of a person.
Cross-border Data Sharing Indicator	X_infac360cm_crossBorderDataSharingIndicator	Boolean	NA	NA	Indicates whether a person consents to sharing their phone communication data across borders.
Document Name	X_infac360cm_documentName	Text	200	NA	Name of a consent policy document.
Document URL	X_infac360cm_documentUrl	URL	255	NA	URL to access a consent policy document.
Language	X_infac360cm_language	Lookup	NA	Language	Language of a consent policy.
Lawful Basis of Processing	X_infac360cm_lawfulBasisOfProcessing	Lookup	NA	infac360cm_LawfulBasisOfProcessing	Legal grounds under which phone communication data of a person can be processed by an organization.
Object to Processing Indicator	X_infac360cm_objectToProcessingIndicator	Boolean	NA	NA	Indicates whether a person has an objection against processing their phone communication data.
On Behalf of Indicator	X_infac360cm_onBehalfOfIndicator	Boolean	NA	NA	Indicates whether someone gave consent to process their phone communication data on behalf of a person.
Policy	X_infac360cm_policy	Lookup	NA	infac360cm_Policy	A formal document outlining how an organization collects, manages, stores, and uses consent of a person to process their phone communication data.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Policy Effective End Date	X_infac360cm_policyEffectiveEndDate	Date	NA	NA	End date of a consent policy until which consent to process phone communication data is valid.
Policy Effective Start Date	X_infac360cm_policyEffectiveStartDate	Date	NA	NA	Start date of a consent policy from which consent to process phone communication data is valid.
Policy Long Description	X_infac360cm_policyLongDescription	Text	255	NA	Long text that contains the details of a consent policy.
Policy Short Description	X_infac360cm_policyShortDescription	Text	255	NA	Short text that explains a consent policy.
Portability From	X_infac360cm_portabilityFrom	Text	255	NA	Name of the controller that transmitted the phone communication data to the receiving controller for the purpose of consent.
Proof of Consent	X_infac360cm_proofOfConsent	URL	255	NA	URL to access a digital file that serves as proof of consent of a person to process their phone communication data.
Proof Type	X_infac360cm_proofType	Lookup	NA	infac360cm_ProofType	Type of proof of consent, such as audio recording, email, or scanned document, to process the phone communication data of a person.
Retention Days	X_infac360cm_retentionDays	Text	50	NA	Number of days for which the consent for the purpose remains valid.
Retention End Date	X_infac360cm_retentionEndDate	Date	NA	NA	Date on which the consent given to process the phone communication data ends.
Retention Months	X_infac360cm_retentionMonths	Text	50	NA	Number of months for which the consent for the purpose remains valid.
Retention Years	X_infac360cm_retentionYears	Text	50	NA	Number of years for which the consent for the purpose remains valid.
Share with Third Party Indicator	X_infac360cm_sharedWithThirdPartyIndicator	Boolean	NA	NA	Indicates whether a person consents to share their phone communication data with a third party.
Data Controller	X_infac360cm_dataController	Nested field group	NA	NA	A body that determines the means and purpose of processing phone communication data.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Data Processor	X_infac360cm_dataProcessor	Nested field group	NA	NA	A body that processes phone communication data on behalf of controllers.
Data Sharing Excluded Countries	X_infac360cm_dataSharingExcludedCountries	Nested field group	NA	NA	Countries with which controllers don't share the phone communication data of a person.
Data Sharing Included Countries	X_infac360cm_dataSharingIncludedCountries	Nested field group	NA	NA	Countries with which controllers share the phone communication data of a person.
Processing Purpose	X_infac360cm_processingPurpose	Nested field group	NA	NA	Purpose for which a controller processes the phone communication data of a person, such as advertising, customer service, or humanitarian aid.

Data Controller nested field group of the Person business entity

The Data Controller nested field group stores details about controllers who determine the means and purpose of processing the phone communication data of a person.

The following table lists the fields that the Data Controller nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Controller	X_infac360cm_controller	Lookup	NA	infac360cm_Controller	Description of a controller, such as identifier, name or ID of the company or business unit controlling the data processing.

Data Sharing Excluded Countries nested field group of the Person business entity

The Data Sharing Excluded Countries nested field group stores details about countries with which controllers don't share the phone communication data of a person.

The following table lists the fields that the Data Sharing Excluded Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller doesn't share the phone communication data of a person.

Data Sharing Included Countries nested field group of the Person business entity

The Data Sharing Included Countries nested field group stores details about countries with which controllers share the phone communication data of a person.

The following table lists the fields that the Data Sharing Included Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller shares the phone communication data of a person.

Data Processor nested field group of the Person business entity

The Data Processor nested field group stores details about processors who process the phone communication data of a person on behalf of the controllers.

The following table lists the fields that the Data Processor nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Processor	X_infac360cm_processor	Lookup	NA	infac360cm_Processor	Description of a processor, such as identifier, name or ID of the company or business unit controlling the data processing.

Processing Purpose nested field group of the Person business entity

The Processing Purpose nested field group stores details about the purpose of processing the phone communication data of a person.

The following table lists the fields that the Processing Purpose nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enabled Indicator	X_infac360cm_enabledIndicator	Boolean	NA	NA	Indicates whether the purpose is enabled or disabled.
Purpose Description	X_infac360cm_purposeDescription	Text	255	NA	Description of a purpose.
Purpose Type	X_infac360cm_Purpose	Lookup	NA	infac360cm_Purpose	Purpose of processing phone communication data of a person, such as law enforcement, advertising, or emergency medical care, as determined by a controller.

Postal Address field group of the Person business entity

The Postal Address field group stores the postal addresses of a person. Postal address is a physical address associated with the person. A person can have multiple addresses.

The following table lists the fields that the Postal Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	X_infa360cm_addressLine1	Text	200	NA	Line 1 of an address.
Address Line 2	X_infa360cm_addressLine2	Text	200	NA	Line 2 of an address.
Address Line 3	X_infa360cm_addressLine3	Text	200	NA	Line 3 of an address.
Address Status	X_infa360cm_addressStatus	Lookup	NA	AddressStatus	Status of an address, such as active, current, old address, or changed.
Address Type	X_infa360cm_addressType	Lookup	NA	AddressType	Type of a postal address, such as home, office, shipping, or mailing.
City	X_infa360cm_city	Text	50	NA	City of a postal address.
Coordinate System	X_infa360cm_coordinateSystem	Text	100	NA	Coordinate system used to determine the location of an address.
Country	X_infa360cm_country	Lookup	NA	Country	Country of a postal address.
County	X_infa360cm_county	Text	50	NA	County of a postal address.
Default Indicator	X_infa360cm_defaultIndicator	Boolean	NA	NA	Indicates whether an address is the default address.
End Date	X_infa360cm_effectiveEndDate	Date and Time	NA	NA	Expiry date of an address.
Enriched Indicator	X_infa360cm_enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of an address, such as, error, valid, or not validated.
Latitude	X_infa360cm_latitude	Text	20	NA	Latitude for an address.
Location Coordinate Desc	X_infa360cm_locationCoordinateDesc	Text	50	NA	Location of an address using coordinate system.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Longitude	X_infa360cm_longitude	Text	20	NA	Longitude for an address.
Postal Code	X_infa360cm_postalCode	Text	10	NA	Postal code of an address.
Postal Code Extension	X_infa360cm_postalCodeExtension	Text	10	NA	Postal code extension of an address.
Start Date	X_infa360cm_effectiveStartDate	Date and Time	NA	NA	Start date from when an address is active.
State	X_infa360cm_state	Dependant Lookup	NA	State	State of a postal address.
Usage Type	X_infa360cm_usageType	Lookup	NA	AddressUsage Type	Usage type of an address, such as business or personal.
Verification Message	X_infa360cm_statusMessage	Text	255	NA	Validation message that an address verification service returns.
Verification Status Code	X_infa360cm_statusCode	Text	10	NA	Validation status that an address verification service returns.
Consent	X_infac360cm_postalAddress_Consent	Nested field group	NA	NA	Consent that a person gives to process their postal address data.

Consent field group of the Person business entity

The Consent nested field group stores the consent preferences of a person to store, process, and share their postal address data. Examples of these preferences include consent description, lawful basis of processing, controller, processor, and cross-border data sharing indicator.

The following table lists the fields that the Consent nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Consent Date	X_infac360cm_consentDate	Date	NA	NA	Date on which a person gave consent to process their postal address data.
Consent Description	X_infac360cm_consentDescription	Text	255	NA	Description of the consent wherein organizations inform customers about why they need to collect postal address data, how it will be used, and with whom it might be shared.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Consent Status	X_infac360cm_consentStatus	Boolean	NA	infac360cm_ConsentStatus	Status of the consent, such as opted in or opted out, to process the postal address data of a person.
Cross-border Data Sharing Indicator	X_infac360cm_crossBorderDataSharingIndicator	Boolean	NA	NA	Indicates whether a person consents to sharing their postal address data across borders.
Document Name	X_infac360cm_documentName	Text	200	NA	Name of a consent policy document.
Document URL	X_infac360cm_documentUrl	URL	255	NA	URL to access a consent policy document.
Language	X_infac360cm_language	Lookup	NA	Language	Language of a consent policy.
Lawful Basis of Processing	X_infac360cm_lawfulBasisOfProcessing	Lookup	NA	infac360cm_lawfulBasisOfProcessing	Legal grounds under which postal address data of a person can be processed by an organization.
Object to Processing Indicator	X_infac360cm_objectToProcessingIndicator	Boolean	NA	NA	Indicates whether a person has an objection against processing their postal address data.
On Behalf of Indicator	X_infac360cm_onBehalfOfIndicator	Boolean	NA	NA	Indicates whether someone gave consent to process their postal address data on behalf of a person.
Policy	X_infac360cm_policy	Lookup	NA	infac360cm_Policy	A formal document outlining how an organization collects, manages, stores, and uses consent of a person to process their postal address data.
Policy Effective End Date	X_infac360cm_policyEffectiveEndDate	Date	NA	NA	End date of a consent policy until which consent to process postal address data is valid.
Policy Effective Start Date	X_infac360cm_policyEffectiveStartDate	Date	NA	NA	Start date of a consent policy from which consent to process postal address data is valid.
Policy Long Description	X_infac360cm_policyLongDescription	Text	255	NA	Long text that contains the details of a consent policy.
Policy Short Description	X_infac360cm_policyShortDescription	Text	255	NA	Short text that explains a consent policy.
Portability From	X_infac360cm_portabilityFrom	Text	255	NA	Name of the controller that transmitted the postal address data to the receiving controller for the purpose of consent.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Proof of Consent	X_infac360cm_proofOfConsent	URL	255	NA	URL to access a digital file that serves as proof of consent of a person to process their postal address data.
Proof Type	X_infac360cm_proofType	Lookup	NA	infac360cm_ProofType	Type of proof of consent, such as audio recording, email, or scanned document, to process the postal address data of a person.
Retention Days	X_infac360cm_retentionDays	Text	50	NA	Number of days for which the consent for the purpose remains valid.
Retention End Date	X_infac360cm_retentionEndDate	Date	NA	NA	Date on which the consent given to process the postal address data ends.
Retention Months	X_infac360cm_retentionMonths	Text	50	NA	Number of months for which the consent for the purpose remains valid.
Retention Years	X_infac360cm_retentionYears	Text	50	NA	Number of years for which the consent for the purpose remains valid.
Share with Third Party Indicator	X_infac360cm_sharedWithThirdPartyIndicator	Boolean	NA	NA	Indicates whether a person consents to share their postal address data with a third party.
Data Controller	X_infac360cm_dataController	Nested field group	NA	NA	A body that determines the means and purpose of processing postal address data.
Data Processor	X_infac360cm_dataProcessor	Nested field group	NA	NA	A body that processes postal address data on behalf of controllers.
Data Sharing Excluded Countries	X_infac360cm_dataSharingExcludedCountries	Nested field group	NA	NA	Countries with which controllers don't share the postal address data of a person.
Data Sharing Included Countries	X_infac360cm_dataSharingIncludedCountries	Nested field group	NA	NA	Countries with which controllers share the postal address data of a person.
Processing Purpose	X_infac360cm_processingPurpose	Nested field group	NA	NA	Purpose for which a controller processes the postal address data of a person, such as advertising, customer service, or humanitarian aid.

Data Controller nested field group of the Person business entity

The Data Controller nested field group stores details about controllers who determine the means and purpose of processing the postal address data of a person.

The following table lists the fields that the Data Controller nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Controller	X_infac360cm_controller	Lookup	NA	infac360cm_Controller	Description of a controller, such as identifier, name or ID of the company or business unit controlling the data processing.

Data Sharing Excluded Countries nested field group of the Person business entity

The Data Sharing Excluded Countries nested field group stores details about countries with which controllers don't share the postal address data of a person.

The following table lists the fields that the Data Sharing Excluded Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller doesn't share the postal address data of a person.

Data Sharing Included Countries nested field group of the Person business entity

The Data Sharing Included Countries nested field group stores details about countries with which controllers share the postal address data of a person.

The following table lists the fields that the Data Sharing Excluded Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller shares the postal address data of a person.

Data Processor nested field group of the Person business entity

The Data Processor nested field group stores details about processors who process the postal address data of a person on behalf of the controllers.

The following table lists the fields that the Data Processor nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Processor	X_infac360cm_processor	Lookup	NA	infac360cm_Processor	Description of a processor, such as identifier, name or ID of the company or business unit controlling the data processing.

Processing Purpose nested field group of the Person business entity

The Processing Purpose nested field group stores details about the purpose of processing the postal address data of a person.

The following table lists the fields that the Processing Purpose nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enabled Indicator	X_infac360cm_enabledIndicator	Boolean	NA	NA	Indicates whether the purpose is enabled or disabled.
Purpose Description	X_infac360cm_purposeDescription	Text	255	NA	Description of a purpose.
Purpose Type	X_infac360cm_Purpose	Lookup	NA	infac360cm_Purpose	Purpose of processing postal address data of a person, such as law enforcement, advertising, or emergency medical care, as determined by a controller.

Rights Request field group of the Person business entity

The Rights Request field group stores details about the requests made by a person to exercise their data subject rights, such as access, correction, or deletion of their personal data.

The following table lists the fields that the Rights Request field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Request Date	X_infac360cm_requestDate	Date	NA	NA	Date on which a person submitted their data subject rights request.
Source	X_infac360cm_source	Text	255	NA	A system, application, or interface where a person made a request to exercise their data protection rights.
Status	X_infac360cm_status	Lookup	NA	infac360cm_RightsStatus	Status of data subject rights request, such as validated or unvalidated.
Status Date	X_infac360cm_statusDate	Date	NA	NA	Date on which the status of data subject rights request was last updated.
Type	X_infac360cm_rightsRequestType	Lookup	NA	infac360cm_RightsRequestType	Type of data subject rights request made by a person, such as right to access, right to anonymity and pseudonymity, or right to correction.

Segment field group of Organization business entity

The Segment field group stores the segment details of an organization. Segmentation can help marketers design targeted campaigns.

The following table lists the fields that the Segment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	infac360hc_segmentType	Lookup	NA	SegmentType	Type of segment of the organization. For example, income, age, or geography.
Segment Name	infac360hc_segmentName	Lookup	NA	SegmentValue	Name of the category or segment. A segment type can have segment values.

Social Media field group of the Person business entity

The Social Media field group stores information about the social media identifiers of a person, such as social media type and name.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Handle	socialMediaHandle	Text	255	NA	Social media identifier or user name of a person.
Social Media Type	socialMediaType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or LinkedIn.
Consent	X_infac360cm_socialMedia_Consent	Nested field group	NA	NA	Consent that a person gives to process their social media data.

Consent nested field group of the Person business entity

The Consent nested field group stores the consent preferences of a person to store, process, and share their social media data. Examples of these preferences include consent description, lawful basis of processing, controller, processor, and cross-border data sharing indicator.

The following table lists the fields that the Consent nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Consent Date	X_infac360cm_consentDate	Date	NA	NA	Date on which a person gave consent to process their social media data.
Consent Description	X_infac360cm_consentDescription	Text	255	NA	Description of the consent wherein organizations inform customers about why they need to collect social media data, how it will be used, and with whom it might be shared.
Consent Status	X_infac360cm_consentStatus	Boolean	NA	infac360cm_ConsentStatus	Status of the consent, such as opted in or opted out, to process the social media data of a person.
Cross-border Data Sharing Indicator	X_infac360cm_crossBorderDataSharingIndicator	Boolean	NA	NA	Indicates whether a person consents to sharing their social media data across borders.
Document Name	X_infac360cm_documentName	Text	200	NA	Name of a consent policy document.
Document URL	X_infac360cm_documentUrl	URL	255	NA	URL to access a consent policy document.
Language	X_infac360cm_language	Lookup	NA	Language	Language of a consent policy.
Lawful Basis of Processing	X_infac360cm_lawfulBasisOfProcessing	Lookup	NA	infac360cm_LawfulBasisOfProcessing	Legal grounds under which social media data of a person can be processed by an organization.
Object to Processing Indicator	X_infac360cm_objectToProcessingIndicator	Boolean	NA	NA	Indicates whether a person has an objection against processing their social media data.
On Behalf of Indicator	X_infac360cm_onBehalfOfIndicator	Boolean	NA	NA	Indicates whether someone gave consent to process their social media data on behalf of a person.
Policy	X_infac360cm_policy	Lookup	NA	infac360cm_Policy	A formal document outlining how an organization collects, manages, stores, and uses consent of a person to process their social media data.
Policy Effective End Date	X_infac360cm_policyEffectiveEndDate	Date	NA	NA	End date of a consent policy until which consent to process social media data is valid.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Policy Effective Start Date	X_infac360cm_policyEffectiveStartDate	Date	NA	NA	Start date of a consent policy from which consent to process social media data is valid.
Policy Long Description	X_infac360cm_policyLongDescription	Text	255	NA	Long text that contains the details of a consent policy.
Policy Short Description	X_infac360cm_policyShortDescription	Text	255	NA	Short text that explains a consent policy.
Portability From	X_infac360cm_portabilityFrom	Text	255	NA	Name of the controller that transmitted the social media data to the receiving controller for the purpose of consent.
Proof of Consent	X_infac360cm_proofOfConsent	URL	255	NA	URL to access a digital file that serves as proof of consent of a person to process their social media data.
Proof Type	X_infac360cm_proofType	Lookup	NA	infac360cm_ProofType	Type of proof of consent, such as audio recording, email, or scanned document, to process the social media data of a person.
Retention Days	X_infac360cm_retentionDays	Text	50	NA	Number of days for which the consent for the purpose remains valid.
Retention End Date	X_infac360cm_retentionEndDate	Date	NA	NA	Date on which the consent given to process the social media data ends.
Retention Months	X_infac360cm_retentionMonths	Text	50	NA	Number of months for which the consent for the purpose remains valid.
Retention Years	X_infac360cm_retentionYears	Text	50	NA	Number of years for which the consent for the purpose remains valid.
Share with Third Party Indicator	X_infac360cm_sharedWithThirdPartyIndicator	Boolean	NA	NA	Indicates whether a person consents to share their social media data with a third party.
Data Controller	X_infac360cm_dataController	Nested field group	NA	NA	A body that determines the means and purpose of processing social media data.
Data Processor	X_infac360cm_dataProcessor	Nested field group	NA	NA	A body that processes social media data on behalf of controllers.
Data Sharing Excluded Countries	X_infac360cm_dataSharingExcludedCountries	Nested field group	NA	NA	Countries with which controllers don't share the social media data of a person.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Data Sharing Included Countries	X_infac360cm_dataSharingIncludedCountries	Nested field group	NA	NA	Countries with which controllers share the social media data of a person.
Processing Purpose	X_infac360cm_processingPurpose	Nested field group	NA	NA	Purpose for which a controller processes the social media data of a person, such as advertising, customer service, or humanitarian aid.

Data Controller nested field group of the Person business entity

The Data Controller nested field group stores details about controllers who determine the means and purpose of processing the social media data of a person.

The following table lists the fields that the Data Controller nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Controller	X_infac360cm_controller	Lookup	NA	infac360cm_controller	Description of a controller, such as identifier, name or ID of the company or business unit controlling the data processing.

Data Sharing Excluded Countries nested field group of the Person business entity

The Data Sharing Excluded Countries nested field group stores details about countries with which controllers don't share the social media data of a person.

The following table lists the fields that the Data Sharing Excluded Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller doesn't share the social media data of a person.

Data Sharing Included Countries nested field group of the Person business entity

The Data Sharing Included Countries nested field group stores details about countries with which controllers share the social media data of a person.

The following table lists the fields that the Data Sharing Included Countries nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360cm_country	Boolean	NA	Country	Countries with which a controller shares the social media data of a person.

Data Processor nested field group of the Person business entity

The Data Processor nested field group stores details about processors who process the social media data of a person on behalf of the controllers.

The following table lists the fields that the Data Processor nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Processor	X_infac360cm_processor	Lookup	NA	infac360cm_Processor	Description of a processor, such as identifier, name or ID of the company or business unit controlling the data processing.

Processing Purpose nested field group of the Person business entity

The Processing Purpose nested field group stores details about the purpose of processing the social media data of a person.

The following table lists the fields that the Processing Purpose nested field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enabled Indicator	X_infac360cm_enabledIndicator	Boolean	NA	NA	Indicates whether the purpose is enabled or disabled.
Purpose Description	X_infac360cm_purposeDescription	Text	255	NA	Description of a purpose.
Purpose Type	X_infac360cm_Purpose	Lookup	NA	infac360cm_Purpose	Purpose of processing social media data of a person, such as law enforcement, advertising, or emergency medical care, as determined by a controller.

Specialization field group of Person business entity

The Specialization field group stores information about the specialities or specializations of a person. For healthcare professionals, a speciality can be cardiology, pediatrics, dermatology, or endocrinology.

The following table lists the fields that the Specialization field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Specialty Type	specialtyType	Lookup	NA	SpecialityType	Speciality type. For example, cytopathology, nephrology, or geriatrics.
Speciality	speciality	Text	255	NA	Name of speciality.
Board Certification Flag	boardCertificationFlag	Boolean	NA	NA	Indicates whether the board certification is active or not.

Status field group of Person business entity

The Status field group stores the statuses of a person. A status can be registered, approved, submitted, rejected, active, or inactive.

The following table lists the fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status Type	statusType	Lookup	NA	PersonStatusType	Status type of the person. For example, onboarding, legal, or credit.
Status Value	statusValue	Lookup	NA	PersonStatusValue	Status value of the person.

Tax Details field group of Person business entity

The Tax Details field group stores tax-related information of a person, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the fields that the Tax Details field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the tax period.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the tax period.
State	state	Lookup	NA	State	State within the country of the taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Tax Number	taxNumber	Text Field	255	NA	Unique number that identifies the person for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of the tax number. Tax number can be Individual Taxpayer Identification Number (ITIN), Employer Identification Number (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Tax Paid	taxPaid	Text Field	255	NA	Tax amount that the person has paid.
Taxpayer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of tax payer. For example, individual, company, partnership, or trust.

Pages

You can use the predefined pages as a reference to create similar custom pages for the Person business entity.

Use the Create page type to create records. Use the View and Edit page type to view and edit records.

The following table describes the predefined pages for the Person business entity in Customer 360 Extension for Consent Management:

Page Name	Description	Assigned User Roles
Infac360cm_person_create_page	A page to create a Person record.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Infac360cm_person_edit_page	A page to view or edit a Person record.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User

Search result layout component

The Customer 360 Extension for Consent Management package contains a predefined search result layout component.

The following table describes the search result layout component for the Person business entity:

Search Result Layout Component Name	Description	Assigned User Roles
Consent Search Layout Person	Search layout to display consent search results of the Person business entity records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User

Data quality assets

You can use the predefined data quality assets added to the Person business entity fields to cleanse, standardize, and validate the field values. The data quality assets include objective groups, rule associations, and data enhancement rules.

An objective group includes objectives. An objective includes a sequence of rule associations to accomplish data enrichment, validation, verification, or standardization. A rule association contains data enhancement rules.

Customer 360 Extension for Consent Management includes the following predefined data quality assets:

Name	Type	Applied Field	Description
Data Quality Objective Group	Objective Group	NA	Includes an objective.
Data Quality Objective Rights	Objective	NA	Includes a rule association to accomplish data enrichment and validation.
Data Quality Rule Association Right	Rule Association	Postal Address. Rights Request	Validates whether the Rights Request Type field contains a valid value based on the primary country in the default postal address.
Data Quality Data Enhancement Right	Data Enhancement Rule	Postal Address.Rights Request	Uses the Application Integration-based Validation plugin that validates data through the following predefined Application Integration process: `infac360cm_proc_Data_Validation_Rights`

CHAPTER 3

Deploying Customer 360 Extension for Consent Management

To deploy Customer 360 Extension for Consent Management, download the extension package, import assets into MDM SaaS, and publish the Cloud Application Integration assets.

To deploy Customer 360 Extension for Consent Management, perform the following tasks:

1. Download and extract the extension package.
2. Import the predefined assets.
3. Add predefined pages and search result layout components.
4. Import reference data code values into reference data assets.
5. Deploy the BPR file.
6. Import the Cloud Application Integration assets.
7. Publish the Cloud Application Integration processes.

Note: Before importing the data model, pages, and reference data assets, ensure that you are assigned to the Designer, MDM Designer, Reference 360 User, and Reference 360 Business Steward user roles, and not to the Admin user role.

Downloading and extracting Customer 360 Extension for Consent Management

To get the Customer 360 Extension for Consent Management package, contact Informatica Global Customer Support.

After you download the extension package, extract the package on your computer. The package contains predefined data model attributes, pages, search result layout component, data quality rule association, Cloud Application Integration assets, and reference data for Customer 360 Extension for Consent Management.

The extracted package contains the following files and folders:

File or Folder Name	Description
1_MDM_Assets	Contains the following predefined assets: - Data model attributes - Data quality assets - Pages - Search result layout component
2_CAI_Assets	Contains the Cloud Application Integration assets.
Reference Data	Contains files that store code lists and values that the business entity uses.
Supplementary Assets	Contains the BPR file with the necessary validation parameters that the predefined data quality rule uses.

Importing data model, pages, and search result layout components

After you download and extract the extension package, import the data model assets, predefined pages, search result layout component, and data quality assets.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/1_MDM_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected and click **Test**.

   In the **Select Assets** section, you can see the potential outcome of import for each asset.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Adding predefined pages and component

You can add the predefined pages and search result layout component of the Person business entity to MDM SaaS. Ensure that you have the Admin user role.

1. In Business 360 Console, click **Explore** > **Customer360**.
2. Click the business application.
3. On the **Pages** tab, select **Person**.
4. On the **Create** tab, click **Add Page**.

   A blank row appears.

5. To select a page, click the asset picker.
6. On the **Select a page** window, select **Infac360cm_person_create_page**, and click **Select**.

   The selected page appears in the row.
7. To assign user roles to the page, from the list of user roles, select one or more user roles.

   For more information about the user roles assigned to pages, see "Pages" on page 46.
8. On the **View and Edit** tab, click **Add Page**.

   A blank row appears.
9. To select a page, click the asset picker.
10. On the **Select a page** window, select **Infac360cm_person_edit_page**, and assign the page to one or more user roles.

    For more information about the user roles assigned to pages, see "Pages" on page 46.
11. On the **Search** tab, in the **Business Entities** section, select **Bond**.
12. In the **Search Result Layouts: Bond** section, click **Add Search Result Layout**.

    A blank row appears.
13. To select a component, click the asset picker.

    The **Select a Component** window appears.
14. On the **Select a Component** window, select **Consent Search Layout Person**, and assign the component to one or more user roles.

    For more information about the user roles assigned to search result layout components, see "Search result layout component" on page 46.

For more information about how to assign pages to user roles, see *Assign pages to user roles*.

Importing reference data assets

After you import Customer 360 Extension for Consent Management assets, import reference data code values in bulk from CSV files into reference data assets.

The following table describes the files and folders in the extracted reference data directory:

File or Folder Name	Description
`Reference Data`	The Reference Data folder that contains the lookup code values folders. The Reference Data folder contains the following folders: - `_1`. Contains the parent lookup code values. - `_2`. Contains the child lookup code values. - `LoadReferenceData.py`. Python script to import based reference data.

To import code values in bulk from CSV files that are available in the extracted reference data directory, run the `LoadReferenceData.py` Python script.

Prerequisites

Before you import reference data into your system, ensure that you meet the prerequisites.

Complete the following prerequisite tasks:

- Ensure that you have permission to import reference data.
- Install Python version 3 or later on your machine.
- To verify whether the cURL library files are pre-installed and to check the cURL library version, run the following command from a command prompt:
  `curl --version`

  Note: If cURL isn't available in your operating system, ensure that you install it. You can download the cURL library for your operating system from the cURL website:

  `http://curl.haxx.se/download.html`

Importing the reference data

To import all the reference data in bulk, run the Python script.

1. Open a command prompt, and navigate to the following directory:

   `<Extracted extension package>/Reference Data`
2. Run the following command:
   - On Windows.
     `python LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --userName <user name> --password <password> --region <POD region>`
   - On Linux.
     `python3 LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --userName <user name> --password <password> --region <POD region>`

   The jobs to import reference data code values run.
3. To monitor the status of a job, click **My Jobs** in Reference 360.

   The My Jobs page lists the job instances that are currently running, failed, and successfully completed.

Deploying the BPR file

Before you import and publish the Cloud Application Integration assets, you must deploy the BPR file.

The BPR file contains the necessary validation parameters that the predefined data quality rule uses.

1. In **Application Integration Console**, click **Deployed Assets** > **Deploy**.
2. In the **BPR File** field, navigate and select the following file on your computer:

   `<Extracted extension package>/Supplementary Assets/BPR files/Infa_Consent_Mgmt_Reference_Config.bpr`
3. Set the deployment target to **Cloud Server**, and then click **OK**.

The deployed BPR file appears on the **Contributions** tab.

Importing the Cloud Application Integration assets

After you deploy the BPR file, import the Cloud Application Integration assets.

1. In Application Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/2_CAI_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected.
5. In the **Review Locations** section, select the target project to which you want to import the assets.
6. Click **Import**.
7. On the **My Import/Export Logs** page, verify whether the import job is successful.

Publishing the Cloud Application Integration process

After you import the assets, you must publish the Cloud Application Integration process.

1. In Application Integration, click **Explore** > **Customer360** > **Consent Management**.
2. To publish the process, click the `infac360cm_proc_Data_Validation_Rights` process.
3. Expand the **Actions** menu, and select **Publish**.

INDEX

I

Informatica Global Customer Support
  contact information 6
Informatica Intelligent Data Management Cloud
  web site 5

M

maintenance outages 6

S

status
  IDMC 6
system status 6

T

trust site
  description 6

U

upgrade notifications 6

W

web site 5