Informatica® MDM - Customer 360 SaaS
April 2026

Customer 360 for Healthcare

Informatica MDM - Customer 360 SaaS Customer 360 for Healthcare
April 2026

© Copyright Informatica LLC 2022, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-04-11

Table of Contents

Preface. . . . 6
Informatica Resources. . . . 6
Informatica Documentation. . . . 6
IDMC web site. . . . 6
Intelligent Data Management Cloud Communities. . . . 6
IDMC Marketplace. . . . 6
Informatica Knowledge Base. . . . 6
IDMC Trust Center. . . . 7
Informatica Global Customer Support. . . . 7

Chapter 1: Introducing Customer 360 for Healthcare. . . . 8

Guidelines for importing assets. . . . 9
Guidelines for migrating assets. . . . 9
Prerequisites. . . . 9

Chapter 2: Integrating Customer 360 with source systems. . . . 10

Integrating MDM SaaS with MedPro Systems 10
Egress data. . . . 11
Ingress data. . . . 11
Enriching Customer 360 records with MedPro Systems records in real time. . . . 13
Integrating Customer 360 with NPPES 14
Ingress data. . . . 14
Ingress records that comply with FHIR R4 standard 14
Ingress data. . . . 15

Chapter 3: Predefined Customer 360 for Healthcare assets. . . . 16

Data model attributes. . . . 16
Associate business entity data model. . . . 17
Contract business entity data model 31
HCO business entity data model 32
HCP business entity data model. . . . 54
Household business entity data model 84
Location business entity data model. . . . 89
Member business entity data model. . . . 99
Network business entity data model. . . . 111
Organization Affiliation business entity data model. . . . 112
Organization business entity data model 114
Payer business entity data model 126
Plan business entity data model 136
Practitioner Role business entity data model. . . . 140

Product business entity data model . . . 141
Batch jobs. . . . 142
Batch jobs of the Associate business entity. . . . 143
Batch jobs of HCO business entity. . . . 143
Batch jobs of HCP business entity. . . . 145
Batch jobs of the Organization business entity. . . . 147
Batch jobs of the Practitioner business entity. . . . 148
Field Mapping for Healthcare. . . . 149
Mapping of HCO business entity fields with NPPES fields in batches. . . . 149
Mapping of HCP business entity fields with NPPES fields in batches. . . . 153
Mapping of HCO business entity fields with MedPro Systems fields in batches. . . . 156
Mapping of HCP business entity fields with NPPES fields in batches. . . . 160
Mapping of HCO business entity fields with MedPro Systems fields in real time. . . . 163
Mapping of HCP business entity fields with MedPro Systems fields in real time. . . . 167
Relationships. . . . 173
Hierarchy relationships of the HCO business entity. . . . 175
Match model. . . . 177
Data quality rules. . . . 180
Pages. . . . 182
Search result layout components. . . . 185

Chapter 4: Deploying Customer 360 for Healthcare. . . . 187

Downloading and extracting the Customer 360 for Healthcare package. . . . 187
Importing data model, pages, and source systems. . . . 188
Importing reference data assets. . . . 189
Prerequisites. . . . 190
Importing the reference data. . . . 190
Configuring search for Customer 360. . . . 191

Chapter 5: Configuring Customer 360 for Healthcare for source system integration. . . . 192

Configuring Customer 360 to process data from MedPro Systems in batches. . . . 192
Adding a user group. . . . 193
Importing the Cloud Data Integration assets. . . . 194
Importing the job assets. . . . 194
Importing the Cloud Application Integration processes. . . . 194
Configuring connectors. . . . 195
Publishing the Cloud Application Integration process. . . . 195
Adding lookup files. . . . 195
Setting up the environment variable. . . . 196
Setting up the Secure Agent parameters. . . . 196
Importing parameter files. . . . 197
Using the parameter files. . . . 197

Configuring the flat file connection. . . . 197
Configuring Business 360 FEP connection. . . . 198
Configuring Customer 360 to enrich data from MedPro Systems in real time. . . . 198
Importing assets to enrich Customer 360 records. . . . 199
Publishing assets to enrich Customer 360 records in real time. . . . 200
Configuring the Cloud Application Integration process for the HCO business entity. . . . 200
Configuring the Cloud Application Integration process for the HCP business entity. . . . 201
Configuring the Cloud Application Integration URN mappings. . . . 201
Configuring Customer 360 to process data from NPPES in batches. . . . 201
Importing the Cloud Data Integration assets. . . . 202
Importing the job assets. . . . 202
Adding lookup files. . . . 202
Importing parameter files. . . . 203
Using the parameter files. . . . 203
Configuring the flat file connection. . . . 203
Configuring Business 360 FEP connection. . . . 203
Configuring Customer 360 to import data with FHIR R4 standard in batches. . . . 204
Importing supplementary assets. . . . 204
Adding predefined pages and components. . . . 204
Importing Cloud Data Integration assets. . . . 205
Importing job assets. . . . 206
Importing reference data. . . . 206
Add lookup files. . . . 209
Importing parameter files. . . . 209
Using the parameter files. . . . 209
Configuring the flat file connection. . . . 210
Configuring Business 360 FEP connection. . . . 210

Index. . . . 211

Preface

Follow the instructions in *Customer 360 for Healthcare* to deploy the Customer 360 for Healthcare.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the IDMC Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Data Management Cloud Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all IDMC components. Subscribing to all components is the best way to be certain you never miss an update.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introducing Customer 360 for Healthcare

Customer 360 for Healthcare is a ready-to-use package that extends the capability of Customer 360. The package can include business entities, reference data, relationships, custom pages, jobs, source systems, and Data Integration assets to support the jobs. You can use an extension as a template to get started with Customer 360.

Use Customer 360 for Healthcare to achieve the following goals:

Master healthcare master data

Manage healthcare data that includes patients, healthcare providers, and members such as healthcare organizations, healthcare professionals, and payer data. You can create a trustworthy view of the records.

Manage relationships

Manage and view relationships between multiple business entities. For example, you can identify patients, members, and plans, and their relationships with the primary care providers. You can use the relationships between the members to differentiate the members as subscribers or dependents.

Improved governance and compliance

Enhance governance and compliance with the healthcare payers and providers by attaining a single view of providers and their associations with practice locations, specialities, credentials, and licenses.

Enhance patient engagement and loyalty

Enhance patient engagement, and loyalty by understanding the patients, healthcare payers, and providers.

Exchange healthcare information electronically

Import healthcare information with interfaces based on Fast Healthcare Interoperability Resources (FHIR) R4 standard electronically by complying with interoperability rules.

For healthcare payers, you can reduce the business cost through more informed care management. You can expand and manage provider networks cost-effectively. You can segment the payers and reach new high-value healthcare payers.

For the healthcare providers, you can increase patient loyalty, ensure healthcare delivery through patient engagement, and increase provider market share through satisfied patients. You can provide stronger referral networks and physician relationships.

Customer 360 for Healthcare provides out-of-the-box integration with source systems, such as National Plan and Provider Enumeration System (NPPES), MedPro Systems, and HL7 Standard for FHIR Specification.

Guidelines for importing assets

Consider the following guidelines before you import the industry 360 application assets:

- Set up the prerequisite MDM SaaS business application.
- Import the industry 360 application assets before you customize the business entities. You can safely import multiple industry 360 application assets that use different business entities and in different MDM SaaS business applications. When you import the assets in an environment that already has an industry 360 application with the same business entities, the import fails.
- After you import the assets, consider them as your custom assets.
- Once you deploy an industry 360 application, upgrading to a newer version of the industry 360 application isn't supported.

Guidelines for migrating assets

Consider the following guidelines before you migrate the industry 360 application assets to another environment:

- To migrate the industry 360 application assets to higher environments, such as QA and production, export the assets from the development environment. Then, import them into the QA and production environments. For more information about migrating assets, see *Migrating projects and assets*.
- Don't import the industry 360 application assets again into a higher environment.

Prerequisites

Before you deploy Customer 360 for Healthcare, perform the following prerequisites:

- Ensure that you have the license for the Integration Components for Business 360 and Customer 360 SaaS Edition.
  Ensure that you have the licenses required to manage connections, external data, and service rights.

  Note: The use of the extension doesn't confer any additional license or entitlement to license consumption beyond the terms specified in the applicable licensing agreements.
- Ensure that the version of the package matches the current MDM SaaS version where you import the extension assets.
  To view the MDM SaaS version, in Business 360 Console, click **About** in the IDMC Help menu and verify the build version.

  To view the MDM version of the extension, navigate to the readme text file in the extracted extension package and verify the platform version.

  If the version of the extension bundle doesn't match the current MDM SaaS version, contact Informatica Global Customer Support to use the current version of the extension.
- To process Customer 360 records with MedPro Systems records, enable the following licenses:

  •MedPro Systems

  •SFTP connector

CHAPTER 2

Integrating Customer 360 with source systems

Use Customer 360 for Healthcare to integrate Customer 360 with source systems, such as National Plan and Provider Enumeration System (NPPES) and MedPro Systems. You can also ingress records that comply with Fast Healthcare Interoperability Resources (FHIR) R4 standard.

Customer 360 for Healthcare provides out-of-the-box integration with the following source systems:

National Plan and Provider Enumeration System

After you export data from National Plan and Provider Enumeration System (NPPES) to a flat file, you can ingress the data from the flat file to MDM SaaS.

MedPro Systems

Based on the Customer 360 records, you can find the matching records in MedPro Systems and then ingress the matching records from MedPro Systems to MDM SaaS.

Note: Ensure that you have the required license to access MedPro Systems and SFTP connector.

FHIR R4 standard-compliant records

Ingress records that comply with the Fast Healthcare Interoperability Resources (FHIR) R4 standard from source systems into MDM SaaS in batches.

Integrating MDM SaaS with MedPro Systems

When you integrate MDM SaaS with MedPro systems, you can synchronize the records of MedPro Systems with MDM SaaS and enrich the MDM SaaS records.

You can synchronize the records of Healthcare Organization and Healthcare Practitioner in MedPro Systems with MDM SaaS records.

To enrich the MDM SaaS records using MedPro Systems, perform the following tasks:

1. Egress data. Run the predefined egress jobs to export data from the HCO and HCP business entities of Customer 360 to the request files of MedPro Systems. The egress job generates the HCO and HCP request files and places them in the SFTP inbound directory.
2. Ingress data. Run the predefined ingress jobs to import data from the MedPro Systems response files to the Customer 360 business entities and update the original records. You can choose to run the predefined ingress jobs automatically or manually.

Egress data


When you egress data from Customer 360 to MedPro Systems, the egress job generates a flat file in the .csv format. The flat file contains the records to be processed from Customer 360 and places the file in the inbound directory of MedPro SFTP location. To keep track of the files in the inbound directory, a copy of the flat file is added to the following local directory of the Secure Agent system:

`MedproIntegration\Outbound`

You can specify the export job types to select the records to be processed. The Cloud Data Integration taskflow logs the status of the processed records in the `RunStatus-Outbound` flat file. When a new flat file is placed in the inbound directory of MedPro Systems SFTP location, MedPro Systems detects the file, searches for matching records, and generates an enriched records file. MedPro Systems adds the enriched records file to the outbound directory of the MedPro Systems SFTP location.

For more details about egress jobs, see "Batch jobs" on page 142.

The following image shows the data flow from Customer 360 to MedPro Systems:



Ingress data

The ingress job uses Cloud Application Integration processes to read the file that contains enriched records in the outbound directory of the MedPro Systems SFTP location.

You can run the ingress job automatically or manually. After you import the assets, both the trigger process are enabled by default. To run the ingress job automatically, disable the manual trigger process. To run the ingress job manually, disable the automated trigger process. To disable the process, see Unpublishing a process.

The following table lists the triggers to run the ingress job and Cloud Application Integration processes:

Trigger	Process
Auto	infac360ls_process_medpro_auto_trigger_ingress
Manual	infac360ls_process_medpro_manually_trigger_ingress

The process renames the file that contains enriched records to add the done suffix. The process also triggers the infac360ls_tf_medpro_read_write_Filename_local Cloud Data Integration taskflow. The Cloud Data Integration taskflow updates the file in the file list in the following directory:

```
MedproIntegration\Inbound
```

The process then creates a copy of the file with a header structure in the following local directory of the Secure Agent system:

```
MedproIntegration\HeaderFiles
```


Cloud Data Integration uses the infac360ls_tf_medpro_read_write_Filename_local taskflow to generate a header file.

When you run the ingress job automatically or manually, Cloud Data Integration uses the infac360ls_tf_medpro_trigger_inbound_job taskflow to trigger the ingress job.

You can also manually schedule the ingress job to import the file with enriched records.

For more details about ingress jobs, see “Batch jobs” on page 142.

The following image shows the data flow from MedPro Systems to Customer 360:




Enriching Customer 360 records with MedPro Systems records in real time

When you create a record in Customer 360, you can search for matching records in MedPro Systems. You can then enrich Customer 360 records with data from MedPro Systems in real time.

Customer 360 for Healthcare extension uses Cloud Application Integration processes to search for similar records and to import the records into Customer 360.

The following image shows the process to search for matching records before you create a record in Customer 360:



Integrating Customer 360 with NPPES

You can integrate National Plan and Provider Enumeration System (NPPES) to synchronize records with Customer 360 in batches.


Ingress data

Manually download the flat file containing the records to ingress from the NPPES website.

To onboard records to Customer 360, run an ingress job to import data from the flat file to Business 360 data store.

For more details about ingress jobs, see “Batch jobs” on page 142.

The following image shows the process to ingress data from NPPES to Customer 360:



Ingress records that comply with FHIR R4 standard

You can ingress records in a file format that comply with the Fast Healthcare Interoperability Resources (FHIR) R4 standard from a source system into MDM SaaS in batches.


Ingress data

You can import organization and practitioner records that comply with the FHIR R4 standard into HCO and HCP business entities in batches. You can import files in NDJSON format.

To onboard records to MDM SaaS, run an ingress job. The ingress job imports data from the NDJSON file to the MDM SaaS data store. When you run the ingress job, a flat file connector parses the flat file into an individual JSON response. Each JSON response gets converted into a relational output. After the transformation of data, the Business 360 FEP Connector uses Cloud Data Integration to maps the source fields to the business entity fields.

For more details about ingress jobs, see “Batch jobs” on page 142.

The following image shows the process to ingress FHIR R4 standard-compliant records to MDM SaaS:



CHAPTER 3

Predefined Customer 360 for Healthcare assets

Customer 360 for Healthcare is available as a package for installation on request.

The package includes the following predefined assets:

- Additional business entity fields for the existing business entities
- New business entities
- Pages and layouts
- Search components
- Reference data assets
- Match models for business entities
- Relationships and hierarchies
- Data Dictionary
- Rule specification
- Custom reports

Note: Importing the Customer 360 for Healthcare assets overwrites the existing Customer 360 assets and your customization. Ensure to import the extension assets before you customize the Customer 360 data model.

Data model attributes

The data dictionary provides metadata, such as business entities, the fields that the business entities contain, and field descriptions, to understand the data model for Customer 360 for Healthcare.

The Customer 360 for Healthcare data model includes the Healthcare Organization (HCO) and Healthcare Professional (HCP) business entities in addition to the following business entities:


- Associate
- Contract
- Household
- Member
- Organization

- Payer
- Plan
- Product

Customer 360 for Healthcare contains a supplementary bundle with supplementary business entities, relationships, and related assets, such as pages and search result layout components. You can use the following supplementary business entities for use cases such as the provided directory services for interoperability requirements:

- Location
- Network
- Organization Affiliation
- Practitioner Role

The following image shows the Customer 360 for Healthcare business entities and their relationships:



Associate business entity data model

Associate business entity stores information about associates. This business entity contains some basic fields and some field groups.

General fields of Associate business entity

The general fields store basic information about an associate, such as staff and contact.

The following table lists the general fields that the Associate business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
First Name	infac360hc_firstName	Text	255	NA	First name of the associate.
Middle Name	infac360hc_middleName	Text	255	NA	Middle name of the associate.
Last Name	infac360hc_lastName	Text	255	NA	Last name of the associate.
Full Name	infac360hc_fullName	Text	255	NA	Full name of the associate.
Title	infac360hc_title	Text	255	NA	Title of the associate.
Birth Place	infac360hc_birthPlace	Text	255	NA	Place of birth of the associate.
Birth Date	infac360hc_birthDate	Date Time	NA	NA	Date of birth of the associate.
Gender	infac360hc_gender	Lookup	NA	Gender	Gender of the associate.
Image	infac360hc_image	Text	255	NA	URL of the image of the associate.
Prefix Name	infac360hc_prefixName	Lookup	NA	PrefixName	Prefix for the name of the associate. For example, Dr, Mr, or Mrs.
Suffix Name	infac360hc_suffixName	Lookup	NA	SuffixName	Suffix for the name of the associate. For example, Sr, Jr, II, or III.
Designation	infac360hc_designation	Text	255	NA	Designation or position of the associate.
Marital Status	infac360hc_maritalStatus	Lookup	NA	MaritalStatus	Marital status of the associate. For example, single, married, or divorced.
Type	infac360hc_type	Lookup	NA	infac360hc_relatedPersonType	Type of the associate. For example, Contact or Staff.

Address field group of Associate business entity

The Address field group stores the address details of an associate.

The following table lists the fields that the Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active, current, old address, or changed.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, home, office, shipping, or mailing.
City	city	Text	50	NA	City of postal address.
Coordinate System	coordinateSystem	Text	100	NA	Coordinate system used to determine the location of the address.
Country	country	Lookup	NA	Country	Country of postal address.
County	county	Text	50	NA	County of postal address.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the address.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using coordinate system.
Longitude	longitude	Text	20	NA	Longitude for the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the address is active.
State	state	Lookup	NA	State	State of postal address.
Usage Type	usageType	Lookup	NA	AddressUsageType	Usage type. For example, business or personal.

Alternate Name field group of Associate business entity

The Alternate Names field group stores the details of alternate names. Alternate names can be alias, previous name, doing business as, and maiden name.

The following table lists the fields that the Alternate Name field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	infac360hc_alternateName	Text	255	NA	Alternate name of the person such as alias, previous name and maiden name. The field is set as a deduplication criteria field.
Effective End Date	infac360hc_effectiveEndDate	Date Time	NA	NA	Expiry date of the alternate name.
Effective Start Date	infac360hc_effectiveStartDate	Date Time	NA	NA	Start date from when the alternate name is valid.
Name Type	infac360hc_nameType	Lookup	NA	AlternateNameType	Type of the alternate name. The field is set as a deduplication criteria field.

Citizenship field group of Associate business entity

The Citizenship field group stores the details of citizenship of an associate, such as country and status of citizenship.

The following table lists the fields that the Citizenship field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Citizen of Country	infac360hc_citizenofCountry	Lookup	NA	Country	Country to which the associate belongs.
Citizenship Status	infac360hc_citizenshipStatus	Text	255	NA	Status of the citizenship.
Supporting Document Name	infac360hc_supportingDocumentName	Text	255	NA	Name of the supporting document that proves the citizenship.
Effective Start Date	infac360hc_effectiveStartDate	Date Time	NA	NA	Start date from when the citizenship is valid.
Effective End Date	infac360hc_effectiveEndDate	Date Time	NA	NA	Expiry date of citizenship.

Document field group of Associate business entity

The Document field group stores the document details, such as bank statement, salary slip, qualification certificate, identity proof, and residence proof.

The following table lists the fields that the Document field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Type	infac360hc_documentType	Lookup	NA	DocumentType	Type of document.
Document Name	infac360hc_documentName	Text	255	NA	Name of the document.
Document Link	infac360hc_documentLink	Text	255	NA	URL to access the document.
File Name	infac360hc_fileName	Text	255	NA	Name of the file.
Valid From	infac360hc_validFrom	Date Time	NA	NA	Date from when the document is valid.
Valid To	infac360hc_validTo	Date Time	NA	NA	Date until when the document is valid.

Education field group of Associate business entity

The Education field group stores the education details of an associate. The education details can include the name of the institution where the associate graduated, address of the institution, and year of passing.

The following table lists the fields that the Education field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Qualification Type	infac360hc_qualificationType	Lookup	NA	QualificationType	Type of qualification, such as illiterate, certification, diploma, bachelor, master, or doctoral.
Qualification Status	infac360hc_qualificationStatus	Lookup	NA	QualificationStatus	Status of the qualification.
Qualification Name	infac360hc_qualificationName	Text	255	NA	Name of the qualification.
Institution Name	infac360hc_institutionName	Text	255	NA	Name of the institution.
Student Number	infac360hc_studentNumber	Text	255	NA	Student number in the institution.
Effective Start Date	infac360hc_effectiveStartDate	Date Time	NA	NA	Start date of the qualification.
Effective End Date	infac360hc_effectiveEndDate	Date Time	NA	NA	End date of the qualification.
State	infac360hc_state	Lookup	NA	State	State in which the institution is located.
Postal Code	infac360hc_postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	infac360hc_postalCodeExtension	Text	10	NA	Postal code extension of the address.
Address Line 1	infac360hc_addressLine1	Text	255	NA	Line 1 of the address of the educational institution.
Address Line 2	infac360hc_addressLine2	Text	255	NA	Line 2 of the address of the educational institution.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
City	infac360hc_city	Text	255	NA	City in which the institution is located.
Country	infac360hc_country	Lookup	NA	Country	Country in which the institution is located.

Email Address field group of Associate business entity

The Email field group stores information about the electronic addresses, such as email addresses or URL of the websites.

The following table lists the fields that the Email field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date for the electronic address.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date for the electronic address.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of the associate.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Hygiene Status	hygieneStatus	Text	255	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	255	NA	Net protect codes identify which service or appliance is monitoring a given network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsage Type	The intended use or purpose of the electronic address. For example, business, work, or personal.
Validation Status	validationStatusCode	Text	255	NA	Validation status of the electronic address.
Validation Message	validateMessage	Text	255	NA	Message that the address validation service generates to indicate how valid and trusted the address is.

Employment field group of Associate business entity

The Employment field group stores the employment details, such as the employer name, the type of employment, and the status of employment.

The following table lists the fields that the Employment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Employer Name	infac360hc_employerName	Text	255	NA	Name of the employer.
Employment Type	infac360hc_employmentType	Lookup	NA	EmploymentType	Type of employment, such as permanent, contract, and part-time.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Employment Status	infac360hc_employmentStatus	Lookup	NA	EmploymentStatus	Status of employment, such as active, inactive, resigned, and terminated.
Designation	infac360hc_designation	Text	255	NA	Designation of the associate.
Line of Business	infac360hc_lineofBusiness	Text	255	NA	Line of business, such as retail or mortgage.
Effective Start Date	infac360hc_effectiveStartDate	Date Time	NA	NA	Start date of employment.
Effective End Date	infac360hc_effectiveEndDate	Date Time	NA	NA	End date of employment.
Location	infac360hc_location	Text	255	NA	Location of the employer.

Financial field group of Associate business entity

The Financial field group stores financial information of an associate.

The following table lists the fields that the Financial field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Finance Info Type	infac360hc_financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, and debt.
Amount	infac360hc_amount	Double	NA	PersonStatusValue	Total value of the finance.
Unit	infac360hc_unit	Lookup	NA	FinancialUnit	Unit of the amount. For example, thousands, millions, or billions.
Currency	infac360hc_currency	Lookup	NA	Currency	Currency in which the financial information is provided.
Time Period	infac360hc_timePeriod	Text	255	NA	Finance period for which the data is collected.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Financial Reliability	infac360hc_financialReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period Type	infac360hc_timePeriodType	Lookup	NA	TimePeriodType	Type of the finance period. For example, quarterly or yearly.

Identifier field group of Associate business entity

The Identifier field group stores the alternate identifier details of an associate, such as Social Security number, driver's license number, or passport number. Alternate identifiers are known identifiers that uniquely identify an associate.

The following table lists the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Identifier Type	alternateIdentifierType	Lookup	NA	AlternateIdType	Type of alternate identifier.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Issued date of the identifier.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the identifier.
Identifier Value	alternateIdentifierValue	Text	255	NA	Value of alternate identifier, such as driver's license number or passport number.
Deactivation Reason	infac360hc_deactivationReason	Text	255	NA	Reason for the deactivation of the identifier.
Deactivation Date	infac360hc_deactivationDate	DateTime	NA	NA	Date of deactivation.
Reactivation Date	infac360hc_reactivationDate	DateTime	NA	NA	Date of reactivation.
Identifier Issuer	infac360hc_identifierIssuer	Text	255	IssuingAuthority	Authority that has issued the identifier to the associate.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Issuing State	infac360hc_issuingState	Lookup	NA	State	State issuing the identifier.
Issuing Country	infac360hc_issuingCountry	Lookup	NA	Country	Country issuing the identifier.
Identifier Type Description	infac360hc_identifierTypeDescription	Text	255	NA	Type of identifier.
Status	identifierStatus	Lookup	NA	IdentifierStatus	Status of the alternate identifier. For example, effective, disqualified, expired, and temporary.

Phone field group of Associate business entity

The Phone field group stores the phone details of an associate.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Phone Number	phoneNumber	Text	255	NA	Phone number of the associate.
Phone Number Extension	phoneNumberExtension	Text	255	NA	Extension to phone number.
Prefix Number	prefixNumber	Text	255	NA	Country dialing code.
International Prefix	internationalPrefix	Text	255	NA	Prefix used to select an international telephone circuit.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
National Prefix	nationalPrefix	Text	255	NA	Digit or combination of digits which must be dialed before an area or city code.
Cell Prefix	cellPrefix	Text	255	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the associate is interested to receive unsolicited phone calls from marketers.
National Destination Code	nationalDestinationCode	Text	255	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
Validation Status	validationStatusCode	Text	255	NA	Validation status that the phone number validation service returns.
Validation Message	validationMessage	Text	255	NA	Validation message that the phone number validation service returns.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Date from when the phone number is active.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	DateTime	NA	NA	Date until when the phone number was active or will be active.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
ISO	iso	Text	2	NA	ISO country code.

Social Media field group of Associate business entity

The Social Media field group stores information about the social media identifiers of an associate.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	infac360hc_socialMediaType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Handle	infac360hc_socialMediaHandle	Text	255	NA	Social media identifier or name of the associate.

Status field group of Associate business entity

The Status field group stores the statuses of an associate. A status can be registered, approved, submitted, rejected, active, or inactive.

The following table lists the fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status Type	infac360hc_statusType	Lookup	NA	PersonStatusType	Status type of the associate. For example, onboarding, legal, or credit.
Start Date	infac360hc_startDate	DateTime	NA	NA	Date from when the status is valid.
End Date	infac360hc_endDate	DateTime	NA	NA	Expiry date of the status.
Status Reason	infac360hc_statusReason	Text	255	NA	Reason for the status.
Status Value	infac360hc_statusValue	Lookup	NA	PersonStatusValue	Status value of the associate.

Tax Details field group of Associate business entity

The Tax Details field group stores tax-related information of an associate, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the fields that the Tax Details field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Tax Number Type	infac360hc_taxNumberType	Lookup	NA	TaxNumberType	Type of the tax number. Tax number can be Individual Taxpayer Identification Number (ITIN), Employer Identification Number (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).
Tax Number	infac360hc_taxNumber	Text Field	255	NA	Unique number that identifies the associate for tax purposes.
Taxpayer Type	infac360hc_taxpayerType	Lookup	NA	TaxPayerType	Type of tax payer. For example, individual, company, partnership, or trust.
Currency	infac360hc_currency	Lookup	NA	Currency	Currency in which the tax is paid.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	infac360hc_country	Lookup	NA	Country	Country of taxation.
State	infac360hc_state	Lookup	NA	State	State within the country of the taxation.
Tax Authority	infac360hc_taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Effective Start Date	infac360hc_effectiveStartDate	Date Time	NA	NA	Start date of the tax period.
Effective End Date	infac360hc_effectiveEndDate	Date Time	NA	NA	End date of the tax period.
Tax Paid	infac360hc_taxPaid	Text Field	255	NA	Tax amount that the associate has paid.

Contract business entity data model

Contract business entity stores information about contracts. This business entity contains the General field group.

General fields of Contract business entity

The general fields store some basic information, such as contract number and issue date, about a contract,.

The following table lists the general fields that the Contract business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Contract Number	infac360hc_contractNumber	Text	255	NA	A unique identification number for the contract.
Issue Date	infac360hc_issueDate	Date	NA	NA	The date when the contract was issued.
Valid From	infac360hc_validFrom	Date	NA	NA	Date from when the contract is valid.
Valid To	infac360hc_validTo	Date	NA	NA	Expiry date of the contract.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status	infac360hc_status	Lookup	NA	infac360hc_contractStatusType	Status of the contract, such as the contract is active or expired.
Last Update Date	infac360hc_lastUpdateDate	Date	NA	NA	Last updated date of the contract.

HCO business entity data model

The healthcare organization (HCO) business entity stores information about organizations. This business entity contains basic fields and field groups.

General fields of the HCO business entity

The general fields store basic information about healthcare organizations, such as full name and bed count.

The following table lists the properties and describes the general fields of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Bed Count	X_infac360ls_bedCount	Number	5	NA	Number of beds available in a healthcare organization for inpatient services.
Company Logo	imageUrl	Text	255	NA	URL of the image for a healthcare organization.
Company Type	companyType	Lookup	NA	CompanyType	Type of a healthcare organization. For example, government, national, or subsidiary.
Country of Incorporation	countryOfIncorporation	Lookup	NA	Country	Country of incorporation of a healthcare organization.
Date of Incorporation	dateOfIncorporation	Date Time	NA	NA	Date when a healthcare organization was incorporated.
Full Name	name	Text	255	NA	Full name of a healthcare organization.
Industry	X_infac360sf_industry	Lookup	NA	infac360sf_Industry	Name of the industry associated with the healthcare organization.
Medical School Name	X_infac360ls_medSchoolName	Text	255	NA	Name of the medical school of a healthcare organization.
Number of Employees	numberOfEmployees	Integer	NA	NA	Total number of employees in a healthcare organization.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Profile Tag	X_infac360ls_profileTag	Text	255	NA	Profile tag of a healthcare organization.
Resident Count	X_infac360ls_residentCount	Number	5	NA	Number of residents working at a healthcare organization.
Site	X_infac360sf_site	Text	80	NA	Location of a healthcare organization. For example, New York.
State of Incorporation	stateOfIncorporation	Lookup	NA	State	State where a healthcare organization was registered.
Sub Type	X_infac360ls_subType	Lookup	NA	infac360hc_hcoSubType	Subtype of a healthcare organization. For example, if the type is healthcare facility, the subtypes will be clinic, group practice, or hospital.
Type	X_infac360ls_type	Lookup	NA	infac360ls_OrganizationType	Type of healthcare organization. For example, Prescriber or Non-Prescriber.
Website	X_infac360sf_website	Text	255	NA	URL to access the website of a healthcare organization.
Year Started	X_infac360sf_yearStarted	Text	4	NA	Year when a healthcare organization was founded.

Account field group of the HCO business entity

The Account field group stores the account details of a healthcare organization, such as account number and account name.

The following table lists the properties and describes the Account field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Name	X_infac360sf_accountName	Text	255	NA	Name of an account of a healthcare organization.
Account Number	X_infac360sf_accountNumber	Text	40	NA	An account number assigned to the account of a healthcare organization.
Account Source	X_infac360sf_accountSource	Lookup	NA	infac360sf_AccountSource	Source of a healthcare organization account record. For example, advertisement or website.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Type	X_infac360sf_account Type	Lookup	NA	AccountType	Type of account. For example, gold or bronze.
Rating	X_infac360sf_rating	Lookup	NA	infac360sf_Rating	Prospect rating of a healthcare organization.

Address field group of the HCO business entity

The Address field group stores the postal addresses of a healthcare organization. A postal address is a physical address associated with a healthcare organization. A healthcare organization can have multiple addresses.

The following table lists the properties and describes the Address field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active or inactive.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
City	city	Text	50	NA	City of postal address.
Coordinate System	coordinateSystem	Text	100	NA	A coordinate system that's used to determine the location of the address.
County	county	Text	50	NA	County of postal address.
Country	country	Lookup	NA	Country	Country of postal address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
End Date	effectiveEndDate	Date Time	NA	NA	The date when an address ceases to be effective.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using a coordinate system.
Longitude	longitude	Text	20	NA	Longitude for the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Start Date	effectiveStartDate	Date Time	NA	NA	The date when an address becomes effective.
State	state	Lookup	NA	State	State of postal address.
Usage Type	usageType	Lookup	NA	AddressUsageType	The type to specify the intended use of an address. For example, business or personal.

Alternate Names field group of the HCO business entity

The Alternate Names field group stores the details of alternative names of a healthcare organization. A healthcare organization might use different names, such as legal name, alias, and trading name. An alternative name might be effective for a specific period.

The following table lists the properties and describes the Alternate Names field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	name	Text	255	NA	An alternative name for a healthcare organization. The field is set as a deduplication criteria field.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when an alternative name ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the alternative name is valid.
Name Type	nameType	Lookup	NA	AlternateNameType	Type of an alternative name. For example, doing business as, alias, business name, and trading name. The field is set as a deduplication criteria field.

Area Served field group of the HCO business entity

The Area Served field group stores the details of the area in which a healthcare organization provides service.

The following table lists the properties and describes the Area Served field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Area	X_infac360ls_area	Text	255	NA	Name of the area to which a healthcare organization provides service. For example, for the city area type, the area can be New York. The field is set as a deduplication criteria field.
Area Type	X_infac360ls_areaType	Lookup	NA	infac360ls_AreaType	Type of area in which a healthcare organization provides service. For example, airport, city, or national park. The field is set as a deduplication criteria field.

Certification field group of the HCO business entity

The Certification field group stores the certification details of a healthcare organization.

The following table lists the properties and describes the Certification field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Certification Name	X_infac360ls_certificationName	Text	255	NA	Name of the certification.
Certification Type	X_infac360ls_certificationType	Text	255	NA	Type of the certification of a healthcare organization.
Credential Id	X_infac360ls_credentialId	Text	255	NA	Credential identifier of a healthcare organization, such as certification number.
Expiry Date	X_infac360ls_expiryDate	Date	NA	NA	The date when a certification ceases to be effective.
Issue Date	X_infac360ls_issueDate	Date	255	NA	Date when the certification was issued.
Issuing Authority	X_infac360ls_issuingAuthority	Text	255	NA	Authority that issued the certification to the healthcare organization.
Start Date	X_infac360ls_startDate	Date	NA	NA	Date from when the certification is valid.
Status	X_infac360ls_status	Text	255	NA	Status of the certification. For example, active or expired.

Classification field group of the HCO business entity

The Classification field group stores the details of classification of a healthcare organization, such as classification type and classification code.

The following table lists the properties and describes the Classification field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Classification Code	X_infac360ls_classificationCode	Lookup	NA	infac360ls_ClassificationCode	Code value that indicates the group to which a healthcare organization belongs. For example, NAICS code 623311 indicates Continuing Care Retirement Communities. The field is set as a deduplication criteria field.
Classification Type	X_infac360ls_classificationType	Lookup	NA	infac360ls_ClassificationType	Type of classification system that groups healthcare organizations. For example, ICHA-HP or NAICS. The field is set as a deduplication criteria field.
Comment	X_infac360ls_comment	Text	NA	NA	Comment on the classification details.

Compliance field group of the HCO business entity

The Compliance field group stores the compliance details of a healthcare organization, such as compliance type and compliance code.

The following table lists the properties and describes the Compliance field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Compliance Code	X_infac360ls_complianceCode	Text	255	NA	Code value indicating the type of healthcare compliance.
Compliance Type	X_infac360ls_complianceType	Lookup	NA	infac360ls_ComplianceType	Type of healthcare compliance to which a healthcare organization adheres.

DEA field group of the HCO business entity

The DEA field group stores the Drug Enforcement Administration (DEA) identifier details of a healthcare organization.

The following table lists the properties and describes the DEA field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
DEA Number	X_infac360ls_deaNumber	Text	255	NA	DEA registration number of a healthcare organization.
Address Line 1	X_infac360ls_addressLine1	Text	200	NA	Line 1 of the DEA address.
Address Line 2	X_infac360ls_addressLine2	Text	200	NA	Line 2 of the DEA address.
Business Activity Code	infac360ls_BusinessActivityCode	Lookup	NA	infac360ls_BusinessActivityCode	Code to identify the category of a healthcare organization. For example, business activity code `A` indicates `Pharmacy`.
Business Activity Sub Code	X_infac360ls_businesActivitySubCode	Lookup	NA	infac360ls_BusinessActivitySubCode	Code to identify the subcategories of a healthcare organization. For example, business activity code `A` and business activity sub-code `5` indicates `Online Retail Pharmacy`.
City	X_infac360ls_city	Text	50	NA	City of postal address.
Country	X_infac360ls_country	Lookup	NA	Country	Country of postal address.
County	X_infac360ls_county	Text	50	NA	County of postal address.
DEA Status	X_infac360ls_deaStatus	Lookup	NA	infac360ls_DEA_Status	Status of the DEA number.
Drug Schedule 1	X_infac360ls_drugSchedule1	Boolean	NA	NA	Indicates whether a healthcare organization has the permission to use schedule I drugs for treatment.
Drug Schedule 2	X_infac360ls_drugSchedule2	Boolean	NA	NA	Indicates whether a healthcare organization has the permission to use schedule II drugs for treatment.
Drug Schedule 2N	X_infac360ls_drugSchedule2N	Boolean	NA	NA	Indicates whether a healthcare organization has the permission to use schedule IIN drugs for treatment.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Drug Schedule 3	X_infac360ls_drugSchedule3	Boolean	NA	NA	Indicates whether a healthcare organization has the permission to use schedule III drugs for treatment.
Drug Schedule 3N	X_infac360ls_drugSchedule3N	Boolean	NA	NA	Indicates whether a healthcare organization has the permission to use schedule IIIN drugs for treatment.
Drug Schedule 4	X_infac360ls_drugSchedule4	Boolean	NA	NA	Indicates whether a healthcare organization has the permission to use schedule IV drugs for treatment.
Drug Schedule 5	X_infac360ls_drugSchedule5	Boolean	NA	NA	Indicates whether a healthcare organization has the permission to use schedule V drugs for treatment.
End Date	X_infac360ls_endDate	Date Time	NA	NA	The date when the DEA registration ceases to be effective.
First Received Date	X_infac360ls_firstRecivedDate	Date Time	NA	NA	The first date when the DEA number was received.
Last Received Date	X_infac360ls_lastRecivedDate	Date Time	NA	NA	The last date when the DEA number was renewed.
Overall Eligibility	X_infac360ls_overallEligibility	Lookup	NA	infac360ls_DEAOverallEligibility	The overall eligibility status of a healthcare organization provided by DEA.
Postal Code	X_infac360ls_postalCode	Text	10	NA	Postal code of the address.
Start Date	X_infac360ls_startDate	Date Time	NA	NA	The date when the DEA registration becomes effective.
State	X_infac360ls_state	Lookup	NA	State	State of postal address.

Document field group of the HCO business entity

The Document field group stores the details of the documents of a healthcare organization.

The following table lists the properties and describes the Document field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Link	documentLink	Text	255	NA	URL to access the document.
Document Name	documentName	Text	255	NA	Name of the document.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Type	documentType	Lookup	NA	DocumentType	Type of the document. For example, an application form, claim form, or policy.
File Name	fileName	Text	255	NA	Physical name of the file.
Valid From	validFrom	Date	NA	NA	The date when the document becomes valid.
Valid To	validTo	Date	NA	NA	The date until when the document is valid.

Email field group of the HCO business entity

The Email field group stores information about the electronic addresses of a healthcare organization, such as email addresses or URLs of websites.

The following table lists the properties and describes the Email field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when an electronic address ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date when an electronic address becomes effective.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of a healthcare organization.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify the service or appliance that monitors a given network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of the address. For example, business, work, or personal.
Validation Message	validateMessage	Text	50	NA	A message that the address validation service generates to indicate how valid and trusted the address is.
Validation Status	validationStatusCode	Text	50	NA	Validation status of the electronic address.

Enrichment Status field group of the HCO business entity

The Enrichment Status field group stores the enrichment information of a healthcare organization.

The following table describes the fields of the Enrichment Status field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enrichment Date	X_infac360ls_enrichmentDate	Date	NA	NA	The date when a healthcare organization record is enriched.
Provider	X_infac360ls_provider	Text	255	NA	Name of the enrichment provider.
Status	X_infac360ls_status	Lookup	NA	infac360ls_EnrichmentStatus	Indicates whether a record is enriched, such as enriched or not enriched.

Financial field group of the HCO business entity

The Financial field group stores financial information of a healthcare organization.

The following table lists the properties and describes the Financial field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	NA	NA	Amount of finance.
Currency	currency	Lookup	NA	Currency	Currency in which the financial information is collected.
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, and debt.
Financial Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period	timePeriod	Text	255	NA	Financial period for which the data is collected.
Time Period Type	financeTimePeriodType	Lookup	NA	TimePeriodType	Type of the financial period. For example, quarterly or yearly.
Unit	financialUnit	Lookup	NA	FinancialUnit	The unit of the financial amount. For example, thousands, millions, or billions.

Identifier field group of the HCO business entity

The Identifier field group stores the identifier details of a healthcare organization, such as identifier type and identifier value.

The following table lists the properties and describes the Identifier field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Deactivation Date	X_infac360ls_deactivationDate	DateTime	NA	NA	Deactivation date of an identifier.
Deactivation Reason	X_infac360ls_deactivationReason	Text	255	NA	Reason for deactivation of an identifier.
Effective End Date	effectiveEndDate	DateTime	NA	NA	The date when an identifier ceases to be effective.
Effective Start Date	effectiveStartDate	DateTime	NA	NA	The date when an identifier was issued.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Identifier Issuer	X_infac360ls_identifierIssuer	Text	255	NA	The issuer of an identifier.
Identifier Type	idType	Lookup	NA	AlternateIdType	Type of an identifier.
Identifier Type Description	X_infac360ls_identifierTypeDescription	Text	255	NA	Description of the type of identifier.
Identifier Value	altIdValue	Text	50	NA	Value of an identifier, such as D-U-N-S number or National Provider Identifier.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority issuing an identifier.
Issuing Country	X_infac360ls_issuingCountry	Lookup	NA	Country	The country in which an identifier was issued.
Issuing State	X_infac360ls_issuingState	Lookup	NA	State	The state in which an identifier was issued.
Reactivation Date	X_infac360ls_reactivationDate	DateTime	NA	NA	Reactivation date of an identifier.
Status	IdentifierStatus	Lookup	NA	IdentifierStatus	The status of an identifier. For example, effective, disqualified, expired, and temporary.
Usage Type	X_infac360hc_usageType	Lookup	NA	infac360hc_IdentifierUsageType	Intended use or purpose of an identifier, such as official, old, or secondary.

Indicator field group of the HCO business entity

The Indicator field group stores the indicator types based on which you want to identify a healthcare organization.

The following table lists the properties and describes the Indicator field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Type	indicatorType	Lookup	NA	IndicatorType	Classification of the type of indicator, such as promoter, detractor, minority-owned, women-owned, locally based, and small business.
Indicator Value	value	Text	255	NA	Actual value of the indicator.

Insurance field group of the HCO business entity

The Insurance field group stores the insurance details of a healthcare organization, such as the name of the insurance provider and policy number.

The following table lists the fields that the Insurance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	currency	Lookup	NA	Currency	Currency for the premium payment and claim settlement.
Effective End Date	effectiveEndDate	Date	NA	NA	The date when the insurance coverage ceases to be effective.
Effective Start Date	effectiveStartDate	Date	NA	NA	The date when the insurance coverage becomes effective.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Insurance Provider	insuranceProvider	Text	255	NA	The company that provides the insurance.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is lenders mortgage, the subtype might be extended lenders mortgage.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	The type of insurance, such as commercial auto, lenders mortgage, or shipping.
Insurance Value	insuranceValue	Double	NA	NA	Amount insured.
Policy Number	insurancePolicyNumber	Text	100	NA	Insurance policy number.
Status	insuranceStatus	Text	255	insuranceStatus	Status of the insurance. For example, active or expired.
Unit	unit	Lookup	NA	FinancialUnit	Specifies the unit for the amount. For example, thousands, millions, or billions.

Key People field group of the HCO business entity

The Key People field group stores information about the key executives in a healthcare organization. The key executives are important people in a healthcare organization. For example, the key executives include the chief executive officer and chief financial officer of the healthcare organization.

The following table lists the fields that the Key People field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Designation	designation	Text	255	NA	Designation of the executive.
Executive Type	executiveType	Lookup	NA	ExecutiveType	Type of executive, such as executive chairman, non-executive chairman, or chief executive officer.
Name	name	Text	255	NA	Name of the executive.

License field group of the HCO business entity

The License field group stores the license details of a healthcare organization.

The following table lists the fields that the License field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Date	X_infac360ls_startDate	Date & Time	NA	NA	The date from when the license is effective.
Expiry Date	X_infac360ls_expiryDate	Date Time	NA	NA	The date until when the license is valid.
First Received Date	X_infac360ls_firstReceivedDate	Date	NA	NA	The date from when a healthcare organization was authorized to receive samples.
Grace Period End Date	X_infac360ls_gracePeriodEndDate	Date & Time	NA	NA	End date of the grace period.
Issue Date	X_infac360ls_issueDate	Date & Time	NA	NA	The date when the license was issued.
Issuing Board	X_infac360ls_licenseBoard	Text	255	NA	The board issuing the license.
License Number	X_infac360ls_licenseNumber	Text	255	NA	The license number of a healthcare organization.
License State Code	X_infac360ls_licenseStateCd	Text	255	NA	The state code of the license.
License Type	X_infac360ls_licenseType	Text	255	NA	Type of license.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status	X_infac360ls_status	Lookup	NA	infac360ls_LicenseStatusType	Status of the license.
Status Description	X_infac360ls_statusDescription	Text	255	NA	Status description of the license.

Phone field group of the HCO business entity

The Phone field group stores the phone details of a healthcare organization.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether a healthcare organization wants to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date until when the phone number is effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the phone number is effective.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	The digit or combination of digits that must be dialed before an area or city code.
Phone Number	phoneNumber	Text	20	NA	Phone number of a person.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.

Procedure field group of the HCO business entity

The Procedure field group stores the details of procedures that a healthcare organization can provide.

The following table lists the field that the Procedure field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Procedure Code	X_infac360ls_procedureCode	Lookup	NA	infac360ls_ProceduresType	Code of the medical procedure.

Rating field group of the HCO Business entity

The Rating field group stores the rating details of a healthcare organization, such as rating type and rating value.

The following table lists the fields that the Rating field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Rating Type	X_infac360ls_ratingType	Lookup	NA	infac360ls_RatingType	Type of rating of a healthcare organization, such as ICHA-HP or NAICS.
Reason	X_infac360ls_reason	Text	255	NA	Reason for the rating.
Value	X_infac360ls_value	Text	50	NA	Rating value of a healthcare organization.

Sampleability field group of the HCO business entity

The Sampleability field group stores licensing information about the eligibility of a healthcare organization to receive pharmaceutical samples.

The following table lists the fields that the Sampleability field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus	Lookup	NA	X_infac360ls_sampleabilityDesigStatus	Indicates whether a healthcare organization can receive samples based on the designation status of a healthcare organization.
Sampleability Exp Overall	X_infac360ls_sampleabilityExpOverall	Lookup	NA	infac360ls_SampleabilityExpOverallCode	Indicates whether a healthcare organization can receive samples based on the expiration date.
Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate	Date	NA	NA	Date when a healthcare organization received the federal sanction to receive samples.
Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate	Date	NA	NA	The last updated date of the sampleability information.
Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus	Lookup	NA	infac360ls_SampleabilityLicenseStatusCode	Indicates whether a healthcare organization can receive samples based on the license status.
Sampleability Overall	X_infac360ls_sampleabilityOverall	Lookup	NA	infac360ls_SampleabilityOverallCode	Indicates whether a healthcare organization can receive samples.

Segment field group of the HCO business entity

The Segment field group stores the segment of a healthcare organization. Segmentation can help marketers design targeted campaigns.

The following table lists the fields that the Segment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	segmentType	Lookup	NA	SegmentType	Type of segment of a healthcare organization. For example, income, age, or geography.
Segment Name	segmentValue	Lookup	NA	SegmentValue	Name of the category or segment. A segment type can have segment values.

Services Provided field group of the HCO business entity

The Services Provided field group stores the details of the services that a healthcare organization provides.

The following table lists the fields that the Services Provided field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Active Indicator	X_infac360ls_activeIndicator	Boolean	NA	NA	Indicates whether the service is active.
Service Name	X_infac360ls_serviceName	Lookup	NA	infac360ls_ServiceProvidedType	Name of the service provided by a healthcare organization. For example, dental care and mental health care.

Social Media field group of the HCO business entity

The Social Media field group stores information about the social media identifiers of a healthcare organization.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	socialHandleType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Handle	socialMediaHandle	Text	255	NA	Social media identifier or name of a healthcare organization.

Specialty field group of the HCO business entity

The Specialty field group stores the specialty details of a healthcare organization, such as specialty type.

The following table lists the properties and describes the Specialty field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Classification	X_infac360ls_classification	Text	255	NA	Classification of a healthcare organization.
Group	X_infac360ls_group	Text	255	NA	Group to which a healthcare organization belongs.
Specialty	X_infac360ls_specialty	Text	255	NA	Name of a specialty.
Specialty Rank	X_infac360ls_rank	Lookup	NA	infac360ls_SpecialtyRank	The rank of a healthcare organization in a specialty.
Sub Classification	X_infac360ls_subClassification	Text	255	NA	Sub-classification of a healthcare organization.
Taxonomy Code	X_infac360ls_taxonomy_code	Text	255	NA	Taxonomy code of a healthcare organization.
Taxonomy Name	X_infac360ls_taxonomyName	Text	255	NA	Taxonomy name of a healthcare organization.

Status field group of the HCO business entity

The Status field group stores the statuses of a healthcare organization.

The following table lists the properties and describes the Status field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
End Date	X_infac360ls_endtDate	DateTime	NA	NA	The date when the status ceases to be effective.
Start Date	X_infac360ls_startDate	DateTime	NA	NA	The date from when the status is valid.
Status Reason	X_infac360ls_statusReason	Text	255	NA	Reason for the status.
Status Type	statusType	Lookup	NA	OrgStatusType	Status type of a healthcare organization.
Status Value	statusValue	Lookup	NA	OrgStatusValue	The status value of a healthcare organization.

Stock field group of the HCO business entity

The Stock field group stores information about the stock exchanges where a healthcare organization trades.

The following table lists the properties and describes the Stock field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country in which the stock exchange is located.
Stock Exchange	stockExchangeName	Text	255	NA	Name of the stock exchange that trades the shares.
Ticker Symbol	tickerSymbol	Text	255	NA	Abbreviation used to identify the publicly traded shares of a healthcare organization.

Tax Details field group of the HCO business entity

The Tax Details field group stores tax-related information, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the fields that the Tax Details field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date on which the tax period ends.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date on which the tax period starts.
State	state	Lookup	NA	State	The state within the country of taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Tax Number	taxNumber	Text	50	NA	A unique number that identifies a healthcare organization for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of tax number. The types can be an Individual Taxpayer Identification Number (ITIN), (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Tax Paid	taxPaid	Text	50	NA	Tax amount that a healthcare organization has paid.
Taxpayer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of taxpayer. For example, company, partnership, or trust.

Taxonomy field group of the HCO business entity

The Taxonomy field group stores the taxonomy details of a healthcare organization.

The following table describes the fields of the Taxonomy field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Classification	X_infac360ls_classification	Text	255	NA	Type of classification system that groups taxonomy identifiers.
Code	X_infac360ls_code	Text	255	NA	Taxonomy code of a healthcare organization.
Group	X_infac360ls_group	Text	255	NA	Group to which the taxonomy identifier belongs.
Name	X_infac360ls_name	Text	255	NA	Taxonomy name of a healthcare organization.
Rank	X_infac360ls_rank	Lookup	NA	infac360ls_TaxonomyRank	Rank of a taxonomy identifier, such as primary or secondary.
Sub-classification	X_infac360ls_subClassification	Text	255	NA	Sub-classification of the taxonomy identifiers.
Type	X_infac360ls_taxonomyType	Lookup	NA	infac360ls_TaxonomyType	Type of taxonomy identifier providers, such as National Provider Identifier (NPI).

HCP business entity data model

Healthcare Professional (HCP) business entity stores information about professionals. This business entity contains some basic fields and some field groups.

General fields of the HCP business entity

The general fields store basic information about a healthcare professional, such as name and designation .

The following table lists the properties and describes the general fields of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Assistant Name	X_infac360sf_assistantName	Text	50	NA	Name of the assistant to a healthcare professional.
Birth City	birthPlace	Text	255	NA	Place of birth of a healthcare professional.
Birth Country	X_infac360ls_birthCountry	Text	255	NA	Country of birth of a healthcare professional.
Birth Date	birthdate	Date Time	NA	NA	The date of birth of a healthcare professional.
Birth State	X_infac360ls_birthState	Text	255	NA	State of birth of a healthcare professional.
Deceased Date	X_infac360ls_deceasedDate	Date	255	NA	The date of death of a healthcare professional.
Department	X_infac360sf_department	Text	100	NA	Name of the department to which a healthcare professional belongs.
Designation	designation	Text	255	NA	Designation or position of a healthcare professional.
Email Opt Out Indicator	X_infac360sf_emailOptOutIndicator	Boolean	NA	NA	Indicates whether a healthcare professional has opted out from receiving emails.
Full Name	fullName	Text	255	NA	Full name of a healthcare professional.
First Name	firstName	Text	255	NA	The first name of a healthcare professional.
Gender	gender	Lookup	NA	Gender	Gender of a healthcare professional.
Healthcare Professional Since	X_infac360ls_customerSince	Date	NA	NA	The day when the professional started practicing.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Image	imageUrl	Text	255	NA	URL of the image of a healthcare professional.
Industry	X_infac360sf_industry	Lookup	NA	infac360sf_Industry	Name of the industry associated with a healthcare professional.
Last Name	lastName	Text	255	NA	The last name of a healthcare professional.
Marital Status	maritalStatus	Lookup	NA	MaritalStatus	Martial status of a healthcare professional.
Middle Name	middleName	Text	255	NA	The middle name of a healthcare professional.
Prefix Name	prefixName	Lookup	NA	PrefixName	Prefix for the name of a healthcare professional. For example, Dr, Mr, or Mrs.
Profile Tags	X_infac360ls_profileTags	Text	255	NA	Profile tags of a healthcare professional.
Salutation	X_infac360ls_salutation	Text	255	NA	Salutation for a healthcare professional.
Subtype	X_infac360ls_subType	Lookup	NA	infac360ls_PersonSubType	The subtype of a healthcare professional. For example, if the type is prescriber, the subtype might be physician.
Suffix Name	suffixName	Lookup	NA	SuffixName	The name suffix of a healthcare professional. For example, Sr, Jr, II, or III.
Title	title	Text	255	NA	Title associated with the name of a healthcare professional.
Type	X_infac360ls_type	Lookup	NA	infac360ls_PersonType	The type of healthcare professional. For example, prescriber or non-Prescriber.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Website	X_infac360ls_website	Text	255	NA	URL to access the website of a healthcare professional.
Year Started	X_infac360sf_yearStarted	Text	4	NA	Year of start of profession.

Account field group of the HCP business entity

The Account field group stores the account details of a healthcare professional, such as the account number and account name.

The following table lists the properties and describes the Account field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Name	X_infac360sf_accountName	Text	255	NA	Name of a healthcare professional.
Account Number	X_infac360sf_accountNumber	Text	40	NA	Account number of a healthcare professional.
Account Source	X_infac360sf_accountSource	Lookup	NA	infac360sf_AccountSource	The source of an account record of a healthcare professional. For example, advertisement or website.
Account Type	X_infac360sf_accountType	Lookup	NA	AccountType	Type of account. For example, gold, or bronze.
Rating	X_infac360sf_rating	Lookup	NA	infac360sf_Rating	Prospect rating of a healthcare professional.

Assistant Phone field group of the HCP business entity

The Assistant Phone field group stores the phone details of the assistant of a healthcare professional, such as phone number..

The following table lists the properties and describes the Assistant Phone field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether a healthcare professional wants to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date until when the phone number is effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the phone number is effective.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	The digit or combination of digits that must be dialed before an area or city code.
Phone Number	phoneNumber	Text	20	NA	Phone number of a person.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.

Address field group of the HCP business entity

The Address field group stores the postal addresses of a healthcare professional. Postal address is a physical address associated with a healthcare professional. A healthcare professional can have multiple addresses.

The following table lists the properties and describes the Address field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active or inactive.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
City	city	Text	50	NA	City of postal address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Coordinate System	coordinateSystem	Text	100	NA	A coordinate system that's used to determine the location of the address.
County	county	Text	50	NA	County of postal address.
Country	country	Lookup	NA	Country	Country of postal address.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
End Date	effectiveEndDate	Date Time	NA	NA	The date when an address ceases to be effective.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using a coordinate system.
Longitude	longitude	Text	20	NA	Longitude for the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Start Date	effectiveStartDate	Date Time	NA	NA	The date when an address becomes effective.
State	state	Lookup	NA	State	State of postal address.
Usage Type	usageType	Lookup	NA	AddressUsageType	The type to specify the intended use of an address. For example, business or personal.

Alternate Name field group of the HCP business entity

The Alternate Name field group stores the details of alternate names. A healthcare professional might use different names, such as legal name, alias, and trading name. An alternative name might be active during a particular time.

The following table lists the fields that the Alternate Name field group of the HCP business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	AlternateName	Text	255	NA	An alternative name for a healthcare professional.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when an alternative name ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the alternative name is valid.
Name Type	alternateNameType	Lookup	NA	AlternateNameType	Type of an alternative name. For example, doing business as, alias, business name, and trading name. The field is set as a deduplication criteria field.
First Name	X_infac360hc_firstName	Text	255	NA	First name of the alternative name for a healthcare professional.
Last Name	X_infac360hc_lastName	Text	255	NA	Last name of the alternative name for a healthcare professional.
Prefix Name	X_infac360hc_prefixName	Text	255	NA	Prefix for the alternative name for a healthcare professional. For example, Dr, Mr, or Mrs.
Suffix Name	X_infac360hc_suffixName	Text	255	NA	Name suffix of a healthcare professional. For example, Sr, Jr, II, or III.

Citizenship field group of the HCP business entity

The Citizenship field group stores the details of citizenship of a healthcare professional, such as country and status of citizenship.

The following table lists the properties and describes the Citizenship field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Citizen of Country	citizenOfCountry	Lookup	NA	Country	Country to which a healthcare professional belongs.
Citizenship Status	citizenshipStatus	Text	255	NA	The status of the citizenship.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when the citizenship ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date when the citizenship becomes effective.
Supporting Document Name	supportingDocumentName	Text	255	NA	Name of the supporting document that proves the citizenship.

Communication Preference field group of HCP business entity

The Communication preference field group stores the preference details of a healthcare professional.

The following table lists the properties and describes the Communication Preference field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Brand/ Campaign	X_infac360ls_brandCampaign	Text	255	NA	Medical brands for which the communication preference is to be used.
Communication Channel Type	X_infac360ls_communicationChannelType	Lookup	NA	infac360ls_CommunicationChannelType	Type of channel for communication. For example, email, phone, or visit.
Communication Type	X_infac360ls_communicationType	Lookup	NA	infac360ls_CommunicationType	Preferred type of communication. For example, advertising, events, or product launch.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Do Not Call Time	X_infac360ls_doNotCallTime	Look up	NA	infac360ls_DoNotCallTime	The time duration for which a healthcare professional is not interested to receive phone calls.
Preferred Call Time	X_infac360ls_preferredCallTime	Look up	NA	infac360ls_TimeOfDay	Preferred time to communicate. For example, afternoon or business hours.
Preferred Day Of the Week	X_infac360ls_preferredDayOfTheWeek	Look up	NA	infac360ls_DayOfWeek	Preferred day of the week for communication.
Preferred Location	X_infac360ls_preferredLocation	Text	255	NA	Preferred location for the communication.
Opt In Ind	X_infac360ls_optInInd	Look up	NA	infac360ls_OptInInd	Indicates whether a healthcare professional opted in to receive communication.
Opt Out Ind	X_infac360ls_optOutInd	Look up	NA	infac360ls_OptOutInd	Indicates whether a healthcare professional opted out from receiving communication.

Compliance field group of the HCP Business entity

The Compliance field group stores the compliance details of a healthcare professional, such as compliance type and compliance code.

The following table lists the properties and describes the Compliance field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Compliance Code	X_infac360ls_complianceCode	Text	255	NA	A code to indicate the type of healthcare compliance.
Compliance Type	X_infac360ls_complianceType	Lookup	NA	infac360ls_ComplianceType	The type of healthcare compliance to which a healthcare professional adheres.

DEA field group of the HCP business entity

The DEA field group stores the Drug Enforcement Administration (DEA) identifier details of a healthcare professional.

The following table lists the properties and describes the DEA field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	X_infac360ls_addressLine1	Text	200	NA	Line 1 of the DEA address.
Address Line 2	X_infac360ls_addressLine2	Text	200	NA	Line 2 of the DEA address.
Business Activity Code	infac360ls_BusinessActivityCode	Lookup	NA	infac360ls_BusinessActivityCode	Code to identify the category of a healthcare professional. For example, business activity code A indicates Pharmacy.
Business Activity Sub Code	X_infac360ls_businessActivitySubCode	Lookup	NA	infac360ls_BusinessActivitySubCode	Code to identify the subcategories of a healthcare professional. For example, business activity code A and business activity sub-code 5 indicates Online Retail Pharmacy.
City	X_infac360ls_city	Text	50	NA	City of postal address.
Country	X_infac360ls_country	Lookup	NA	Country	Country of postal address.
County	X_infac360ls_county	Text	50	NA	County of postal address.
DEA Number	X_infac360ls_deaNumber	Text	255	NA	DEA registration number of a healthcare professional.
DEA Status	X_infac360ls_deaStatus	Lookup	NA	infac360ls_DEA_Status	Status of the DEA number.
Drug Schedule 1	X_infac360ls_drugSchedule1	Boolean	NA	NA	Indicates whether a healthcare professional has the permission to use schedule I drugs for treatment.
Drug Schedule 2	X_infac360ls_drugSchedule2	Boolean	NA	NA	Indicates whether a healthcare professional has the permission to use schedule II drugs for treatment.
Drug Schedule 2N	X_infac360ls_drugSchedule2N	Boolean	NA	NA	Indicates whether a healthcare professional has the permission to use schedule IIN drugs for treatment.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Drug Schedule 3	X_infac360ls_drugSchedule3	Boolean	NA	NA	Indicates whether a healthcare professional has the permission to use schedule III drugs for treatment.
Drug Schedule 3N	X_infac360ls_drugSchedule3N	Boolean	NA	NA	Indicates whether a healthcare professional has the permission to use schedule IIIN drugs for treatment.
Drug Schedule 4	X_infac360ls_drugSchedule4	Boolean	NA	NA	Indicates whether a healthcare professional has the permission to use schedule IV drugs for treatment.
Drug Schedule 5	X_infac360ls_drugSchedule5	Boolean	NA	NA	Indicates whether a healthcare professional has the permission to use schedule V drugs for treatment.
End Date	X_infac360ls_endDate	Date Time	NA	NA	The date when the DEA registration ceases to be effective.
First Received Date	X_infac360ls_firstRecivedDate	Date Time	NA	NA	The first date when the DEA number was received.
Last Received Date	X_infac360ls_lastRecivedDate	Date Time	NA	NA	The last date when the DEA number was renewed.
Overall Eligibility	X_infac360ls_overallEligibility	Lookup	NA	infac360ls_DEAOverallEligibility	The overall eligibility status of a healthcare professional provided by DEA.
Postal Code	X_infac360ls_postalCode	Text	10	NA	Postal code of the address.
Start Date	X_infac360ls_startDate	Date Time	NA	NA	The date when the DEA registration becomes effective.
State	X_infac360ls_state	Lookup	NA	State	State of postal address.

Demographics field group of the HCP business entity

The Demographics field group stores the demographics of a healthcare professional.

The following table lists the properties and describes the Demographics field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Demographic Type	demographicType	Lookup	NA	DemographicType	Type of demographic information. For example, ethnicity, income level, age, and profession. The field is set as a deduplication criteria field.
Demographic Value	demographicValue	Lookup	NA	DemographicValue	Demographic values for a demographic type. For example, if ethnicity is a demographic type, then Hispanic and Asian are demographic values. The field is set as a deduplication criteria field.

Documents field group of the HCP business entity

The Document field group stores the document details of a healthcare professional.

The following table lists the properties and describes the Documents field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Link	documentLink	Text	255	NA	URL to access the document.
Document Name	documentName	Text	255	NA	Name of the document.
Document Type	documentType	Lookup	NA	DocumentType	Type of the document. For example, an application form, claim form, or policy.
File Name	fileName	Text	255	NA	Physical name of the file.
Valid From	validFrom	Date	NA	NA	The date when the document becomes valid.
Valid To	validTo	Date	NA	NA	The date until when the document is valid.

Email field group of the HCP business entity

The Email field group stores information about the electronic addresses of a healthcare professional, such as email addresses or URL of the websites.

The following table lists the properties and describes the Email field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when an electronic address ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date when an electronic address becomes effective.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of a healthcare professional.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify the service or appliance that monitors a given network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of the address. For example, business, work, or personal.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Validation Message	validateMessage	Text	50	NA	A message that the address validation service generates to indicate how valid and trusted the address is.
Validation Status	validationStatusCode	Text	50	NA	Validation status of the electronic address.

Employment field group of the HCP business entity

The Employment field group stores the employment details of a healthcare professional, such as the employer name, the type of employment, and the status of employment.

The following table lists the properties and describes the Employment field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of employment.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of employment.
Employer Name	employerName	Text	255	NA	Name of the employer.
Employment Status	employmentStatus	Lookup	NA	EmploymentStatus	Status of employment, such as active, inactive, resigned, and terminated.
Employment Type	employmentType	Lookup	NA	EmploymentType	Type of employment, such as permanent, contract, and part-time.
Designation	designation	Text	255	NA	Designation of a healthcare professional.
Line of Business	lineOfBusiness	Text	255	NA	The line of business, such as retail or mortgage.
Location	location	Text	255	NA	Location of the employer.

Enrichment Status field group of the HCP business entity

The Enrichment Status field group stores the enrichment information of a healthcare professional.

The following table describes the fields of the Enrichment Status field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enrichment Date	X_infac360ls_enrichmentDate	Date	NA	NA	The date when a healthcare professional record is enriched.
Provider	X_infac360ls_provider	Text	255	NA	Name of the enrichment provider.
Status	X_infac360ls_status	Lookup	NA	infac360ls_EnrichmentStatus	Indicates whether a record is enriched, such as enriched or not enriched.

Financial field group of HCP business entity

The Financial field group stores financial information of a healthcare professional.

The following table lists the properties and describes the Financial field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	NA	NA	Amount of finance.
Currency	currency	Lookup	NA	Currency	Currency in which the financial information is collected.
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, and debt.
Financial Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period	timePeriod	Text	255	NA	Financial period for which the data is collected.
Time Period Type	financeTimePeriodType	Lookup	NA	TimePeriodType	Type of the financial period. For example, quarterly or yearly.
Unit	financialUnit	Lookup	NA	FinancialUnit	The unit of the financial amount. For example, thousands, millions, or billions.

Identification field group of the HCP business entity

The Identification field group stores the identifier details of a healthcare professional.

The following table lists the properties and describes the Identification field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Deactivation Date	X_infac360ls_deactivationDate	DateTime	NA	NA	Deactivation date of an identifier.
Deactivation Reason	X_infac360ls_deactivationReason	Text	255	NA	Reason for deactivation of an identifier.
Effective End Date	effectiveEndDate	DateTime	NA	NA	The date when an identifier ceases to be effective.
Effective Start Date	effectiveStartDate	DateTime	NA	NA	The date when an identifier was issued.
Identifier Issuer	X_infac360ls_identifierIssuer	Text	255	NA	The issuer of an identifier.
Identifier Type	idType	Lookup	NA	AlternateIdType	Type of indicator that identifies a healthcare professional.
Identifier Type Description	X_infac360ls_identifierTypeDescription	Text	255	NA	Description of the type of identifier.
Identifier Value	altIdValue	Text	50	NA	Value of an identifier, such as D-U-N-S number or National Provider Identifier.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority issuing an identifier.
Issuing Country	X_infac360ls_issuingCountry	Lookup	NA	Country	The country that issued an identifier to a healthcare professional.
Issuing State	X_infac360ls_issuingState	Lookup	NA	State	The state that issued an identifier to a healthcare professional. Customer 360 for Life Sciences supports only states in the United States.
Reactivation Date	X_infac360ls_reactivationDate	DateTime	NA	NA	Reactivation date of an identifier.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status	IdentifierStatus	Lookup	NA	IdentifierStatus	Status of an identifier. For example, effective, disqualified, expired, and temporary.
Usage Type	X_infac360hc_usageType	Lookup	NA	infac360hc_IdentifierUsageType	Intended use or purpose of an identifier, such as official, old, or secondary.

Indicator field group of the HCP business entity

The Indicator field group stores the indicator types based on which you want to identify a healthcare professional.

The following table lists the properties and describes the Indicator field group of the Person business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Type	X_infac360ls_indicatorType	Lookup	NA	IndicatorType	Classification of the type of indicator. For example, speaker or key opinion leader.
Indicator Value	X_infac360ls_value	Text	255	NA	Actual value of the indicator.

Insurance field group of the HCP business entity

The Insurance field group stores the insurance details of a healthcare professional, such as the name of the insurance provider and policy number.

The following table lists the properties and describes the Insurance field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	currency	Lookup	NA	Currency	Currency for the premium payment and claim settlement.
Effective End Date	effectiveEndDate	Date	NA	NA	The date when the insurance coverage ceases to be effective.
Effective Start Date	effectiveStartDate	Date	NA	NA	The date when the insurance coverage becomes effective.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Insurance Provider	insuranceProvider	Text	255	NA	The company that provides the insurance.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is lenders mortgage, the subtype might be extended lenders mortgage.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	The type of the insurance, such as commercial auto, lenders mortgage, or shipping.
Policy Number	insurancePolicyNumber	Text	100	NA	Insurance policy number.
Status	insuranceStatus	Text	255	insuranceStatus	Status of the insurance. For example, active or expired.
Unit	unit	Lookup	NA	FinancialUnit	Specifies the unit for the amount. For example, thousands, millions, ot billions.
Value	insuranceValue	Double	NA	NA	Amount insured.

Language field group of the HCP business entity

The Language field group stores the language details of a healthcare professional, such as language and proficiency.

The following table lists the properties and describes the Language field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	X_infac360ls_language	Lookup	NA	infac360ls_LanguageList	Language in which a healthcare professional has proficiency.
Proficiency	X_infac360ls_proficiency	Lookup	NA	infac360ls_Proficiency	The level of proficiency in the language.
Primary Indicator	X_infac360ls_primaryIndicator	Boolean	NA	NA	Indicates whether the language is the primary language of a healthcare professional.

License field group of the HCP business entity

The License field group stores the license details of a healthcare professional.

The following table lists the properties and describes the License field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Date	X_infac360ls_effectiveDate	Date & Time	NA	NA	Date from when the license is effective.
Expiry Date	X_infac360ls_expiryDate	Date	NA	NA	Date until when the license is valid.
First Received Date	X_infac360ls_firstReceivedDate	Date	NA	NA	Date from when a healthcare professional was authorized to receive samples.
Grace Period End Date	X_infac360ls_gracePeriodEndDate	Date & Time	NA	NA	End date of the grace period.
Issue Date	X_infac360ls_stateDate	Date & Time	NA	NA	Date when the license was issued.
Issuing Board	X_infac360ls_issuingBoard	Text	255	NA	Board issuing the license.
License Number	X_infac360ls_licenseNumber	Text	255	NA	License number of a healthcare professional.
License State Code	X_infac360ls_licenseBoardStateCode	Text	255	NA	State code of the license.
License Type	X_infac360ls_licenseType	Text	255	NA	Type of license.
Status	X_infac360ls_status	Lookup	NA	infac360ls_LicenseStatusType	Status of the license.
Status Description	X_infac360ls_statusDescription	Text	NA	NA	Status description of the license.
Identifier End Date	X_infac360hc_licenseIdentifierEndDate	DateTime	NA	NA	Date until when an identifier is active.
Identifier Issuer	X_infac360hc_licenseIdentifierAssigner	Text	255	NA	Authority that issued an identifier, such as Dun & Bradstreet or a government agency.
Identifier Start Date	X_infac360hc_licenseIdentifierStartDate	DateTime	NA	NA	Date since when an identifier is active.
Identifier Type	X_infac360hc_licenseIdentifierType	Lookup	NA	AlternateIdType	Type of an identifier, such as medical license number or accession ID.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Identifier Usage Type	X_infac360hc_licenseIdentifierUse	Lookup	NA	infac360hc_IdentifierUsageType	Intended use or purpose of the identifier, such as official, old, or secondary.
Identifier Value	X_infac360hc_licenseIdentifierValue	Text	100	NA	Value of an identifier, such as D-U-N-S number or National Provider Identifier.
Taxonomy	X_infac360hc_licenseIdentifierCredName	Lookup	NA	infac360hc_LicenseIdentifierCredName	Taxonomy name of an identifier, such as acupuncturist or addiction psychiatry physician.

Lifestyle field group of the HCP business entity

The Lifestyle field group stores the details of the lifestyle of a healthcare professional.

The following table lists the properties and describes the Lifestyle field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Lifestyle Type	lifestyleType	Lookup	NA	LifestyleType	Type of lifestyle. For example, alcohol consumption or tobacco consumption.
Lifestyle Value	lifestyleValue	Text	255	NA	Frequency of a lifestyle. For example, frequent, moderate, or never.

Loyalty field group of the HCP business entity

The Loyalty field group stores the loyalty account details of a healthcare professional.

The following table lists the properties and describes the Loyalty field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Number	infac360in_accountNumber	Text	255	NA	Loyalty account number.
Account Status	infac360in_accountStatus	Lookup	NA	LoyaltyAccountStatus	The status of the account. For example, active or inactive.
Account Type	infac360in_accountType	Lookup	NA	LoyaltyAccountType	Type of loyalty accounts. For example, elite, silver, gold, or platinum.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Customer Loyalty Code	X_infac360in_customerLoyaltyCode	Text	255	NA	Code that indicates a customer loyalty level.
Effective End Date	infac360in_effectiveEndDate	Date	NA	NA	The date when the loyalty account ceases to be active.
Effective Start Date	infac360in_effectiveStartDate	Date	NA	NA	The date when the loyalty account becomes active.
Redemption Preferences	infac360in_redemptionPreferences	Lookup	NA	RedemptionPreferences	Preference for the redemption of loyalty points. For example, cash back or credit.

Phone field group of the HCP business entity

The Phone field group stores the phone details of a healthcare professional.

The following table lists the properties and describes the Phone field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether a healthcare professional wants to receive unsolicited phone calls from marketers.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date until when the phone number is effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the phone number is effective.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	A code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	The digit or combination of digits that must be dialed before an area or city code.
Phone Number	phoneNumber	Text	20	NA	Phone number of a person.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	The status of the phone number, such as the phone number is publicly available or active.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.

Qualification field group of the HCP business entity

The Qualification field group stores the qualification details of a healthcare professional. The qualification details can include the name of the institution where a healthcare professional graduated, the address of the institution, and the year of passing.

The following table describes the fields of the Qualification field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine 1	Text	255	NA	Line 1 of the address of the educational institution.
Address Line 2	addressLine 2	Text	255	NA	Line 2 of the address of the educational institution.
City	city	Text	255	NA	City in which the institution is located.
Country	country	Lookup	NA	Country	Country in which the institution is located.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Degree/ Certification	X_infac360hc_qualificationIdentifierCredName	Lookup	NA	infac360hc_QualificationIdentifierCredName	Degree or certificate obtained by a healthcare professional, such as Bachelor of Science or Registered Medical Assistant.
Degree Year	X_infac360ls_degreeYear	Text	4	NA	Year of passing the degree.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the qualification.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the qualification.
Identifier End Date	X_infac360hc_endDate	DateTime	NA	NA	Date until when an identifier is active.
Identifier Issuer	X_infac360hc_qualificationIdentifierAssigner	Text	255	NA	Authority that issued an identifier, such as Dun & Bradstreet or a government agency.
Identifier Start Date	X_infac360hc_startDate	DateTime	NA	NA	Date since when an identifier is active.
Identifier Type	X_infac360hc_qualificationIdentifierType	Lookup	NA	AlternateIdType	Type of an identifier, such as medical license number or accession ID.
Identifier Usage Type	X_infac360hc_qualificationIdentifierUse	Lookup	NA	infac360hc_IdentifierUsageType	Intended use or purpose of the identifier, such as official, old, or secondary.
Identifier Value	X_infac360hc_qualificationIdentifierValue	Text	100	NA	Value of an identifier, such as D-U-N-S number or National Provider Identifier.
Institution Name	institutionName	Text	255	NA	Name of the institution.
Postal Code	postalCode	Text	255	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	255	NA	Postal code extension of the address.
Qualification Name	qualificationName	Text	255	NA	Name of the qualification.
Qualification Status	qualificationStatus	Lookup	NA	QualificationStatus	Status of the qualification.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Qualification Type	qualification Type	Lookup	NA	QualificationType	The level of qualification, such as illiterate, certification, diploma, bachelor, master, or doctoral.
State	state	Lookup	NA	State	State in which the institution is located.
Student Number	studentNumber	Text	255	NA	Student number in the institution.
Taxonomy	X_infac360hc_qualificationIdentifierTaxonomy	Lookup	NA	infac360hc_LicenseIdentifierCredName	Taxonomy name of the qualification, such as acupuncturist or addiction psychiatry physician.
Taxonomy Type	X_infac360ls_taxonomyType	Lookup	NA	infac360ls_TaxonomyType	Type of taxonomy identifier providers, such as National Provider Identifier (NPI).
Taxonomy Rank	X_infac360ls_rank	Lookup	NA	infac360ls_TaxonomyRank	Rank of a taxonomy identifier, such as primary or secondary.

Sampleability field group of the HCP business entity

The Sampleability field group stores licensing information about the eligibility of a healthcare professional to receive pharmaceutical samples.

The following table lists the properties and describes the Sampleability field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus	Lookup	NA	X_infac360ls_sampleabilityDesigStatus	Indicates whether a healthcare professional can receive samples based on the designation status of a healthcare professional.
Sampleability Exp Overall	X_infac360ls_sampleabilityExpOverall	Lookup	NA	infac360ls_SampleabilityExpOverallCode	Indicates whether a healthcare professional can receive samples based on the expiration date.
Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate	Date	NA	NA	Date when a healthcare professional received the federal sanction to receive samples.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate	Date	NA	NA	The last updated date of the sampleability information.
Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus	Lookup	NA	infac360ls_SampleabilityLicenseStatusCode	Indicates whether a healthcare professional can receive samples based on the license status.
Sampleability Overall	X_infac360ls_sampleabilityOverall	Lookup	NA	infac360ls_SampleabilityOverallCode	Indicates whether a healthcare professional can receive samples.

Sanction field group of the HCP business entity

The Sanction field group stores the sanctions against a healthcare professional.

The following table lists the properties and describes the Sanction field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
End Date	X_infac360ls_endDate	Date Time	NA	NA	The date when a sanction ceases to be effective.
Sanction Indicator	X_infac360ls_sanctionIndicator	Lookup	NA	infac360ls_SanctionIndicatorCode	Indicates if the sanction type effects the sampleability of a healthcare professional.
Sanction Source	X_infac360ls_sanctionSource	Text	255	NA	Source of the sanction, such as federal or DEA.
Sanction Status	X_infac360ls_sanctionStatus	Text	255	NA	Status of the sanction.
Sanction Type	X_infac360ls_sanctionType	Text	255	NA	Definition of the sanction type 1,2,3,4.
Start Date	X_infac360ls_startDate	Date Time	NA	NA	The date when a sanction becomes effective.

Segment field group of the HCP business entity

The Segment field group stores the segmentation of a healthcare professional. Segmentation can help marketers design targeted campaigns.

The following table lists the properties and describes the Segment field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	segmentType	Lookup	NA	SegmentType	Type of segment of a healthcare professional. For example, income, age, or geography.
Segment Name	segmentValue	Lookup	NA	SegmentValue	Name of the category or segment. A segment type can have segment values.

Social Media field group of the HCP business entity

The Social Media field group stores information about the social media identifiers of a healthcare professional.

The following table lists the properties and describes the Social Media field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	socialMediaType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Handle	socialMediaHandle	Text	255	NA	Social media identifier or name of a healthcare professional.

Specialty field group of the HCP business entity

The Specialty field group stores the details of specialty of a healthcare professional, such as specialty type.

The following table lists the properties and describes the Specialty field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Classification	X_infac360ls_classification	Text	255	NA	Classification of a healthcare professional.
Group	X_infac360ls_group	Text	255	NA	Group to which a healthcare professional belongs.
Specialty	X_infac360ls_specialtyType	Text	255	NA	Name of the specialty.
Specialty Rank	X_infac360ls_specialtyRank	Lookup	NA	infac360ls_SpecialtyRank	Rank of a healthcare professional in a specialty.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Sub Classification	X_infac360ls_subClassification	Text	255	NA	Sub-classification of a healthcare professional.
Taxonomy Code	X_infac360ls_taxonomy_code	Text	255	NA	Taxonomy code of a healthcare professional.
Taxonomy Name	X_infac360ls_taxonomyName	Text	255	NA	Taxonomy Name of a healthcare professional.

Status field group of the HCP business entity

The Status field group stores the statuses of a healthcare professional.

The following table lists the properties and describes the Status field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
End Date	X_infac360ls_endDate	DateTime	NA	NA	The date when the status ceases to be effective.
Start Date	X_infac360ls_startDate	DateTime	NA	NA	The date from when the status is valid.
Status Reason	X_infac360ls_statusReason	Text	255	NA	Reason for the status.
Status Type	statusType	Lookup	NA	PersonStatusType	Status type of a healthcare professional.
Status Value	statusValue	Lookup	NA	PersonStatusValue	The status value of a healthcare professional.

Tax Details field group of the HCP business entity

The Tax Details field group stores tax-related information, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the properties and describes the Tax Details field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date on which the tax period ends.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date on which the tax period starts.
State	state	Lookup	NA	State	The state within the country of taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Tax Number	taxNumber	Text	50	NA	A unique number that identifies a healthcare professional for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of tax number. The types can be an Individual Taxpayer Identification Number (ITIN), (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).
Tax Paid	taxPaid	Text	50	NA	Tax amount that a healthcare professional has paid.
Taxpayer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of taxpayer. For example, company, partnership, or trust.

Therapeutic Area field group of the HCP business entity

The Therapeutic Area field group stores the details of the therapies that a healthcare professional provides.

The following table lists the properties and describes the Therapeutic Area field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Active Indicator	X_infac360ls_activeIndicator	Boolean	NA	NA	Indicates whether a healthcare professional is active in the therapeutic area.
Therapeutic Area	X_infac360ls_therapeuticArea	Lookup	NA	infac360ls_TherapeuticArea	The therapeutic area of a healthcare professional.

Household business entity data model

Household business entity stores information about households. This business entity contains some basic fields and some field groups.

General fields of Household business entity

The general fields store some basic information about a household, such as name and member count.

The following table lists the general fields that the Household business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Name	infac360hc_name	Text	255	NA	Name of the household.
Member Count	infac360hc_memberCount	Integer	255	NA	Total number of members in the household.
Adult Count	infac360hc_adultCount	Integer	255	NA	Total number of adults in the household.
Child Count	infac360hc_childCount	Integer	255	NA	Total number in children of the household
Dependent	infac360hc_dependent	Text	255	NA	Total number of dependent members in the household.

Address field group of Household business entity

The Address field group stores the postal addresses of a household. Postal address is a physical address associated with the household. A household can have multiple addresses.

The following table lists the fields that the Household field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
Usage Type	usageType	Lookup	NA	AddressUsageType	Usage type. For example, business or personal.
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
City	city	Text	50	NA	City of postal address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
County	county	Text	50	NA	County of postal address.
State	state	Lookup	NA	State	State of postal address.
Country	country	Lookup	NA	Country	Country of postal address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Coordinate System	coordinateSystem	Text	100	NA	Coordinate system used to determine the location of the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using coordinate system.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active, current, old address, or changed.
Verification Status Code	statusCode	Text	10	NA	Validation status that the address verification service returns.
Latitude	latitude	Text	20	NA	Latitude for the address.
Longitude	longitude	Text	20	NA	Longitude for the address.
Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the address is active.
End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Verification Message	statusMessage	Text	255	NA	Validation message that the address verification service returns.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.

Phone Field Group of Household Business Entity

The Phone field group stores the phone details of a household.

The following table lists the fields that the household field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Phone Number	phoneNumber	Text	20	NA	Phone number of the organization.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to the phone number.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
National Prefix	nationalPrefix	Text	255	NA	Digit or combination of digits which must be dialed before an area or city code.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the organization is interested to receive unsolicited phone calls from marketers.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Date from when the phone number is active.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Date until when the phone number was active or will be active.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
ISO	iso	Text	2	NA	ISO country code.

Location business entity data model

Location business entity stores information about the location of an organization that provides healthcare services. For example, a location can be a room in a building or a geographic region.

General fields of the Location business entity

The general fields store basic information about a location, such as location type and opening date.

The following table describes the general fields of the Location business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Closing Date	X_infa360loc_closeDate	Date and Time	NA	NA	Date until when the location is open.
Location Form	X_infa360loc_locationForm	Lookup	NA	infa360loc_LocationForm	Form of a location, such as building, jurisdiction, or virtual.
Location Type	X_infa360loc_locationType	Lookup	NA	infa360loc_LocationType	Type of location, such as a factory, hospital, or office.
Long Description	X_infa360loc_longDescription	Text	255	NA	Detailed description of a location.
Opening Date	X_infa360loc_openDate	Date and Time	NA	NA	Date since when the location is open.
Ownership Type	X_infa360loc_ownershipType	Lookup	NA	infa360loc_OwnershipType	Type of ownership of the location, such as leased or owned.
Name	X_infa360loc_name	Text	255	NA	Name of a location.
Short Description	X_infa360loc_shortDescription	Text	255	NA	Brief description of a location.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Standard Time Zone	X_infa360loc_standardTimeZone	Lookup	NA	infa360loc_StandardTimeZone	Standard time zone of a location based on the Internet Assigned Numbers Authority (IANA) time zone database.
URL	X_infac360loc_url	Text	255	NA	URL to identify the network address of a location, such as website, blog, Facebook, or Skype.

Alternate Name field group of the Location business entity

The Alternate Names field group stores the information related to alternative names, such as an alternative name, effective start date, and effective end date.

The following table describes the fields of the Alternate Names field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	X_infa360loc_alternateName	Text	255	NA	Alternative name of a location.
Effective End Date	X_infa360loc_effectiveEndDate	Date	NA	NA	Date until when an alternative name is active.
Effective Start Date	X_infa360loc_effectiveStartDate	Date	NA	NA	Date from when an alternative name is active.
Name Type	X_infa360loc_nameType	Lookup	NA	infa360loc_NameType	Alternative name type of a location.

Email Address field group of the Location business entity

The Email Address field group stores information about electronic addresses, such as email address and status of the email address.

The following table describes the fields of the Email Address field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Effective End Date	effectiveEndDate	Date and Time	NA	NA	Date until when the electronic address is active.
Effective Start Date	effectiveStartDate	Date and Time	NA	NA	Date from when the electronic address is active.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Electronic Address	electronicAddress	Text	255	NA	Electronic address of an organization.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address, such as active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the email verification service verified the electronic address.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status of the electronic address, such as safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	50	NA	Code that identifies the service or appliance that's monitoring a specific network to filter or detect spam emails.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Intended use or purpose of the electronic address, such as business, work, or personal.
Verification Status Code	validationStatusCode	Text	50	NA	Validation status of the electronic address.
Verification Message	validationMessage	Text	50	NA	Message that the email validation service generates to indicate how valid and trusted the address is.

Geo Location field group of the Location business entity

The Geo Location field group stores the geographic details of a location, such as the type of location and location coordinates.

The following table describes the fields of the Geo Location field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Type	X_infa360loc_type	Lookup	NA	infa360loc_GeoLocType	Type of geographic location, such as point, line string, or polygon.
Coordinates	X_infa360loc_coordinates	Nested field group	NA	NA	Coordinates of a geographic location.

Coordinates field group of the Location business entity

The Coordinates field group stores the details of the coordinates of a geographic location. This field group is nested within the Geo Location field group.

The following table describes the fields of the Coordinates nested field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Positions	X_infa360loc_positions	Nested field group	NA	NA	Position of the coordinates of a location.

Positions field group of the Location business entity

The Positions field group stores the position of the coordinates of a location. This field group is nested within the Coordinates field group.

The following table describes the fields of the Positions nested field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Latitude	X_infa360loc_latitude	Text	255	NA	Latitude of a location.
Longitude	X_infa360loc_longitude	Text	255	NA	Longitude of a location.

Identifier field group of the Location business entity

The Identifier field group stores the identifier information of a location, such as identifier type and identifier issuer.

The following table describes the fields of the Identifier field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	X_infa360loc_effectiveEndDate	DateTime	NA	NA	Expiry date of the identifier.
Effective Start Date	X_infa360loc_effectiveStartDate	DateTime	NA	NA	Issued date of the identifier.
Identifier Issuer	X_infa360loc_identifierIssuer	Text	255	NA	Authority that issued the identifier to an organization, such as Dun & Bradstreet or a government agency.
Identifier Type	X_infa360loc_identifierType	Lookup	NA	infa360loc_IdentifierType	Type of the identifier, such as Global Location Number or Google Place ID.
Identifier Value	X_infa360loc_identifierValue	Text	255	NA	Value of the identifier.
Usage Type	X_infa360loc_usageType	Lookup	NA	infa360loc_UsageType	Type of usage of the identifier, such as old, primary, or secondary.

Indicator field group of the Location business entity

The Indicator field group stores the indicator details that you use to identify a location.

The following table lists the fields of the Indicator field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Group	X_infa360loc_indicatorGroup	Lookup	NA	infa360loc_IndicatorGroup	Group of the indicator, such as compliance or facility.
Indicator Type	X_infa360loc_indicatorType	Lookup	NA	infa360loc_IndicatorType	Indicates the type of location, such as cash point, fire inspection, or parking.
Indicator Value	X_infa360loc_indicatorValue	Lookup	NA	infa360loc_IndicatorValue	Actual value of the indicator, such as multilevel or underground.

Operating Hours Exception field group of the Location business entity

The Operating Hours Exception field group stores the exception to the operating hours information for a location.

The following table describes the fields of the Operating Hours Exception field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Description	X_infa360loc_description	Text	255	NA	Description of the exception to operating hours of a location when the opening hours are different to normal, such as public holiday availability.
End Date and Time	X_infa360loc_end	Date and Time	NA	NA	End date and time of the exception to operating hours for a location.
Start Date and Time	X_infa360loc_start	Date and Time	NA	NA	Start date and time of the exception to operating hours for a location.

Operating Hours field group of the Location business entity

The Operating Hours field group stores the operating hours information of a location.

The following table describes the fields of the Operating Hours field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Days of Week	X_infa360loc_daysOfweek	Lookup	NA	infa360loc_DaysOfweek	Days of a week when the location is operational.
All Day	X_infa360loc_allDay	Boolean	NA	NA	Indicates whether the location is operational all day.
Start Time (Hours)	X_infa360loc_startTimeHours	Lookup	NA	infa360loc_StartTimeHours	The hour when the location starts its operations.
Start Time (Minutes)	X_infa360loc_startTimeMinutes	Lookup	NA	infa360loc_StartTimeMinutes	The minutes of the hour when the location starts its operations.
Start Time (Seconds)	X_infa360loc_startTimeSeconds	Lookup	NA	infa360loc_StartTimeSeconds	The seconds after the minutes of the hour when the location starts its operations.
End Time (Hours)	X_infa360loc_endTimeHours	Lookup	NA	infa360loc_EndTimeHours	The hour when the location closes operations.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
End Time (Minutes)	X_infa360loc_endTimeMinutes	Lookup	NA	infa360loc_EndTimeMinutes	The minutes of the hour when the location closes its operations.
End Time (Seconds)	X_infa360loc_endTimeSeconds	Lookup	NA	infa360loc_EndTimeSeconds	The seconds after the minutes of the hour when the location closes its operations.

Phone field group of the Location business entity

The Phone field group stores the phone details of a location, such as phone number, phone number extension, and phone type.

The following table describes the fields of the Phone field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix for the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default phone number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the organization wants to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the phone number was active or will be active.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date from when the phone number is active.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	Digit or a combination of digits that must be dialed before an area or city code.
NDC Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code (NDC).
Phone Number	phoneNumber	Text	20	NA	Phone number of the location.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone, such as a cell, fax, freephone, landline, mobile, or pager.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Type of phone usage, such as business, customer service - group market, customer service toll free - individual market, or small group market.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as whether the phone number is publicly available or active.
Verification Status Code	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.
Verification Message	validationMessage	Text	255	NA	Validation message that the phone number validation service returns.

Postal Address field group of the Location business entity

The Postal Address field group stores the postal addresses of a location.

The following table describes the fields of the Postal Address field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Effective End Date	X_infa360loc_effectiveEndDate	Date and Time	NA	NA	Date until when the address is active.
Address Effective Start Date	X_infa360loc_effectiveStartDate	Date and Time	NA	NA	Date from when the address is active.
Address Line 1	X_infa360loc_line1	Text	255	NA	Line 1 of the postal address.
Address Line 2	X_infa360loc_line2	Text	255	NA	Line 2 of the postal address.
Address Line 3	X_infa360loc_line3	Text	255	NA	Line 3 of the postal address.
Address Line 4	X_infa360loc_line4	Text	255	NA	Line 4 of the postal address.
Address Type	X_infa360loc_addressType	Lookup	NA	infa360loc_AddressType	Type of postal address, such as physical or P.O. box.
Address Usage Type	X_infa360loc_addressUsageType	Lookup	NA	infa360loc_AddressUsageType	Usage type of the address, such as billing or shipping.
Altitude	X_infa360loc_altitude	Text	255	NA	Altitude of the location.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
City	X_infa360loc_city	Text	255	NA	City of the postal address.
Country	X_infa360loc_country	Lookup	NA	infa360loc_Country	District or country of the postal address.
District or County	X_infa360loc_district_county	Text	255	NA	County of the postal address.
Enriched Indicator	X_infa360loc_enrichedIndicator	Lookup	NA	infa360loc_EnrichedIndicator	Validation status of the address, such as error, valid, or not validated.
Latitude	X_infa360loc_latitude	Text	255	NA	Latitude for the address.
Longitude	X_infa360loc_longitude	Text	255	NA	Longitude for the address.
Postal Code	X_infa360loc_postalCode	Text	255	NA	Postal code of the address.
Postal Code Extension	X_infa360loc_postalCodeExtension	Text	255	NA	Postal code extension of the address.
Region	X_infa360loc_region	Text	255	NA	Region of the postal address.
State	X_infa360loc_state	Lookup	NA	infa360loc_State	State of the postal address.
Verification Message	X_infa360loc_verificationMessage	Text	255	NA	Validation message that the address verification service returns.
Verification Status Code	X_infa360loc_verificationStatusCode	Text	255	NA	Validation status that the address verification service returns.

Status field group of the Location business entity

The Status field group stores the status information of a location.

The following table describes the fields of the Status field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	X_infa360loc_effectiveEndDate	Date and Time	NA	NA	Date until when a location is active.
Effective Start Date	X_infa360loc_effectiveStartDate	Date and Time	NA	NA	Date from when a location is active.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status Type	X_infa360loc_statusType	Lookup	NA	infa360loc_StatusType	Type of status of a location, such as operational status or overall status.
Status Value	X_infa360loc_statusValue	Lookup	NA	infa360loc_StatusValue	Status of a location, such as active, closed, or inactive.

Member business entity data model

The Member business entity stores information about a member.

General fields of the Member business entity

The general fields store basic information about a member, such as name and date of birth.

The following table lists the properties and describes the general fields of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Birth Date	infac360hc_birthDate	Date Time	NA	NA	Date of birth of a member.
Birth Place	infac360hc_birthPlace	Text	255	NA	Place of birth of a member.
Designation	infac360hc_designation	Text	255	NA	Designation or position of a member.
First Name	infac360hc_firstName	Text	255	NA	The first name of a member.
Full Name	infac360hc_fullName	Text	255	NA	Full name of a member.
Gender	infac360hc_gender	Lookup	NA	Gender	Gender of a member.
Image	infac360hc_image	Text	255	NA	URL of the image of a member.
Last Name	infac360hc_lastName	Text	255	NA	The last name of a member.
Marital Status	infac360hc_maritalStatus	Lookup	NA	MaritalStatus	Marital status of a member. For example, single, married, or divorced.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Member Since	infac360hc_memberSince	Date	NA	NA	The day from when the person is a member.
Middle Name	infac360hc_middleName	Text	255	NA	The middle name of a member.
Prefix Name	infac360hc_prefixName	Lookup	NA	PrefixName	Prefix for the name of a member. For example, Dr, Mr, or Mrs.
Profile Tags	infac360hc_profileTag	Text	255	NA	Profile tags of a member.
Suffix Name	infac360hc_suffixName	Lookup	NA	SuffixName	The name suffix name of a member. For example, Sr, Jr, II, or III.
Title	infac360hc_title	Text	255	NA	Title associated with the name of a member.
Type	infac360hc_type	Lookup	NA	infac360hc_personType	Type of member.

Address field group of the Member business entity

The Address field group stores the postal address details of a member. Postal address is a physical address associated with the member. A member can have multiple addresses.

The following table lists the properties and describes the Address field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active or inactive.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
City	city	Text	50	NA	City of postal address.
Coordinate System	coordinateSystem	Text	100	NA	A coordinate system that's used to determine the location of the address.
County	county	Text	50	NA	County of postal address.
Country	country	Lookup	NA	Country	Country of postal address.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
End Date	effectiveEndDate	Date Time	NA	NA	The date when an address ceases to be effective.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using a coordinate system.
Longitude	longitude	Text	20	NA	Longitude for the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	The postal code extension of the address.
Start Date	effectiveStartDate	Date Time	NA	NA	The date when an address becomes effective.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
State	state	Lookup	NA	State	State of postal address.
Usage Type	usageType	Lookup	NA	AddressUsageType	The type to specify the intended use of an address. For example, business or personal.
Verification Message	statusMessage	Text	255	NA	Validation message that the address verification service returns.
Verification Status Code	statusCode	Text	10	NA	Validation status that the address verification service returns.

Alternate Name field group of the Member business entity

The Alternate Name field group stores the details of alternate names. Alternate names can be alias, previous name, doing business as and maiden name.

The following table lists the properties and describes the Alternate Name field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	infac360hc_alternateName	Text	255	NA	An alternative name of a member. The field is set as a deduplication criteria field.
Effective End Date	infac360hc_effectiveEndDate	Date	NA	NA	The date when an alternative name ceases to be effective.
Effective Start Date	infac360hc_effectiveStartDate	Date	NA	NA	The date from when the alternative name is valid.
Name Type	infac360hc_nameType	Lookup	NA	AlternateNameType	Type of an alternative name. For example, doing business as, alias, business name, and trading name. The field is set as a deduplication criteria field.

Citizenship field group of the Member business entity

The Citizenship field group stores the details of citizenship of a member, such as country and status of citizenship.

The following table lists the properties and describes the Citizenship field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Citizen of Country	infac360hc_citizenofCountry	Lookup	NA	Country	Country to which a member belongs.
Citizenship Status	infac360hc_citizenshipStatus	Text	255	NA	The status of the citizenship.
Effective End Date	infac360hc_effectiveEndDate	Date	NA	NA	The date when the citizenship ceases to be effective.
Effective Start Date	infac360hc_effectiveStartDate	Date	NA	NA	The date when the citizenship becomes effective.
Supporting Document Name	infac360hc_supportingDocumentName	Text	255	NA	Name of the supporting document that proves the citizenship.

Communication Preference field group of the Member business entity

The Communication preference field group stores the preference details of a member.

The following table lists the properties and describes the Communication Preference field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Brand/ Campaign	infac360hc_brandCampaign	Text	NA	NA	The brand/campaign of a member.
Communication Channel Type	infac360hc_communicationChannelType	lookup	NA	infac360hc_CommunicationChannelType	The communication channel type of a member.
Communication Type	infac360hc_communicationType	Lookup	NA	infac360hc_CommunicationType	The type of communication of a member.
Do Not Call Time	infac360hc_doNotCallTime	Lookup	NA	infac360hc_doNotCallTime	The time duration for which a member is not interested to receive phone calls.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Opt In Ind	infac360hc_optInInd	lookup	NA	infac360hc_OptInInd	Indicates whether a member has opted in.
Opt Out Ind	infac360hc_optOutInd	lookup	NA	infac360hc_OptOutInd	Indicates whether a member has opted out.
Preferred Call Time	infac360hc_preferredCallTime	lookup	NA	infac360hc_TimeOfDay	The preferred call time of a member.
Preferred Day Of the Week	infac360hc_preferredDayOftheWeek	Lookup	NA	infac360hc_DayOfWeek	The preferred day of the week of a member.
Preferred Location	infac360hc_preferredLocation	Text	NA	NA	The preferred location of a member.

Demographics field group of the Member business entity

The Demographics field group stores the demographics of a member.

The following table lists the properties and describes the Demographics field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Demographic Type	infac360hc_demographicType	Lookup	NA	DemographicType	Type of demographic information. For example, ethnicity, income level, age, and profession. The field is set as a deduplication criteria field.
Demographic Value	infac360hc_demographicValue	Lookup	NA	DemographicValue	Demographic values for a demographic type. For example, if ethnicity is a demographic type, then Hispanic and Asian are demographic values. The field is set as a deduplication criteria field.

Document field group of the Member business entity

The Document field group stores the document details, such as bank statement, salary slip, qualification certificate, identity proof, and residence proof.

The following table lists the properties and describes the Document field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Link	infac360hc_documentLink	Text	255	NA	URL to access the document.
Document Name	infac360hc_documentName	Text	255	NA	Name of the document.
Document Type	infac360hc_documentType	Lookup	NA	DocumentType	Type of document.
File Name	infac360hc_fileName	Text	255	NA	Physical name of the file.
Valid From	infac360hc_validFrom	Date	NA	NA	The date when the document is valid.
Valid To	infac360hc_validTo	Date	NA	NA	The date until when the document is valid.

Email Address field group of the Member business entity

The Email Address field group stores information about the electronic addresses, such as email addresses or URL of the websites.

The following table lists the properties and describes the Email field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when an electronic address ceases to be effective.
Electronic Address	electronicAddress	Text	255	NA	The date when an electronic address becomes effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Electronic address of a member.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.
Hygiene Status	hygieneStatus	Text	255	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	255	NA	Net protect codes identify the service or appliance that monitors a given network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of the address. For example, business, work, or personal.
Validation Message	validateMessage	Text	255	NA	A message that the address validation service generates to indicate how valid and trusted the address is.
Validation Status	validationStatusCode	Text	255	NA	Validation status of the electronic address.

Identifier field group of the Member business entity

The Identifier field group stores the alternate identifier details of a member, such as Social Security number, driver's license number, or passport number. Alternate identifiers are known identifiers that uniquely identify a member.

The following table lists the properties and describes the Identifier field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Deactivation Date	infac360hc_deactivationDate	DateTime	NA	NA	Deactivation date of the identifier.
Deactivation Reason	infac360hc_deactivationReason	Text	255	NA	Reason for deactivation of the identifier.
Effective End Date	infac360hc_effectiveEndDate	DateTime	NA	NA	The date when an identifier ceases to be effective.
Effective Start Date	infac360hc_effectiveStartDate	DateTime	NA	NA	The date when the ID was issued.
Identifier Issuer	infac360hc_identifierIssuer	Text	255	NA	The issuer of the identifier.
Identifier Type	infac360hc_identifierType	Lookup	NA	AlternateIdType	Type of indicator that identifies a member.
Identifier Type Description	infac360hc_identifierTypeDescription	Text	255	NA	Description of the type of identifier.
Identifier Value	identifier_value	Text	50	NA	Value of the identifier, such as D-U-N-S number or National Provider Identifier.
Issuing Authority	infac360hc_issuingAuthority	Lookup	NA	IssuingAuthority	Authority issuing the identifier.
Issuing Country	infac360hc_issuingCountry	Lookup	NA	Country	The country that issued the identifier to a member.
Issuing State	infac360hc_issuingState	Lookup	NA	State	The state that issued the identifier to a member.
Reactivation Date	infac360hc_reactivationDate	DateTime	NA	NA	Reactivation date of the identifier.
Status	infac360hc_status	Lookup	NA	IdentifierStatus	Status of the identifier. For example, effective, disqualified, expired, and temporary.

Lifestyle field group of the Member business entity

The Lifestyle field group stores the details related to the lifestyle of a member. Lifestyle details give additional information about the member, such as behavior and interests. Lifestyle information includes travel style, hobbies, and entertainment preferences.

The following table lists the properties and describes the Lifestyle field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Lifestyle Type	infac360hc_lifestyleType	Lookup	NA	LifestyleType	Type of lifestyle, such as classical music listener, decision maker or movie maniac.
Lifestyle Value	infac360hc_lifestyleValue	Text	255	NA	Value for a specified lifestyle.

Loyalty field group of the Member business entity

The Loyalty field group stores the loyalty account details of a member.

The following table lists the properties and describes the Loyalty field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Number	infac360hc_accountNumber	Text	255	NA	Loyalty account number.
Account Status	infac360hc_accountStatus	Lookup	NA	LoyaltyAccountStatus	The status of the account. For example, active, inactive, or dormant.
Account Type	infac360hc_accountType	Lookup	NA	LoyaltyAccountType	Type of loyalty accounts. For example, elite, silver, gold, or privileged.
Effective End Date	infac360hc_effectiveEndDate	Date	NA	NA	The date when the loyalty account ceases to be active.
Effective Start Date	infac360hc_effectiveStartDate	Date	NA	NA	The date when the loyalty account becomes active.
Redemption Preferences	infac360hc_redemptionPreferences	Lookup	NA	RedemptionPreferences	Preference for the redemption of loyalty points. For example, cash back or credit.

Phone field group of the Member business entity

The Phone field group stores the phone details of a member.

The following table lists the properties and describes the Phone field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	255	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether a member wants to receive unsolicited phone calls from marketers.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	The date until when the phone number is effective.
International Prefix	internationalPrefix	Text	255	NA	The date from when the phone number is effective.
Effective End Date	effectiveEndDate	DateTime	NA	NA	Indicates whether the phone number validation service verified the phone number.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	International format for the phone number.
International Format	internationalFormat	Text	50	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	255	NA	A code that identifies a numbering area within a country or a group of countries.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	The digit or combination of digits that must be dialed before an area or city code.
Phone Number	phoneNumber	Text	255	NA	Phone number of a person.
Phone Number Extension	phoneNumberExtension	Text	255	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Prefix Number	prefixNumber	Text	255	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	The status of the phone number, such as the phone number is publicly available or active.
Validation Message	validationMessage	Text	255	NA	Validation message that the phone number validation service returns.
Validation Status	validationStatusCode	Text	255	NA	Validation status that the phone number validation service returns.

Social Media field group of the Member business entity

The Social Media field group stores information about the social media identifiers of a member.

The following table lists the properties and describes the Social Media field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	infac360hc_socialMediaType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Handle	infac360hc_socialMediaHandle	Text	255	NA	Social media identifier or name of a member.

Status field group of the Member business entity

The Status field group stores the statuses of a member, such as status type and status value.

The following table lists the properties and describes the Status field group of the Member business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
End Date	infac360hc_endDate	DateTime	NA	NA	The date when the status ceases to be effective.
Start Date	infac360hc_startDate	DateTime	NA	NA	The date from when the status is valid.
Status Reason	infac360hc_statusReason	Text	255	NA	Reason for the status.
Status Type	infac360hc_statusType	Lookup	NA	PersonStatusType	Status type of a member. For example, onboarding, legal, or credit.
Status Value	infac360hc_statusValue	Lookup	NA	PersonStatusValue	Status value of a member.

Network business entity data model

Network business entity stores information about insurance network details of a healthcare organization. An insurance network is an aggregation of organizations that provides services across a location through health insurance services.

General fields of the Network business entity

The general fields store basic information about an insurance network, such as network description and type.

The following table describes the general fields of the Network business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Description	X_infac360hc_description	Text	255	NA	Short description about the insurance network.
Network ID	X_infac360hc_networkID	Lookup	NA	infac360hc_NetworkID	ID of an insurance network, such as EyeMed Vision or Humana Medicare Employer Plan.
Type	X_infac360hc_networkType	Lookup	NA	infac360hc_NetworkType	Type of an insurance network.

Organization Affiliation business entity data model

Organization Affiliation business entity stores information about relationships between two or more organizations, such as the services an organization provides to another and the locations where they provide services.

General fields of the Organization Affiliation business entity

The general fields store basic information about a relationship between two or more organizations, such as participating organization and location where they provide services.

The following table describes the general fields of the Organization Affiliation business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	X_infac360hc_effectiveEndDate	Date Time	NA	NA	Date until when the affiliation is active.
Effective Start Date	X_infac360hc_effectiveStartDate	Date Time	NA	NA	Date from when the affiliation is active.
Location	X_infac360hc_location	Business Entity Record	NA	NA	Details of a location where the service is provided.
Participating Organization	X_infac360hc_participatingOrganization	Business Entity Record	NA	NA	Details of a participating organization in the affiliation.
Organization	X_infac360hc_organization	Business Entity Record	NA	NA	Details of an organization that provides the service.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Role	X_infac360hc_orgAffilRoleName	Lookup	NA	infac360hc_OrgAffilRoleName	Role of an organization in the affiliation .
Specialty	X_infac360hc_specialty	Lookup	NA	infac360hc_OrgAffilRoleSpecialty	Name of a specialty of a healthcare organization .
Status	X_infac360hc_status	Lookup	NA	infac360hc_PractitionerRoleStatus	Status of practitioner role in a healthcare organization, such as active or inactive.

Healthcare Service field group of the Organization Affiliation business entity

The Healthcare Service field group stores the details of services that an organization provides.

The following table describes the fields of the Healthcare Service field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Category	X_infac360hc_category	Lookup	NA	infac360hc_HealthcareServiceCategory	Broad category of healthcare services delivered by an organization, such as dental, laboratory, and pharmacy.
Type	X_infac360hc_type	Lookup	NA	infac360hc_HealthcareServiceType	Type of healthcare services provided by an organization, such as cancer services, child care, and genetic counselling.

Identifier field group of the Organization Affiliation business entity

The Identifier field group stores the identifier details of a participating organization.

The following table describes the fields of the Identifier field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	X_infac360hc_endDate	DateTime	NA	NA	Expiry date of the identifier.
Effective Start Date	X_infac360hc_startDate	DateTime	NA	NA	Issued date of the identifier.
Identifier Issuer	X_infac360hc_assigner	Text	255	NA	Issuer of the identifier.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Identifier Type	X_infac360hc_identifierType	Lookup	NA	infac360hc_PractitionerRoleIdentifierType	Type of an identifier, such as medical license number or accession ID.
Identifier Value	X_infac360hc_value	Text	255	NA	Value of the identifier.
Usage Type	X_infac360hc_usageType	Lookup	NA	infac360hc_PractitionerRoleIdentifierUsageType	Intended use or purpose of the identifier, such as official, old, or secondary.

Organization business entity data model

The Organization business entity stores information about the organization.

General fields of Organization business entity

The general fields store some basic information about an organization such as name and date of incorporation.

The following table lists the general fields that the Organization business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Name	name	Text	255	NA	Name of the organization.
Number Of Employees	numberOfEmployees	Integer	NA	NA	Total number of employees in the organization.
Company Type	companyType	Lookup	NA	CompanyType	Type of company.
Date of Incorporation	dateOfIncorporation	Date Time	NA	NA	Date of incorporation of the organization.
State Of Incorporation	stateOfIncorporation	Lookup	NA	State	State of incorporation of the organization.
Country Of Incorporation	countryOfIncorporation	Lookup	NA	Country	Country of incorporation of the organization.
Company Logo	imageUrl	Text	255	NA	URL of the image for the organization.
Type	X_infac360hc_type	Lookup	NA	infac360hc_organizationType	Type of organization.

Address field group of Organization business entity

The Address field group stores the postal addresses of an organization. Postal address is a physical address associated with the organization. An organization can have multiple addresses.

The following table lists the fields that the Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
Usage Type	usageType	Lookup	NA	AddressUsageType	Usage type. For example, business or personal.
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
City	city	Text	50	NA	City of postal address.
County	county	Text	50	NA	County of postal address.
State	state	Lookup	NA	State	State of postal address.
Country	country	Lookup	NA	Country	Country of postal address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Coordinate System	coordinateSystem	Text	100	NA	Coordinate system used to determine the location of the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using coordinate system.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active, current, old address, or changed.
Latitude	latitude	Text	20	NA	Latitude for the address.
Longitude	longitude	Text	20	NA	Longitude for the address.
Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the address is active.
End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the address.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.

Alternate Names field group of Organization business entity

The Alternate Names field group stores the details of alternate names. An organization might use different names, such as legal name, alias, and trading name. An alternative name might be active during a particular time.

The following table lists the fields that the Alternate Names field group of Organization business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	infac360hc_alternateName	Text	255	NA	Alternate name of the organization.
Name Type	infac360hc_nameType	Lookup	NA	AlternateNameType	Alternate name type. For example, doing business as, alias, business name, and trading name.
Effective Start Date	infac360hc_effectiveStartDate	Date	NA	NA	Start date from when the alternate name is valid.
Effective End Date	infac360hc_effectiveEndDate	Date	NA	NA	Expiry date of the alternate name.

Documents field group of Organization business entity

The Documents field group stores the document details, such as bank statement, qualification certificate and proof of business existence.

The following table lists the fields that the Documents field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Type	documentType	Lookup	NA	DocumentType	Type of document.
Document Name	documentName	Text	255	NA	Name of the document.
Document Link	documentLink	Text	255	NA	URL to access the document.
File Name	fileName	Text	255	NA	Name of the file.
Valid From	validFrom	Date Time	NA	NA	Date from when the document is valid.
Valid To	validTo	Date Time	NA	NA	Date until when the document is valid.

Email field group of Organization business entity

The Email field group stores information about the electronic addresses, such as email addresses or URL of the websites.

The following table lists the fields that the Email field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of the address. For example, business, work, or personal.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of the organization.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Validation Status	validationStatusCode	Text	50	NA	Validation status of the electronic address.
Validation Message	validateMessage	Text	50	NA	Message that the address validation service generates to indicate how valid and trusted the address is.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify which service or appliance is monitoring a given network.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date for the electronic address.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date for the electronic address.

Financial field group of Organization business entity

The Financial field group stores financial information of an organization.

The following table lists the fields that the Financial field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Finance Info Type	infac360hc_financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, and debt.
Amount	infac360hc_amount	Double	NA	NA	Total value of the finance.
Time Period	infac360hc_timePeriod	Text	255	NA	Finance period for which the data is collected.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	infac360hc_currency	Lookup	NA	Currency	Currency in which the financial information is collected.
Unit	infac360hc_unit	Lookup	NA	FinancialUnit	Unit of the amount. For example, thousands, millions, or billions.
Finance Reliability	infac360hc_financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period Type	infac360hc_timePeriodType	Lookup	NA	TimePeriodType	Type of the finance period. For example, quarterly or yearly.

Identifier field group of Organization business entity

The Identifier field group stores the alternate identifier details of an organization, such as tax numbers, D-U-N-S number, or National Provider Identifier (NPI) numbers for healthcare providers.. Alternate identifiers are known identifiers that uniquely identify an organization.

The following table lists the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Issuing Authority	infac360hc_issuingAuthority	Lookup	NA	IssuingAuthority	Authority that has issued the identifier to the organization.
Identifier Type	infac360hc_identifierType	Lookup	NA	AlternateIdType	Type of the identifier.
Effective Start Date	infac360hc_effectiveStartDate	DateTime	NA	NA	Issued date of the identifier.
Effective End Date	infac360hc_effectiveEndDate	DateTime	NA	NA	Expiry date of the identifier.
Identifier Value	infac360hc_identifierValue	Text	50	NA	Value of the identifier, such as D-U-N-S number or National Provider Identifier.
Deactivation Reason	infac360hc_deactivationReason	Text	255	NA	Reason for the deactivation of the identifier.
Deactivation Date	infac360hc_deactivationDate	DateTime	NA	NA	Date on which the identifier was deactivated.
Reactivation Date	infac360hc_reactivationDate	DateTime	NA	NA	Date on which the identifier was reactivated.
Status	infac360hc_status	Lookup	NA	IdentifierStatus	Status of the identifier. For example, effective, disqualified, expired, and temporary.

Indicator field group of Organization business entity

The Indicator field group stores the indicator types based on which you want to identify an organization.

The following table lists the fields that the Indicator field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Type	infac360hc_indicatorType	Lookup	NA	IndicatorType	Type of organization indicator such as promoter, detractor, minority-owned, women-owned, locally based, and small business.
Indicator value	infac360hc_indicatorvalue	NA	255	NA	Actual value of the indicator.

Insurance field group of Organization business entity

The Insurance field group stores the insurance details, such as the name of the insurance provider, the policy number, the insurance type, and the validity.

The following table lists the fields that the Insurance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Policy Number	insurancePolicyNumber	Text	100	NA	Policy number of the insurance.
Value	insuranceValue	Double	NA	NA	Amount insured.
Unit	unit	Lookup	NA	FinancialUnit	Unit for the amount.
Currency	currency	Lookup	NA	Currency	Currency in which the organization is insured.
Insurance Provider	insuranceProvider	Text	255	NA	Company that provides the insurance.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	Type of insurance, such as life, health and accident, professional indemnity, or medical malpractice.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is life, the subtypes might be non-participating, participating, indeterminate premium, economic, limited pay, or single premium.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the insurance.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the insurance.
Status	insuranceStatus	Text	255	NA	Status of the insurance. For example, active or expired.

Key People field group of Organization business entity

The Key People field group stores information about the key executives in an organization. The key executives are important people in an organization. For example, the key executives include chief executive officer and chief financial officer of the organization.

The following table lists the fields that the Key People field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Executive Type	infac360hc_executiveType	Lookup	NA	ExecutiveType	Executive type. For example, executive chairman, non-executive chairman, or chief executive officer.
Name	infac360hc_name	Text	255	NA	Name of the executive.
Designation	infac360hc_designation	Text	255	NA	Designation of the key executive.

Phone field group of Organization business entity

The Phone field group stores the phone details of the organization.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Phone Number	phoneNumber	Text	20	NA	Phone number of the organization.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to the phone number.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
National Prefix	nationalPrefix	Text	255	NA	Digit or combination of digits which must be dialed before an area or city code.
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the organization is interested to receive unsolicited phone calls from marketers.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Date from when the phone number is active.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	Date until when the phone number was active or will be active.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
ISO	iso	Text	2	NA	ISO country code.

Segment field group of Organization business entity

The Segment field group stores the segment details of an organization. Segmentation can help marketers design targeted campaigns.

The following table lists the fields that the Segment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	infac360hc_segmentType	Lookup	NA	SegmentType	Type of segment of the organization. For example, income, age, or geography.
Segment Name	infac360hc_segmentName	Lookup	NA	SegmentValue	Name of the category or segment. A segment type can have segment values.

Social Media field group of Organization business entity

The Social Media field group stores information about the social media identifiers of an organization.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	socialHandleType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Handle	socialMediaHandle	Text	255	NA	Social media identifier or name of the organization.

Status field group of Organization business entity

The Status field group stores the statuses of the organization. A status can be registered, approved, submitted, rejected, active, or inactive.

The following table lists the fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status Type	infac360hc_statusType	Lookup	NA	OrgStatusType	Status type of the organization. For example, onboarding, legal, or credit.
Status Value	infac360hc_statusValue	Lookup	NA	OrgStatusValue	Status value of the organization.
Start Date	infac360hc_startDate	DateTime	NA	NA	Date when the status was issued.
End Date	infac360hc_endDate	DateTime	NA	NA	Expiry date of the status.
Status Reason	infac360hc_statusReason	Text	255	NA	The reason for the status.

Stock field group of Organization business entity

The Stock field group stores information about the stock exchanges where an organization trades.

The following table lists the fields that the Stock field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country in which the stock exchange is located.
Stock Exchange	stockExchangeName	Text	255	NA	Name of the stock exchange that trades the shares.
Ticker Symbol	tickerSymbol	Text	255	NA	Abbreviation used to identify the publicly traded shares of the organization.

Tax field group of Organization business entity

The Tax field group stores tax-related information, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the fields that the Tax field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of the tax number. Tax number can be Individual Taxpayer Identification Number (ITIN), (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).
Tax Payer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of tax payer. For example, company, partnership, or trust.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Country	country	Lookup	NA	Country	Country of taxation.
State	state	Lookup	NA	State	State within the country of the taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the tax period.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the tax period.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Tax Paid	taxPaid	Text	50	NA	Tax amount that the organization has paid.
Tax Number	taxNumber	Text	50	NA	Unique number that identifies the organization for tax purposes.

Payer business entity data model

Payer business entity stores information about a payer company that pays for medical services, such as an insurance company.

General fields of Payer business entity

The general fields store some basic information about a payer company, such as name and company type.

The following table lists the general fields that the Payer business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Name	infac360hc_name	Text	255	NA	Name of the payer.
Number Of Employees	infac360hc_numberOfEmployees	Integer	NA	NA	Total number of employees in the payer.
Company Type	infac360hc_companyType	Lookup	NA	CompanyType	Company type of the payer. For example, a health insurance company or third-party administrator (TPA).
Date of Incorporation	infac360hc_dateofIncorporation	Date Time	NA	NA	Date of incorporation of the organization.
State Of Incorporation	infac360hc_stateOfIncorporation	Lookup	NA	State	State of incorporation of the organization.
Country Of Incorporation	infac360hc_countryOfIncorporation	Lookup	NA	Country	Country of incorporation of the organization
Company Logo	infac360hc_companyLogo	Text	255	NA	URL image of the payer.
Foundation Date	infac360hc_foundationDate	Date Time	NA	NA	Date when the payer was founded.
Foundation Year	infac360hc_foundationYear	Integer	NA	NA	Year when the payer was founded.
Member Count	infac360hc_memberCount	Integer	NA	NA	Total number of members in the payer.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Type	infac360hc_type	Lookup	NA	infac360hc_payerType	Type of the payer. For example, company, partnership, or trust.
Employee Count	infac360hc_employeeCount	Integer	NA	NA	Total number of employees in the payer.

Address field group of Payer business entity

The Address field group stores the postal addresses of a payer. Postal address is a physical address associated with the payer. A payer can have multiple addresses.

The following table lists the fields that the Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
Usage Type	usageType	Lookup	NA	AddressUsageType	Usage type. For example, business or personal.
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
City	city	Text	50	NA	City of postal address.
County	county	Text	50	NA	County of postal address.
State	state	Lookup	NA	State	State of postal address.
Country	country	Lookup	NA	Country	Country of postal address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Coordinate System	coordinateSystem	Text	100	NA	Coordinate system used to determine the location of the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using coordinate system.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active, current, old address, or changed.
Latitude	latitude	Text	20	NA	Latitude for the address.
Longitude	longitude	Text	20	NA	Longitude for the address.
Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the address is active.
End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the address.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.

Alternate Names field group of Payer business entity

The Alternate Names field group stores the details of alternate names. A payer might use different names, such as legal name, alias, and trading name. An alternative name might be active during a particular time.

The following table lists the fields that the Alternate Names field group of a payer business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	infac360hc_alternateName	Text	255	NA	Alternate name of the payer. The field is set as a deduplication criteria field.
Effective End Date	infac360hc_effectiveEndDate	Date Time	NA	NA	Expiry date of the alternate name.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Start Date	infac360hc_effectiveStartDate	Date Time	NA	NA	Start date from when the alternate name is valid.
Name Type	infac360hc_nameType	Lookup	NA	AlternateNameType	Type of the alternate name. For example, doing business as, alias, business name, and trading name. The field is set as a deduplication criteria field.

Email field group of Payer business entity

The Email field group stores information about the electronic addresses of a payer, such as email addresses or URL of the websites.

The following table lists the fields that the Email field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of the address. For example, business, work, or personal.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of the organization.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Validation Status	validationStatusCode	Text	50	NA	Validation status of the electronic address.
Validation Message	validateMessage	Text	50	NA	Message that the address validation service generates to indicate how valid and trusted the address is.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify which service or appliance is monitoring a given network.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date for the electronic address.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date for the electronic address.

Financial field group of Payer business entity

The Financial field group stores financial information of a payer.

The following table lists the fields that the Financial field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Finance Info Type	infac360hc_financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information of the payer. For example, equity, annual income, and debt.
Amount	infac360hc_amount	Double	NA	NA	Total value of the finance.
Time Period	infac360hc_timePeriod	Text	255	NA	Finance period for which the data is collected.
Currency	infac360hc_currency	Lookup	NA	Currency	Currency in which the financial information is collected.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Unit	infac360hc_unit	Lookup	NA	FinancialUnit	Unit of the amount. For example, thousands, millions, or billions.
Finance Reliability	infac360hc_financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period Type	infac360hc_timePeriodType	Lookup	NA	TimePeriodType	Type of the finance period. For example, quarterly or yearly.

Identifier field group of Payer business entity

The Identifier field group stores the alternate identifier details of a payer.

The following table lists the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Identifier Type	infac360hc_identifierType	Lookup	NA	AlternateIdType	Type of indicator that explains the payer.
Effective Start Date	infac360hc_effectiveStartDate	DateTime	NA	NA	Issued date of the identifier.
Effective End Date	infac360hc_effectiveEndDate	DateTime	NA	NA	Expiry date of the identifier.
Identifier Value	infac360hc_identifierValue	Text	50	NA	Value of the identifier, such as D-U-N-S number or National Provider Identifier.
Deactivation Reason	infac360hc_deactivationReason	Text	255	NA	Reason for deactivation of the identifier.
Deactivation Date	infac360hc_deactivationDate	DateTime	NA	NA	Deactivation date of the identifier.
Reactivation Date	infac360hc_reactivationDate	DateTime	NA	NA	Reactivation date of the identifier.
Identifier Issuer	infac360hc_identifierIssuer	Text	255	NA	Issuer of the identifier.
Identifier Type Description	infac360hc_identifierTypeDescription	Text	255	NA	Description of the type of identifier.
Issuing State	infac360hc_issuingState	Lookup	NA	State	State that has issued the identifier to the payer.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Issuing Country	infac360hc_issuingCountry	Lookup	NA	Country	Country that has issued the identifier to the payer.
Status	infac360hc_status	Lookup	NA	IdentifierStatus	Status of the identifier. For example, effective, disqualified, expired, and temporary.

Indicator field group of Payer business entity

The Indicator field group stores additional details of a payer.

The following table lists the fields that the Indicator field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Type	X_infac360hc_indicatorType	Lookup	NA	IndicatorType	Type of payer indicator such as promoter, detractor, minority-owned, women-owned, locally based, and small business.
Indicator Value	X_infac360hc_value	Text	255	NA	Actual value of the indicator.

Key People field group of Payer business entity

The Key People field group stores information about the key executives of a payer. The key executives are important people of a payer. For example, the key executives include chief executive officer and chief financial officer of a payer.

The following table lists the fields that the Key People field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Executive Type	infac360hc_executiveType	Lookup	NA	ExecutiveType	Executive type. For example, executive chairman, non-executive chairman, or chief executive officer.
Name	infac360hc_name	Text	255	NA	Name of the executive.
Designation	infac360hc_designation	Text	255	NA	Designation of the key executive.

Phone field group of Payer business entity

The Phone field group stores the phone details of a payer.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Phone Number	phoneNumber	Text	20	NA	Phone number of the organization.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to the phone number.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
National Prefix	nationalPrefix	Text	255	NA	Digit or combination of digits which must be dialed before an area or city code.
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the organization is interested to receive unsolicited phone calls from marketers.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Date from when the phone number is active.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Date until when the phone number was active or will be active.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
ISO	iso	Text	2	NA	ISO country code.

Segment field group of Payer business entity

The Segment field group stores the segment of a payer. Segmentation can help marketers design targeted campaigns.

The following table lists the fields that the Segment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	X_infac360hc_segmentType	Lookup	NA	SegmentType	Type of segment of the payer. For example, income, age, or geography.
Segment Name	X_infac360hc_segmentName	Lookup	NA	SegmentValue	Name of the category or segment. A segment type can have segment values.

Social Media field group of Payer business entity

The Social Media field group stores information about the social media identifiers of a payer.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	infac360hc_socialMediaType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Handle	infac360hc_socialMediaHandle	Text	255	NA	Social media identifier or name of the organization.

Status field group of Payer business entity

The Status field group stores the statuses of a payer.

The following table lists the additional fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status Type	infac360hc_statusType	Lookup	NA	infac360hc_hcoStatusType	Status type of the payer.
Status Value	infac360hc_statusValue	Lookup	NA	infac360hc_hcoStatusValue	Status value of the payer.
Start Date	X_infac360hc_startDate	DateTime	NA	NA	Date from when the status is valid.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
End Date	X_infac360hc_endDate	DateTime	NA	NA	Expiry date of the status.
Status Reason	X_infac360hc_statusReason	Text	255	NA	Reason for the status.

Plan business entity data model

Plan business entity stores information about a plan.

General fields of Plan business entity

The general fields store some basic information about a plan, such as plan name and plan type.

The following table lists the general fields that the Plan business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Plan Name	infac360hc_planName	Text	255	NA	Name of the plan.
Plan Type	infac360hc_planType	Lookup	255	infac360hc_PlanType	Type of the plan.
Plan Model Type	infac360hc_planModelType	Lookup	255	infac360hc_PlanModelType	Model type of the plan. For example, an out of pocket or deductible model.
Primary Care Physician Required Ind	infac360hc_primaryCarePhysicianRequiredInd	Lookup	NA	infac360hc_PrimaryCarePhysicianRequiredInd	Indicates the requirement of a primary care physician.
Specialist Referral Required Ind	infac360hc_specialistReferralRequiredInd	Lookup	NA	infac360hc_SpecialistReferralRequiredInd	Indicates the requirement of a specialist referral.
Office Visit for Primary Doctor Coverage	infac360hc_officeVisitforPrimaryDoctorCoverage	Text	255	NA	Indicates the office visit coverage for a primary doctor.
Office Visit for Specialist Coverage	infac360hc_officeVisitforSpecialistCoverage	Text	255	NA	Indicates the office visit coverage for a specialist.
Coinsurance	infac360hc_coinsurance	Text	255	NA	The amount an individual has to pay after the deductible amount is paid.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Individual Deductible Amount	infac360hc_individualDeductibleAmount	Double	NA	NA	Deductible amount for an individual.
Family Deductible Amount	infac360hc_familyDeductibleAmount	Double	NA	NA	Deductible amount for a family.
Family Deductible Type	infac360hc_familyDeductibleType	Lookup	255	infac360hc_FamilyDeductibleType	Type of the deductible opted for the family members.
Members Before Family Deductible	infac360hc_membersBeforeFamilyDeductible	Text	255	NA	Deductible amount for members before the family is deducted.
Individual Annual Out of Pocket Limit	infac360hc_individualAnnualOutofPocketLimit	Double	NA	NA	The maximum annual limit for an individual.
Family Annual Out of Pocket Limit	infac360hc_familyAnnualOutofPocketLimit	Double	NA	NA	The maximum annual limit for a family.
Family Out of Pocket Limit Type	infac360hc_familyOutofPocketLimitType	Lookup	255	infac360hc_FamilyOutofPocketLimitType	Type of out of pocket limit opted for the family members.
Family Members OOP	infac360hc_familyMembersOOP	Text	255	NA	Out of pocket limit for the family members.
OOP Limit Include Deductible Ind	infac360hc_oOPLimitIncludeDeductibleInd	Lookup	NA	infac360hc_OOPLimitIncludeDeductibleInd	Indicates the maximum amount an individual has to pay for healthcare services, including deductibles.
Individual Lifetime Maximum	infac360hc_individualLifetimeMaximum	Integer	NA		Maximum lifetime that an individual can use the healthcare service.
HSA Eligible	infac360hc_hSAEligible	Lookup	NA	infac360hc_HSAEligible	Indicates the eligibility to the Health Savings Account (HSA) if an individual has qualifying high-deductible health plans.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Out of Network Coverage Indicator	infac360hc_outofNetworkCoverageIndicator	Lookup	NA	infac360hc_OutOfNetworkCoverageIndicator	Indicates whether the plan is out of network coverage.
OON Coverage Authorization Indicator	infac360hc_oONCoverageAuthorizationIndicator	Lookup	NA	infac360hc_OONCoverageAuthorizationIndicator	Indicates whether plan is out of network coverage authorization.
OON Coverage Different Ind	infac360hc_oONCoverageDifferentInd	Lookup	NA	infac360hc_OONCoverageDifferentInd	Indicates the different out of network coverage.
OON Individual Deductible Amount	infac360hc_oONIndividualDeductibleAmount	Double	NA	NA	Out of network deductible amount for an individual.
OON Family Deductible Amount	infac360hc_oONFamilyDeductibleAmount	Double	NA	NA	Out of network deductible amount for a family.
OON Coinsurance	infac360hc_oONCoinsurance	Text	255	NA	Out of network coinsurance of the plan.
OON Individual Annual OOP Limit	infac360hc_oONIndividualAnnualOOPLimit	Double	255	NA	Annual out of network and out of pocket limit for an individual.
OON Family Annual OOP Limit	infac360hc_oONFamilyAnnualOOPLimit	Double	255	NA	Annual out of network and out of pocket limit for a family.
Out Of Country Coverage Ind	infac360hc_outOfCountryCoverageInd	Lookup		infac360hc_OutOfCountryCoverageInd	Indicates whether the plan has an out of country coverage.
Periodic Health Exam Coverage	infac360hc_periodicHealthExamCoverage	Text	255	NA	Periodic health exam coverage in the plan.
Periodic OB-GYN Exam Coverage	infac360hc_periodicOBGYNExamCoverage	Text	255	NA	Periodic Obstetrics-Gynaecology exam coverage in the plan.
Well Baby Care Coverage	infac360hc_wellBabyCareCoverage	Text	255	NA	Annual health checkup coverage for the wellness of a baby or child.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Generic Prescription Drugs Coverage	infac360hc_genericPrescriptionDrugsCoverage	Text	255	NA	Generic prescription drugs coverage in the plan.
Brand Prescription Drugs Coverage	infac360hc_brandPrescriptionDrugsCoverage	Text	255	NA	Brand prescription drugs coverage in the plan.
Non-Formulary Prescription Drugs Coverage	infac360hc_nonFormularyPrescriptionDrugsCoverage	Text	255	NA	Non-formulary prescription drugs coverage in the plan.
Separate Prescription Drugs Deductible	infac360hc_separatePrescriptionDrugsDeductible	Text	255	NA	Deducible amount for separate prescription drugs.
Mail Order Availablity for Prescription Drugs	infac360hc_mailOrderAvailablityforPrescriptionDrugs	Lookup	NA	infac360hc_MailOrderAvailablityForPrescriptionDrugs	Indicates availability of prescription drugs by mail order.
Mail Order (Generic Drug) Coverage	infac360hc_mailOrderGenericDrugCoverage	Text	255	NA	Coverage of generic drugs by mail order.
Mail Order (Brand Drug) Coverage	infac360hc_mailOrderBrandDrugCoverage	Text	255	NA	Coverage of brand drugs by mail order.
Mail Order (Non-Formulary Drug) Coverage	infac360hc_mailOrderNonFormularyDrugCoverage	Text	255	NA	Coverage of non-formulary drugs by mail order.
Mail Order Option	infac360hc_mailOrderOption	Text	255	NA	Option for door-step
Mail Order Days Supply	infac360hc_mailOrderDaysSupply	Integer	NA	NA	Number of days to supply the mail order.
Emergency Room Coverage	infac360hc_emergencyRoomCoverage	Text	255	NA	Emergency room coverage inthe plan.
Outpatient Lab/X-Ray Coverage	infac360hc_outpatientLabXRayCoverage	Text	255	NA	Outpatient lab/x-ray coverage in the plan.
Outpatient Surgery Coverage	infac360hc_outpatientSurgeryCoverage	Text	255	NA	Outpatient surgery coverage in the plan.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Hospitalization Coverage	infac360hc_hospitalizationCoverage	Text	255	NA	Hospitalization coverage in the plan.
Pre & Postnatal Office Visit Coverage	infac360hc_preAndPostnatalOfficeVisitCoverage	Text	255	NA	Pre and postnatal office visit coverage in the plan.
Labor & Delivery Hospital Stay Coverage	infac360hc_laborAndDeliveryHospitalStayCoverage	Text	255	NA	Labor and delivery hospital stay coverage of the plan.
Chiropractic Coverage	infac360hc_chiropracticCoverage	Text	255	NA	Chiropractic coverage in the plan.
Mental Health Coverage	infac360hc_mentalHealthCoverage	Text	255	NA	Mental health coverage in the plan.
Substance Abuse Coverage	infac360hc_substanceAbuseCoverage	Text	255	NA	Coverage for substance abuse rehabilitation in the plan.
RX Formulary URL	infac360hc_rXFormularyURL	Text	255	NA	URL to access the prescription drugs list.
Effective Start Date	infac360hc_effectiveStartDate	Date	NA	NA	Date from which the plan is valid.
Effective End Date	infac360hc_effectiveEndDate	Date	NA	NA	Expiry date of the plan.

Practitioner Role business entity data model

Practitioner Role business entity stores information about a role associated with a practitioner.

General fields of the Practitioner Role business entity

The general fields store basic information about a practitioner role, such as staff and contact.

The following table describes the general fields of the Practitioner Role business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	X_infac360hc_effectiveEndDate	Date Time	NA	NA	Date until when the affiliation is active.
Effective Start Date	X_infac360hc_effectiveStartDate	Date Time	NA	NA	Date from when the affiliation is active.
Location	X_infac360hc_location	Business Entity Record	NA	NA	Details of the location where a practitioner serves.
Network	X_infac360hc_network	Business Entity Record	NA	NA	Insurance network details of an organization.
Organization	X_infac360hc_organization	Business Entity Record	NA	NA	Details of the organization associated with a practitioner.
Practitioner	X_infac360hc_practitioner	Business Entity Record	NA	NA	Details of the practitioner associated with an organization.
Role	X_infac360hc_practitionerRoleName	Lookup	NA	infac360hc_PractitionerRoleName	Role of a practitioner, such as audiologist, counselor, or emergency medical service provider.
Specialty	X_infac360hc_specialty	Lookup	NA	infac360hc_PractitionerRoleSpecialty	Name of a specialty of a practitioner, such as acupuncturist, adult medicine physician, or cardiovascular disease physician.
Status	X_infac360hc_status	Lookup	NA	infac360hc_PractitionerRoleStatus	Status of a practitioner, such as active or inactive.

Product business entity data model

Product business entity stores information about a product. This business entity contains basic fields.

General fields of Product business entity

The general fields store some basic information about a product, such as name and description.

The following table lists the general fields that the Product business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Description	infac360hc_description	Text	255	NA	Description of the product.
Status	infac360hc_status	Lookup	NA	infac360hc_productStatusType	Status of the product.
Status Reason	infac360hc_statusReason	Lookup	NA	infac360hc_productStatusReason	Reason for the status of the product.
Other Status Reason	infac360hc_otherStatusReason	Text	255	NA	Other reason for the status of the product.
Brochure URL	infac360hc_brochureURL	Text	255	NA	URL of the brochure.
Formulary URL	infac360hc_formularyURL	Text	255	NA	URL of the formulary.
Provider Network URL	infac360hc_providerNetworkURL	Text	255	NA	URL of the provider network.
Name	infac360hc_name	Text	255	NA	Name of the product.
Market Type	infac360hc_marketType	Lookup	NA	infac360hc_MarketType	Type of market the product is in.
Code	infac360hc_code	Text	255	NA	Code of the product, such as barcode.
Type	infac360hc_type	Lookup	NA	infac360hc_productType	Type of product.

Batch jobs

Use batch jobs to ingress the source system records to Customer 360. After you import the records to Customer 360, you can process the imported records in Customer 360. Use batch jobs to export the processed records from Customer 360 to the source system.

Batch jobs of the Associate business entity

Use batch jobs to integrate data from source systems to Customer 360.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps source system fields with Customer 360 business entity fields.

The following table lists the sample jobs and their related taskflow, mapping task, and mapping to ingress FHIR R4 standard-compliant records:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360hc_ingress_associate_inbound	infac360hc_tf_associate_inbound	- infac360hc_mt_associate_root_inbound - infac360hc_mt_associate_social_handle_inbound - infac360hc_mt_associate_phone_inbound - infac360hc_mt_associate_email_inbound - infac360hc_mt_associate_address_inbound	- infac360hc_m_associate_root_inbound - infac360hc_m_associate_social_handle_inbound - infac360hc_m_associate_phone_inbound - infac360hc_m_associate_email_inbound - infac360hc_m_associate_address_inbound	Imports data from the FHIR file to the Associate business entity.

Batch jobs of HCO business entity

Use batch jobs to integrate data from source systems to Customer 360.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps source system fields with Customer 360 business entity fields.

The following table lists the sample jobs and their related taskflow, mapping task, and mapping to ingress data from NPPES:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360ls_ingress_nppes_hco_inbound	infac360ls_tf_nppes_hco_inbound	- infac360ls_mt_nppes_hco_inbound_legalName - infac360ls_mt_nppes_hco_inbound_license - infac360ls_mt_nppes_hco_inbound_identifier - infac360ls_mt_nppes_hco_inbound_keyPeople - infac360ls_mt_nppes_hco_inbound_phone - infac360ls_mt_nppes_hco_inbound_address - infac360ls_mt_nppes_hco_inbound_alternateName - infac360ls_mt_nppes_hco_inbound_specialty	- infac360ls_m_nppes_hco_inbound_legalName - infac360ls_m_nppes_hco_inbound_license - infac360ls_m_nppes_hco_inbound_identifier - infac360ls_m_nppes_hco_inbound_keyPeople - infac360ls_m_nppes_hco_inbound_phone - infac360ls_m_nppes_hco_inbound_address - infac360ls_m_nppes_hco_inbound_alternateName - infac360ls_m_nppes_hco_inbound_specialty	Imports data from the NPPES file to the HCO business entity.

The following table lists the sample jobs and their related taskflow, mapping task, and mapping to ingress data from MedPro Systems:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360ls_trigger_ingress_medpro_HCO_HCP	infac360ls_tf_medpro_trigger_inbound_job	- infac360ls_mt_medpro_hco_inbound_root - infac360ls_mt_medpro_hco_inbound_specialty - infac360ls_mt_medpro_hco_inbound_alternateName - infac360ls_mt_medpro_hco_inbound_certification - infac360ls_mt_medpro_hco_inbound_phone - infac360ls_mt_medpro_hco_inbound_address - infac360ls_mt_medpro_hco_inbound_license - infac360ls_mt_medpro_hco_inbound_sampleability - infac360ls_mt_medpro_hco_inbound_identifier	- infac360ls_m_medpro_hco_inbound_root - infac360ls_m_medpro_hco_inbound_specialty - infac360ls_m_medpro_hco_inbound_alternateName - infac360ls_m_medpro_hco_inbound_certification - infac360ls_m_medpro_hco_inbound_phone - infac360ls_m_medpro_hco_inbound_address - infac360ls_m_medpro_hco_inbound_license - infac360ls_m_medpro_hco_inbound_sampleability - infac360ls_m_medpro_hco_inbound_identifier	Imports data from the MedPro Systems response file to the HCO business entity.
infac360ls_egress_medpro_hco_outbound	infac360ls_tf_medPro_hco_outbound	infac360ls_mt_medPro_hco_outbound	infac360ls_m_medPro_hco_outbound	Exports data from the HCO business entity to a MedPro Systems request file.

Batch jobs of HCP business entity

Use batch jobs to integrate data from source systems to Customer 360.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps source system fields with Customer 360 business entity fields.

The following table lists the sample jobs and their related taskflow, mapping task, and mapping to ingress data from NPPES:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360ls_ingress_nppes_hcp_inbound	infac360ls_tf_nppes_hcp_inbound	- infac360ls_mt_nppes_hcp_inbound_legalName - infac360ls_mt_nppes_hcp_inbound_license - infac360ls_mt_nppes_hcp_inbound_identifier - infac360ls_mt_nppes_hcp_inbound_phone - infac360ls_mt_nppes_hcp_inbound_address - infac360ls_mt_nppes_hcp_inbound_alternateName - infac360ls_mt_nppes_hcp_inbound_specialty	- infac360ls_m_nppes_hcp_inbound_legalName - infac360ls_m_nppes_hcp_inbound_license - infac360ls_m_nppes_hcp_inbound_identifier - infac360ls_m_nppes_hcp_inbound_phone - infac360ls_m_nppes_hcp_inbound_address - infac360ls_m_nppes_hcp_inbound_alternateName - infac360ls_m_nppes_hcp_inbound_specialty	Imports data from the NPPES file to the HCP business entity.

The following table lists the sample jobs and their related taskflow, mapping task, and mapping to ingress data from MedPro Systems:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360ls_trigger_ingress_medpro_HCO_HCP	infac360ls_tf_medpro_trigger_inbound_job	- infac360ls_mt_medpro_hcp_inbound_root - infac360ls_mt_medpro_hcp_inbound_specialty - infac360ls_mt_medpro_hcp_inbound_dea - infac360ls_mt_medpro_hcp_inbound_status - infac360ls_mt_medpro_hcp_inbound_phone - infac360ls_mt_medpro_hcp_inbound_address - infac360ls_mt_medpro_hcp_inbound_license - infac360ls_mt_medpro_hcp_inbound_taxonomy - infac360ls_mt_medpro_hcp_inbound_sampleability - infac360ls_mt_medpro_hcp_inbound_enrichmentStatus - infac360ls_mt_medpro_hcp_inbound_identifier	- infac360ls_m_medpro_hcp_inbound_root - infac360ls_m_medpro_hcp_inbound_specialty - infac360ls_m_medpro_hcp_inbound_dea - infac360ls_m_medpro_hcp_inbound_status - infac360ls_m_medpro_hcp_inbound_phone - infac360ls_m_medpro_hcp_inbound_address - infac360ls_m_medpro_hcp_inbound_license - infac360ls_m_medpro_hcp_inbound_taxonomy - infac360ls_m_medpro_hcp_inbound_sampleability - infac360ls_m_medpro_hcp_inbound_enrichmentStatus - infac360ls_m_medpro_hcp_inbound_identifier	Imports data from the MedPro Systems to the HCP business entity.
infac360ls_egress_medpro_hcp_outbound	infac360ls_tf_medPro_hcp_outbound	infac360ls_mt_medPro_hcp_outbound	infac360ls_m_medPro_hcp_outbound	Exports data from the HCP business entity to a MedPro Systems request file.

Batch jobs of the Organization business entity

Use batch jobs to integrate data from source systems to Customer 360.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps source system fields with Customer 360 business entity fields.

The following table lists the sample jobs and their related taskflow, mapping task, and mapping to ingress FHIR R4 standard-compliant records:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360hc_ingress_organization_inbound	infac360hc_tf_organization_inbound	- infac360hc_mt_organization_root_inbound - infac360hc_mt_organization_status_inbound - infac360hc_mt_organization_associate_rel_inbound - infac360hc_mt_organization_social_handle_inbound - infac360hc_mt_organization_phone_inbound - infac360hc_mt_organization_identifier_inbound - infac360hc_mt_organization_email_inbound - infac360hc_mt_organization_alternatename_inbound - infac360hc_mt_organization_address_inbound	- infac360hc_m_organization_root_inbound - infac360hc_m_organization_status_inbound - infac360hc_m_organization_associate_rel_inbound - infac360hc_m_organization_social_handle_inbound - infac360hc_m_organization_phone_inbound - infac360hc_m_organization_identifier_inbound - infac360hc_m_organization_email_inbound - infac360hc_m_organization_alternatename_inbound - infac360hc_m_organization_address_inbound	Imports data from the FHIR file to the Organization business entity.

Batch jobs of the Practitioner business entity

Use batch jobs to integrate data from source systems to Customer 360.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps source system fields with Customer 360 business entity fields.

The following table lists the sample jobs and their related taskflow, mapping task, and mapping to ingress FHIR R4 standard-compliant records:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360hc_ingress_practitioner_inbound	infac360hc_tf_practitioner_inbound	- infac360hc_mt_practitioner_root_inbound - infac360hc_mt_practitioner_education_inbound - infac360hc_mt_practitioner_license_inbound - infac360hc_mt_practitioner_phone_inbound - infac360hc_mt_practitioner_address_inbound - infac360hc_mt_practitioner_alternatename_inbound - infac360hc_mt_practitioner_email_inbound - infac360hc_mt_practitioner_social_handle_inbound - infac360hc_mt_practitioner_language_inbound - infac360hc_mt_practitioner_identifier_inbound - infac360hc_mt_practitioner_status_inbound	- infac360hc_m_practitioner_root_inbound - infac360hc_m_practitioner_education_inbound - infac360hc_m_practitioner_license_inbound - infac360hc_m_practitioner_phone_inbound - infac360hc_m_practitioner_address_inbound - infac360hc_m_practitioner_alternatename_inbound - infac360hc_m_practitioner_email_inbound - infac360hc_m_practitioner_social_handle_inbound - infac360hc_m_practitioner_language_inbound - infac360hc_m_practitioner_identifier_inbound - infac360hc_m_practitioner_status_inbound	Imports data from the FHIR file to the Practitioner business entity.

Field Mapping for Healthcare

The Cloud Data Integration mappings map the fields of Customer 360 with source systems, such as National Plan and Provider Enumeration System (NPPES), MedPro Systems, and HL7 Standard for FHIR Specification. Based on the mappings, the data from NPPES, MedPro Systems, and HL7 Standard for FHIR Specification are stored in Customer 360.

The Customer 360 business entity fields are mapped with MedPro Systems API Detail JSON Response fields for real-time integration.

Mapping of HCO business entity fields with NPPES fields in batches

The NPPES fields are mapped to the HCO business entity fields for batch data integration.

General fields of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the General fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Organization Name (Legal Business Name)	Full Name	fullName
Provider Enumeration Date	Date Of Incorporation	dateOfIncorporation

Address field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Address field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider First Line Business Mailing Address	Address Line 1	addressLine1
Provider First Line Business Practice Location Address	Address Line 1	addressLine1
Provider Secondary Practice Location Address - Address Line 1	Address Line 1	addressLine1
Provider Second Line Business Mailing Address	Address Line 2	addressLine1
Provider Second Line Business Practice Location Address	Address Line 2	addressLine2
Provider Secondary Practice Location Address - Address Line 2	Address Line 2	addressLine2
Provider Business Mailing Address City Name	City	city
Provider Business Practice Location Address City Name	City	city
Provider Secondary Practice Location Address - City Name	City	city
Provider Business Mailing Address Country Code (If outside U.S.)	Country	country
Provider Business Practice Location Address Country Code (If outside U.S.)	Country	country
Provider Secondary Practice Location Address - Country Code (If outside U.S.)	Country	country
Provider Business Mailing Address Postal Code	Postal code	postalCode

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Business Practice Location Address Postal Code	Postal code	postalCode
Provider Secondary Practice Location Address - Postal Code	Postal code	postalCode
Provider Business Mailing Address State Name	State	state
Provider Business Practice Location Address State Name	State	state
Provider Secondary Practice Location Address - State Name	State	state

Alternate Name field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Alternate Name field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Other Organization Name	Alternate Name	name
Provider Other Organization Name	Alternate Name	name
Provider Other Organization Name Type Code	Name Type	nameType
Provider Other Organization Name Type Code	Name Type	nameType

Identifier field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Identifier field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI Deactivation Date	Deactivation Date	X_infac360ls_deactivationDate
NPI Deactivation Reason Code	Deactivation Reason	X_infac360ls_deactivationReason
Other Provider Identifier Issuer_<n>	Identifier Issuer	X_infac360ls_identifierIssuer
Other Provider Identifier Type Code_<n>	Identifier Type	idType
Other Provider Identifier_<n>	Identifier Value	altIdValue
NPI Reactivation Date	Reactivation Date	X_infac360ls_reactivationDate

Note: NPPES has 50 identifier fields that are mapped to the Identifier field group fields.

Key People field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Key People field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Authorized Official Title or Position	Designation	designation
Authorized Official Last Name	Name	name
Authorized Official First Name	Name	name
Authorized Official Middle Name	Name	name
Authorized Official Name Prefix Text	Name	name
Authorized Official Name Suffix Text	Name	name
Authorized Official Credential Text	Name	name

License field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the License field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider License Number_<n>	License Number	X_infac360ls_licenseNumber
Provider License Number State Code_<n>	License state cd	X_infac360ls_license_state_cd

Note: NPPES has 15 License fields that are mapped to the License field group fields.

Phone field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Business Mailing Address Telephone Number	Phone Number	phoneNumber
Provider Business Mailing Address Fax Number	Phone Number	phoneNumber
Provider Business Practice Location Address Telephone Number	Phone Number	phoneNumber
Provider Business Practice Location Address Fax Number	Phone Number	phoneNumber
Authorized Official Telephone Number	Phone Number	phoneNumber

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Secondary Practice Location Address - Telephone Number	Phone Number	phoneNumber
Provider Secondary Practice Location Address - Telephone Extension	Phone Number Extension	phoneNumberExtension
Provider Practice Location Address - Fax Number	Phone Number	phoneNumber

Mapping of HCP business entity fields with NPPES fields in batches

The NPPES fields are mapped to the HCP business entity fields for batch data integration.

General fields of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the General fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider First Name	First Name	firstName
Provider Gender Code	Gender	gender
Provider Last Name (Legal Name)	Last Name	lastName
Provider Middle Name	Middle Name	middleName
Provider Name Prefix Text	Prefix Name	prefixName
Provider Name Suffix Text	Suffix Name	suffixName
Provider Credential Text	Title	title

Address field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Address field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider First Line Business Mailing Address	Address Line 1	addressLine1
Provider First Line Business Practice Location Address	Address Line 1	addressLine1
Provider Secondary Practice Location Address - Address Line 1	Address Line 1	addressLine1

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Second Line Business Mailing Address	Address Line 2	addressLine1
Provider Second Line Business Practice Location Address	Address Line 2	addressLine2
Provider Secondary Practice Location Address - Address Line 2	Address Line 2	addressLine2
Provider Business Mailing Address City Name	City	city
Provider Business Practice Location Address City Name	City	city
Provider Secondary Practice Location Address - City Name	City	city
Provider Business Mailing Address Country Code (If outside U.S.)	Country	country
Provider Business Practice Location Address Country Code (If outside U.S.)	Country	country
Provider Secondary Practice Location Address - Country Code (If outside U.S.)	Country	country
Provider Business Mailing Address Postal Code	Postal code	postalCode
Provider Business Practice Location Address Postal Code	Postal code	postalCode
Provider Secondary Practice Location Address - Postal Code	Postal code	postalCode
Provider Business Mailing Address State Name	State	state
Provider Business Practice Location Address State Name	State	state
Provider Secondary Practice Location Address - State Name	State	state

Alternate Name field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Alternate Name field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Other Last Name	Alternate Name	name
Provider Other First Name	Alternate Name	name

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Other Middle Name	Alternate Name	name
Provider Other Name Prefix Text	Alternate Name	name
Provider Other Name Suffix Text	Alternate Name	name
Provider Other Credential Text	Alternate Name	name
Provider Other Last Name Type Code	Name Type	nameType

Identifier field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Identifier field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Other Provider Identifier Issuer_<n>	Identifier Issuer	X_infac360ls_identifierIssuer
Other Provider Identifier Type Code_<n>	Identifier Type	altIdValue
Other Provider Identifier_<n>	Identifier Value	altIdValue

Note: NPPES has 50 identifier fields that are mapped to the Identifier field group fields.

License field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System fields that are mapped to the License field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider License Number State Code_<n>	License Board State Code	X_infac360ls_licenseBoardStateCode
Provider License Number_<n>	License Number	X_infac360ls_licenseNumber

Note: NPPES has 15 license fields that are mapped to the License field group fields.

Phone field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Phone field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Business Mailing Address Telephone Number	Phone Number	phoneNumber
Provider Business Mailing Address Fax Number	Phone Number	phoneNumber
Provider Business Practice Location Address Telephone Number	Phone Number	phoneNumber
Provider Business Practice Location Address Fax Number	Phone Number	phoneNumber
Provider Secondary Practice Location Address - Telephone Number	Phone Number	phoneNumber
Provider Secondary Practice Location Address - Telephone Extension	Phone Number Extension	phoneNumberExtension
Provider Practice Location Address - Fax Number	Phone Number	phoneNumber

Mapping of HCO business entity fields with MedPro Systems fields in batches

The MedPro Systems fields are mapped to the HCO business entity fields for batch data integration.

General fields of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the General fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
SLN_Organization_Name	Full Name	fullName

Address field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Address field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_First_Address_Line_1	Address Line 1	addressLine1
NPI_Second_Address_Line_1	Address Line 1	addressLine1
SLN_Address_Line_1	Address Line 1	addressLine1
NPI_First_Address_Line_2	Address Line 2	addressLine2

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_Second_Address_Line_2	Address Line 2	addressLine2
SLN_Address_Line_2	Address Line 2	addressLine2
SLN_Address_Line_3	Address Line 3	addressLine3
NPI_First_City	City	city
NPI_Second_City	City	city
SLN_City	City	city
Country	Country	country
NPI_First_Zip_Code	Postal Code	postalCode
NPI_Second_Zip_Code	Postal Code	postalCode
SLN_Zip_Code	Postal Code	postalCode
NPI_First_Zip_Code_Ext_	Postal Code Extension	postalCodeExtension
NPI_Second_Zip_Code_Ext_	Postal Code Extension	postalCodeExtension
SLN_Zip_Code_Extension	Postal Code Extension	postalCodeExtension
NPI_First_State	State	state
NPI_Second_State	State	state
SLN_State	State	state
NPI_First_Address_Type	Type	type
NPI_Second_Address_Type	Type	type

Alternate Name field group of HCO business entity

The following table lists the MedPro Systems field that is mapped to the Alternate Name field group field:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_Organization_Name	Alternate Name	name

Certification field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Certification field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Professional_designation_descr_of_organization	Certification Name	X_infac360ls_certificationName
SLN_Certification_Type	Certification Type	X_infac360ls_classificationType

Identifier field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Identifier field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_Enumeration_Date	Effective Start Date	effectiveStartDate
NPI_Number	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Number_1	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Number_2	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Number_3	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Number_4	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Name_1	Identifier Type Description	X_infac360ls_identifierTypeDescription
NPI_Other_Provider_Identifier_Name_2	Identifier Type Description	X_infac360ls_identifierTypeDescription
NPI_Other_Provider_Identifier_Name_3	Identifier Type Description	X_infac360ls_identifierTypeDescription
NPI_Other_Provider_Identifier_Name_4	Identifier Type Description	X_infac360ls_identifierTypeDescription
NPI_Status	Status	identifierStatus

License field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the License field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Adjusted_SLN_Expiration_Date	Adjusted Expiry Date	X_infac360ls_adjustedExpiryDate
State_License_Expiration_Date	Expiry Date	X_infac360ls_expiryDate

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
SLN_First_Received_Date	First Received Date	X_infac360ls_firstReceivedDate
State_Grace_Period	Grace Period End Date	X_infac360ls_gracePeriodEndDate
State_License_Issue_Date	Issue Date	X_infac360ls_issue_date
SLN_Alternate_License_1	License Number	X_infac360ls_licenseNumber
SLN_Alternate_License_2	License Number	X_infac360ls_licenseNumber
SLN_State_License_Number	License Number	X_infac360ls_licenseNumber
SLN_State_of_Licensure	License State cd	X_infac360ls_license_state_cd
State_License_Status	Status Description	X_infac360ls_statusDescription

Phone Communication field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Phone Communication field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_First_Fax	Phone Number	phoneNumber
NPI_First_Phone	Phone Number	phoneNumber
NPI_Phone_Number	Phone Number	phoneNumber
NPI_Second_Fax	Phone Number	phoneNumber
NPI_Second_Phone	Phone Number	phoneNumber
SLN_Phone_Number	Phone Number	phoneNumber

Sampleability field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Sampleability field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Eligibility_Desig__Status	Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus
Eligibility_Exp__Overall	Sampleability Exp Overall	X_infac360ls_sampleabilityExpOverall
Eligibility_Last_Received	Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Eligibility_License_Status	Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus
Eligibility_Overall	Sampleability Overall	X_infac360ls_sampleabilityOverall
Eligibility_Sanctions	Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate

Speciality field group of HCO business entity

The following table lists the MedPro Systems object field that is mapped to the Speciality field group field:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
SLN_Specialty	Speciality	X_infac360ls_specialityType

Taxonomy field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Taxonomy field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_Primary_Taxonomy_Code	Taxonomy Code	X_infac360ls_taxonomy_code
NPI_Taxonomy_Code_2	Taxonomy Code	X_infac360ls_taxonomy_code
NPI_Taxonomy_Code_3	Taxonomy Code	X_infac360ls_taxonomy_code
NPI_Taxonomy_Code_4	Taxonomy Code	X_infac360ls_taxonomy_code

Mapping of HCP business entity fields with NPPES fields in batches

The NPPES fields are mapped to the HCP business entity fields for batch data integration.

General fields of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the General fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider First Name	First Name	firstName
Provider Gender Code	Gender	gender
Provider Last Name (Legal Name)	Last Name	lastName

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Middle Name	Middle Name	middleName
Provider Name Prefix Text	Prefix Name	prefixName
Provider Name Suffix Text	Suffix Name	suffixName
Provider Credential Text	Title	title

Address field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Address field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider First Line Business Mailing Address	Address Line 1	addressLine1
Provider First Line Business Practice Location Address	Address Line 1	addressLine1
Provider Secondary Practice Location Address - Address Line 1	Address Line 1	addressLine1
Provider Second Line Business Mailing Address	Address Line 2	addressLine1
Provider Second Line Business Practice Location Address	Address Line 2	addressLine2
Provider Secondary Practice Location Address - Address Line 2	Address Line 2	addressLine2
Provider Business Mailing Address City Name	City	city
Provider Business Practice Location Address City Name	City	city
Provider Secondary Practice Location Address - City Name	City	city
Provider Business Mailing Address Country Code (If outside U.S.)	Country	country
Provider Business Practice Location Address Country Code (If outside U.S.)	Country	country
Provider Secondary Practice Location Address - Country Code (If outside U.S.)	Country	country
Provider Business Mailing Address Postal Code	Postal code	postalCode
Provider Business Practice Location Address Postal Code	Postal code	postalCode

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Secondary Practice Location Address - Postal Code	Postal code	postalCode
Provider Business Mailing Address State Name	State	state
Provider Business Practice Location Address State Name	State	state
Provider Secondary Practice Location Address - State Name	State	state

Alternate Name field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Alternate Name field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Other Last Name	Alternate Name	name
Provider Other First Name	Alternate Name	name
Provider Other Middle Name	Alternate Name	name
Provider Other Name Prefix Text	Alternate Name	name
Provider Other Name Suffix Text	Alternate Name	name
Provider Other Credential Text	Alternate Name	name
Provider Other Last Name Type Code	Name Type	nameType

Identifier field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Identifier field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Other Provider Identifier Issuer_<n>	Identifier Issuer	X_infac360ls_identifierIssuer
Other Provider Identifier Type Code_<n>	Identifier Type	altIdValue
Other Provider Identifier_<n>	Identifier Value	altIdValue

Note: NPPES has 50 identifier fields that are mapped to the Identifier field group fields.

License field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System fields that are mapped to the License field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider License Number State Code_<n>	License Board State Code	X_infac360ls_licenseBoardStateCode
Provider License Number_<n>	License Number	X_infac360ls_licenseNumber

Note: NPPES has 15 license fields that are mapped to the License field group fields.

Phone field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Phone field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Business Mailing Address Telephone Number	Phone Number	phoneNumber
Provider Business Mailing Address Fax Number	Phone Number	phoneNumber
Provider Business Practice Location Address Telephone Number	Phone Number	phoneNumber
Provider Business Practice Location Address Fax Number	Phone Number	phoneNumber
Provider Secondary Practice Location Address - Telephone Number	Phone Number	phoneNumber
Provider Secondary Practice Location Address - Telephone Extension	Phone Number Extension	phoneNumberExtension
Provider Practice Location Address - Fax Number	Phone Number	phoneNumber

Mapping of HCO business entity fields with MedPro Systems fields in real time

The MedPro Systems fields are mapped to the HCO business entity fields for real-time integration.

General field group of the HCO business entity

The following table describes the general fields of the HCO business entity that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Full Name	fullName	organizationName	-
Type	X_infac360ls_type	NA	The Customer 360 Type field displays the default value Healthcare Facility.

Address field group of the HCO business entity

The following table describes the fields of the Address field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Address Type	addressType	- SLN Primary Address - NPI Primary Address - NPI Secondary Address	-
Address Line 1	addressLine1	- stateLicenses/address/line1 - npi/addresses/line1	-
Address Line 2	addressLine2	- stateLicenses/address/line2 - npi/addresses/line2	-
Address Line 3	addressLine3	- stateLicenses/address/line3 - npi/addresses/line3	-
Country	country	- stateLicenses/address/country	The Customer 360 Country field displays the default value US or a value from the stateLicenses/address/country MedPro API Detail JSON Response fields.
State	state	- stateLicenses/address/state - npi/addresses/state	-
City	city	- stateLicenses/address/city - npi/addresses/city	-
Postal Code	postalCode	- stateLicenses/address/zip - npi/addresses/zip	-
Postal Code Extension	postalCodeExtension	- stateLicenses/address/zipExt - npi/addresses/zipExt	-

Certification field group of the HCO business entity

The following table describes the fields of the Certification field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
Certification Type	X_infac360ls_certificationType	stateLicenses/professionalDesignationFamily
Certification Name	X_infac360ls_certificationName	stateLicenses/ professionalDesignationDescription

License field group of the HCO business entity

The following table describes the fields of the License field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
License Number	X_infac360ls_licenseNumber	- stateLicenses/stateLicenseNumber - stateLicenses/alternateLicenses
Expiry Date	X_infac360ls_expiryDate	stateLicenses/expirationDate
License State Code	X_infac360ls_licenseStateCd	stateLicenses/licenseState
First Received Date	X_infac360ls_firstReceivedDate	stateLicenses/firstReceivedDate
Status Description	X_infac360ls_statusDescription	stateLicenses/sampleability/licenseStatus

Phone Communication field group of the HCO business entity

The following table describes the fields of the Phone field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Default Indicator	defaultIndicator	NA	The Customer 360 Default Indicator field displays the default value as true.
Phone Usage Type	phoneUsageType	- SLN Primary Phone - Business	-

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Phone Type	phoneType	- Telephone - Fax	-
Phone Number	phoneNumber	- stateLicenses/phone - npi/practicePhone - npi/mailingPhone - npi/practiceFax - npi/mailingFax	-

Sampleability field group of the HCO business entity

The following table describes the fields of the Sampleability field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
Sampleability Overall	X_infac360ls_sampleabilityOverall	stateLicenses/sampleability/overallSampleability
Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus	stateLicenses/sampleability/designationStatus
Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus	stateLicenses/sampleability/licenseStatus
Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate	stateLicenses/sampleability/federalSanctionDate
Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate	stateLicenses/sampleability/lastReceivedDate
License Number	X_infac360ls_licenseNum	stateLicenses/stateLicenseNumber
License State Code	X_infac360ls_licenseStateCode	stateLicenses/licenseState

Speciality field group of the HCO business entity

The following table describes the fields of the Specialty field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Specialty Rank	X_infac360ls_rank	NA	The Customer 360 Specialty Rank field displays the following values: - PRIMARY - OTHER
Specialty Source	X_infac360ls_specialtyClass	NA	The Customer 360 Specialty Source field displays the default value StateLicense.
Specialty	X_infac360ls_specialty	stateLicenses/specialty	-

Taxonomy field group of the HCO business entity

The following table describes the fields of the Taxonomy field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Type	X_infac360ls_taxonomyType	NA	The Customer 360 Type field displays the default value NPI.
Code	X_infac360ls_code	npi/taxonomies/code	-
Name	X_infac360ls_name	npi/taxonomies/name	-
Rank	X_infac360ls_rank	NA	The Customer 360 Type field displays the following values: - Primary for npi/taxonomies/code MedPro Systems API Detail JSON Response field. - Secondary for other MedPro Systems API Detail JSON Response fields.

Mapping of HCP business entity fields with MedPro Systems fields in real time

The MedPro Systems fields are mapped to the HCP business entity fields for real-time integration.

General field group of the HCP business entity

The following table describes the general fields of the HCP business entity that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
First Name	firstName	name/first	-
Middle Name	middleName	name/middle	-
Last Name	lastName	name/last	-
Suffix Name	suffixName	name/suffix	-
Title	title	name/title	-
Designation	designation	bestInfo/hcpProfileDesignation	-
Type	X_infac360ls_type	NA	The Customer 360 Type field displays the default value PRESCRIBER.

Address field group of the HCP business entity

The following table describes the fields of the Address field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Address Type	addressType	NA	The Customer 360 Address Type field displays the following values: - SLN Primary Address - NPI Primary Address - NPI Secondary Address - MedPro Best Address
Address Line 1	addressLine1	- stateLicenses/address/line1 - npi/addresses/line1 - bestInfo/address/line1	-
Address Line 2	addressLine2	- stateLicenses/address/line2 - npi/addresses/line2 - bestInfo/address/line2	-
Address Line 3	addressLine3	- stateLicenses/address/line3 - npi/addresses/line3 - bestInfo/address/line3	-
Country	country	stateLicenses/address/country	-

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
State	state	- stateLicenses/address/state - npi/addresses/state - bestInfo/address/state	-
City	city	- stateLicenses/address/city - npi/addresses/city - bestInfo/address/city	-
Postal Code	postalCode	- stateLicenses/address/zip - npi/addresses/zip - bestInfo/address/zip	-
Postal Code Extension	postalCodeExtension	- stateLicenses/address/zipExt - npi/addresses/zipExt - bestInfo/address/zipExt	-
Latitude	latitude	- bestInfo/slnAddress/geocode/latitude - bestInfo/npiAddress/geocode/latitude - bestInfo/npiAddress2/geocode/latitude - bestInfo/address/geocode/latitude	-
Longitude	longitude	- bestInfo/slnAddress/geocode/longitude - bestInfo/npiAddress1/geocode/longitude - bestInfo/npiAddress2/geocode/longitude - bestInfo/address/geocode/longitude	-

Alternate Identifier field group of the HCP business entity

The following table describes the fields of the Alternate Identifier field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Identifier Type	alternateIdentifierType	NA	The Customer 360 Identifier Type field displays the following values: - MEDPRO ID - NPI
Identifier Value	alternateIdentifierValue	- medProID - npi/number	-

DEA field group of the HCP business entity

The following table describes the fields of the DEA field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
DEA Number	X_infac360ls_deaNumber	dea/number
Drug Schedule 1	X_infac360ls_drugSchedule1	dea/drugSchedule
DEA Status	X_dea_status	dea/professionalStatusReceived
End Date	X_infac360ls_endDate	dea/expirationDate
Address Line 1	X_infac360ls_addressLine1	dea/address/line1
Address Line 2	X_infac360ls_addressLine2	dea/address/line2
City	X_infac360ls_city	dea/address/city
State	X_infac360ls_state	dea/address/state
Postal Code	X_infac360ls_postalCode	dea/address/zip
Overall Eligibility	X_infac360ls_overallEligibility	dea/overallEligibility
Last Received Date	X_infac360ls_lastRecivedDate	dea/lastReceivedDate
Business Activity Code	X_infac360ls_businessActivityCode	dea/businessActivityCode
Business Activity Sub Code	X_infac360ls_businessActivitySubCode	dea/businessActivitySubcode

License field group of the HCP business entity

The following table describes the fields of the License field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
License Number	X_infac360ls_licenseNumber	- stateLicenses/stateLicenseNumber - stateLicenses/alternateLicenses
License State Code	X_infac360ls_licenseBoardStateCode	stateLicenses/licenseState
Expiry Date	X_infac360ls_expiryDate	stateLicenses/expirationDate
First Received Date	X_infac360ls_firstReceivedDate	stateLicenses/firstReceivedDate

Phone Communication field group of the HCP business entity

The following table describes the MedPro Systems API Detail JSON Response fields that are mapped to the Phone field group fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Phone Usage Type	phoneUsageType	NA	The Customer 360 Phone Usage Type field displays the default value Business.
Phone Type	phoneType	NA	The Customer 360 Phone Type field displays the following values: - MedPro Best Phone - SLN Primary Phone - MedPro Best Fax
Phone Number	phoneNumber	- bestInfo/phone - stateLicenses/phone - bestInfo/fax	-

Sampleability field group of the HCP business entity

The following table describes the fields of the Sampleability field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
Sampleability Overall	X_infac360ls_sampleabilityOverall	stateLicenses/sampleability/overallSampleability
Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus	stateLicenses/sampleability/designationStatus
Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus	stateLicenses/sampleability/licenseStatus
Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate	stateLicenses/sampleability/federalSanctionDate
Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate	stateLicenses/sampleability/lastReceivedDate

Speciality field group of the HCP business entity

The following table describes the fields of the Specialty field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Specialty Rank	X_infac360ls_specialtyRank	NA	The Customer 360 Identifier Type field displays the following values: - PRIMARY - SECONDARY
Specialty Source	X_infac360ls_specialtyClass	NA	The Customer 360 Identifier Type field displays the default value Best MMID.
Specialty	X_infac360ls_specialtyType	- bestInfo/ mmidPrimarySpecialty - bestInfo/ mmidSecondarySpecialty	-

Status field group of the HCP business entity

The following table describes the fields of the Status field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Status Type	statusType	NA	The Customer 360 Status Type field displays the default value Primary Status.
Status Value	statusValue	bestInfo/hcpProfileStatus	-

Qualification field group of the HCP business entity

The following table describes the fields of the Qualification field group that are mapped to the MedPro Systems API Detail JSON Response fields:


Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
Education	Qualification	NA
Qualification Type	qualificationType	NA
Qualification Name	qualificationName	NA
Qualification Status	qualificationStatus	NA
Institution Name	institutionName	NA

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
Student Number	studentNumber	NA
Effective Start Date	effectiveStartDate	NA
Effective End Date	effectiveStartDate	NA
Address Line 1	addressLine1	NA
Address Line 2	addressLine2	NA
Country	country	NA
State	state	NA
City	city	NA
Postal Code	postalCode	NA
Postal Code Extension	postalCodeExtension	NA
Phone	X_infac360ls_phone	NA
Degree Year	X_infac360ls_degreeYear	NA
Years in Program	X_infac360ls_yearsInProgram	NA
GPA	X_infac360ls_gpa	NA
Field of Study	X_infac360ls_fieldOfStudy	NA

Relationships

You can use predefined relationships between predefined business entities that are included in Customer 360 for Healthcare.

The following image shows predefined relationships between business entities and the direction of the relationships:



The following table describes the predefined relationship types for Customer 360 for Healthcare:

Relationship Name	Internal Id	Business Entity 1	Business Entity 2	Direction
Associated Plan	infac360hc_rel_contract_plan_associated_plan	Contract	Plan	Contract -> Plan
Subscriber	infac360hc_rel_member_patient_contract_subscriber	Member	Contract	Member -> Contract
Dependent	infac360hc_rel_member_patient_contract_dependent	Member	Contract	Member -> Contract
Buys	infac360hc_rel_client_plan_buys	Organization	Plan	Organization -> Plan
Offer	infac360hc_rel_payer_plan_offer	Payer	Plan	Payer -> Plan
Includes	infac360hc_rel_product_plan_includes	Product	Plan	Product -> Plan
Supervisor	infac360hc_rel_hcp_hcp_supervisor	HCP	HCP	HCP -> HCP
Attending	infac360hc_rel_hcp_hco_attending	HCP	HCO	HCP->HCO
Member	infac360hc_rel_member_household_member	Member	Household	Member -> Household
Employee	infac360hc_rel_client_member_employee	Organization	Member	Organization -> Member

Relationship Name	Internal Id	Business Entity 1	Business Entity 2	Direction
Family-Parent	infac360hc_rel_member_member_family_parent	Member	Member	Member -> Member
Family-Child	infac360hc_rel_member_member_family_child	Member	Member	Member -> Member
Family-Spouse	infac360hc_rel_member_member_family_spouse	Member	Member	Member -> Member
Contact	infac360hc_rel_associate_client_contact	Associate	Organization	Associate -> Organization
Primary Care Provider	infac360hc_rel_member_hcp_primary_care_provider	Member	HCP	Member -> HCP
Provider Contact	infac360hc_rel_provider_contact	HCO	Associate	HCO -> Associate
Affiliated	infac360hc_rel_hcp_hco_affiliated	HCP	HCO	HCP -> HCO


The following table describes business entities that are related through business entity record fields for Customer 360 for Healthcare:

Business Entity That Contains Business Entity Record Fields	Business Entity Record Field Name	Referred Business Entity	Direction
Practitioner Role	Organization	HCO	Practitioner Role -> HCO
Practitioner Role	Practitioner	HCP	Practitioner Role -> HCP
Practitioner Role	Network	Network	Practitioner Role -> Network
Practitioner Role	Location	Location	Practitioner Role -> Location
Organization Affiliation	Organization	HCO	Organization Affiliation -> HCO
Organization Affiliation	Participating Organization	HCO	Organization Affiliation -> HCO
Organization Affiliation	Location	Location	Organization Affiliation -> Location

Hierarchy relationships of the HCO business entity

Use the HCO business entity hierarchy to define hierarchical relationships between the HCO business entity records in Customer 360.

The following image shows the hierarchical relationships between the HCO business entity records:



The following table describes the hierarchical relationship types for Customer 360 for Healthcare:

Relationship Name	Internal ID	Business Entity 1	Business Entity 2	Direction
Affiliate	c360_organization_to_c360_organization	HCO	HCO	HCO → HCO
Child	c360_organization_to_c360_organization_2	HCO	HCO	HCO → HCO
Headquaters	c360_organization_to_c360_organization_2_1	HCO	HCO	HCO → HCO
Subsidiary	c360_organization_to_c360_organization_2_2	HCO	HCO	HCO → HCO

Match model

The match model determines how your data is matched. You can use the predefined match model to identify and resolve duplicate records.

Customer 360 for Healthcare uses the `Match Model for HCO Deduplication` predefined match model to match and merge duplicate HCO business entity records. The following table describes the match model properties:

Descriptive Rule Rank	Match Objective	Match Strategy	Match Fields	Description
1	Resolve Duplicates	Exact	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - name - PostalAddress.addressLine1 - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state	Exactly matching name and address.
2	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - AlternateIdentifier.idType - AlternateIdentifier.altIdValue - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state Fuzzy match fields: - PostalAddress.addressLine1 - name	Strongly similar HCO name, address, and identifier.
3			Exact match fields: - X_infac360ls_subType - X_infac360ls_type - AlternateIdentifier.idType - AlternateIdentifier.altIdValue Fuzzy match fields: - name	Similar HCO name and alternate id

Descriptive Rule Rank	Match Objective	Match Strategy	Match Fields	Description
4			Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state Fuzzy match fields: - PostalAddress.addressLine1 - AlternateName.name	Similar HCO alternate name and address
			Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state Fuzzy match fields: - PostalAddress.addressLine1 - name	Similar HCO name and address.

Customer 360 for Healthcare uses the `Match Model for HCP Deduplication` predefined match model to match and merge duplicate HCP business entity records. The following table describes the match model properties:

Descriptive Rule Rank	Match Objective	Match Strategy	Match Fields	Description
1	Resolve Duplicates	Exact	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.postalCode - PostalAddress.country - PostalAddress.state - PostalAddress.addressLine2 - PostalAddress.addressLine1 - lastName - firstName	Exactly similar name and address.
2	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - X_infac360ls_License.X_infac360ls_licenseNumber Fuzzy match fields: - fullName	Strongly similar name and license number.
3	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - AlternateIdentifier. alternateIdentifierValue - AlternateIdentifier. alternateIdentifierType Fuzzy match fields: - fullName	Strongly similar HCP name, and alternate ID.
4	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_Specialty.X_infac360ls_specialtyType - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state - X_infac360ls_subType - X_infac360ls_type Fuzzy match fields: - fullName	Strictly similar HCP name, address, and specialty.
5	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.country - PostalAddress.state Fuzzy match fields: - fullName	Similar HCP name and address.

Descriptive Rule Rank	Match Objective	Match Strategy	Match Fields	Description
6		Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.postalCode - lastName Fuzzy match fields: - PostalAddress.addressLine1	Similar HCP last name and address.
7		Fuzzy	Exact match fields: - X_infac360ls_Specialty.X_infac360ls_specialtyType - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state - X_infac360ls_subType - X_infac360ls_type Fuzzy match fields: - AlternateName.AlternateName	Similar HCP alternate name, address, and specialty.

Data quality rules

You can associate data quality rules to the business entity fields to cleanse, standardize, or validate the field values. When you import the source records, the rule associations validate and transform the records in Customer 360.

The following table lists the basic rule associations for HCO business entity:

Rule Association Name	Function Name	Applied Field	Description
infac360ls_ra_hco_fullname	Title Case	Full Name	Converts first letter of word in uppercase.
infac360ls_ra_hco_doi	No Future Date	Date of Incorporation	Validates whether the date of incorporation is not a future date.
infac360ls_ra_hco_phone_eedate	Greater Than Date	Phone.Effective End Date	Validates whether Phone Effective End Date is greater than Phone Effective Start Date.
infac360ls_ra_hco_email_eedate	Greater Than Date	Email.Effective End Date	Validates whether Email Effective End Date is greater than Phone Effective Start Date.
infac360ls_ra_hco_alternatename_eedate	Greater Than Date	Alternate Names.Effective End Date	Validates whether Alternate Names Effective End Date is greater than Alternate Names Effective Start Date.

Rule Association Name	Function Name	Applied Field	Description
infac360ls_ra_hco_identifier_eedate	Greater Than Date	Identifier.Effective End Date	Validates whether Identifier Effective End Date is greater than Identifier Effective Start Date.
infac360ls_ra_hco_status_edate	Greater Than Date	Status.End Date	Validates whether Status Effective End Date is greater than Status Effective Start Date.
infac360ls_rex_dea_number	Regular Match	DEA.DEA Number	Validates whether DEA number matches with the specified regular expression pattern.
infac360ls_ra_hco_dea_edate	Greater Than Date	DEA.End Date	Validates whether DEA End Date is greater than DEA Start Date.

The following table lists the basic rule associations for HCP business entity:

Rule Association Name	Function Name	Applied Field	Description
NO_FUTURE_DATE	No Future Date	Birth Date	Validates whether birth date is not a future date.
CONCAT_WITH_SPACES	Concatenate With Spaces	Full Name	Concatenates first name, middle name, and last name to form full name.
infac360ls_ra_hcp_fname	Title Case	First Name	Capitalizes the first character in the first name and converts all other characters to lowercase.
infac360ls_ra_hcp_mname	Title Case	Middle Name	Capitalizes the first character in the middle name and converts all other characters to lowercase.
infac360ls_ra_hcp_lname	Title Case	Last Name	Capitalizes the first character in the last name and converts all other characters to lowercase.
infac360ls_ra_hcp_ddate	No Future Date	Deceased Date	Validates whether death date is not a future date.
infac360ls_ra_hcp_email_eedate	Greater Than Date	Email.Effective End Date	Validates whether Email Effective End Date is greater than Phone Effective Start Date.
infac360ls_ra_hcp_empl_eedate	Greater Than Date	Employment.Effective End Date	Validates whether Employment Effective End Date is greater than Employment Effective Start Date.

Rule Association Name	Function Name	Applied Field	Description
infac360ls_ra_hcp_altname_eedate	Greater Than Date	Alternate Names.Effective End Date	Validates whether Alternate Names Effective End Date is greater than Alternate Names Effective Start Date.
infac360ls_ra_hcp_identifier_eedate	Greater Than Date	Identifier.Effective End Date	Validates whether Identifier Effective End Date is greater than Identifier Effective Start Date.
infac360ls_ra_hcp_status_eedate	Greater Than Date	Status.End Date	Validates whether Status Effective End Date is greater than Status Effective Start Date.
infac360ls_ra_hcp_citiz_eedate	Greater Than Date	Citizenship.Effective End Date	Validates whether Citizenship Effective End Date is greater than Citizenship Effective Start Date.
infac360ls_ra_hcp_edu_eedate	Greater Than Date	Education.Effective End Date	Validates whether Education Effective End Date is greater than Education Effective Start Date.
infac360ls_ra_hcp_sln_exdate	Greater Than Date	License.Expiry Date	Validates whether license end date is greater than license start date.
infac360ls_ra_hcp_sln_graceEnddate	Greater Than Date	License.Grace Period End Date	Validates whether License Grace Period End Date is greater than License Grace Period Start Date.
infac360ls_rel_hcp_dea_number	Regular Match	DEA.DEA Number	Validates whether DEA number matches with the specified regular expression pattern.
infac360ls_ra_hcp_dea_edate	Greater Than Date	DEA.End Date	Validates whether DEA End Date is greater than DEA Start Date.

Pages

The Customer 360 for Healthcare package contains predefined pages. You can use the predefined pages as a reference to create similar custom pages for business entities.

Use the Create page type to create records. Use the View and Edit page type to view and edit records.

The following table describes the predefined pages for Customer 360 for Healthcare business entities:

Page Name	Description	Assigned User Roles
Create Page Associate	A page to create an Associate record.	- Customer 360 Data Steward - Customer 360 Manager
Create Page Contract	A page to create a Contract record.	- Customer 360 Data Steward - Customer 360 Manager
Create Page HCO	A page to create a HCO record.	- Customer 360 Data Steward - Customer 360 Manager
Create Page HCP	A page to create a HCP record.	- Customer 360 Data Steward - Customer 360 Manager - Designer
Create Page Household	A page to create a Household record.	- Customer 360 Data Steward - Customer 360 Manager
Create Page Location	A page to create a Location record.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Create Page Member	A page to create a Member record.	- Customer 360 Data Steward - Customer 360 Manager
Create Page Network	A page to create a Network record.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Create Page Organization	A page to create an Organization record.	- Customer 360 Data Steward - Customer 360 Manager
Create Page Organization Affiliation	A page to create an Organization Affiliation record.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Create Page Payer	A page to create a Payer record.	- Customer 360 Data Steward - Customer 360 Manager
Create Page Plan	A page to create a Plan record.	- Customer 360 Data Steward - Customer 360 Manager
Create Page Practitioner Role	A page to create a Practitioner Role record.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Create Page Product	A page to create a Product record.	- Customer 360 Data Steward - Customer 360 Manager
Edit Page Associate	A page to view or edit an Associate record.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User

Page Name	Description	Assigned User Roles
Edit Page Contract	A page to view or edit a Contract record.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Edit Page HCO	A page to view or edit a HCO record.	- Customer 360 Data Steward - Customer 360 Manager - Designer - MDM Business User - MDM Designer
Edit Page HCP	A page to view or edit a HCP record.	- Customer 360 Data Steward - Customer 360 Manager - Designer - MDM Business User - MDM Designer
Edit Page Health Plan	A page to view or edit a Plan record.	- Customer 360 Data Steward - Customer 360 Manager
Edit Page Household	A page to view or edit a Household record.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Edit Page Location	A page to view or edit a Location record.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Edit Page Member	A page to view or edit a Member record.	- Customer 360 Data Steward - Customer 360 Manager
Edit Page Network	A page to view or edit a Network record.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Edit Page Organization	A page to view or edit an Organization record.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Edit Page Organization Affiliation	A page to view or edit an Organization Affiliation record.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Edit Page Payer	A page to view or edit a Payer record.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User

Page Name	Description	Assigned User Roles
Edit Page Practitioner Role	A page to view or edit a Practitioner Role record.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Edit Page Product	A page to view or edit a Product record.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User

For more information about creating pages, see *Designing user interface*.

Search result layout components

The Customer 360 for Healthcare package contains predefined search result layout components.

The following table describes the search result layout components for the Customer 360 for Healthcare business entities:

Search Result Layout Component Name	Description	Assigned User Roles
Search Layout Associate	Search layout to display search results of Associate records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Search Layout Contract	Search layout to display search results of Contract records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Search Layout HCO	Search layout to display search results of HCO records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Search Layout HCP	Search layout to display search results of HCP records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - Designer - MDM Business User - MDM Designer
Search Layout Household	Search layout to display search results of Household records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Search Layout Location	Search layout to display search results of Location records.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User

Search Result Layout Component Name	Description	Assigned User Roles
Search Layout Member	Search layout to display search results of Member records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Search Layout Network	Search layout to display search results of Network records.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Search Layout Organization	Search layout to display search results of Organization records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Search Layout Organization Affiliation	Search layout to display search results of Organization Affiliation records.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Search Layout Payer	Search layout to display search results of Payer records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Search Layout Plan	Search layout to display search results of Plan records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User
Search Layout Practitioner Role	Search layout to display search results of Practitioner Role records.	- Business360ProcessExecutor - Customer 360 Data Steward - MDM Business User
Search Layout Product	Search layout to display search results of Product records.	- Customer 360 Analyst - Customer 360 Data Steward - Customer 360 Manager - MDM Business User

For more information about configuring a search results layout component, see *Configure a search results layout component*.

CHAPTER 4

Deploying Customer 360 for Healthcare

To deploy Customer 360 for Healthcare, you must download the extension package and import assets into Customer 360.

To deploy the extension, perform the following tasks:

1. Download and extract the extension package.
2. Import the data model, the predefined custom pages, and the source systems.
3. Import reference data code values into reference data assets.
4. Assign the predefined search layouts to user roles.

Note: To import the data model, pages, source system, jobs, reference data, Cloud Data Integration assets, and Cloud Application Integration assets, ensure that you belong to the MDM Designer and Designer user roles. Ensure that you don't have the Admin user role.

After you deploy the extension, configure Customer 360 to integrate Customer 360 with source systems.

Downloading and extracting the Customer 360 for Healthcare package

To get the link to download the Customer 360 for Healthcare package, contact Informatica Global Customer Support.

After you download the Customer 360 for Healthcare package, extract the package on your machine. The package contains the additional data model attributes, relationships, and predefined custom pages for Customer 360.

The extracted package contains the following files and folders:

File or Folder Name	Description
1_MDM_Assets	Contains the following predefined assets: - Business entities with additional data model attributes to store the source system records. - Data dictionary. - Reference data sets - Rule specifications. - Custom pages. - Relationships. - Hierarchies. - Search layouts. - Updated Customer 360 business application.
2_DI_Assets	Contains the Data Integration assets and connections that you require to ingress and egress data.
3_MDM_Job_Assets	Contains the job assets to synchronize the source system records with Customer 360 in batches.
4_CAI_Assets	Contains the Application Integration assets for the MedPro Systems source system.
Enrichment_Assets	Contains assets to enrich the Healthcare Professional (HCP) and Healthcare Organization (HCO) records.
Reference Data	Contains files that store code lists and values related to source system.
Secure Agent Files	Contains the lookup source files and the parameter values for the Data Integration mappings.
Supplementary Assets	Contains additional data model assets and reference data sets to ingress FHIR R4 standard records.

Note: To enrich the Customer 360 records with data from MedPro Systems in real time, import the enrichment assets. When you import the enrichment assets, you enable the enrichment of Customer 360 records with data from MedPro Systems in real time. After you import the enrichment assets, you can't disable the enrichment of Customer 360 records.

Importing data model, pages, and source systems

Import the data model changes related to the extension, the predefined custom pages, and the source systems.

Before you customize the Customer 360 data model, ensure that you import the extension assets.

Note: Before importing the data model, pages, and reference data assets, ensure that you are assigned to the Designer, MDM Designer, Reference 360 User, and Reference 360 Business Steward user roles, and not to the Admin user role.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/1_MDM_Assets.zip`

3. Click **Open**.
4. On the **Import Assets** page, ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing reference data assets

After you import the assets for the source systems that you plan to use, import reference data code values in bulk from CSV files into reference data assets.

The following table describes the files and folders in the extracted reference data directory:

File or Folder Name	Description
`Healthcare`	The folder that contains the code values folder with the name `_1`.
`Life Sciences`	The folder that contains the lookup code values folders. Lookup code values are in the following folders: - `_1`. Contains the parent lookup code values. - `_2`. Contains the child lookup code values. - `Crosswalk`. Contains the reference data set crosswalks.
`LoadReferenceData.py`	Python script to import reference data.

The following table lists the reference data assets and the corresponding code lists, crosswalks, and crosswalk location:

Reference Data Asset	Code List	Crosswalk	Crosswalk Location
AlternateIdType	AlternateIdType-Nppes AlternateIdType	AlternateIdType-Nppes AlternateIdType to Enterprise AlternateIdType	`<Extracted extension package>/Reference Data/Life Science/ Crosswalk`
AlternateNameType	AlternateNameType-Nppes HCO_alternateNameType	AlternateNameType-Nppes HCO_alternateNameType to Enterprise AlternateNameType	`<Extracted extension package>/Reference Data/Life Science/ Crosswalk`
AlternateNameType	AlternateNameType-Nppes HCP_alternateNameType	AlternateNameType-Nppes HCP_alternateNameType to Enterprise AlternateNameType	`<Extracted extension package>/Reference Data/Life Science/ Crosswalk`

Reference Data Asset	Code List	Crosswalk	Crosswalk Location
IdentifierStatus	IdentifierStatus-Medpro IdentifierStatus	IdentifierStatus-Medpro IdentifierStatus to Enterprise IdentifierStatus	<Extracted extension package>/Reference Data/Life Science/ Crosswalk
State	State-Medpro State	State-Medpro State to Enterprise State	<Extracted extension package>/Reference Data/Life Science/ Crosswalk
State	State-Nppes State	State-Nppes State to Enterprise State	<Extracted extension package>/Reference Data/Life Science/ Crosswalk

To import code values in bulk from CSV files that are available in the extracted reference data directory, run the LoadReferenceData.py Python script.

Prerequisites

Before you import reference data into your system, ensure that you meet the prerequisites.

Complete the following prerequisite tasks:

- Ensure that you have permission to import reference data.
- Install Python version 3 or later on your machine.
- To verify whether the cURL library files are pre-installed and to check the cURL library version, run the following command from a command prompt:
  ```
  curl --version
  ```
  Note: If cURL isn't available in your operating system, ensure that you install it. You can download the cURL library for your operating system from the cURL website:
  ```
  http://curl.haxx.se/download.html
  ```

Importing the reference data

To import all the reference data in bulk, run the Python script.

1. Open a command prompt, and navigate to the following directory:
   ```
   <Extracted extension package>/Reference Data
   ```
2. Run the following command:
   - On Windows.
     ```
     python LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --userName <user name> --password <password> --region <POD region>
     ```
   - On Linux.
     ```
     python3 LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --userName <user name> --password <password> --region <POD region>
     ```

The jobs to import reference data code values run.

3. To monitor the status of a job, click **My Jobs** in Reference 360.

   The My Jobs page lists the job instances that are currently running, failed, and successfully completed.

Configuring search for Customer 360

You must assign the predefined search layouts to user roles. Each search result in the Customer 360 application displays the field values based on the search result layout components assigned to a user role.

1. In Business 360 Console, click **Explore** > **Customer 360**.
2. Click the **Customer 360** business application.
3. Click **Search**.
4. In the **Search Result Layouts** section, select a business entity type.

   The list of search result layout components defined for the selected business entity appears.
5. Click **Add Search Result Layout**.

   A blank row appears.
6. To add a search result layout component, click the asset picker.

   The **Select a component** dialog box appears.
7. Select **Search Layout HCP** and assign it to **Customer 360 Data Steward**.
8. Click **Save**.
9. Repeat steps 4 through 8 for HCO business entity.

CHAPTER 5

Configuring Customer 360 for Healthcare for source system integration

Configure Customer 360 for Healthcare to integrate Customer 360 with source systems, such as National Plan and Provider Enumeration System (NPPES) and MedPro Systems. You can integrate Customer 360 with source systems and process the Customer 360 records in batches.

After you extract the extension package, import the Customer 360 for Healthcare assets to Customer 360. Importing the extension assets overwrites the existing Customer 360 assets and your customization.

Note: Before you customize the Customer 360 data model, ensure that you import the extension assets.

You can import the following assets:

- Reference data tables
- Data dictionary
- Rule specifications
- Business entities with additional data model attributes
- Predefined custom pages
- Relationships
- Hierarchies
- Search layouts
- Updated business application

Configuring Customer 360 to process data from MedPro Systems in batches

Configure Customer 360 to integrate Customer 360 with MedPro Systems and process the Customer 360 records with data from MedPro Systems in batches.

Import the assets related to MedPro Systems into your organization. The assets include Data Integration and Application Integration assets. To import the assets, you require the license to access MedPro Systems.

Note: Before you import the assets related to MedPro Systems, ensure that you have imported the data model related to the extension, the predefined custom pages, and the source system.

To configure Customer 360, perform the following tasks:

1. Add a user group in Administrator for MedPro Systems.
2. Import the Cloud Data Integration assets related to MedPro Systems.
3. Import the job assets.
4. Import the Cloud Application Integration assets related to MedPro Systems.
5. Configure the service connector and the application connection.
6. Publish the Application Integration process.
7. Add the lookup files related to MedPro Systems in the Secure Agent machine.
8. Set the environment variable for the operating system to the extracted folder of the `MedproIntegration.zip` file.
9. Set the Secure Agent parameters.
10. Import the parameter files.
11. Configure the flat file connection.
12. Configure the Business 360 FEP connector.

Adding a user group

Add a user group and enable privileges for the user group.

1. In Administrator, click **User Groups** > **Add Group**.
2. On the **New Group** page, enter the following name:

   `Medpro_Api_Group`
3. In the **Group Members** section, assign users from the available users.
4. In the **Assigned Roles** section, enable the following privileges:
   - Business Manager
   - Customer 360 Data Steward
   - Data Integration Task Executor
   - Data Preview
   - Data Viewer
   - Deployer
   - Designer
   - Job Executor
   - MDM Business User
   - MDM Designer
   - Monitor
   - Operator
   - Reference 360 Business Analyst
   - Reference 360 Business Steward

- Reference 360 Planner
- Reference 360 Primary Owner
- Reference 360 Stake Holder
- Reference 360
- Service Consumer

5. Click **Save**.

Importing the Cloud Data Integration assets

Import the Cloud Data Integration assets related to the source system, such as predefined taskflows, mapping tasks, and mappings. Create import and export jobs based on the predefined taskflows.

1. In Data Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/2_DI_Assets/<Source system>_DI_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and then select **Publish Taskflow(s) after import**.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the job assets

After you import the Cloud Data Integration assets, import the job assets related to the source system. Use batch jobs to ingress records from and egress the processed records to the source system.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/3_MDM_Job_Assets/<Source system>_Job_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the Cloud Application Integration processes

After you import the job assets, import the Cloud Application Integration processes related to the source system.

1. In Application Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/4_CAI_Assets/<Source system>_CAI_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Configuring connectors

To integrate with the source system, configure the service connector and the application connection.

1. In Application Integration, click **Explore** > **Customer360** > **Life Sciences Extension**.
2. Click the **infac360ls_connector_medpro_trigger_ingress** service connector.
3. In the **Connection Properties** section, update the following details:
   - Host name. To get the host name of the application, perform the following steps:
     1. In Data Integration, click **Explore** > **Customer360** > **Life Sciences Extension**.
     2. Select the **infac360ls_tf_medpro_read_write_Filename_local** taskflow.
     3. Expand the **Actions** menu, and select **Properties Detail**.
     4. Get the host name from the service URL endpoint.
   - User name. The user name to connect to the Informatica Intelligent Cloud Services (IICS).
   - Password. The password associated with the user name.
4. Click **Save**.
5. Publish the connector.
6. In the left pane, click **Explore** > **Customer360** > **Life Sciences Extension**.
7. To publish the following application connections, select the following application connections and repeat steps 3 through 5.
   - infac360ls-appConn-medpro-trigger-ingress
   - infac360ls-appConn-sftp-medproOutbound-InboundHCP-HCO

Publishing the Cloud Application Integration process

To run the Cloud Application Integration process, publish the process.

1. In Application Integration, click **Explore** > **Customer360** > **Life Sciences Extension**.
2. Click the process.

   Select the following processes based on how you choose to run the trigger:

Trigger	Process
Auto	infac360ls_process_medpro_auto_trigger_ingress
Manual	infac360ls_process_medpro_manually_trigger_ingress

3. Publish the process.

Adding lookup files

To import reference data CSV files to the Secure Agent, add the lookup files related to MedPro Systems in the Secure Agent machine.

1. Navigate to the following directory:

   ```
   <Extracted extension package>\Secure Agent Files\Lookup Files\MedPro
   ```

2. Copy the following files to the local directory where you store the flat file connection:
   - `IdentifierStatus.csv`
   - `stateCdConversion.csv`
3. Navigate to the Medpro file in the following directory:

   `<Extracted extension package>/Secure Agent Files/Medpro`
4. Extract the file for your operating system:
   - Linux. `\Linux\MedproIntegration.zip`
   - Windows. `\Windows\MedproIntegration.zip`

Setting up the environment variable

Set the environment variable for the operating system to the extracted folder of the `MedproIntegration.zip` file.

On Windows, configure the environment variable on the system settings page.

1. On the Windows taskbar, right-click the **Windows** icon and select **System**.
   The **Settings** page appears.
2. Click **Advanced system settings**.
3. On the **Advanced** tab, click **Environment Variables**.
4. To create the `infac360ls_medpro_dir` environment variable, perform the following steps:
   a. Click **New**.
   b. Add the path to the `MedproIntegration` directory.
      For example, `C:\MedproIntegration`
   c. Click **Apply** > **OK**.
5. To modify an existing environment variable, perform the following steps:
   a. Click **Edit** and modify the existing environment variable.
   b. Click **Apply** > **OK**.

On Linux, run the following command:

```
$ export infac360ls_medpro_dir="<MedproIntegration_folder_path>"
```

Setting up the Secure Agent parameters

After you set the environment variable for the operating system, set the Secure Agent parameters.

1. In Administrator, click **Runtime Environments**.
2. Expand the **Actions** menu for the Secure Agent, and select **Edit Secure Agent**.

3. In the **Custom Configuration Details** section, enter the following details:

Field Name	Value
Type	DTM
Name	SFTP_MaxWriteSize
Value	8192

4. To save the custom configuration of the Secure Agent, click **OK**.

   The Secure Agent restarts automatically within 10 minutes. To apply the properties immediately, you can restart manually. To avoid failure of any running task, ensure that no tasks run .

Importing parameter files

Import the list of user-defined parameters and their associated values for Cloud Data Integration mappings.

To import parameter files, save the parameter files in the Secure Agent Installation directory.

Copy the parameter files from the source directory to the target Secure Agent installation directory:

Source: `<Extracted extension package>\Secure Agent Files\Parameter Files\<Source System>`

Target: `<Secure Agent Installation Directory>\apps\Data_Integration_Server\data\userparameters`

Optionally, if you want to use a configured path for the target location, see Parameter file location.

Using the parameter files

A parameter file is a list of user-defined parameters and their associated values. Use parameter files to define values that you want to update without having to edit the mapping task. The parameter values are applied when the task runs.

The Customer 360 for Healthcare package contains the `infac360ls_mt_medpro_hcp_inbound.param` parameter files in the Secure Agent files directory for the Cloud Data Integration mappings.

For more information about importing the parameter files, see "Importing parameter files" on page 197.

Configuring the flat file connection

To access flat files from the Secure Agent, configure the flat file connection.

1. In Administrator, click **Connections**.
2. Click `infac360ls_conn_flatfile`.
3. Verify the directory to store the flat file.

   Default is `C:\ReferenceData`.
4. Test the connection, and ensure that the connection is successful.

Configuring Business 360 FEP connection

You can use the Business 360 FEP Connector to write data from the source system into MDM SaaS. If the input values for source system integer fields are null, the Business 360 FEP Connector converts the null values to 0 in MDM SaaS.

1. In Administrator, click **Connections**.
2. Click `infac360hc_conn_customer360`.
3. Test the connection.

   The connection might fail with the following error:
   `The test connection for infac360hc_conn_customer360 failed. Unable to fetch connector attributes, Ensure adapter ID is valid[com.infa.adapter.mdmflat].`
4. If the connection fails, verify and ensure that the connection is successful.
   a. Verify the license used.
   b. Ensure that the connector is enabled for the Secure Agent group.
   c. Restart the Secure Agent.

Configuring Customer 360 to enrich data from MedPro Systems in real time

Configure Customer 360 to integrate Customer 360 with MedPro Systems and enrich the Customer 360 records with data from MedPro Systems in real time.

Import the assets related to MedPro Systems for real-time enrichment and publish them.

Note: Before you import the assets related to MedPro Systems, ensure that you have imported the data model related to the extension, the predefined custom pages, and the source system.

The following table lists the assets that you use to enrich Customer 360 records:

Asset Name	Asset Type
infac360ls_srvconn_authenticate	Cloud Application Integration Service Connector
infac360ls-appconn-authenticate	Cloud Application Integration App Connector
infac360ls_proc_TokenMangmnt	Cloud Application Integration Process
infac360ls_srvconn_hcoSearch	Cloud Application Integration Service Connector
infac360ls-appconn-hcoSearch	Cloud Application Integration App Connector
infac360ls_proc_medpro_hco_IdentiyResolutionProcess	Cloud Application Integration Process
infac360ls_srvconn_hcoDetails	Cloud Application Integration Service Connector
infac360ls-appconn-hcoDetails	Cloud Application Integration App Connector

Asset Name	Asset Type
infac360ls_proc_medpro_hco_EnrichProcess	Cloud Application Integration Process
infac360ls_srvconn_hcpSearch	Cloud Application Integration Service Connector
infac360ls-appconn-hcpSearch	Cloud Application Integration App Connector
infac360ls_proc_medpro_hcp_IdentiyResolutionProcess	Cloud Application Integration Process
infac360ls_srvconn_hcpDetails	Cloud Application Integration Service Connector
infac360ls-appconn-hcpDetails	Cloud Application Integration App Connector
infac360ls_proc_medpro_hcp_EnrichProcess	Cloud Application Integration Process

To configure Customer 360, perform the following tasks:

1. Import the MDM SaaS application assets.
2. Publish the assets to enrich Customer 360 records in real time.
3. Configure the Cloud Application Integration process for the HCO business entity.
4. Configure the Cloud Application Integration process for the HCP business entity.
5. Configure the Cloud Application Integration URN mappings.

Importing assets to enrich Customer 360 records

After you import the MDM SaaS application assets, import the assets to enrich the Customer 360 records.

Note: To enrich the Customer 360 records with data from MedPro Systems in real time, import the enrichment assets. When you import the enrichment assets, you enable the enrichment of Customer 360 records with data from MedPro Systems in real time. After you import the enrichment assets, you can't disable the enrichment of Customer 360 records.

1. In Business 360 Console, click **Explore** > **Import**.
2. On the **Import Assets** page, navigate to the following file:

   `<Extracted extension package>/Enrichment_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and then select **Publish Application Integration Assets after import**.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Publishing assets to enrich Customer 360 records in real time

After you import the assets into Customer 360, publish them. You publish the HCO and HCP assets to enrich the Customer 360 records with data from MedPro Systems in real time.

Publish the HCO assets in the following order:

1. infac360ls_srvconn_authenticate
2. infac360ls-appconn-authenticate
3. infac360ls_proc_TokenMangmnt
4. infac360ls_srvconn_hcoSearch
5. infac360ls-appconn-hcoSearch
6. infac360ls_proc_medpro_hco_IdentiyResolutionProcess
7. infac360ls_srvconn_hcoDetails
8. infac360ls-appconn-hcoDetails
9. infac360ls_proc_medpro_hco_EnrichProcess

Publish the HCP assets in the following order:

1. infac360ls_srvconn_authenticate
2. infac360ls-appconn-authenticate
3. infac360ls_proc_TokenMangmnt
4. infac360ls_srvconn_hcpSearch
5. infac360ls-appconn-hcpSearch
6. infac360ls_proc_medpro_hcp_IdentiyResolutionProcess
7. infac360ls_srvconn_hcpDetails
8. infac360ls-appconn-hcpDetails
9. infac360ls_proc_medpro_hcp_EnrichProcess

To publish the assets, perform the following:

1. In Application Integration, click **Explore** > **Customer360** > **Life Sciences Extension**.
2. Select the asset to publish.
3. To publish the assets, expand the **Actions** menu, and select **Publish**.

Configuring the Cloud Application Integration process for the HCO business entity

If you want to use an address type other than the default SLN Primary Address, configure the Cloud Application Integration process for the HCO business entity.

1. In Application Integration, click **Explore** > **Customer 360** > **Life Sciences Extension**.
2. Navigate to the **infac360ls_proc_medpro_hco_IdentiyResolutionProcess Assets** process.
3. In the **Design** section, click the **Assignment to tempSLNPrimAddr** step.
4. In the properties panel, click the **Assignment** tab.
5. To open the formula editor, click the **f(x)** icon for the **tempSLNPrimAddr** field.
6. Edit the addressType expression with the address type that you want to add.
7. Click **OK**.

8. Save and publish the process.

Configuring the Cloud Application Integration process for the HCP business entity

If you want to use an address type other than the default SLN Primary Address, configure the Cloud Application Integration process for the HCP business entity.

1. In Application Integration, click **Explore** > **Customer 360** > **Life Sciences Extension**.
2. Navigate to the **infac360ls_proc_medpro_hcp_IdentiyResolutionProcess** process.
3. In the **Design** section, click the **Assignment to tempSLNPrimAddr** step.
4. In the properties panel, click the **Assignment** tab.
5. To open the formula editor, click the **f(x)** icon for the **tempSLNPrimAddr** field.
6. Edit the addressType expression with the address type that you want to add.
7. Click **OK**.
8. Save and publish the process.

Configuring the Cloud Application Integration URN mappings

When you use the United States as the country lookup reference entity, map a URN to a URL.

1. In Application Integration Console, click **Deployed Assets**, and select **Cloud**.
2. Click the **URN Mappings** tab.
3. To create URN mappings, use the following values:

URN Mapping Objects	Value
URN	Iso3States
URL	ARK:AR,COT:CT,GEO:GA,MIN:MN,ORE:OR,TE:TN

For more information about URN Mappings, see *URN Mappings* in the Monitor documentation.

Configuring Customer 360 to process data from NPPES in batches

Configure Customer 360 to integrate Customer 360 with NPPES and process data from NPPES in batches. Import the assets related to NPPES into your organization.

Note: Before you import the assets related to NPPES, ensure that you import the data model related to the extension, the predefined custom pages, and the source system.

To configure Customer 360, perform the following tasks:

1. Import the Cloud Data Integration assets related to NPPES.
2. Import the job assets.

3. Add the lookup files related to NPPES in the Secure Agent machine.
4. Import the parameter files.
5. Configure the flat file connection.
6. Configure the Business 360 FEP connector.

Importing the Cloud Data Integration assets

Import the Cloud Data Integration assets related to the source system, such as predefined taskflows, mapping tasks, and mappings. Create import and export jobs based on the predefined taskflows.

1. In Data Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/2_DI_Assets/<Source system>_DI_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and then select **Publish Taskflow(s) after import**.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the job assets

After you import the Cloud Data Integration assets, import the job assets related to the source system. Use batch jobs to ingress records from and egress the processed records to the source system.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/3_MDM_Job_Assets/<Source system>_Job_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Adding lookup files

Add the lookup files related to NPPES in the Secure Agent machine.

1. Navigate to the following directory:

   `<Extracted extension package>\Secure Agent Files\Lookup Files\NPPES`
2. Copy the following files to the local directory where you store the flat file connection:
   - `AlternateNameTypeHCONppesCodeConversion.csv`
   - `AlternateNameTypeHCPNppesCodeConversion.csv`
   - `IdentifierTypeNppesCodeConversion.csv`
   - `stateCdConversion.csv`

Importing parameter files

Import the list of user-defined parameters and their associated values for Cloud Data Integration mappings.

To import parameter files, save the parameter files in the Secure Agent Installation directory.

Copy the parameter files from the source directory to the target Secure Agent installation directory:

Source: `<Extracted extension package>\Secure Agent Files\Parameter Files\<Source System>`

Target: `<Secure Agent Installation Directory>\apps\Data_Integration_Server\data\userparameters`

Optionally, if you want to use a configured path for the target location, see Parameter file location.

Using the parameter files

A parameter file is a list of user-defined parameters and their associated values. Use parameter files to define values that you want to update without having to edit the mapping task. The parameter values are applied when the task runs.

The Customer 360 for Healthcare package contains the following parameter files in the Secure Agent files directory for the Cloud Data Integration mappings:

- `infac360ls_mt_nppes_hco_inbound.param`
- `infac360ls_mt_nppes_hcp_inbound.param`

For more information about importing the parameter files, see "Importing parameter files" on page 197.

Configuring the flat file connection

To access flat files from the Secure Agent, configure the flat file connection.

1. In Administrator, click **Connections**.
2. Click `infac360ls_conn_flatfile`.
3. Verify the directory to store the flat file.

   Default is `C:\ReferenceData`.
4. Test the connection, and ensure that the connection is successful.

Configuring Business 360 FEP connection

You can use the Business 360 FEP Connector to write data from the source system into MDM SaaS. If the input values for source system integer fields are null, the Business 360 FEP Connector converts the null values to 0 in MDM SaaS.

1. In Administrator, click **Connections**.
2. Click `infac360hc_conn_customer360`.
3. Test the connection.

   The connection might fail with the following error:
   ```
   The test connection for infac360hc_conn_customer360 failed. Unable to fetch connector attributes, Ensure adapter ID is valid[com.infa.adapter.mdmflat].
   ```
4. If the connection fails, verify and ensure that the connection is successful.
   a. Verify the license used.
   b. Ensure that the connector is enabled for the Secure Agent group.

c. Restart the Secure Agent.

Configuring Customer 360 to import data with FHIR R4 standard in batches

Configure Customer 360 to ingress records that comply with the Fast Healthcare Interoperability Resources (FHIR) R4 standard. Import assets related to FHIR into your organization.

Note: Before you import assets related to the FHIR R4 standard, import the data model related to the extension, predefined custom pages, and search result layout components.

To configure Customer 360, perform the following tasks:

1. Import the supplementary data model and pages related to the FHIR R4 standard.
2. Import the Cloud Data Integration assets related to the FHIR R4 standard.
3. Import job assets.
4. Import the supplementary reference data sets related to the FHIR R4 standard.
5. Add the lookup files related to the FHIR R4 standard in the Secure Agent machine.
6. Import parameter files.
7. Configure the flat file connection.
8. Configure the Business 360 FEP connector.

Importing supplementary assets

To import records that are compliant with the FHIR R4 standard, import the supplementary data model assets, pages, and search result layout components.

Before you customize the Customer 360 data model, import the extension assets.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the 1_MDM_Assets.zip file in the following location:

   `<Extracted extension package>/Supplementary Assets`
3. Click **Open**.
4. On the **Import Assets** page, ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Adding predefined pages and components

You can add predefined pages and search result layout components of the Location, Network, Practitioner Role, and Organization Affiliation business entities to Customer 360. Ensure that you have the Admin user role.

1. In Business 360 Console, click **Explore** > **Customer360**.
2. Click the business application.

3. Add the following business entities:
   - Location
   - Network
   - Practitioner Role
   - Organization Affiliation
4. Select the fields to display and click **Save.**
5. On the **Pages** tab, select **Location**.
6. On the **Create** tab, click **Add Page**.

   A blank row appears.
7. To select a page, click the asset picker.
8. On the **Select a page** window, select **Create Page Location**, and click **Select**.

   The selected page appears in the row.
9. To assign user roles to the page, from the list of user roles, select one or more user roles.

   For more information about user roles assigned to pages, see "Pages" on page 182.
10. On the **View and Edit** tab, click **Add Page**.

    A blank row appears.
11. To select a page, click the asset picker.
12. On the **Select a page** window, select **Edit Page Location**, and assign the page to one or more user roles.

    For more information about user roles assigned to pages, see "Pages" on page 182.
13. In the **Business Entities** section, select the business entity and repeat steps 6 through 12.

    For more information about pages for business entities, see "Pages" on page 182.
14. On the **Seach** tab, in the **Business Entities** section, select **Location**.
15. In the **Search Result Layouts: Location** section, click **Add Search Result Layout**.

    A blank row appears.
16. To select a component, click the asset picker.
17. On the **Select a Component** window, select **Search Layout for Location**, and assign the component to one or more user roles.

    For more information about user roles assigned to search result layout components, see "Search result layout components" on page 185.
18. In the **Business Entities** section, select the business entity and repeat steps 15 through 17.

    For more information about search result layout components for business entities, see "Search result layout components" on page 185.
19. Click **Save**.

For more information about how to assign pages to user roles, see *Assign pages to user roles*.

Importing Cloud Data Integration assets

Import Cloud Data Integration assets related to FHIR R4 standard, such as predefined taskflows, mapping tasks, and mappings. Create import and export jobs based on the predefined taskflows.

1. In Data Integration, click **Explore** > **Import**.
2. Navigate to the following file:

<Extracted extension package>/2_DI_Assets/FHIR_DI_Assets.zip

3. Click **Open**.
4. On the **Import Assets** page, ensure that all the assets are selected, and then select **Publish Taskflow(s) after import**.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing job assets

After you import Cloud Data Integration assets, import job assets related to the FHIR R4 standard. Use batch jobs to ingress records that comply with the FHIR R4 standard.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the FHIR_Job_Assets.zip file in the following location:

   <Extracted extension package>/3_MDM_Job_Assets
3. Click **Open**.
4. On the **Import Assets** page, ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing reference data

Import reference data code values in bulk from CSV files into reference data assets.

The reference data code values related to Fast Healthcare Interoperability Resources (FHIR) R4 standard records are available in the supplementary assets folder.

The following table describes the file and folder in the extracted reference data directory:

File or Folder Name	Description
Healthcare	Folder that contains the code values folder with the name _1.
LoadReferenceData.py	Python script to import reference data.

The following table lists supplementary reference data assets and their code value file location:

Supplementary Reference Data Asset	Code Value File Location
infa360loc_AddressType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_AddressType
infa360loc_AddressUsageType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_AddressUsageType
infa360loc_Country	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_Country
infa360loc_DaysOfweek	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_DaysOfweek

Supplementary Reference Data Asset	Code Value File Location
infa360loc_EndTimeHours	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_EndTimeHours
infa360loc_EndTimeMinutes	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_EndTimeMinutes
infa360loc_EndTimeSeconds	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_EndTimeSeconds
infa360loc_EnrichedIndicator	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_EnrichedIndicator
infa360loc_GeoLocType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_GeoLocType
infa360loc_IdentifierType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_IdentifierType
infa360loc_IdentifierUsageType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_IdentifierUsageType
infa360loc_IndicatorGroup	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_IndicatorGroup
infa360loc_IndicatorType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_IndicatorType
infa360loc_IndicatorValue	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_IndicatorValue
infa360loc_LocationForm	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_LocationForm
infa360loc_LocationType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_LocationType
infa360loc_NameType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_NameType
infa360loc_OwnershipType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_OwnershipType

Supplementary Reference Data Asset	Code Value File Location
infa360loc_StandardTimeZone	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_StandardTimeZone
infa360loc_StartTimeHours	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_StartTimeHours
infa360loc_StartTimeMinutes	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_StartTimeMinutes
infa360loc_StartTimeSeconds	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_StartTimeSeconds
infa360loc_State	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_State
infa360loc_StatusType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_StatusType
infa360loc_StatusValue	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infa360loc_StatusValue
infac360hc_HealthcareServiceCategory	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_HealthcareServiceCategory
infac360hc_HealthcareServiceType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_HealthcareServiceType
infac360hc_IsAcceptingPatients	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_IsAcceptingPatients
infac360hc_NetworkID	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_NetworkID
infac360hc_NetworkType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_NetworkType
infac360hc_OrgAffilRoleName	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_OrgAffilRoleName
infac360hc_OrgAffilRoleSpecialty	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_OrgAffilRoleSpecialty
infac360hc_PractitionerRoleIdentifierType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_PractitionerRoleIdentifierType

Supplementary Reference Data Asset	Code Value File Location
infac360hc_PractitionerRoleIdentifierUsageType	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_PractitionerRoleIdentifierUsageType
infac360hc_PractitionerRoleName	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_PractitionerRoleName
infac360hc_PractitionerRoleSpecialty	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_PractitionerRoleSpecialty
infac360hc_PractitionerRoleStatus	<Extracted extension package>/Supplementary Assets/Reference Data/Healthcare/_1/infac360hc_PractitionerRoleStatus

To import code values in bulk from CSV files that are available in the extracted supplementary reference data directory, run the LoadReferenceData.py Python script.

Add lookup files

Add the lookup files related to FHIR in the Secure Agent machine.

1. Navigate to the following directory:

   `<Extracted extension package>\Secure Agent Files\Lookup Files\FHIR`

2. Copy the `EnterpriseSuffixName.csv` file to the local directory where you store the flat file connection.

Importing parameter files

Import the list of user-defined parameters and their associated values for Cloud Data Integration mappings.

To import parameter files, save the parameter files in the Secure Agent Installation directory.

Copy the parameter files from the source directory to the target Secure Agent installation directory:

Source: `<Extracted extension package>\Secure Agent Files\Parameter Files\FHIR`

Target: `<Secure Agent Installation Directory>\apps\Data_Integration_Server\data\userparameters`

Optionally, if you want to use a configured path for the target location, see Parameter file location.

Using the parameter files

A parameter file is a list of user-defined parameters and their associated values. Use parameter files to define values that you want to update without having to edit the mapping task. The parameter values are applied when the task runs.

The Customer 360 for Healthcare package contains the following parameter files in the Secure Agent files directory for the Cloud Data Integration mappings:

- `infac360hc_mt_organization_inbound.param`
- `infac360hc_mt_practitioner_inbound.param`

For more information about importing the parameter files, see "Importing parameter files" on page 209.

Configuring the flat file connection

To access flat files from the Secure Agent, configure the flat file connection.

1. In Administrator, click **Connections**.
2. Click `infac360hc_conn_flatfile`.
3. Verify the directory to store the flat file.

   Default is `C:\ReferenceData`.
4. Test the connection, and ensure that the connection is successful.

Configuring Business 360 FEP connection

You can use the Business 360 FEP Connector to write data from the source system into MDM SaaS. If the input values for source system integer fields are null, the Business 360 FEP Connector converts the null values to 0 in MDM SaaS.

1. In Administrator, click **Connections**.
2. Click `infac360hc_conn_customer360`.
3. Test the connection.

   The connection might fail with the following error:

   ```
   The test connection for infac360hc_conn_customer360 failed. Unable to fetch connector attributes, Ensure adapter ID is valid[com.infa.adapter.mdmflat].
   ```
4. If the connection fails, verify and ensure that the connection is successful.
   a. Verify the license used.
   b. Ensure that the connector is enabled for the Secure Agent group.
   c. Restart the Secure Agent.

INDEX

I

Informatica Global Customer Support
  contact information 7
Informatica Intelligent Data Management Cloud
  web site 6

M

maintenance outages 7

S

status
  IDMC 7
system status 7

T

trust site
  description 7

U

upgrade notifications 7

W

web site 6