Informatica® MDM - Customer 360 SaaS
April 2026

Customer 360 for Life Sciences

Informatica MDM - Customer 360 SaaS Customer 360 for Life Sciences
April 2026

© Copyright Informatica LLC 2021, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-04-11

Table of Contents

Preface. . . . 6
Informatica Resources. . . . 6
Informatica Documentation. . . . 6
IDMC web site. . . . 6
Intelligent Data Management Cloud Communities. . . . 6
IDMC Marketplace. . . . 6
Informatica Knowledge Base. . . . 6
IDMC Trust Center. . . . 7
Informatica Global Customer Support. . . . 7

Chapter 1: Introducing Customer 360 for Life Sciences. . . . 8

Guidelines for importing assets. . . . 9
Guidelines for migrating assets. . . . 9
Prerequisites. . . . 9

Chapter 2: Customer 360 for Life Sciences integration with source systems. . . . 10

Integrating Customer 360 with MedPro Systems. . . . 10
Egress data. . . . 10
Ingress data. . . . 11
Enriching Customer 360 records with MedPro Systems records in real time. . . . 13
Integrating Customer 360 with NPPES 14
Ingress data. . . . 14
Customer 360 for Insurance and Salesforce integration. . . . 15
Integrating Customer 360 with Salesforce. . . . 15
Ingress initial data. . . . 15
Egress initial data 15
Ingress and egress incremental data. . . . 16
Process records in batches. . . . 16
Process records in real time. . . . 17

Chapter 3: Customer 360 for Life Sciences assets. . . . 18

Data model attributes. . . . 18
HCO business entity data model 19
HCP business entity data model. . . . 40
Batch jobs. . . . 69
Predefined jobs of HCO business entity. . . . 69
Predefined jobs of HCP business entity. . . . 73
Field mapping for Customer 360 for Life Sciences. . . . 78
Mapping of HCO business entity fields with NPPES fields in batches. . . . 79

Mapping of HCO business entity fields with MedPro Systems fields in batches. 82
Mapping of HCP business entity fields with NPPES fields in batches. 86
Mapping of HCP business entity fields with MedPro Systems fields in batches. 89
Mapping of HCO business entity fields with MedPro Systems fields in real time. 94
Mapping of HCP business entity fields with MedPro Systems fields in real time. 98
Relationships. 104
Match model. 105
Data quality rules. 109

Chapter 4: Deploying Customer 360 for Life Sciences. 112

Downloading and extracting the Customer 360 for Life Sciences package. 112
Importing data model, pages, and source systems. 113
Importing reference data assets. 114
Prerequisites. 115
Importing the reference data. 115
Configuring search for Customer 360. 116

Chapter 5: Configuring Customer 360 for source system integration. 117

Configuring Customer 360 to process data from MedPro Systems in batches. 117
Adding a user group. 118
Importing the Cloud Data Integration assets. 119
Importing the job assets. 119
Importing the Cloud Application Integration processes. 119
Configuring connectors. 119
Publishing the Cloud Application Integration process. 120
Adding lookup files. 120
Setting up the environment variable. 121
Setting up the Secure Agent parameters. 121
Importing parameter files. 122
Configuring the flat file connection. 122
Configuring Business 360 FEP connection. 122
Configuring Customer 360 to enrich data from MedPro Systems in real time 122
Importing assets to enrich Customer 360 records. 123
Publishing assets to enrich Customer 360 records in real time. 124
Configuring the Cloud Application Integration process for the HCO business entity. 125
Configuring the Cloud Application Integration URN mappings. 125
Configuring Customer 360 to process data from NPPES in batches. 125
Importing the Cloud Data Integration assets. 126
Importing the job assets. 126
Adding lookup files. 126
Importing parameter files. 126
Configuring the flat file connection. 127
Configuring Business 360 FEP connection. 127

Configuring Customer 360 to process data from Salesforce. 127
Importing the Cloud Data Integration assets. 128
Importing the job assets. 128
Importing the Cloud Application Integration processes. 128
Adding a Secure Agent. 129
Adding lookup files. 129
Importing parameter files. 129
Configuring the flat file connection. 129
Configuring Business 360 FEP connection. 130
Configuring Salesforce assets using guided assistance. 130
Configuring Salesforce assets manually. 130

Index. 131

Preface

Follow the instructions in *Customer 360 for Life Sciences* to deploy the Customer 360 for Life Sciences extension.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the IDMC Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Data Management Cloud Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all IDMC components. Subscribing to all components is the best way to be certain you never miss an update.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introducing Customer 360 for Life Sciences

An industry 360 application is a ready-to-use package that you can use as a template for implementing MDM SaaS. With an industry 360 application, you can customize solutions to meet specific requirements and business initiatives of your industry. Use an industry 360 application to reduce implementation time, enhance data quality, and achieve faster business outcomes.

Use Customer 360 for Life Sciences to master the records of healthcare organizations and healthcare professionals.

The healthcare organization records include records of hospitals, clinics, diagnostics laboratories, and other healthcare organizations. The healthcare professional records include records of physicians, nurses, therapists, medical administrative professionals, and other healthcare professionals.

Use Customer 360 for Life Sciences to achieve the following goals:

Onboard records

Onboard the records of healthcare organizations and healthcare professionals to Customer 360. You can manually add the records or use the predefined ingress jobs to import the records from the supported source systems.

Consolidate records

Merge the records from different source systems and provide a single version of truth.

Find and target the right customer

Search for the master records with predefined search layouts to find and target the customers for efficient marketing and sales.

Manage affiliations

Manage the associations of the healthcare professionals and healthcare organizations. For example, you can identify the healthcare organizations with which a physician is affiliated.

Generate reports

Use reports to view the important aspects of the master data. For example, you can generate reports to view healthcare organizations by segment, country, and specialty.

Customer 360 for Life Sciences provides out-of-the-box integration with source systems, such as Salesforce, National Plan and Provider Enumeration System (NPPES), and MedPro Systems.

Guidelines for importing assets

Consider the following guidelines before you import the industry 360 application assets:

- Set up the prerequisite MDM SaaS business application.
- Import the industry 360 application assets before you customize the business entities. You can safely import multiple industry 360 application assets that use different business entities and in different MDM SaaS business applications. When you import the assets in an environment that already has an industry 360 application with the same business entities, the import fails.
- After you import the assets, consider them as your custom assets.
- Once you deploy an industry 360 application, upgrading to a newer version of the industry 360 application isn't supported.

Guidelines for migrating assets

Consider the following guidelines before you migrate the industry 360 application assets to another environment:

- To migrate the industry 360 application assets to higher environments, such as QA and production, export the assets from the development environment. Then, import them into the QA and production environments. For more information about migrating assets, see *Migrating projects and assets*.
- Don't import the industry 360 application assets again into a higher environment.

Prerequisites

Before you deploy Customer 360 for Life Sciences, perform the following prerequisites:

- Ensure that you have the license for the Integration Components for Business 360 and Customer 360 SaaS Edition.
  Ensure that you have the licenses required to manage connections, external data, and service rights.

  Note: The use of the extension doesn't confer any additional license or entitlement to license consumption beyond the terms specified in the applicable licensing agreements.
- To enrich Customer 360 records with MedPro Systems records in real time, enable the MedPro Systems and SFTP connector licenses.
- To integrate Customer 360 records with Salesforce, complete the following prerequisite tasks:
  - Enable the Salesforce connector license.
  - Ensure that your organization uses the Enterprise or Developer edition of Salesforce.
  - For a Windows-based Secure Agent, install Windows 10, version 1803 or later.
  - For a Linux-based Secure Agent, verify that the cURL library files are installed. To verify whether the cURL library files are installed and to check the cURL library version, run the following command from a command prompt:
    If cURL isn't installed, download and install the cURL library for your operating system from the cURL download web site:

CHAPTER 2

Customer 360 for Life Sciences integration with source systems

Customer 360 for Life Sciences provides out-of-the-box integration with the following source systems:

Salesforce

You can directly connect to Salesforce to ingress data from Salesforce and egress data to Salesforce.

National Plan and Provider Enumeration System

After you export data from National Plan and Provider Enumeration System (NPPES) to a flat file, you can ingress the data from the flat file to Customer 360.

MedPro Systems

Based on the Customer 360 records, you can find the matching records in MedPro Systems and then ingress the matching records from MedPro Systems to Customer 360.

Note: Ensure that you have the required license to access MedPro Systems and SFTP connector.

Integrating Customer 360 with MedPro Systems

When you integrate Customer 360 with MedPro systems, you can synchronize the records of MedPro Systems with Customer 360 and enrich the Customer 360 records.

You can synchronize the records of Healthcare Organization and Healthcare Practitioner in MedPro Systems with Customer 360 records.

To process the Customer 360 records using MedPro Systems, perform the following tasks:

1. Egress data. Run the predefined egress jobs to export data from the HCO and HCP business entities of Customer 360 to the request files of MedPro Systems. The egress job generates the HCO and HCP request files and places them in the SFTP inbound directory.
2. Ingress data. Run the predefined ingress jobs to import data from the MedPro Systems response files to the Customer 360 business entities and update the original records. You can choose to run the predefined ingress jobs automatically or manually.

Egress data

When you egress data from Customer 360 to MedPro Systems, the egress job generates a flat file in the .csv format. The flat file contains the records to be processed from Customer 360 and places the file in the


inbound directory of MedPro SFTP location. To keep track of the files in the inbound directory, a copy of the flat file is added to the following local directory of the Secure Agent system:

`MedproIntegration\Outbound`

You can specify the export job types to select the records to be processed. The Cloud Data Integration taskflow logs the status of the processed records in the `RunStatus-Outbound` flat file. When a new flat file is placed in the inbound directory of MedPro Systems SFTP location, MedPro Systems detects the file, searches for matching records, and generates an enriched records file. MedPro Systems adds the enriched records file to the outbound directory of the MedPro Systems SFTP location.

For more details about egress jobs, see "Predefined jobs of HCO business entity" on page 69 and "Predefined jobs of HCP business entity" on page 73.

The following image shows the data flow from Customer 360 to MedPro Systems:



Ingress data

The ingress job uses Cloud Application Integration processes to read the file that contains enriched records in the outbound directory of the MedPro Systems SFTP location.

You can run the ingress job automatically or manually. After you import the assets, both the trigger process are enabled by default. To run the ingress job automatically, disable the manual trigger process. To run the ingress job manually, disable the automated trigger process. To disable the process, see Unpublishing a process.

The following table lists the triggers to run the ingress job and Cloud Application Integration processes:

Trigger	Process
Auto	infac360ls_process_medpro_auto_trigger_ingress
Manual	infac360ls_process_medpro_manually_trigger_ingress

The process renames the file that contains enriched records to add the done suffix. The process also triggers the infac360ls_tf_medpro_read_write_Filename_local Cloud Data Integration taskflow. The Cloud Data Integration taskflow updates the file in the file list in the following directory:

```
MedproIntegration\Inbound
```

The process then creates a copy of the file with a header structure in the following local directory of the Secure Agent system:

```
MedproIntegration\HeaderFiles
```


Cloud Data Integration uses the infac360ls_tf_medpro_read_write_Filename_local taskflow to generate a header file.

When you run the ingress job automatically or manually, Cloud Data Integration uses the infac360ls_tf_medpro_trigger_inbound_job taskflow to trigger the ingress job.

You can also manually schedule the ingress job to import the file with enriched records.

For more details about ingress jobs, see “Predefined jobs of HCO business entity” on page 69 and “Predefined jobs of HCP business entity” on page 73.

The following image shows the data flow from MedPro Systems to Customer 360:




Enriching Customer 360 records with MedPro Systems records in real time

When you create a record in Customer 360, you can search for matching records in MedPro Systems. You can then enrich Customer 360 records with data from MedPro Systems in real time.

Customer 360 for Life Sciences extension uses Cloud Application Integration processes to search for similar records and to import the records into Customer 360.

The following image shows the process to search for matching records before you create a record in Customer 360:



Integrating Customer 360 with NPPES


You can configure National Plan and Provider Enumeration System (NPPES) to synchronize records with Customer 360 in batches.

Ingress data

Manually download the flat file containing the records to ingress from the NPPES website.

To onboard records to Customer 360, run an ingress job to import data from the flat file to Business 360 data store.

For more details about ingress jobs, see "Predefined jobs of HCO business entity" on page 69 and "Predefined jobs of HCP business entity" on page 73.



Customer 360 for Insurance and Salesforce integration

You can configure Salesforce to synchronize records with Customer 360 in batches or in real time. You can also configure Salesforce to search for matching records in Customer 360 or Salesforce before creating a record.

To onboard the records from Salesforce to Customer 360, create an ingress job to import the initial records. Later, you can continue to ingress the incremental records to be in sync with Salesforce.

After you import the records to Customer 360, process the records, and create an egress job to export the records to Salesforce.

Integrating Customer 360 with Salesforce

Use Customer 360 Extension for Salesforce to integrate Salesforce and Customer 360 and process the Salesforce records in Customer 360. Customer 360 Extension for Salesforce uses the Organization business entity to store the Salesforce Account records and the Person business entity to store the Salesforce Contact and Person Account records.

You can synchronize the following Salesforce records with Customer 360:

- The account, person account, and contact records that you create or update.
- The account to contact or account to partner relationship records that you create or update.
- The Salesforce hierarchies that you create or update. You can synchronize the hierarchies only in batches, but not in real time.

Ingress initial data

When you ingress initial data to Customer 360 from Salesforce, the ingress job creates master records for all the Salesforce records in Customer 360. The ingress job assigns a business ID to each master record in Customer 360.

After you onboard the records to Customer 360, you can process the master records. When you run a match and merge job, the job matches the records in Customer 360 and merges the duplicate records to update the master records. The unique records of Salesforce retain the business IDs of the master records, and the duplicate records of Salesforce use the business IDs of the updated master record.

Egress initial data

After you process the initial data in Customer 360, create an egress job to export all the master records from Customer 360 to Salesforce. By default, you can export the records that have been created, updated, and merged in Customer 360 to Salesforce.

For more information, see Exporting records created in Customer 360 to Salesforce.
When you export the master records to Salesforce, the values of each duplicate record in Salesforce are updated with the master record value. Each master record in Salesforce gets a Customer360 Id that maps to the business ID of the master record.

The Customer360 Sync Date fields for the master records, which display the export dates, are updated accordingly in Salesforce.

Ingress and egress incremental data

After the first run, you can incrementally ingress the records that are added or updated in Salesforce. When you ingress incremental records, the ingress job uses the Customer360 Id to determine whether to update or insert a record to Customer 360.

When the Customer360 Id is present in Salesforce for a record, it indicates that the record exists in Customer 360 and the job updates the record in Customer 360. When the Customer360 Id is not present in Salesforce, it indicates that the record is new, and the job inserts the record to Customer 360.

After you onboard the incremental records, run a match and merge job to match the records and update the master records. After the master records are updated, you can export the incremental data to Salesforce. The values of each duplicate record in Salesforce are updated with the master record values.


The Customer360 Id and Customer360 Sync Date fields for the master records are updated accordingly in Salesforce.

By default, you can export only the records that have been updated and merged in Customer 360. However, you can configure Customer 360 to export records created in Customer 360 to Salesforce. For more information, see Exporting records created in Customer 360 to Salesforce.

Process records in batches

When you process records in batches, you must first ingress the records from Salesforce to Customer 360. After you ingress the records, you can process the records in Customer 360, and then egress the records to Salesforce in batches.

The following image shows how you can process the records in batches:




Process records in real time

When you process records in real time, the records created or updated in Salesforce are upserted to Customer 360 instantaneously. When you create a record in Salesforce, the Cloud Application Integration process triggers a workflow to upsert the record to Customer 360.

After you process the records in Customer 360, you can export the updated records from Customer 360 to Salesforce in batches.

The following image shows how you can synchronize the records in real time:



CHAPTER 3

Customer 360 for Life Sciences assets

Customer 360 for Life Sciences is available as a package for installation on request.

The package includes the following predefined assets:

- Business entity fields
- Relationships
- Taskflows
- Mapping tasks
- Mappings
- Pages
- Reference data assets
- Source system
- Secure Agent group
- Connections
- Custom reports


Note: Importing the Salesforce extension assets overwrites the existing Customer 360 assets and your customization. Ensure to import the extension assets before you customize the Customer 360 data model.

Data model attributes

Customer 360 for Life Sciences uses the Healthcare Organization (HCO) and Healthcare Professional (HCP) business entities to store information about healthcare organizations and healthcare professionals.

The data dictionary provides the metadata, such as entity and field descriptions, to understand the data model for Customer 360 for Life Sciences.

The following image displays the Customer 360 for Life Sciences business entities and the predefined relationships:



HCO business entity data model

The healthcare organization (HCO) business entity stores information about organizations. This business entity contains basic fields and field groups.

General fields of HCO business entity

The general fields store some basic information about a healthcare organization such as bed count and website.

The following table lists the additional general fields that the HCO business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Bed Count	X_infac360ls_bedCount	Number	5	NA	Number of beds available in a healthcare organization for inpatient services.
Company Logo	imageUrl	Text	255	NA	URL of the image for a healthcare organization.
Company Type	companyType	Lookup	NA	CompanyType	Type of a healthcare organization. For example, government, national, or subsidiary.
Country of Incorporation	countryOfIncorporation	Lookup	NA	Country	Country of incorporation of a healthcare organization.
Date of Incorporation	dateOfIncorporation	Date Time	NA	NA	Date when a healthcare organization was incorporated.
Full Name	name	Text	255	NA	Full name of a healthcare organization.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Industry	X_infac360sf_industry	Lookup	NA	infac360sf_Industry	Name of the industry associated with the healthcare organization.
Medical School Name	X_infac360ls_medSchoolName	Text	255	NA	Name of the medical school of a healthcare organization.
Number of Employees	numberOfEmployees	Integer	NA	NA	Total number of employees in a healthcare organization.
Profile Tag	X_infac360ls_profileTag	Text	255	NA	Profile tag of a healthcare organization.
Resident Count	X_infac360ls_residentCount	Number	5	NA	Number of residents working at a healthcare organization.
Site	X_infac360sf_site	Text	80	NA	Location of a healthcare organization. For example, New York.
State of Incorporation	stateOfIncorporation	Lookup	NA	State	State where a healthcare organization was registered.
Sub Type	X_infac360ls_subType	Lookup	NA	infac360hc_hcoSubType	Subtype of a healthcare organization. For example, if the type is healthcare facility, the subtypes will be clinic, group practice, or hospital.
Type	X_infac360ls_type	Lookup	NA	infac360ls_OrganizationType	Type of healthcare organization. For example, Prescriber or Non-Prescriber.
Website	X_infac360sf_website	Text	255	NA	URL to access the website of a healthcare organization.
Year Started	X_infac360sf_yearStarted	Text	4	NA	Year when a healthcare organization was founded.

Account field group of HCO business entity

The Account field group stores the account details of a healthcare organization, such as account number and account name.

The following table lists the fields that the Account field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Source	X_infac360sf_account Source	Lookup	NA	infac360sf_AccountSource	Source of the healthcare organization's account record. For example, advertisement or website.
Account Type	X_infac360sf_account Type	Lookup	NA	AccountType	Type of account. For example, gold, or bronze.
Account Number	X_infac360sf_account Number	Text	40	NA	Account number of the healthcare organization.
Account Name	X_infac360sf_account Name	Text	255	NA	Name of the healthcare organization.
Rating	X_infac360sf_rating	Lookup	NA	infac360sf_Rating	Prospect rating of the healthcare organization.

Address field group of the HCO business entity

The Address field group stores the postal addresses of a healthcare organization. A postal address is a physical address associated with a healthcare organization. A healthcare organization can have multiple addresses.

The following table lists the properties and describes the Address field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active or inactive.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
City	city	Text	50	NA	City of postal address.
Coordinate System	coordinateSystem	Text	100	NA	A coordinate system that's used to determine the location of the address.
County	county	Text	50	NA	County of postal address.
Country	country	Lookup	NA	Country	Country of postal address.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
End Date	effectiveEndDate	Date Time	NA	NA	The date when an address ceases to be effective.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using a coordinate system.
Longitude	longitude	Text	20	NA	Longitude for the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	The postal code extension of the address.
Start Date	effectiveStartDate	Date Time	NA	NA	The date when an address becomes effective.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
State	state	Lookup	NA	State	State of the postal address. For example, if the country is the United States, the state can be California or Florida. Customer 360 for Life Sciences supports only states in the United States.
Usage Type	usageType	Lookup	NA	AddressUsageType	The type to specify the intended use of an address. For example, business or personal.
Verification Message	statusMessage	Text	255	NA	Validation message that the address verification service returns.
Verification Status Code	statusCode	Text	10	NA	Validation status that the address verification service returns.

Alternate Name field group of the HCO business entity

The Alternate Name field group stores the details of alternative names of a healthcare organization. A healthcare organization might use different names, such as legal name, alias, and trading name. An alternative name might be effective for a specific period.

The following table lists the properties and describes the Alternate Name field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	name	Text	255	NA	An alternative name for a healthcare organization.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when an alternative name ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the alternative name is valid.
Name Type	nameType	Lookup	NA	AlternateNameType	Type of an alternative name. For example, doing business as, alias, business name, and trading name.

Area Served field group of the HCO business entity

The Area Served field group stores the details of the area in which the healthcare organization provides service.

The following table lists the properties and describes the Area Served field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Area	X_infac360ls_area	Text	255	NA	Name of the area. For example, for the city area type the Area can be New York. The field is set as a deduplication criteria field.
Area Type	X_infac360ls_areaType	Lookup	NA	infac360ls_AreaType	Type of area in which the healthcare organization provides service. For example, airport, city, or national park. The field is set as a deduplication criteria field.

Classification field group of the HCO business entity

The Classification field group stores the details of classification of a healthcare organization, such as classification type and classification code.

The following table lists the properties and describes the Classification field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Classification Code	X_infac360ls_classificationCode	Lookup	NA	infac360ls_ClassificationCode	Code value that indicates the group to which the healthcare organization belongs. For example, NAICS code 623311 indicates Continuing Care Retirement Communities. The field is set as a deduplication criteria field.
Classification Type	X_infac360ls_classificationType	Lookup	NA	infac360ls_ClassificationType	Type of classification system that groups the healthcare organizations. For example, ICHA-HP or NAICS. The field is set as a deduplication criteria field.
Comment	X_infac360ls_comment	Text	NA	NA	Comment on the classification details.

Certification field group of HCO business entity

The Certification field group stores the certification details of a healthcare organization.

The following table lists the fields that the Certification field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Certification Type	X_infac360ls_certificationType	Text	255	NA	Type of certification.
Certification Name	X_infac360ls_certificationName	Text	255	NA	Name of certification.
Credential Id	X_infac360ls_credentialId	Text	255	NA	Credential identifier of the organization such as certification number.
Issuing Authority	X_infac360ls_issuingAuthority	Text	255	NA	Authority that has issued the certification to the organization.
Start Date	X_infac360ls_startDate	Date	NA	NA	Date from when the certification is valid.
Expiry Date	X_infac360ls_expiryDate	Date	NA	NA	Expiry date of certification.
Issue Date	X_infac360ls_issueDate	Date	255	NA	Issued date of certification.
Status	X_infac360ls_status	Text	255	NA	Status of certification.

Compliance field group of HCO business entity

The Compliance field group stores the compliance details of a healthcare organization, such as compliance type and compliance code.

The following table lists the fields that the Compliance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Compliance Type	X_infac360ls_ComplianceType	Lookup	NA	infac360ls_ComplianceType	Type of healthcare compliance to which the organization adheres.
Compliance Code	X_infac360ls_ComplianceCode	Text	255	NA	Code value indicating the type of healthcare compliance.

DEA field group of HCO business entity

The DEA field group stores the Drug Enforcement Administration (DEA) identifier details of a healthcare organization.

The following table lists the fields that the DEA field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
DEA Number	X_infac360ls_deaNumber	Text	255	NA	DEA registration number of the healthcare organization.
Drug Schedule 1	X_infac360ls_drugSchedule1	Boolean	NA	NA	Indicates whether the healthcare organization has permission to use schedule I drugs for treatment.
Drug Schedule 2	X_infac360ls_drugSchedule2	Boolean	NA	NA	Indicates whether the healthcare organization has permission to use schedule II drugs for treatment.
Drug Schedule 2N	X_infac360ls_drugSchedule2N	Boolean	NA	NA	Indicates whether the healthcare organization has permission to use schedule IIN drugs for treatment.
Drug Schedule 3	X_infac360ls_drugSchedule3	Boolean	NA	NA	Indicates whether the healthcare organization has permission to use schedule III drugs for treatment.
Drug Schedule 3N	X_infac360ls_drugSchedule3N	Boolean	NA	NA	Indicates whether the healthcare organization has permission to use schedule IIIN drugs for treatment.
Drug Schedule 4	X_infac360ls_drugSchedule4	Boolean	NA	NA	Indicates whether the healthcare organization has permission to use schedule IV drugs for treatment.
Drug Schedule 5	X_infac360ls_drugSchedule5	Boolean	NA	NA	Indicates whether the healthcare organization has permission to use schedule V drugs for treatment.
Start Date	X_infac360ls_startDate	Date Time	NA	NA	Date from when the DEA number is valid.
End Date	X_infac360ls_endDate	Date Time	NA	NA	Expiry date of the DEA number.
Address Line 1	X_infac360ls_addressLine1	Text	255	NA	Line 1 of the DEA address.
Address Line 2	X_infac360ls_addressLine2	Text	255	NA	Line 2 of the DEA address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
City	X_infac360ls_city	Text	255	NA	City of postal address.
County	X_infac360ls_county	Text	255	NA	County of postal address.
State	X_infac360ls_state	Lookup	NA	State	State of postal address. Customer 360 for Life Sciences supports only states in the United States.
DEA Status	X_infac360ls_deaStatus	Lookup	NA	infac360ls_DEA_Status	Status of the DEA number.
Country	X_infac360ls_country	Lookup	NA	Country	Country of postal address.
Postal Code	X_infac360ls_postalCode	Text	255	NA	Postal code of the address.
Overall Eligibility	X_infac360ls_overallEligibility	Lookup	NA	infac360ls_DEA OverallEligibility	Overall eligibility status of the healthcare organization provided by DEA.
First Received Date	X_infac360ls_firstRecivedDate	Date Time	NA	NA	First date when the DEA number was received.
Last Received Date	X_infac360ls_lastRecivedDate	Date Time	NA	NA	Last date when the DEA number was renewed.
Business Activity Code	X_infac360ls_businesActivityCode	Lookup	NA	infac360ls_BusinessActivityCode	Code to identify the category of the healthcare organization. For example, business activity code `A` indicate `Pharmacy`.
Business Activity Sub Code	X_infac360ls_businesActivitySubCode	Lookup	NA	infac360ls_BusinessActivitySubCode	Code to identify the subcategories of the healthcare organization. For example, business activity code `A` and business activity sub-code `5` indicate `Online Retail Pharmacy`.

Document field group of the HCO business entity

The Document field group stores the details of the documents of a healthcare organization.

The following table lists the properties and describes the Document field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Link	documentLink	Text	255	NA	URL to access the document.
Document Name	documentName	Text	255	NA	Name of the document.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Type	documentType	Lookup	NA	DocumentType	Type of the document. For example, an application form, claim form, or policy.
File Name	fileName	Text	255	NA	Physical name of the file.
Valid From	validFrom	Date	NA	NA	The date when the document becomes valid.
Valid To	validTo	Date	NA	NA	The date until when the document is valid.

Email field group of the HCO business entity

The Email field group stores information about the electronic addresses of a healthcare organization, such as email addresses or URLs of websites.

The following table lists the properties and describes the Email field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when an electronic address ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date when an electronic address becomes effective.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of a healthcare organization.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify the service or appliance that monitors a given network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of the address. For example, business, work, or personal.
Validation Message	validateMessage	Text	50	NA	A message that the address validation service generates to indicate how valid and trusted the address is.
Validation Status	validationStatusCode	Text	50	NA	Validation status of the electronic address.

Financial field group of the HCO business entity

The Financial field group stores financial information of a healthcare organization.

The following table lists the properties and describes the Financial field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	NA	NA	Amount of finance.
Currency	currency	Lookup	NA	Currency	Currency in which the financial information is collected.
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, and debt.
Financial Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Time Period	timePeriod	Text	255	NA	Financial period for which the data is collected.
Time Period Type	financeTimePeriodType	Lookup	NA	TimePeriodType	Type of the financial period. For example, quarterly or yearly.
Unit	financialUnit	Lookup	NA	FinancialUnit	The unit of the financial amount. For example, thousands, millions, or billions.

Identifier field group of HCO business entity

The Identifier field group stores the alternate identifier details of a healthcare organization.

The following table lists the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Deactivation Date	X_infac360ls_deactivationDate	DateTime	NA	NA	Deactivation date of the identifier.
Deactivation Reason	X_infac360ls_deactivationReason	Text	255	NA	Reason for deactivation of the identifier.
Effective End Date	effectiveEndDate	DateTime	NA	NA	Expiry date of the identifier.
Effective Start Date	effectiveStartDate	DateTime	NA	NA	Issued date of the identifier.
Identifier Issuer	X_infac360ls_identifierIssuer	Text	255	NA	Issuer of the identifier.
Identifier Type	idType	Lookup	NA	AlternateIdType	Type of indicator that identifies the healthcare organization.
Identifier Type Description	X_infac360ls_identifierTypeDescription	Text	255	NA	Description of the type of identifier.
Identifier Value	altIdValue	Text	50	NA	Value of the identifier, such as D-U-N-S number or National Provider Identifier.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority issuing the identifier.
Issuing Country	X_infac360ls_issuingCountry	Lookup	NA	Country	Country that has issued the identifier to the healthcare organization.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Issuing State	X_infac360ls_issuingState	Lookup	NA	State	State that has issued the identifier to the healthcare organization. Customer 360 for Life Sciences supports only states in the United States.
Reactivation Date	X_infac360ls_reactivationDate	DateTime	NA	NA	Reactivation date of the identifier.
Status	IdentifierStatus	Lookup	NA	IdentifierStatus	Status of the identifier. For example, effective, disqualified, expired, and temporary.

Indicator field group of the HCO business entity

The Indicator field group stores the indicator types based on which you want to identify a healthcare organization.

The following table lists the properties and describes the Indicator field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Type	indicatorType	Lookup	NA	IndicatorType	Classification of the type of indicator, such as promoter, detractor, minority-owned, women-owned, locally based, and small business.
Indicator Value	value	Text	255	NA	Actual value of the indicator.

Insurance field group of the HCO business entity

The Insurance field group stores the insurance details of a healthcare organization, such as the name of the insurance provider and policy number.

The following table lists the fields that the Insurance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	currency	Lookup	NA	Currency	Currency for the premium payment and claim settlement.
Effective End Date	effectiveEndDate	Date	NA	NA	The date when the insurance coverage ceases to be effective.
Effective Start Date	effectiveStartDate	Date	NA	NA	The date when the insurance coverage becomes effective.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Insurance Provider	insuranceProvider	Text	255	NA	The company that provides the insurance.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is lenders mortgage, the subtype might be extended lenders mortgage.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	The type of insurance, such as commercial auto, lenders mortgage, or shipping.
Insurance Value	insuranceValue	Double	NA	NA	Amount insured.
Policy Number	insurancePolicyNumber	Text	100	NA	Insurance policy number.
Status	insuranceStatus	Text	255	insuranceStatus	Status of the insurance. For example, active or expired.
Unit	unit	Lookup	NA	FinancialUnit	Specifies the unit for the amount. For example, thousands, millions, or billions.

Key People field group of the HCO business entity

The Key People field group stores information about the key executives in a healthcare organization. The key executives are important people in a healthcare organization. For example, the key executives include the chief executive officer and chief financial officer of the healthcare organization.

The following table lists the fields that the Key People field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Designation	designation	Text	255	NA	Designation of the executive.
Executive Type	executiveType	Lookup	NA	ExecutiveType	Type of executive, such as executive chairman, non-executive chairman, or chief executive officer.
Name	name	Text	255	NA	Name of the executive.

License field group of HCO business entity

The License field group stores the license details of a healthcare organization.

The following table lists the fields that the License field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Date	X_infac360ls_startDate	Date & Time	NA	NA	Date from when the license is active.
Expiry Date	X_infac360ls_expiryDate	Date Time	NA	NA	Expiry date of the license.
First Received Date	X_infac360ls_firstReceivedDate	Date	NA	NA	Date from when the organization was authorised to receive samples.
Issue Date	X_infac360ls_issueDate	Date & Time	NA	NA	Date of issue of the license.
Grace Period End Date	X_infac360ls_gracePeriodEndDate	Date & Time	NA	NA	End date of the grace period.
Issuing Board	X_infac360ls_licenseBoard	Text	255	NA	Board issuing the license.
License Number	X_infac360ls_licenseNumber	Text	255	NA	License number of the healthcare organization.
License State Code	X_infac360ls_licenseStateCd	Text	255	NA	State code of the license.
License Type	X_infac360ls_licenseType	Text	255	NA	Type of license.
Status	X_infac360ls_status	Lookup	NA	infac360ls_LicenseStatusType	Status of the license.
Status Description	X_infac360ls_statusDescription	Text	255	NA	Status description of the license.

Phone field group of the HCO business entity

The Phone field group stores the phone details of a healthcare organization.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether a healthcare organization wants to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date until when the phone number is effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the phone number is effective.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	The digit or combination of digits that must be dialed before an area or city code.
Phone Number	phoneNumber	Text	20	NA	Phone number of a person.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.

Procedure field group of HCO business entity

The Procedure field group stores the details of procedures that the healthcare organization can provide.

The following table lists the fields that the Procedure field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Procedure Code	X_infac360ls_procedureCode	Lookup	NA	infac360ls_ProceduresType	Code of the medical procedure.

Rating field group of HCO business entity

The Rating field group stores the rating details of a healthcare organization, such as rating type and rating value.

The following table lists the fields that the Rating field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Rating Type	X_infac360ls_ratingType	Lookup	NA	infac360ls_RatingType	Type of rating of the healthcare organization, such as ICHA-HP or NAICS.
Value	X_infac360ls_value	Text	50	NA	Rating value of the healthcare organization.
Reason	X_infac360ls_reason	Text	255	NA	Reason for the rating.

Sampleability field group of HCO business entity

The Sampleability field group stores licensing information about eligibility of a healthcare organization to receive pharmaceutical samples.

The following table lists the fields that the Sampleability field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Sampleability Overall	X_infac360ls_sampleabilityOverall	Lookup	NA	infac360ls_SampleabilityOverallCode	Indicates whether the organization can receive samples.
Sampleability Exp Overall	X_infac360ls_sampleabilityExpOverall	Lookup	NA	infac360ls_SampleabilityExpOverallCode	Indicates whether the organization can receive samples based on the expiration date.
Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus	Lookup	NA	infac360ls_SampleabilityDesigStatus	Indicates whether the organization can receive samples based on the designation status of the organization.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate	Date	NA	NA	Date when the organization received the federal sanction to receive samples.
Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate	Date	NA	NA	The last updated date of the sampleability information.
Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus	Lookup	NA	infac360ls_SampleabilityLicenseStatusCode	Indicates whether the organization can receive samples based on the license status.

Segment field group of the HCO business entity

The Segment field group stores the segment of a healthcare organization. Segmentation can help marketers design targeted campaigns.

The following table lists the fields that the Segment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	segmentType	Lookup	NA	SegmentType	Type of segment of a healthcare organization. For example, income, age, or geography.
Segment Name	segmentValue	Lookup	NA	SegmentValue	Name of the category or segment. A segment type can have segment values.

Services Provided field group of HCO business entity

The Services Provided field group stores the details of the services provided by the healthcare organization.

The following table lists the fields that the Services Provided field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Service Name	X_infac360ls_serviceName	Lookup	NA	infac360ls_ServiceProvidedType	Name of the service provided by the healthcare organization. For example, dental care and mental health care.
Active Indicator	X_infac360ls_activeIndicator	Boolean	NA	NA	Indicates whether the service is active.

Social Media field group of the HCO business entity

The Social Media field group stores information about the social media identifiers of a healthcare organization.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	socialHandleType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Handle	socialMediaHandle	Text	255	NA	Social media identifier or name of a healthcare organization.

Specialty field group of HCO business entity

The Specialty field group stores the details of speciality of a healthcare organization, such as specialty type.

The following table lists the fields that the Specialty field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Classification	X_infac360ls_classification	Text	255	NA	Classification of the healthcare organization.
Group	X_infac360ls_group	Text	255	NA	Group of the healthcare organization.
Specialty	X_infac360ls_specialty	Text	255	NA	Name of the specialty.
Specialty Rank	X_infac360ls_rank	Lookup	NA	infac360ls_SpecialtyRank	Rank of the healthcare organization in a specialty.
Sub Classification	X_infac360ls_subClassification	Text	255	NA	Sub classification of the healthcare organization.
Taxonomy Code	X_infac360ls_taxonomy_code	Text	255	NA	Taxonomy code of the healthcare organization.
Taxonomy Name	X_infac360ls_taxonomy_name	Text	255	NA	Taxonomy Name of the healthcare organization.

Status field group of HCO business entity

The Status field group stores the statuses of a healthcare organization.

The following table lists the additional fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Start Date	X_infac360ls_startDate	DateTime	NA	NA	Date from when the status is valid.
End Date	X_infac360ls_endDate	DateTime	NA	NA	Expiry date of the status.
Status Reason	X_infac360ls_statusReason	Text	255	NA	Reason for the status.

Stock field group of the HCO business entity

The Stock field group stores information about the stock exchanges where a healthcare organization trades.

The following table lists the properties and describes the Stock field group of the HCO business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country in which the stock exchange is located.
Stock Exchange	stockExchangeName	Text	255	NA	Name of the stock exchange that trades the shares.
Ticker Symbol	tickerSymbol	Text	255	NA	Abbreviation used to identify the publicly traded shares of a healthcare organization.

Tax Details field group of the HCO business entity

The Tax Details field group stores tax-related information, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the fields that the Tax Details field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date on which the tax period ends.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date on which the tax period starts.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
State	state	Lookup	NA	State	The state within the country of taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Tax Number	taxNumber	Text	50	NA	A unique number that identifies a healthcare organization for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of tax number. The types can be an Individual Taxpayer Identification Number (ITIN), (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).
Tax Paid	taxPaid	Text	50	NA	Tax amount that a healthcare organization has paid.
Taxpayer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of taxpayer. For example, company, partnership, or trust.

HCP business entity data model

Healthcare Professional (HCP) business entity stores information about professionals. This business entity contains some basic fields and some field groups.

General fields of HCP business entity

The general fields store some basic information about a healthcare professional, such as assistant name and department.

The following table lists the additional general fields that the HCP business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Assistant Name	X_infac360sf_assistantName	Text	50	NA	Name of the assistant to a healthcare professional.
Birth City	birthPlace	Text	255	NA	Place of birth of a healthcare professional.
Birth Country	X_infac360ls_birthCountry	Text	255	NA	Country of birth of a healthcare professional.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Birth Date	birthdate	Date Time	NA	NA	The date of birth of a healthcare professional.
Birth State	X_infac360ls_birthState	Text	255	NA	State of birth of a healthcare professional.
Deceased Date	X_infac360ls_deceasedDate	Date	255	NA	The date of death of a healthcare professional.
Department	X_infac360sf_department	Text	100	NA	Name of the department to which a healthcare professional belongs.
Designation	designation	Text	255	NA	Designation or position of a healthcare professional.
Email Opt Out Indicator	X_infac360sf_emailOptOutIndicator	Boolean	NA	NA	Indicates whether a healthcare professional has opted out from receiving emails.
Full Name	fullName	Text	255	NA	Full name of a healthcare professional.
First Name	firstName	Text	255	NA	The first name of a healthcare professional.
Gender	gender	Lookup	NA	Gender	Gender of a healthcare professional.
Healthcare Professional Since	X_infac360ls_customerSince	Date	NA	NA	The day when the professional started practicing.
Image	imageUrl	Text	255	NA	URL of the image of a healthcare professional.
Industry	X_infac360sf_industry	Lookup	NA	infac360sf_Industry	Name of the industry associated with a healthcare professional.
Is Contact	X_infac360sf_isContact	Boolean	NA	NA	Indicates whether a healthcare professional is a contact in Salesforce.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Is Customer	X_infac360sf_isCustomer	Boolean	NA	NA	Indicates whether a healthcare professional is a customer in Salesforce.
Last Name	lastName	Text	255	NA	The last name of a healthcare professional.
Marital Status	maritalStatus	Lookup	NA	MaritalStatus	Martial status of a healthcare professional.
Middle Name	middleName	Text	255	NA	The middle name of a healthcare professional.
Prefix Name	prefixName	Lookup	NA	PrefixName	Prefix for the name of a healthcare professional. For example, Dr, Mr, or Mrs.
Profile Tags	X_infac360ls_profileTags	Text	255	NA	Profile tags of a healthcare professional.
Salutation	X_infac360ls_salutation	Text	255	NA	Salutation for a healthcare professional.
Subtype	X_infac360ls_subType	Lookup	NA	infac360ls_PersonSubType	The subtype of a healthcare professional. For example, if the type is prescriber, the subtype might be physician.
Suffix Name	suffixName	Lookup	NA	SuffixName	The name suffix of a healthcare professional. For example, Sr, Jr, II, or III.
Title	title	Text	255	NA	Title associated with the name of a healthcare professional.
Type	X_infac360ls_type	Lookup	NA	infac360ls_PersonType	The type of healthcare professional. For example, prescriber or non-Prescriber.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Website	X_infac360ls_website	Text	255	NA	URL to access the website of a healthcare professional.
Year Started	X_infac360sf_yearStarted	Text	4	NA	Year of start of profession.

Account field group of the HCP business entity

The Account field group stores the account details of a healthcare professional, such as the account number and account name.

The following table lists the properties and describes the Account field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Name	X_infac360sf_accountName	Text	255	NA	Name of a healthcare professional.
Account Number	X_infac360sf_accountNumber	Text	40	NA	Account number of a healthcare professional.
Account Source	X_infac360sf_accountSource	Lookup	NA	infac360sf_AccountSource	The source of an account record of a healthcare professional. For example, advertisement or website.
Account Type	X_infac360sf_accountType	Lookup	NA	AccountType	Type of account. For example, gold, or bronze.
Rating	X_infac360sf_rating	Lookup	NA	infac360sf_Rating	Prospect rating of a healthcare professional.

Address field group of the HCP business entity

The Address field group stores the postal addresses of a healthcare professional. Postal address is a physical address associated with a healthcare professional. A healthcare professional can have multiple addresses.

The following table lists the properties and describes the Address field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active or inactive.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
City	city	Text	50	NA	City of postal address.
Coordinate System	coordinateSystem	Text	100	NA	A coordinate system that's used to determine the location of the address.
County	county	Text	50	NA	County of postal address.
Country	country	Lookup	NA	Country	Country of postal address.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
End Date	effectiveEndDate	Date Time	NA	NA	The date when an address ceases to be effective.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using a coordinate system.
Longitude	longitude	Text	20	NA	Longitude for the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Postal Code Extension	postalCodeExtension	Text	10	NA	The postal code extension of the address.
Start Date	effectiveStartDate	Date Time	NA	NA	The date when an address becomes effective.
State	state	Lookup	NA	State	State of postal address.
Usage Type	usageType	Lookup	NA	AddressUsageType	The type to specify the intended use of an address. For example, business or personal.
Verification Message	statusMessage	Text	255	NA	Validation message that the address verification service returns.
Verification Status Code	statusCode	Text	10	NA	Validation status that the address verification service returns.

Alternate Name field group of the HCP business entity

The Alternate Name field group stores the details of alternate names. A healthcare professional might use different names, such as legal name, alias, and trading name. An alternative name might be active during a particular time.

The following table lists the fields that the Alternate Name field group of the HCP business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	AlternateName	Text	255	NA	An alternative name for a healthcare professional.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when an alternative name ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the alternative name is valid.
Name Type	alternateNameType	Lookup	NA	AlternateNameType	Type of an alternative name. For example, doing business as, alias, business name, and trading name. The field is set as a deduplication criteria field.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
First Name	X_infac360hc_firstName	Text	255	NA	First name of the alternative name for a healthcare professional.
Last Name	X_infac360hc_lastName	Text	255	NA	Last name of the alternative name for a healthcare professional.
Prefix Name	X_infac360hc_prefixName	Text	255	NA	Prefix for the alternative name for a healthcare professional. For example, Dr, Mr, or Mrs.
Suffix Name	X_infac360hc_suffixName	Text	255	NA	Name suffix of a healthcare professional. For example, Sr, Jr, II, or III.

Assistant Phone field group of the HCP business entity

The Assistant Phone field group stores the phone details of the assistant of a healthcare professional, such as phone number..

The following table lists the properties and describes the Assistant Phone field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether a healthcare professional wants to receive unsolicited phone calls from marketers.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date until when the phone number is effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the phone number is effective.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	The digit or combination of digits that must be dialed before an area or city code.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Number	phoneNumber	Text	20	NA	Phone number of a person.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.

Citizenship field group of the HCP business entity

The Citizenship field group stores the details of citizenship of a healthcare professional, such as country and status of citizenship.

The following table lists the properties and describes the Citizenship field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Citizen of Country	citizenOfCountry	Lookup	NA	Country	Country to which a healthcare professional belongs.
Citizenship Status	citizenshipStatus	Text	255	NA	The status of the citizenship.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when the citizenship ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date when the citizenship becomes effective.
Supporting Document Name	supportingDocumentName	Text	255	NA	Name of the supporting document that proves the citizenship.

Communication Preference field group of HCP business entity

The Communication Preference field group stores the communication preference details of a healthcare professional.

The following table lists the additional fields that the Communication Preference field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Communication Type	X_infac360ls_communicationType	Lookup	NA	infac360ls_CommunicationType	Preferred type of communication. For example, advertising, events, or product launch.
Communication Channel Type	X_infac360ls_communicationChannelType	Lookup	NA	infac360ls_CommunicationChannelType	Type of channel for communication. For example, email, phone, or visit.
Brand/ Campaign	X_infac360ls_brand/Campaign	Text	255	NA	Medical brands for which the communication preference to be used.
Preferred Call Time	X_infac360ls_preferredCallTime	Lookup	NA	infac360ls_TimeOfDay	Preferred time to communicate. For example, afternoon or business hours.
Preferred Day Of the Week	X_infac360ls_preferredDayOfTheWeek	Lookup	NA	infac360ls_DayOfWeek	Preferred day of the week for communication.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Preferred Location	X_infac360ls_preferredLocation	Text	255	NA	Preferred location for the communication.
Opt In Ind	X_infac360ls_optInInd	Lookup	NA	infac360ls_OptInInd	Indicates whether the healthcare professional opted in to receive communication.
Opt Out Ind	X_infac360ls_optOutInd	Lookup	NA	infac360ls_OptOutInd	Indicates whether the healthcare professional opted out from receiving communication.

Compliance field group of HCP business entity

The Compliance field group stores the details of compliance to which the healthcare professional conforms, such as compliance type and compliance code.

The following table lists the fields that the Compliance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Compliance Type	X_infac360ls_ComplianceType	Lookup	NA	infac360ls_ComplianceType	Type of compliance to which the healthcare professional conforms.
Compliance Code	X_infac360ls_ComplianceCode	Text	255	NA	Code value indicating the compliance to which the healthcare professional conforms.

DEA field group of HCP business entity

The DEA field group stores the DEA identifier details of a healthcare professional.

The following table lists the fields that the DEA field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
DEA Number	X_infac360ls_deaNumber	Text	255	NA	DEA registration number of the healthcare professional.
Drug Schedule 1	X_infac360ls_drugSchedule1	Boolean	NA	NA	Indicates whether the healthcare professional is authorized to prescribe schedule I drugs.
Drug Schedule 2	X_infac360ls_drugSchedule2	Boolean	NA	NA	Indicates whether the healthcare professional is authorized to prescribe schedule II drugs.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Drug Schedule 2N	X_infac360ls_drugSchedule2N	Boolean	NA	NA	Indicates whether the healthcare professional is authorized to prescribe schedule IIN drugs.
Drug Schedule 3	X_infac360ls_drugSchedule3	Boolean	NA	NA	Indicates whether the healthcare professional is authorized to prescribe schedule III drugs.
Drug Schedule 3N	X_infac360ls_drugSchedule3N	Boolean	NA	NA	Indicates whether the healthcare professional is authorized to prescribe schedule IIIN drugs.
Drug Schedule 4	X_infac360ls_drugSchedule4	Boolean	NA	NA	Indicates whether the healthcare professional is authorized to prescribe schedule IV drugs.
Drug Schedule 5	X_infac360ls_drugSchedule5	Boolean	NA	NA	Indicates whether the healthcare professional is authorized to prescribe schedule V drugs.
Start Date	X_infac360ls_startDate	Date Time	NA	NA	Start date from when the DEA number is valid.
End Date	X_infac360ls_endDate	Date Time	NA	NA	Expiry date of the DEA number.
Address Line 1	X_infac360ls_addressLine1	Text	255	NA	Line 1 of the address.
Address Line 2	X_infac360ls_addressLine2	Text	255	NA	Line 2 of the address.
City	X_infac360ls_city	Text	255	NA	City of postal address.
County	X_infac360ls_county	Text	255	NA	County of postal address.
State	X_infac360ls_state	Lookup	NA	State	State of postal address. Customer 360 for Life Sciences supports only states in the United States.
DEA Status	X_infac360ls_deaStatus	Lookup	NA	infac360ls_DEA_Status	Status of the DEA number.
Country	X_infac360ls_country	Lookup	NA	Country	Country of postal address.
Postal Code	X_infac360ls_postalCode	Text	255	NA	Postal code of the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Overall Eligibility	X_infac360ls_overallEligibility	Lookup	NA	infac360ls_DEAOverallEligibility	Overall eligibility status of the healthcare professional provided by DEA.
First Recived Date	X_infac360ls_firstRecivedDate	Date Time	NA	NA	First date when the DEA number was received.
Last Recived Date	X_infac360ls_lastRecivedDate	Date Time	NA	NA	Last date when the DEA number was renewed.
Business Activity Code	X_infac360ls_businessActivityCode	Lookup	NA	infac360ls_BusinessActivityCode	Code to identify the category of the healthcare professional. For example, business activity code `C` indicates `Practitioner`.
Business Activity Sub Code	X_infac360ls_businessActivitySubCode	Lookup	NA	infac360ls_BusinessActivitySubCode	Code to identify the subcategories of the healthcare professional. For example, business activity code `C` and business activity sub-code `2` indicate `Military Practitioner`.

Demographics field group of the HCP business entity

The Demographics field group stores the demographics of a healthcare professional.

The following table lists the properties and describes the Demographics field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Demographic Type	demographicType	Lookup	NA	DemographicType	Type of demographic information. For example, ethnicity, income level, age, and profession. The field is set as a deduplication criteria field.
Demographic Value	demographicValue	Lookup	NA	DemographicValue	Demographic values for a demographic type. For example, if ethnicity is a demographic type, then Hispanic and Asian are demographic values. The field is set as a deduplication criteria field.

Documents field group of the HCP business entity

The Document field group stores the document details of a healthcare professional.

The following table lists the properties and describes the Documents field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Link	documentLink	Text	255	NA	URL to access the document.
Document Name	documentName	Text	255	NA	Name of the document.
Document Type	documentType	Lookup	NA	DocumentType	Type of the document. For example, an application form, claim form, or policy.
File Name	fileName	Text	255	NA	Physical name of the file.
Valid From	validFrom	Date	NA	NA	The date when the document becomes valid.
Valid To	validTo	Date	NA	NA	The date until when the document is valid.

Education field group of HCP business entity

The Education field group stores the education details of a healthcare professional, such as year of degree, years in program, and GPA.

The following table lists the additional fields that the Education field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone	X_infac360ls_phone	Text	10	NA	Phone number of the educational institution.
Degree Year	X_infac360ls_degreeYear	Text	4	NA	Year of passing the degree.
Years in Program	X_infac360ls_yearsInProgram	Text	255	NA	Number of years in degree program.
GPA	X_infac360ls_gpa	Decimal	NA	NA	GPA score in the degree program.
Field of Study	X_infac360ls_fieldOfStudy	Text	255	NA	Name of the field of study.

Email field group of the HCP business entity

The Email field group stores information about the electronic addresses of a healthcare professional, such as email addresses or URL of the websites.

The following table lists the properties and describes the Email field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date when an electronic address ceases to be effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date when an electronic address becomes effective.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of a healthcare professional.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify the service or appliance that monitors a given network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of the address. For example, business, work, or personal.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Validation Message	validateMessage	Text	50	NA	A message that the address validation service generates to indicate how valid and trusted the address is.
Validation Status	validationStatusCode	Text	50	NA	Validation status of the electronic address.

Employment field group of the HCP business entity

The Employment field group stores the employment details of a healthcare professional, such as the employer name, the type of employment, and the status of employment.

The following table lists the properties and describes the Employment field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of employment.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of employment.
Employer Name	employerName	Text	255	NA	Name of the employer.
Employment Status	employmentStatus	Lookup	NA	EmploymentStatus	Status of employment, such as active, inactive, resigned, and terminated.
Employment Type	employmentType	Lookup	NA	EmploymentType	Type of employment, such as permanent, contract, and part-time.
Designation	designation	Text	255	NA	Designation of a healthcare professional.
Line of Business	lineOfBusiness	Text	255	NA	The line of business, such as retail or mortgage.
Location	location	Text	255	NA	Location of the employer.

Enrichment Status field group of the HCP business entity

The Enrichment Status field group stores the statuses of a healthcare professional details.

The following table lists the properties and describes the Enrichment Status field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enrichment Date	X_infac360ls_enrichmentDate	Date Time	NA	NA	The date of enrichment.
Provider	X_infac360ls_provider	Text	255	NA	Name of the enrichment provider.
Status	X_infac360ls_status	Lookup	NA	infac360ls_EnrichmentStatus	The status of enrichment.

Financial field group of HCP business entity

The Financial field group stores financial information of a healthcare professional.

The following table lists the properties and describes the Financial field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	NA	NA	Amount of finance.
Currency	currency	Lookup	NA	Currency	Currency in which the financial information is collected.
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, and debt.
Financial Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period	timePeriod	Text	255	NA	Financial period for which the data is collected.
Time Period Type	financeTimePeriodType	Lookup	NA	TimePeriodType	Type of the financial period. For example, quarterly or yearly.
Unit	financialUnit	Lookup	NA	FinancialUnit	The unit of the financial amount. For example, thousands, millions, or billions.

Identification field group of the HCP business entity

The Identification field group stores the identifier details of a healthcare professional.

The following table lists the properties and describes the Identification field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Deactivation Date	X_infac360ls_deactivationDate	DateTime	NA	NA	Deactivation date of an identifier.
Deactivation Reason	X_infac360ls_deactivationReason	Text	255	NA	Reason for deactivation of an identifier.
Effective End Date	effectiveEndDate	DateTime	NA	NA	The date when an identifier ceases to be effective.
Effective Start Date	effectiveStartDate	DateTime	NA	NA	The date when an identifier was issued.
Identifier Issuer	X_infac360ls_identifierIssuer	Text	255	NA	The issuer of an identifier.
Identifier Type	idType	Lookup	NA	AlternateIdType	Type of indicator that identifies a healthcare professional.
Identifier Type Description	X_infac360ls_identifierTypeDescription	Text	255	NA	Description of the type of identifier.
Identifier Value	altIdValue	Text	50	NA	Value of an identifier, such as D-U-N-S number or National Provider Identifier.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority issuing an identifier.
Issuing Country	X_infac360ls_issuingCountry	Lookup	NA	Country	The country that issued an identifier to a healthcare professional.
Issuing State	X_infac360ls_issuingState	Lookup	NA	State	The state that issued an identifier to a healthcare professional. Customer 360 for Life Sciences supports only states in the United States.
Reactivation Date	X_infac360ls_reactivationDate	DateTime	NA	NA	Reactivation date of an identifier.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status	IdentifierStatus	Lookup	NA	IdentifierStatus	Status of an identifier. For example, effective, disqualified, expired, and temporary.
Usage Type	X_infac360hc_usageType	Lookup	NA	infac360hc_IdentifierUsageType	Intended use or purpose of an identifier, such as official, old, or secondary.

Indicator field group of HCP business entity

The Indicator field group stores additional details of a healthcare professional.

The following table lists the fields that the Indicator field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Type	X_infac360ls_indicatorType	Lookup	NA	IndicatorType	The type of indicator that explains the healthcare professional. For example, speaker or key opinion leader (KOL).
Indicator Value	X_infac360ls_value	Text	255	NA	Actual value of the indicator.

Insurance field group of the HCP business entity

The Insurance field group stores the insurance details of a healthcare professional, such as the name of the insurance provider and policy number.

The following table lists the properties and describes the Insurance field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	currency	Lookup	NA	Currency	Currency for the premium payment and claim settlement.
Effective End Date	effectiveEndDate	Date	NA	NA	The date when the insurance coverage ceases to be effective.
Effective Start Date	effectiveStartDate	Date	NA	NA	The date when the insurance coverage becomes effective.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Insurance Provider	insuranceProvider	Text	255	NA	The company that provides the insurance.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is lenders mortgage, the subtype might be extended lenders mortgage.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	The type of the insurance, such as commercial auto, lenders mortgage, or shipping.
Policy Number	insurancePolicyNumber	Text	100	NA	Insurance policy number.
Status	insuranceStatus	Text	255	insuranceStatus	Status of the insurance. For example, active or expired.
Unit	unit	Lookup	NA	FinancialUnit	Specifies the unit for the amount. For example, thousands, millions, ot billions.
Value	insuranceValue	Double	NA	NA	Amount insured.

Language field group of HCP business entity

The Language field group stores the language proficiency details of a healthcare professional.

The following table lists the fields that the Language field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	X_infac360ls_language	Lookup	NA	infac360ls_LanguageList	Language in which the healthcare professional has proficiency.
Proficiency	X_infac360ls_proficiency	Lookup	NA	infac360ls_Proficiency	The level of proficiency in the language.
Primary Indicator	X_infac360ls_primaryIndicator	Boolean	NA	NA	Indicates whether the language is the primary language of the healthcare professional.

License field group of HCP business entity

The License field group stores the details of license of a healthcare professional.

The following table lists the fields that the License field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Date	X_infac360ls_effectiveDate	Date & Time	NA	NA	Date from which the license is valid.
Expiry Date	X_infac360ls_expiryDate	Date	NA	NA	Expiry date of the license.
First Received Date	X_infac360ls_firstReceivedDate	Date	NA	NA	Date from when the practitioner was authorised to receive samples.
Grace Period End Date	X_infac360ls_gracePeriodEndDate	Date & Time	NA	NA	End date of the grace period.
Issue Date	X_infac360ls_stateDate	Date & Time	NA	NA	Date of issue of the license.
Issuing Board	X_infac360ls_issuingBoard	Text	255	NA	Board issuing the license.
License Number	X_infac360ls_licenseNumber	Text	255	NA	License number of the healthcare professional.
License State Code	X_infac360ls_licenseBoardStateCode	Text	255	NA	State code of the license board.
License Type	X_infac360ls_licenseType	Text	255	NA	Type of license.
Status	X_infac360ls_status	Lookup	NA	infac360ls_LicenseStatusType	Status of the license.
Status Description	X_infac360ls_statusDescription	Text	NA	NA	Status description of the license.

Lifestyle field group of the HCP business entity

The Lifestyle field group stores the details of the lifestyle of a healthcare professional.

The following table lists the properties and describes the Lifestyle field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Lifestyle Type	lifestyleType	Lookup	NA	LifestyleType	Type of lifestyle. For example, alcohol consumption or tobacco consumption.
Lifestyle Value	lifestyleValue	Text	255	NA	Frequency of a lifestyle. For example, frequent, moderate, or never.

Loyalty field group of the HCP business entity

The Loyalty field group stores the loyalty account details of a healthcare professional.

The following table lists the properties and describes the Loyalty field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Number	infac360in_accountNumber	Text	255	NA	Loyalty account number.
Account Status	infac360in_accountStatus	Lookup	NA	LoyaltyAccountStatus	The status of the account. For example, active or inactive.
Account Type	infac360in_accountType	Lookup	NA	LoyaltyAccountType	Type of loyalty accounts. For example, elite, silver, gold, or platinum.
Effective End Date	infac360in_effectiveEndDate	Date	NA	NA	The date when the loyalty account ceases to be active.
Effective Start Date	infac360in_effectiveStartDate	Date	NA	NA	The date when the loyalty account becomes active.
Redemption Preferences	infac360in_redemptionPreferences	Lookup	NA	RedemptionPreferences	Preference for the redemption of loyalty points. For example, cash back or credit.

Phone field group of the HCP business entity

The Phone field group stores the phone details of a healthcare professional.

The following table lists the properties and describes the Phone field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether a healthcare professional wants to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date until when the phone number is effective.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date from when the phone number is effective.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	A code that identifies a numbering area within a country or a group of countries.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	The digit or combination of digits that must be dialed before an area or city code.
Phone Number	phoneNumber	Text	20	NA	Phone number of a person.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	The status of the phone number, such as the phone number is publicly available or active.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.

Sampleability field group of HCP business entity

The Sampleability field group stores licensing information about eligibility of a healthcare professional to receive pharmaceutical samples.

The following table lists the fields that the Sampleability field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Sampleability Overall	X_infac360ls_sampleabilityOverall	Lookup	NA	infac360ls_SampleabilityOverallCode	Indicates whether the practitioner can receive samples.
Sampleability Exp Overall	X_infac360ls_sampleabilityExpOverall	Lookup	NA	infac360ls_SampleabilityExpOverallCode	Indicates whether the practitioner can receive samples based on the expiration date.
Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus	Lookup	NA	infac360ls_SampleabilityDesigStatus	Indicates whether the practitioner can receive samples based on the designation of the professional.
Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate	Date	NA	NA	Date from when the practitioner received the federal sanction to receive samples.
Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate	Date	NA	NA	The last updated date of the sampleability information.
Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus	Lookup	NA	infac360ls_SampleabilityLicenseStatusCode	Indicates whether the practitioner can receive samples based on the license status.

Sanction field group of HCP business entity

The Sanction field group stores the details of the Sanctions of a healthcare professional.

The following table lists the fields that the Sanction field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Sanction Indicator	X_infac360ls_sanctionIndicator	Lookup	NA	infac360ls_SanctionIndicatorCode	Indicates if the sanction type effects the sampleability of the practitioner.
Sanction Source	X_infac360ls_sanctionSource	Text	225	NA	Source of the sanction, such as Federal or DEA.
Sanction Type	X_infac360ls_sanctionType	Text	225	NA	Definition of the sanction type 1,2,3,4.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Start Date	X_infac360ls_startDate	Date and Time	NA	NA	Date from when the sanction is effective.
End Date	X_infac360ls_endDate	Date and Time	NA	NA	Expiry date of the sanction.
Sanction Status	X_infac360ls_sanctionStatus	Text	225	NA	Status of the sanction.

Segment field group of the HCP business entity

The Segment field group stores the segmentation of a healthcare professional. Segmentation can help marketers design targeted campaigns.

The following table lists the properties and describes the Segment field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	segmentType	Lookup	NA	SegmentType	Type of segment of a healthcare professional. For example, income, age, or geography.
Segment Name	segmentValue	Lookup	NA	SegmentValue	Name of the category or segment. A segment type can have segment values.

Social Media field group of the HCP business entity

The Social Media field group stores information about the social media identifiers of a healthcare professional.

The following table lists the properties and describes the Social Media field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	socialMediaType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Handle	socialMediaHandle	Text	255	NA	Social media identifier or name of a healthcare professional.

Specialization field group of the HCP business entity

The Specialization field group stores information about the specialties or specializations of a healthcare professional.

The following table lists the properties and describes the Specialization field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Board Certification Flag	boardCertificationFlag	Boolean	NA	NA	Indicates whether the board certification is active or not.
Specialty	specialty	Text	255	NA	Name of specialty.
Specialty Type	specialtyType	Lookup	NA	SpecialityType	The type to specify the specialty of a healthcare professional. For example, construction, educational services, and finance and insurance.

Specialty field group of HCP business entity

The Specialty field group stores the details of specialty of a healthcare professional.

The following table lists the properties and describes the Specialty field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Specialty	X_infac360ls_specialtyType	Text	255	NA	Name of the specialty.
Specialty Rank	X_infac360ls_specialtyRank	Lookup	NA	infac360ls_SpecialtyRank	Rank of the healthcare professional in a specialty.
Specialty Type	X_infac360ls_specialtyClass	Lookup	NA	infac360ls_SpecialityTypeHCP	Type of the specialty of a healthcare professional. For example, Best MedProMasterID (Best MMID).

Status field group of HCP business entity

The Status field group stores the statuses of a healthcare professional.

The following table lists the additional fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Start Date	X_infac360ls_startDate	DateTime	NA	NA	Date from when the status is valid.
End Date	X_infac360ls_endDate	DateTime	NA	NA	Expiry date of the status.
Status Reason	X_infac360ls_statusReason	Text	255	NA	Reason for the status.

Tax Details field group of the HCP business entity

The Tax Details field group stores tax-related information, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the properties and describes the Tax Details field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The date on which the tax period ends.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	The date on which the tax period starts.
State	state	Lookup	NA	State	The state within the country of taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Tax Number	taxNumber	Text	50	NA	A unique number that identifies a healthcare professional for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of tax number. The types can be an Individual Taxpayer Identification Number (ITIN), (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Tax Paid	taxPaid	Text	50	NA	Tax amount that a healthcare professional has paid.
Taxpayer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of taxpayer. For example, company, partnership, or trust.

Taxonomy field group of the HCP business entity

The Taxonomy field group stores the taxonomy details of a healthcare professional.

The following table lists the properties and describes the Taxonomy field group of the HCP business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Code	X_infac360ls_code	Text	255	NA	Taxonomy code of the healthcare professional.
Name	X_infac360ls_name	Text	255	NA	Taxonomy name of the healthcare professional.
Type	X_infac360ls_taxonomyType	Lookup	NA	infac360ls_TaxonomyType	Type of taxonomy identifier provider. For example, National Provider Identifier (NPI).
Group	X_infac360ls_group	Text	255	NA	Group to which the taxonomy identifier belongs.
Classification	X_infac360ls_classification	Text	255	NA	Type of classification system that groups the taxonomy identifiers.
Sub Classification	X_infac360ls_subClassification	Text	255	NA	Sub-classification of the taxonomy identifiers.
Rank	X_infac360ls_rank	Lookup	NA	infac360ls_TaxonomyRank	The rank of a taxonomy identifier.

Therapeutic Area field group of HCP business entity

The Therapeutic Area field group stores the therapeutic area details of a healthcare professional.

The following table lists the fields that the Therapeutic Area field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Therapeutic Area	X_infac360ls_therapeuticArea	Lookup	NA	NA	Therapeutic area of the healthcare professional.
Active Indicator	X_infac360ls_activeIndicator	Boolean	NA	infac360ls_TherapeuticArea	Indicates whether the healthcare professional is active in the therapeutic area.

Batch jobs

Use batch jobs to ingress the source system records to Customer 360. After you import the records to Customer 360, you can process the imported records in Customer 360. Use batch jobs to export the processed records from Customer 360 to the source system.

Predefined jobs of HCO business entity

Use the predefined jobs to integrate data from source systems with Customer 360.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps source system fields with the business entity fields. When you run a mapping, the Business 360 FEP connector reads data from or writes data to the Business 360 data store.

The following table describes the predefined jobs and lists their related taskflows, mapping tasks, and mappings to integrate data with Salesforce:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360sf_ingress_salesforce_account_organization_inbound_delta	infac360sf_tf_salesforce_account_organization_inbound_delta	- infac360sf_mt_salesforce_account_organization_inbound_root - infac360sf_mt_salesforce_account_organization_inbound_stock - infac360sf_mt_salesforce_account_organization_inbound_finance - infac360sf_mt_salesforce_account_organization_inbound_address - infac360sf_mt_salesforce_account_organization_inbound_account - infac360sf_mt_salesforce_account_organization_inbound_phone	- infac360sf_m_salesforce_account_organization_inbound_root - infac360sf_m_salesforce_account_organization_inbound_stock - infac360sf_m_salesforce_account_organization_inbound_finance - infac360sf_m_salesforce_account_organization_inbound_address - infac360sf_m_salesforce_account_organization_inbound_account - infac360sf_m_salesforce_account_organization_inbound_phone	Imports incremental data from the Salesforce Accounts object to the HCO business entity.
infac360sf_ingress_salesforce_account_organization_inbound_initial	infac360sf_tf_salesforce_account_organization_inbound_initial	- infac360sf_mt_salesforce_account_organization_inbound_root - infac360sf_mt_salesforce_account_organization_inbound_stock - infac360sf_mt_salesforce_account_organization_inbound_finance - infac360sf_mt_salesforce_account_organization_inbound_address - infac360sf_mt_salesforce_account_organization_inbound_account - infac360sf_mt_salesforce_account_organization_inbound_phone	- infac360sf_m_salesforce_account_organization_inbound_root - infac360sf_m_salesforce_account_organization_inbound_stock - infac360sf_m_salesforce_account_organization_inbound_finance - infac360sf_m_salesforce_account_organization_inbound_address - infac360sf_m_salesforce_account_organization_inbound_account - infac360sf_m_salesforce_account_organization_inbound_phone	Imports complete data from the Salesforce Accounts object to the HCO business entity.

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360sf_ingress_salesforce_accountpartnerrel_inbound_delta	infac360sf_tf_salesforce_accountpartner_partnerrel_inbound_delta	infac360sf_mt_salesforce_accountpartner_partnerrel_inbound	infac360sf_m_salesforce_accountpartner_partnerrel_inbound	Imports incremental data from the Salesforce Account Partner Relationship object to the Customer 360 Account Partner Relationship asset.
infac360sf_ingress_salesforce_accountpartnerrel_inbound_initial	infac360sf_tf_salesforce_accountpartner_partnerrel_inbound_initial	infac360sf_mt_salesforce_accountpartner_partnerrel_inbound	infac360sf_m_salesforce_accountpartner_partnerrel_inbound	Imports complete data from the Salesforce Account Partner Relationship object to the Customer 360 Account Partner Relationship asset.
infac360sf_export_salesforce_organization_account_outbound	infac360sf_tf_salesforce_organization_account_outbound	infac360sf_mt_salesforce_organization_account_outbound	infac360sf_m_salesforce_organization_account_outbound	Exports data from the HCO business entity to the Salesforce Accounts object.
infac360sf_ingress_salesforce_account_hierarchy_inbound_initial	infac360sf_tf_salesforce_account_hierarchy_inbound_initial	infac360sf_mt_salesforce_account_hierarchy_inbound	infac360sf_m_salesforce_account_hierarchy_inbound	Imports complete data from the Account Hierarchy in Salesforce into the Salesforce Account Hierarchy asset.
infac360sf_ingress_salesforce_account_hierarchy_inbound_delta	infac360sf_tf_salesforce_account_hierarchy_inbound_delta	infac360sf_mt_salesforce_account_hierarchy_inbound	infac360sf_m_salesforce_account_hierarchy_inbound	Imports incremental data from the Account Hierarchy in Salesforce into the Salesforce Account Hierarchy asset.

Note: When you export data from Customer 360 to Salesforce, the export job extracts all the data in the first run and only incremental data on subsequent runs.

The following table lists the sample jobs and its related taskflow, mapping task, and mapping to ingress data from NPPES:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360ls_ingress_nppes_hco_inbound	infac360ls_tf_nppes_hco_inbound	- infac360ls_mt_nppes_hco_inbound_legalName - infac360ls_mt_nppes_hco_inbound_license - infac360ls_mt_nppes_hco_inbound_identifier - infac360ls_mt_nppes_hco_inbound_keyPeople - infac360ls_mt_nppes_hco_inbound_phone - infac360ls_mt_nppes_hco_inbound_address - infac360ls_mt_nppes_hco_inbound_alternateName - infac360ls_mt_nppes_hco_inbound_specialty	- infac360ls_m_nppes_hco_inbound_legalName - infac360ls_m_nppes_hco_inbound_license - infac360ls_m_nppes_hco_inbound_identifier - infac360ls_m_nppes_hco_inbound_keyPeople - infac360ls_m_nppes_hco_inbound_phone - infac360ls_m_nppes_hco_inbound_address - infac360ls_m_nppes_hco_inbound_alternateName - infac360ls_m_nppes_hco_inbound_specialty	Imports data from the NPPES file to the HCO business entity.

The following table lists the sample jobs and its related taskflow, mapping task, and mapping to ingress data from MedPro Systems:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360ls_trigger_ingress_medpro_HCO_HCP	infac360ls_tf_medpro_trigger_inbound_job	- infac360ls_mt_medpro_hco_inbound_root - infac360ls_mt_medpro_hco_inbound_specialty - infac360ls_mt_medpro_hco_inbound_alternateName - infac360ls_mt_medpro_hco_inbound_certification - infac360ls_mt_medpro_hco_inbound_phone - infac360ls_mt_medpro_hco_inbound_address - infac360ls_mt_medpro_hco_inbound_license - infac360ls_mt_medpro_hco_inbound_sampleability - infac360ls_mt_medpro_hco_inbound_identifier	- infac360ls_m_medpro_hco_inbound_root - infac360ls_m_medpro_hco_inbound_specialty - infac360ls_m_medpro_hco_inbound_alternateName - infac360ls_m_medpro_hco_inbound_certification - infac360ls_m_medpro_hco_inbound_phone - infac360ls_m_medpro_hco_inbound_address - infac360ls_m_medpro_hco_inbound_license - infac360ls_m_medpro_hco_inbound_sampleability - infac360ls_m_medpro_hco_inbound_identifier	Imports data from the response files in the MedPro Systems to the HCO business entity.
infac360ls_egress_medpro_hco_outbound	infac360ls_tf_medPro_hco_outbound	infac360ls_mt_medPro_hco_outbound	infac360ls_m_medPro_hco_outbound	Exports data from the HCO business entity to a request file in MedPro Systems.

Predefined jobs of HCP business entity

Use the predefined jobs to integrate data from source systems with Customer 360.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps source system fields with the business entity fields. When you run a mapping, the Business 360 FEP connector reads data from or writes data to the Business 360 data store.

The following table describes the predefined jobs and lists their related taskflows, mapping tasks, and mappings to integrate data with Salesforce:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360sf_ingress_salesforce_contact_person_inbound_initial	infac360sf_tf_salesforce_contact_person_inbound_initial	- infac360sf_mt_salesforce_contact_person_inbound_root - infac360sf_mt_salesforce_contact_person_inbound_phone - infac360sf_mt_salesforce_contact_person_inbound_email - infac360sf_mt_salesforce_contact_person_inbound_address - infac360sf_mt_salesforce_contact_person_inbound_assistantPhone	- infac360sf_m_salesforce_contact_person_inbound_root - infac360sf_m_salesforce_contact_person_inbound_phone - infac360sf_m_salesforce_contact_person_inbound_email - infac360sf_m_salesforce_contact_person_inbound_address - infac360sf_m_salesforce_contact_person_inbound_assistantPhone	Imports complete data from the Salesforce Contacts object to the HCP business entity.
infac360sf_ingress_salesforce_contact_person_inbound_delta	infac360sf_tf_salesforce_contact_person_inbound_delta	- infac360sf_mt_salesforce_contact_person_inbound_root - infac360sf_mt_salesforce_contact_person_inbound_phone - infac360sf_mt_salesforce_contact_person_inbound_email - infac360sf_mt_salesforce_contact_person_inbound_address - infac360sf_mt_salesforce_contact_person_inbound_assistantPhone	- infac360sf_m_salesforce_contact_person_inbound_root - infac360sf_m_salesforce_contact_person_inbound_phone - infac360sf_m_salesforce_contact_person_inbound_email - infac360sf_m_salesforce_contact_person_inbound_address - infac360sf_m_salesforce_contact_person_inbound_assistantPhone	Imports incremental data from the Salesforce Contacts object to the HCP business entity.
infac360sf_ingress_salesforce_contact_contactrel_inbound_initial	infac360sf_tf_salesforce_contact_contactrel_inbound_initial	infac360sf_mt_salesforce_contact_contactrel_inbound	infac360sf_m_salesforce_contact_contactrel_inbound	Imports complete Account to Contact Relationship data from the Salesforce Contact object to the Customer 360 Contact object.

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360sf_ingress_salesforce_contact_contactrel_inbound_delta	infac360sf_tf_salesforce_contact_contactrel_inbound_delta	infac360sf_mt_salesforce_contact_contactrel_inbound	infac360sf_m_salesforce_contact_contactrel_inbound	Imports incremental Account to Contact Relationship data from the Salesforce Contact object to the Customer 360 Contact object.
infac360sf_ingress_salesforce_personaccount_person_inbound_initial	infac360sf_tf_salesforce_personaccount_person_inbound_initial	- infac360sf_mt_salesforce_personaccount_person_inbound_root - infac360sf_mt_salesforce_personaccount_person_inbound_phone - infac360sf_mt_salesforce_personaccount_person_inbound_account - infac360sf_mt_salesforce_personaccount_person_inbound_finance - infac360sf_mt_salesforce_personaccount_person_inbound_assistantPhone - infac360sf_mt_salesforce_personaccount_person_inbound_email - infac360sf_mt_salesforce_personaccount_person_inbound_address	- infac360sf_m_salesforce_personaccount_person_inbound_root - infac360sf_m_salesforce_personaccount_person_inbound_phone - infac360sf_m_salesforce_personaccount_person_inbound_account - infac360sf_m_salesforce_personaccount_person_inbound_finance - infac360sf_m_salesforce_personaccount_person_inbound_assistantPhone - infac360sf_m_salesforce_personaccount_person_inbound_email - infac360sf_m_salesforce_personaccount_person_inbound_address	Imports complete data from the Salesforce Person Accounts object to the HCP business entity.

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360sf_ingress_salesforce_personaccount_person_inbound_delta	infac360sf_tf_salesforce_personaccount_person_inbound_delta	- infac360sf_mt_salesforce_personaccount_person_inbound_root - infac360sf_mt_salesforce_personaccount_person_inbound_phone - infac360sf_mt_salesforce_personaccount_person_inbound_account - infac360sf_mt_salesforce_personaccount_person_inbound_finance - infac360sf_mt_salesforce_personaccount_person_inbound_assistantPhone - infac360sf_mt_salesforce_personaccount_person_inbound_email - infac360sf_mt_salesforce_personaccount_person_inbound_address	- infac360sf_m_salesforce_personaccount_person_inbound_root - infac360sf_m_salesforce_personaccount_person_inbound_phone - infac360sf_m_salesforce_personaccount_person_inbound_account - infac360sf_m_salesforce_personaccount_person_inbound_finance - infac360sf_m_salesforce_personaccount_person_inbound_assistantPhone - infac360sf_m_salesforce_personaccount_person_inbound_email - infac360sf_m_salesforce_personaccount_person_inbound_address	Imports incremental data from the Salesforce Person Accounts object to the HCP business entity.
infac360sf_export_salesforce_person_contact_outbound	infac360sf_tf_salesforce_person_contact_outbound	infac360sf_mt_salesforce_person_contact_outbound	infac360sf_m_salesforce_person_contact_outbound	Exports data from the HCP business entity to the Salesforce Contacts object.
infac360sf_export_salesforce_person_personaccount_outbound	infac360sf_tf_salesforce_person_personaccount_outbound	infac360sf_mt_salesforce_person_personaccount_outbound	infac360sf_m_salesforce_person_personaccount_outbound	Exports data from the HCP business entity to the Salesforce Person Accounts object.

Note: When you export data from Customer 360 to Salesforce, the export job extracts all the data in the first run and only incremental data on subsequent runs.

The following table lists the sample jobs and its related taskflow, mapping task, and mapping to ingress data from NPPES:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360ls_ingress_nppes_hcp_inbound	infac360ls_tf_nppes_hcp_inbound	- infac360ls_mt_nppes_hcp_inbound_legalName - infac360ls_mt_nppes_hcp_inbound_license - infac360ls_mt_nppes_hcp_inbound_identifier - infac360ls_mt_nppes_hcp_inbound_phone - infac360ls_mt_nppes_hcp_inbound_address - infac360ls_mt_nppes_hcp_inbound_alternateName - infac360ls_mt_nppes_hcp_inbound_specialty	- infac360ls_m_nppes_hcp_inbound_legalName - infac360ls_m_nppes_hcp_inbound_license - infac360ls_m_nppes_hcp_inbound_identifier - infac360ls_m_nppes_hcp_inbound_phone - infac360ls_m_nppes_hcp_inbound_address - infac360ls_m_nppes_hcp_inbound_alternateName - infac360ls_m_nppes_hcp_inbound_specialty	Imports data from the NPPES file to the HCP business entity.

The following table lists the sample jobs and its related taskflow, mapping task, and mapping to ingress data from MedPro Systems:

Job Name	Taskflow	Mapping Task	Mapping	Description
infac360ls_trigger_ingress_medpro_HCO_HCP	infac360ls_tf_medpro_trigger_inbound_job	- infac360ls_mt_medpro_hcp_inbound_root - infac360ls_mt_medpro_hcp_inbound_specialty - infac360ls_mt_medpro_hcp_inbound_dea - infac360ls_mt_medpro_hcp_inbound_status - infac360ls_mt_medpro_hcp_inbound_phone - infac360ls_mt_medpro_hcp_inbound_address - infac360ls_mt_medpro_hcp_inbound_license - infac360ls_mt_medpro_hcp_inbound_taxonomy - infac360ls_mt_medpro_hcp_inbound_sampleability - infac360ls_mt_medpro_hcp_inbound_enrichmentStatus - infac360ls_mt_medpro_hcp_inbound_identifier	- infac360ls_m_medpro_hcp_inbound_root - infac360ls_m_medpro_hcp_inbound_specialty - infac360ls_m_medpro_hcp_inbound_dea - infac360ls_m_medpro_hcp_inbound_status - infac360ls_m_medpro_hcp_inbound_phone - infac360ls_m_medpro_hcp_inbound_address - infac360ls_m_medpro_hcp_inbound_license - infac360ls_m_medpro_hcp_inbound_taxonomy - infac360ls_m_medpro_hcp_inbound_sampleability - infac360ls_m_medpro_hcp_inbound_enrichmentStatus - infac360ls_m_medpro_hcp_inbound_identifier	Imports data from the response files in the MedPro Systems to the HCP business entity.
infac360ls_egress_medpro_hcp_outbound	infac360ls_tf_medPro_hcp_outbound	infac360ls_mt_medPro_hcp_outbound	infac360ls_m_medPro_hcp_outbound	Exports data from the HCP business entity to a request file in MedPro Systems.

Field mapping for Customer 360 for Life Sciences

The Cloud Data Integration mappings map the fields of Customer 360 with Salesforce, National Plan and Provider Enumeration System (NPPES), and MedPro Systems. Based on the mappings, the data from Salesforce, NPPES, and MedPro Systems are stored in Customer 360.

The Customer 360 business entity fields are mapped with MedPro Systems API Detail JSON Response fields for real-time integration.

Mapping of HCO business entity fields with NPPES fields in batches

The NPPES fields are mapped to the HCO business entity fields for batch data integration.

General fields of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the General fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Organization Name (Legal Business Name)	Full Name	fullName
Provider Enumeration Date	Date Of Incorporation	dateOfIncorporation

Address field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Address field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider First Line Business Mailing Address	Address Line 1	addressLine1
Provider First Line Business Practice Location Address	Address Line 1	addressLine1
Provider Secondary Practice Location Address - Address Line 1	Address Line 1	addressLine1
Provider Second Line Business Mailing Address	Address Line 2	addressLine1
Provider Second Line Business Practice Location Address	Address Line 2	addressLine2
Provider Secondary Practice Location Address - Address Line 2	Address Line 2	addressLine2
Provider Business Mailing Address City Name	City	city
Provider Business Practice Location Address City Name	City	city
Provider Secondary Practice Location Address - City Name	City	city
Provider Business Mailing Address Country Code (If outside U.S.)	Country	country
Provider Business Practice Location Address Country Code (If outside U.S.)	Country	country

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Secondary Practice Location Address - Country Code (If outside U.S.)	Country	country
Provider Business Mailing Address Postal Code	Postal code	postalCode
Provider Business Practice Location Address Postal Code	Postal code	postalCode
Provider Secondary Practice Location Address - Postal Code	Postal code	postalCode
Provider Business Mailing Address State Name	State	state
Provider Business Practice Location Address State Name	State	state
Provider Secondary Practice Location Address - State Name	State	state

Alternate Name field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Alternate Name field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Other Organization Name	Alternate Name	name
Provider Other Organization Name	Alternate Name	name
Provider Other Organization Name Type Code	Name Type	nameType
Provider Other Organization Name Type Code	Name Type	nameType

Identifier field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Identifier field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI Deactivation Date	Deactivation Date	X_infac360ls_deactivationDate
NPI Deactivation Reason Code	Deactivation Reason	X_infac360ls_deactivationReason
Other Provider Identifier Issuer_<n>	Identifier Issuer	X_infac360ls_identifierIssuer
Other Provider Identifier Type Code_<n>	Identifier Type	idType

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Other Provider Identifier_<n>	Identifier Value	altIdValue
NPI Reactivation Date	Reactivation Date	X_infac360ls_reactivationDate

Note: NPPES has 50 identifier fields that are mapped to the Identifier field group fields.

Key People field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Key People field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Authorized Official Title or Position	Designation	designation
Authorized Official Last Name	Name	name
Authorized Official First Name	Name	name
Authorized Official Middle Name	Name	name
Authorized Official Name Prefix Text	Name	name
Authorized Official Name Suffix Text	Name	name
Authorized Official Credential Text	Name	name

License field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the License field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider License Number_<n>	License Number	X_infac360ls_licenseNumber
Provider License Number State Code_<n>	License state cd	X_infac360ls_license_state_cd

Note: NPPES has 15 License fields that are mapped to the License field group fields.

Phone field group of HCO business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Business Mailing Address Telephone Number	Phone Number	phoneNumber
Provider Business Mailing Address Fax Number	Phone Number	phoneNumber
Provider Business Practice Location Address Telephone Number	Phone Number	phoneNumber
Provider Business Practice Location Address Fax Number	Phone Number	phoneNumber
Authorized Official Telephone Number	Phone Number	phoneNumber
Provider Secondary Practice Location Address - Telephone Number	Phone Number	phoneNumber
Provider Secondary Practice Location Address - Telephone Extension	Phone Number Extension	phoneNumberExtension
Provider Practice Location Address - Fax Number	Phone Number	phoneNumber

Mapping of HCO business entity fields with MedPro Systems fields in batches

The MedPro Systems fields are mapped to the HCO business entity fields for batch data integration.

General fields of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the General fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
SLN_Organization_Name	Full Name	fullName

Address field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Address field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_First_Address_Line_1	Address Line 1	addressLine1
NPI_Second_Address_Line_1	Address Line 1	addressLine1
SLN_Address_Line_1	Address Line 1	addressLine1

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_First_Address_Line_2	Address Line 2	addressLine2
NPI_Second_Address_Line_2	Address Line 2	addressLine2
SLN_Address_Line_2	Address Line 2	addressLine2
SLN_Address_Line_3	Address Line 3	addressLine3
NPI_First_City	City	city
NPI_Second_City	City	city
SLN_City	City	city
Country	Country	country
NPI_First_Zip_Code	Postal Code	postalCode
NPI_Second_Zip_Code	Postal Code	postalCode
SLN_Zip_Code	Postal Code	postalCode
NPI_First_Zip_Code_Ext_	Postal Code Extension	postalCodeExtension
NPI_Second_Zip_Code_Ext_	Postal Code Extension	postalCodeExtension
SLN_Zip_Code_Extension	Postal Code Extension	postalCodeExtension
NPI_First_State	State	state
NPI_Second_State	State	state
SLN_State	State	state
NPI_First_Address_Type	Type	type
NPI_Second_Address_Type	Type	type

Alternate Name field group of HCO business entity

The following table lists the MedPro Systems field that is mapped to the Alternate Name field group field:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_Organization_Name	Alternate Name	name

Certification field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Certification field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Professional_designation_descr_of_organization	Certification Name	X_infac360ls_certificationName
SLN_Certification_Type	Certification Type	X_infac360ls_classificationType

Identifier field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Identifier field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_Enumeration_Date	Effective Start Date	effectiveStartDate
NPI_Number	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Number_1	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Number_2	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Number_3	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Number_4	Identifier Value	altIdValue
NPI_Other_Provider_Identifier_Name_1	Identifier Type Description	X_infac360ls_identifierTypeDescription
NPI_Other_Provider_Identifier_Name_2	Identifier Type Description	X_infac360ls_identifierTypeDescription
NPI_Other_Provider_Identifier_Name_3	Identifier Type Description	X_infac360ls_identifierTypeDescription
NPI_Other_Provider_Identifier_Name_4	Identifier Type Description	X_infac360ls_identifierTypeDescription
NPI_Status	Status	identifierStatus

License field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the License field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Adjusted_SLN_Expiration_Date	Adjusted Expiry Date	X_infac360ls_adjustedExpiryDate
State_License_Expiration_Date	Expiry Date	X_infac360ls_expiryDate

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
SLN_First_Received_Date	First Received Date	X_infac360ls_firstReceivedDate
State_Grace_Period	Grace Period End Date	X_infac360ls_gracePeriodEndDate
State_License_Issue_Date	Issue Date	X_infac360ls_issue_date
SLN_Alternate_License_1	License Number	X_infac360ls_licenseNumber
SLN_Alternate_License_2	License Number	X_infac360ls_licenseNumber
SLN_State_License_Number	License Number	X_infac360ls_licenseNumber
SLN_State_of_Licensure	License State cd	X_infac360ls_license_state_cd
State_License_Status	Status Description	X_infac360ls_statusDescription

Phone Communication field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Phone Communication field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_First_Fax	Phone Number	phoneNumber
NPI_First_Phone	Phone Number	phoneNumber
NPI_Phone_Number	Phone Number	phoneNumber
NPI_Second_Fax	Phone Number	phoneNumber
NPI_Second_Phone	Phone Number	phoneNumber
SLN_Phone_Number	Phone Number	phoneNumber

Sampleability field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Sampleability field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Eligibility_Desig__Status	Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus
Eligibility_Exp__Overall	Sampleability Exp Overall	X_infac360ls_sampleabilityExpOverall
Eligibility_Last_Received	Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Eligibility_License_Status	Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus
Eligibility_Overall	Sampleability Overall	X_infac360ls_sampleabilityOverall
Eligibility_Sanctions	Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate

Speciality field group of HCO business entity

The following table lists the MedPro Systems object field that is mapped to the Speciality field group field:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
SLN_Specialty	Speciality	X_infac360ls_specialityType

Taxonomy field group of HCO business entity

The following table lists the MedPro Systems fields that are mapped to the Taxonomy field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI_Primary_Taxonomy_Code	Taxonomy Code	X_infac360ls_taxonomy_code
NPI_Taxonomy_Code_2	Taxonomy Code	X_infac360ls_taxonomy_code
NPI_Taxonomy_Code_3	Taxonomy Code	X_infac360ls_taxonomy_code
NPI_Taxonomy_Code_4	Taxonomy Code	X_infac360ls_taxonomy_code

Mapping of HCP business entity fields with NPPES fields in batches

The NPPES fields are mapped to the HCP business entity fields for batch data integration.

General fields of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the General fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider First Name	First Name	firstName
Provider Gender Code	Gender	gender
Provider Last Name (Legal Name)	Last Name	lastName

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Middle Name	Middle Name	middleName
Provider Name Prefix Text	Prefix Name	prefixName
Provider Name Suffix Text	Suffix Name	suffixName
Provider Credential Text	Title	title

Address field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Address field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider First Line Business Mailing Address	Address Line 1	addressLine1
Provider First Line Business Practice Location Address	Address Line 1	addressLine1
Provider Secondary Practice Location Address - Address Line 1	Address Line 1	addressLine1
Provider Second Line Business Mailing Address	Address Line 2	addressLine1
Provider Second Line Business Practice Location Address	Address Line 2	addressLine2
Provider Secondary Practice Location Address - Address Line 2	Address Line 2	addressLine2
Provider Business Mailing Address City Name	City	city
Provider Business Practice Location Address City Name	City	city
Provider Secondary Practice Location Address - City Name	City	city
Provider Business Mailing Address Country Code (If outside U.S.)	Country	country
Provider Business Practice Location Address Country Code (If outside U.S.)	Country	country
Provider Secondary Practice Location Address - Country Code (If outside U.S.)	Country	country
Provider Business Mailing Address Postal Code	Postal code	postalCode
Provider Business Practice Location Address Postal Code	Postal code	postalCode

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Secondary Practice Location Address - Postal Code	Postal code	postalCode
Provider Business Mailing Address State Name	State	state
Provider Business Practice Location Address State Name	State	state
Provider Secondary Practice Location Address - State Name	State	state

Alternate Name field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Alternate Name field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Other Last Name	Alternate Name	name
Provider Other First Name	Alternate Name	name
Provider Other Middle Name	Alternate Name	name
Provider Other Name Prefix Text	Alternate Name	name
Provider Other Name Suffix Text	Alternate Name	name
Provider Other Credential Text	Alternate Name	name
Provider Other Last Name Type Code	Name Type	nameType

Identifier field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Identifier field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Other Provider Identifier Issuer_<n>	Identifier Issuer	X_infac360ls_identifierIssuer
Other Provider Identifier Type Code_<n>	Identifier Type	altIdValue
Other Provider Identifier_<n>	Identifier Value	altIdValue

Note: NPPES has 50 identifier fields that are mapped to the Identifier field group fields.

License field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System fields that are mapped to the License field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider License Number State Code_<n>	License Board State Code	X_infac360ls_licenseBoardStateCode
Provider License Number_<n>	License Number	X_infac360ls_licenseNumber

Note: NPPES has 15 license fields that are mapped to the License field group fields.

Phone field group of HCP business entity

The following table lists the National Plan and Provider Enumeration System (NPPES) fields that are mapped to the Phone field group fields:

NPPES Display Name	Customer 360 Display Name	Customer 360 Internal ID
Provider Business Mailing Address Telephone Number	Phone Number	phoneNumber
Provider Business Mailing Address Fax Number	Phone Number	phoneNumber
Provider Business Practice Location Address Telephone Number	Phone Number	phoneNumber
Provider Business Practice Location Address Fax Number	Phone Number	phoneNumber
Provider Secondary Practice Location Address - Telephone Number	Phone Number	phoneNumber
Provider Secondary Practice Location Address - Telephone Extension	Phone Number Extension	phoneNumberExtension
Provider Practice Location Address - Fax Number	Phone Number	phoneNumber

Mapping of HCP business entity fields with MedPro Systems fields in batches

The MedPro Systems fields are mapped to the HCP business entity fields for batch data integration.

General fields of HCP business entity

The following table lists the MedPro Systems fields that are mapped to the General fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
HCP Profile Level Designation	Designation	designation
SLN First Name	First Name	firstName
SLN Last Name	Last Name	lastName
SLN Middle Initial	Middle Name	middleName
SLN Suffix	Suffix Name	suffixName
SLN Title	Title	title

Address field group of HCP business entity

The following table lists the MedPro Systems fields that are mapped to the Address field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Best Visit Address 1	Address Line 1	addressLine1
Best Visit Address 2	Address Line 2	addressLine2
Best Visit Address 3	Address Line 3	addressLine3
SLN Address Line 1	Address Line1	addressLine1
NPI First Address Line 1	Address Line1	addressLine1
NPI Second Address Line 1	Address Line1	addressLine1
SLN Address Line 2	Address Line2	addressLine2
NPI First Address Line 2	Address Line2	addressLine2
NPI Second Address Line 2	Address Line2	addressLine2
SLN Address Line 3	Address Line3	addressLine3
NPI First Address Line 3	Address Line3	addressLine3
SLN City	City	city
NPI First City	City	city
NPI Second City	City	city
Best Visit City	City	city
SLN Country	Country	country

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI License Address 1 Geocode Lat.	Latitude	latitude
NPI License Address 2 Geocode Lat.	Latitude	latitude
Best Visit Geocode Lat.	Latitude	latitude
NPI License Address 1 Geocode Long.	Longitude	longitude
NPI License Address 2 Geocode Long.	Longitude	longitude
Best Visit Geocode Long.	Longitude	longitude
SLN Zip Code	Postal Code	postalCode
NPI First Zip Code	Postal Code	postalCode
NPI Second Zip Code	Postal Code	postalCode
Best Visit Zip code	Postal Code	postalCode
SLN Zip Code Extension	Postal Code Extension	postalCodeExtension
NPI First Zip Code Ext.	Postal Code Extension	postalCodeExtension
NPI Second Zip Code Ext.	Postal Code Extension	postalCodeExtension
Best Visit Zip code extension	Postal Code Extension	postalCodeExtension
SLN State	State	state
NPI First State	State	state
NPI Second State	State	state
Best Visit State	State	state

DEA field group of HCP business entity

The following table lists the MedPro Systems fields that are mapped to the DEA field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
DEA Address Line 1	Address Line 1	X_infac360ls_addressLine1
DEA Address Line 2	Address Line 2	X_infac360ls_addressLine2
DEA Business Activity Code	Business Activity Code	X_infac360ls_businessActivityCode
DEA Business Activity Sub Code	Business Activity Sub Code	X_infac360ls_businessActivitySubCode

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
DEA City	City	X_infac360ls_city
DEA Number	DEA Number	X_infac360ls_deaNumber
DEA Status	DEA Status	X_infac360ls_deaStatus
DEA Drug Schedule	Drug Schedule 1	X_infac360ls_drugSchedule2
DEA Expiration Date	End Date	X_infac360ls_endDate
DEA First Received Date	First Recived Date	X_infac360ls_firstRecivedDate
DEA Last Received Date	Last Recived Date	X_infac360ls_lastRecivedDate
DEA Overall Eligibility	Overall Eligibility	X_infac360ls_overallEligibility
DEA Zip Code	Postal Code	X_infac360ls_postalCode
DEA State	State	X_infac360ls_state

Identification field group of HCP business entity

The following table lists the MedPro Systems fields that are mapped to the Identifier field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI Other Provider Identifier Name 1	Identifier Type Description	X_infac360ls_identifierIssuer
NPI Other Provider Identifier Name 2	Identifier Type Description	X_infac360ls_identifierIssuer
NPI Other Provider Identifier Name 3	Identifier Type Description	X_infac360ls_identifierIssuer
NPI Other Provider Identifier Name 4	Identifier Type Description	X_infac360ls_identifierIssuer
MedPro Master ID	Identifier Value	altIdValue
NPI Number	Identifier Value	altIdValue
NPI Other Provider Identifier Number 1	Identifier Value	altIdValue
NPI Other Provider Identifier Number 2	Identifier Value	altIdValue
NPI Other Provider Identifier Number 3	Identifier Value	altIdValue
NPI Other Provider Identifier Number 4	Identifier Value	altIdValue

License field group of HCP business entity

The following table lists the MedPro Systems fields that are mapped to the License field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
State License Expiration Date	Expiry Date	X_infac360ls_expiryDate
SLN First Received Date	First Received Date	X_infac360ls_firstReceivedDate
State License Issue Date	Issue Date	X_infac360ls_issueDate
SLN State of Licensure	License Board State Code	X_infac360ls_licenseBoardStateCode
SLN State License Number	License Number	X_infac360ls_licenseNumber
SLN Alternate License 1	License Number	X_infac360ls_licenseNumber
SLN Alternate License 2	License Number	X_infac360ls_licenseNumber

Phone field group of HCP business entity

The following table lists the MedPro Systems fields that are mapped to the field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
SLN Phone Number	Phone Number	phoneNumber
NPI Phone Number	Phone Number	phoneNumber
NPI First Phone	Phone Number	phoneNumber
NPI First Fax	Phone Number	phoneNumber
NPI Second Phone	Phone Number	phoneNumber
NPI Second Fax	Phone Number	phoneNumber
Best Visit Phone Number	Phone Number	phoneNumber
Best Visit Fax Number	Phone Number	phoneNumber

Sampleability field group of HCP business entity

The following table lists the MedPro System fields that are mapped to the Sampleability field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Sampleability Desig. Status	Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus
Sampleability Exp. Overall	Sampleability Exp Overall	X_infac360ls_sampleabilityExpOverall

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
Sampleability Fed. Sanctions	Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate
Sampleability Last Received	Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate
Sampleability License Status	Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus
Sampleability Overall	Sampleability Overall	X_infac360ls_sampleabilityOverall

Speciality field group of HCP business entity

The following table lists the MedPro Systems fields that are mapped to the Speciality field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
SLN Specialty	Speciality	X_infac360ls_specialty
Best MMID Specialty Primary	Speciality	X_infac360ls_specialty

Status field group of HCP business entity

The following table lists the MedPro Systems fields that are mapped to the Sampleability field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
HCP Profile Level Status	Status Value	statusValue

Taxonomy field group of HCP business entity

The following table lists the MedPro Systems fields that are mapped to the Taxonomy field group fields:

MedPro Systems Display Name	Customer 360 Display Name	Customer 360 Internal ID
NPI Primary Taxonomy Code	Taxonomy Code	X_infac360ls_taxonomy_code
NPI Taxonomy Code 2	Taxonomy Code	X_infac360ls_taxonomy_code
NPI Taxonomy Code 3	Taxonomy Code	X_infac360ls_taxonomy_code
NPI Taxonomy Code 4	Taxonomy Code	X_infac360ls_taxonomy_code

Mapping of HCO business entity fields with MedPro Systems fields in real time

The MedPro Systems fields are mapped to the HCO business entity fields for real-time integration.

General fields of the HCO business entity

The following table describes the general fields of the HCO business entity that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Full Name	fullName	organizationName	-
Type	X_infac360ls_type	NA	The Customer 360 Type field displays the default value Healthcare Facility.

Address field group of the HCO business entity

The following table describes the fields of the Address field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Address Type	addressType	- SLN Primary Address - NPI Primary Address - NPI Secondary Address	-
Address Line 1	addressLine1	- stateLicenses/address/line1 - npi/addresses/line1	-
Address Line 2	addressLine2	- stateLicenses/address/line2 - npi/addresses/line2	-
Address Line 3	addressLine3	- stateLicenses/address/line3 - npi/addresses/line3	-
Country	country	- stateLicenses/address/country	The Customer 360 Country field displays the default value US or a value from the stateLicenses/address/country MedPro API Detail JSON Response fields.
State	state	- stateLicenses/address/state - npi/addresses/state	-
City	city	- stateLicenses/address/city - npi/addresses/city	-
Postal Code	postalCode	- stateLicenses/address/zip - npi/addresses/zip	-
Postal Code Extension	postalCodeExtension	- stateLicenses/address/zipExt - npi/addresses/zipExt	-

Certification field group of the HCO business entity

The following table describes the fields of the Certification field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
Certification Type	X_infac360ls_certificationType	stateLicenses/professionalDesignationFamily
Certification Name	X_infac360ls_certificationName	stateLicenses/ professionalDesignationDescription

License field group of the HCO business entity

The following table describes the fields of the License field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
License Number	X_infac360ls_licenseNumber	- stateLicenses/stateLicenseNumber - stateLicenses/alternateLicenses
Expiry Date	X_infac360ls_expiryDate	stateLicenses/expirationDate
License State Code	X_infac360ls_licenseStateCd	stateLicenses/licenseState
First Received Date	X_infac360ls_firstReceivedDate	stateLicenses/firstReceivedDate
Status Description	X_infac360ls_statusDescription	stateLicenses/sampleability/licenseStatus

Phone field group of the HCO business entity

The following table describes the fields of the Phone field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Default Indicator	defaultIndicator	NA	The Customer 360 Default Indicator field displays the default value as true.
Phone Usage Type	phoneUsageType	- SLN Primary Phone - Business	-

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Phone Type	phoneType	- Telephone - Fax	-
Phone Number	phoneNumber	- stateLicenses/phone - npi/practicePhone - npi/mailingPhone - npi/practiceFax - npi/mailingFax	-

Sampleability field group of the HCO business entity

The following table describes the fields of the Sampleability field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
Sampleability Overall	X_infac360ls_sampleabilityOverall	stateLicenses/sampleability/overallSampleability
Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus	stateLicenses/sampleability/designationStatus
Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus	stateLicenses/sampleability/licenseStatus
Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate	stateLicenses/sampleability/federalSanctionDate
Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate	stateLicenses/sampleability/lastReceivedDate
License Number	X_infac360ls_licenseNum	stateLicenses/stateLicenseNumber
License State Code	X_infac360ls_licenseStateCode	stateLicenses/licenseState

Specialty field group of the HCO business entity

The following table describes the fields of the Specialty field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Specialty Rank	X_infac360ls_rank	NA	The Customer 360 Specialty Rank field displays the following values: - PRIMARY - OTHER
Specialty Source	X_infac360ls_specialtyClass	NA	The Customer 360 Specialty Source field displays the default value StateLicense.
Specialty	X_infac360ls_specialty	stateLicenses/specialty	-

Taxonomy field group of the HCO business entity

The following table describes the fields of the Taxonomy field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Type	X_infac360ls_taxonomyType	NA	The Customer 360 Type field displays the default value NPI.
Code	X_infac360ls_code	npi/taxonomies/code	-
Name	X_infac360ls_name	npi/taxonomies/name	-
Rank	X_infac360ls_rank	NA	The Customer 360 Type field displays the following values: - Primary for npi/taxonomies/code MedPro Systems API Detail JSON Response field. - Secondary for other MedPro Systems API Detail JSON Response fields.

Mapping of HCP business entity fields with MedPro Systems fields in real time

The MedPro Systems fields are mapped to the HCP business entity fields for real-time integration.

General field group of the HCP business entity

The following table describes the general fields of the HCP business entity that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
First Name	firstName	name/first	-
Middle Name	middleName	name/middle	-
Last Name	lastName	name/last	-
Suffix Name	suffixName	name/suffix	-
Title	title	name/title	-
Designation	designation	bestInfo/hcpProfileDesignation	-
Type	X_infac360ls_type	NA	The Customer 360 Type field displays the default value PRESCRIBER.

Address field group of the HCP business entity

The following table describes the fields of the Address field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Address Type	addressType	NA	The Customer 360 Address Type field displays the following values: - SLN Primary Address - NPI Primary Address - NPI Secondary Address - MedPro Best Address
Address Line 1	addressLine1	- stateLicenses/address/line1 - npi/addresses/line1 - bestInfo/address/line1	-
Address Line 2	addressLine2	- stateLicenses/address/line2 - npi/addresses/line2 - bestInfo/address/line2	-
Address Line 3	addressLine3	- stateLicenses/address/line3 - npi/addresses/line3 - bestInfo/address/line3	-
Country	country	stateLicenses/address/country	-

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
State	state	- stateLicenses/address/state - npi/addresses/state - bestInfo/address/state	-
City	city	- stateLicenses/address/city - npi/addresses/city - bestInfo/address/city	-
Postal Code	postalCode	- stateLicenses/address/zip - npi/addresses/zip - bestInfo/address/zip	-
Postal Code Extension	postalCodeExtension	- stateLicenses/address/zipExt - npi/addresses/zipExt - bestInfo/address/zipExt	-
Latitude	latitude	- bestInfo/slnAddress/geocode/latitude - bestInfo/npiAddress/geocode/latitude - bestInfo/npiAddress2/geocode/latitude - bestInfo/address/geocode/latitude	-
Longitude	longitude	- bestInfo/slnAddress/geocode/longitude - bestInfo/npiAddress1/geocode/longitude - bestInfo/npiAddress2/geocode/longitude - bestInfo/address/geocode/longitude	-

Alternate Identifier field group of the HCP business entity

The following table describes the fields of the Alternate Identifier field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Identifier Type	alternateIdentifierType	NA	The Customer 360 Identifier Type field displays the following values: - MEDPRO ID - NPI
Identifier Value	alternateIdentifierValue	- medProID - npi/number	-

DEA field group of the HCP business entity

The following table describes the fields of the DEA field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
DEA Number	X_infac360ls_deaNumber	dea/number
Drug Schedule 1	X_infac360ls_drugSchedule1	dea/drugSchedule
DEA Status	X_dea_status	dea/professionalStatusReceived
End Date	X_infac360ls_endDate	dea/expirationDate
Address Line 1	X_infac360ls_addressLine1	dea/address/line1
Address Line 2	X_infac360ls_addressLine2	dea/address/line2
City	X_infac360ls_city	dea/address/city
State	X_infac360ls_state	dea/address/state
Postal Code	X_infac360ls_postalCode	dea/address/zip
Overall Eligibility	X_infac360ls_overallEligibility	dea/overallEligibility
Last Received Date	X_infac360ls_lastRecivedDate	dea/lastReceivedDate
Business Activity Code	X_infac360ls_businessActivityCode	dea/businessActivityCode
Business Activity Sub Code	X_infac360ls_businessActivitySubCode	dea/businessActivitySubcode

License field group of the HCP business entity

The following table describes the fields of the License field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
License Number	X_infac360ls_licenseNumber	- stateLicenses/stateLicenseNumber - stateLicenses/alternateLicenses
License State Code	X_infac360ls_licenseBoardStateCode	stateLicenses/licenseState
Expiry Date	X_infac360ls_expiryDate	stateLicenses/expirationDate
First Received Date	X_infac360ls_firstReceivedDate	stateLicenses/firstReceivedDate

Phone field group of the HCP business entity

The following table describes the MedPro Systems API Detail JSON Response fields that are mapped to the Phone field group fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Phone Usage Type	phoneUsageType	NA	The Customer 360 Phone Usage Type field displays the default value Business.
Phone Type	phoneType	NA	The Customer 360 Phone Type field displays the following values: - MedPro Best Phone - SLN Primary Phone - MedPro Best Fax
Phone Number	phoneNumber	- bestInfo/phone - stateLicenses/phone - bestInfo/fax	-

Sampleability field group of the HCP business entity

The following table describes the fields of the Sampleability field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name
Sampleability Overall	X_infac360ls_sampleabilityOverall	stateLicenses/sampleability/overallSampleability
Sampleability Desig Status	X_infac360ls_sampleabilityDesigStatus	stateLicenses/sampleability/designationStatus
Sampleability License Status	X_infac360ls_sampleabilityLicenseStatus	stateLicenses/sampleability/licenseStatus
Sampleability Fed Sanctions Date	X_infac360ls_sampleabilityFedSanctionsDate	stateLicenses/sampleability/federalSanctionDate
Sampleability Last Received Date	X_infac360ls_sampleabilityLastReceivedDate	stateLicenses/sampleability/lastReceivedDate

Specialty field group of the HCP business entity

The following table describes the fields of the Specialty field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Specialty Rank	X_infac360ls_specialtyRank	NA	The Customer 360 Identifier Type field displays the following values: - PRIMARY - SECONDARY
Specialty Source	X_infac360ls_specialtyClass	NA	The Customer 360 Identifier Type field displays the default value Best MMID.
Specialty	X_infac360ls_specialtyType	- bestInfo/ mmidPrimarySpecialty - bestInfo/ mmidSecondarySpecialty	-

Status field group of the HCP business entity

The following table describes the fields of the Status field group that are mapped to the MedPro Systems API Detail JSON Response fields:

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Status Type	statusType	NA	The Customer 360 Status Type field displays the default value Primary Status.
Status Value	statusValue	bestInfo/hcpProfileStatus	-

Taxonomy field group of the HCP business entity

The following table describes the fields of the Taxonomy field group that are mapped to the MedPro Systems API Detail JSON Response fields:


Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Type	X_infac360ls_taxonomyType	NA	The Customer 360 Type field displays the default value NPI
Code	X_infac360ls_code	npi/taxonomies/code	-

Customer 360 Display Name	Customer 360 Internal ID	MedPro Systems API Detail JSON Response Field Name	Description
Name	X_infac360ls_name	npi/taxonomies/name	-
Rank	X_infac360ls_rank	NA	The Customer 360 Rank field displays the following values: - Primary for npi/taxonomies/ code field - Secondary for other fields of the MedPro Systems API Detail JSON Response.

Relationships

You can use the predefined relationships between the HCO and HCP business entities that are included in Customer 360 for Life Sciences.

The following image shows the predefined relationship types between the business entities and the direction of the relationships:



The following table describes the predefined relationships that Customer 360 for Life Sciences includes:

Relationship Name	Internal ID	Business Entity 1	Business Entity 2	Direction
Academic Partner	infals360_Rel_HCO_HCO_AcademicPartner	HCO	HCO	HCO- > HCO
Affiliated	infals360_Rel_HCP_HCO_Affiliated	HCP	HCO	HCP -> HCO

Relationship Name	Internal ID	Business Entity 1	Business Entity 2	Direction
Affiliated HCO	infals360_Rel_HCO_HCO_Affiliated_HCO	HCO	HCO	HCO -> HCO
Department Head	infals360_Rel_HCP_HCO_DepartmentHead	HCP	HCO	HCP -> HCO
Division	infals360_Rel_HCO_HCO_Division	HCO	HCO	HCO -> HCO
Member of	infals360_Rel_HCO_HCO_MemberOf	HCO	HCO	HCO -> HCO
P and T Committee Member	infals360_Rel_HCP_HCO_PAndTCommitteeMember	HCP	HCO	HCP -> HCO
Plan Administrator	infals360_Rel_HCP_HCO_PlanAdministrator	HCP	HCO	HCP -> HCO
Practice Member	infals360_Rel_HCP_HCO_PracticeMember	HCP	HCO	HCP -> HCO
Referred By	infals360_Rel_HCP_HCP_ReferredBy	HCP	HCP	HCP -> HCP

Match model

The match model determines how your data is matched. You can use the predefined match model to identify and resolve duplicate records.

Customer 360 for Life Sciences uses the predefined match model, Match Model for HCO Deduplication, to match and merge duplicate HCO business entity records. Segment matching is enabled for the X_infac360ls_type field and includes the Corporate Group, Group Purchasing Organization, Healthcare Facility, and Pharmacy segment values.

The following table describes the match model properties:

Descriptive Rule Rank	Match Objective	Match Strategy	Match Fields	Description
1	Resolve Duplicates	Exact	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - name - PostalAddress.addressLine1 - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state	Exactly matching name and address.
2	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - AlternateIdentifier.idType - AlternateIdentifier.altIdValue - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state Fuzzy match fields: - PostalAddress.addressLine1 - name	Strongly similar HCO name, address, and identifier.
3	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - AlternateIdentifier.idType - AlternateIdentifier.altIdValue Fuzzy match fields: - name	Similar HCO name and alternate identifier.

Descriptive Rule Rank	Match Objective	Match Strategy	Match Fields	Description
4	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state Fuzzy match fields: - PostalAddress.addressLine1 - AlternateName.name	Similar HCO alternate name and address.
	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state Fuzzy match fields: - PostalAddress.addressLine1 - name	Similar HCO name and address.

Customer 360 for Life Sciences uses the predefined match model, Match Model for HCP Deduplication, to match and merge duplicate HCP business entity records. Segment matching is enabled for the X_infac360ls_type field and includes the Prescriber and Non-Prescriber segment values.

The following table describes the match model properties:

Descriptive Rule Rank	Match Objective	Match Strategy	Match Fields	Description
1	Resolve Duplicates	Exact	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.postalCode - PostalAddress.country - PostalAddress.state - PostalAddress.addressLine2 - PostalAddress.addressLine1 - lastName - firstName	Exactly similar name and address.
2	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - X_infac360ls_License.X_infac360ls_licenseNumber Fuzzy match fields: - fullName	Strongly similar name and license number.
3	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - AlternateIdentifier. alternateIdentifierValue - AlternateIdentifier. alternateIdentifierType Fuzzy match fields: - fullName	Strongly similar HCP name and alternate identifier.
4	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_Specialty.X_infac360ls_specialtyType - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state - X_infac360ls_subType - X_infac360ls_type Fuzzy match fields: - fullName	Strongly similar HCP name, address, and specialty.
5	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.country - PostalAddress.state Fuzzy match fields: - fullName	Similar HCP name and address.

Descriptive Rule Rank	Match Objective	Match Strategy	Match Fields	Description
6	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_subType - X_infac360ls_type - PostalAddress.postalCode - lastName Fuzzy match fields: - PostalAddress.addressLine1	Similar HCP last name and address.
7	Resolve Duplicates	Fuzzy	Exact match fields: - X_infac360ls_Specialty.X_infac360ls_specialtyType - PostalAddress.country - PostalAddress.postalCode - PostalAddress.state - X_infac360ls_subType - X_infac360ls_type Fuzzy match fields: - AlternateName.AlternateName	Similar HCP alternate name, address, and specialty.

Data quality rules

You can associate data quality rules to the business entity fields to cleanse, standardize, or validate the field values. When you import the source records, the rule associations validate and transform the records in Customer 360.

The following table lists the basic rule associations for HCO business entity:

Rule Association Name	Function Name	Applied Field	Description
infac360ls_ra_hco_fullname	Title Case	Full Name	Converts first letter of word in uppercase.
infac360ls_ra_hco_doi	No Future Date	Date of Incorporation	Validates whether the date of incorporation is not a future date.
infac360ls_ra_hco_phone_eedate	Greater Than Date	Phone.Effective End Date	Validates whether Phone Effective End Date is greater than Phone Effective Start Date.
infac360ls_ra_hco_email_eedate	Greater Than Date	Email.Effective End Date	Validates whether Email Effective End Date is greater than Phone Effective Start Date.
infac360ls_ra_hco_alternatename_eedate	Greater Than Date	Alternate Names.Effective End Date	Validates whether Alternate Names Effective End Date is greater than Alternate Names Effective Start Date.

Rule Association Name	Function Name	Applied Field	Description
infac360ls_ra_hco_identifier_eedate	Greater Than Date	Identifier.Effective End Date	Validates whether Identifier Effective End Date is greater than Identifier Effective Start Date.
infac360ls_ra_hco_status_edate	Greater Than Date	Status.End Date	Validates whether Status Effective End Date is greater than Status Effective Start Date.
infac360ls_rex_dea_number	Regular Match	DEA.DEA Number	Validates whether DEA number matches with the specified regular expression pattern.
infac360ls_ra_hco_dea_edate	Greater Than Date	DEA.End Date	Validates whether DEA End Date is greater than DEA Start Date.

The following table lists the basic rule associations for HCP business entity:

Rule Association Name	Function Name	Applied Field	Description
NO_FUTURE_DATE	No Future Date	Birth Date	Validates whether birth date is not a future date.
CONCAT_WITH_SPACES	Concatenate With Spaces	Full Name	Concatenates first name, middle name, and last name to form full name.
infac360ls_ra_hcp_fname	Title Case	First Name	Capitalizes the first character in the first name and converts all other characters to lowercase.
infac360ls_ra_hcp_mname	Title Case	Middle Name	Capitalizes the first character in the middle name and converts all other characters to lowercase.
infac360ls_ra_hcp_lname	Title Case	Last Name	Capitalizes the first character in the last name and converts all other characters to lowercase.
infac360ls_ra_hcp_ddate	No Future Date	Deceased Date	Validates whether death date is not a future date.
infac360ls_ra_hcp_email_eedate	Greater Than Date	Email.Effective End Date	Validates whether Email Effective End Date is greater than Phone Effective Start Date.
infac360ls_ra_hcp_empl_eedate	Greater Than Date	Employment.Effective End Date	Validates whether Employment Effective End Date is greater than Employment Effective Start Date.

Rule Association Name	Function Name	Applied Field	Description
infac360ls_ra_hcp_altname_eedate	Greater Than Date	Alternate Names.Effective End Date	Validates whether Alternate Names Effective End Date is greater than Alternate Names Effective Start Date.
infac360ls_ra_hcp_identifier_eedate	Greater Than Date	Identifier.Effective End Date	Validates whether Identifier Effective End Date is greater than Identifier Effective Start Date.
infac360ls_ra_hcp_status_eedate	Greater Than Date	Status.End Date	Validates whether Status Effective End Date is greater than Status Effective Start Date.
infac360ls_ra_hcp_citiz_eedate	Greater Than Date	Citizenship.Effective End Date	Validates whether Citizenship Effective End Date is greater than Citizenship Effective Start Date.
infac360ls_ra_hcp_edu_eedate	Greater Than Date	Education.Effective End Date	Validates whether Education Effective End Date is greater than Education Effective Start Date.
infac360ls_ra_hcp_sln_exdate	Greater Than Date	License.Expiry Date	Validates whether license end date is greater than license start date.
infac360ls_ra_hcp_sln_graceEnddate	Greater Than Date	License.Grace Period End Date	Validates whether License Grace Period End Date is greater than License Grace Period Start Date.
infac360ls_rel_hcp_dea_number	Regular Match	DEA.DEA Number	Validates whether DEA number matches with the specified regular expression pattern.
infac360ls_ra_hcp_dea_edate	Greater Than Date	DEA.End Date	Validates whether DEA End Date is greater than DEA Start Date.

CHAPTER 4

Deploying Customer 360 for Life Sciences

To deploy Customer 360 for Life Sciences on Customer 360, perform the following tasks:

1. Download and extract the extension package.
2. Import the data model, the predefined custom pages, and the source systems.
3. Import reference data code values into reference data assets.
4. Assign search result layout components to user roles.

Note: To import the data model, pages, source system, and reference data assets, ensure that you belong to the MDM Designer and Designer user roles. Ensure that you don't have the Admin user role.

After you deploy the extension, configure Customer 360 to integrate Customer 360 with source systems.

Downloading and extracting the Customer 360 for Life Sciences package

To get the link to download the Customer 360 for Life Sciences package, contact Informatica Global Customer Support.

After you download the Customer 360 for Life Sciences package, extract the package on your machine. The package contains the additional data model attributes, relationships, and predefined custom pages for Customer 360.

The extracted package contains the following files and folders:

File or Folder Name	Description
1_MDM_Assets	Contains the following attributes: - Additional data model to store values from the source systems. - Relationship assets. - Predefined custom pages. - Source system definitions.
2_DI_Assets	Contains the Data Integration assets and connections that you require to ingress and egress data.

File or Folder Name	Description
3_MDM_Job_Assets	Contains the job assets to synchronize the source system records with Customer 360 in batches.
4_CAI_Assets	Contains the Application Integration assets for the Salesforce and MedPro Systems source systems.
Enrichment_Assets	Contains assets to enrich the Healthcare Professional (HCP) records.
Reference Data	Contains files that store code lists and values for all source systems.
Secure Agent Files	Contains the lookup source files and the parameter values for the Data Integration mappings.

Note: To enrich the Customer 360 records with data from MedPro Systems in real time, import the enrichment assets. When you import the enrichment assets, you enable the enrichment of Customer 360 records with data from MedPro Systems in real time. After you import the enrichment assets, you can't disable the enrichment of Customer 360 records.

Importing data model, pages, and source systems

Import the data model changes related to the extension, the predefined custom pages, and the source systems.

Before you customize the Customer 360 data model, ensure that you import the extension assets.

Note: Before importing the data model, pages, and reference data assets, ensure that you are assigned to the Designer, MDM Designer, Reference 360 User, and Reference 360 Business Steward user roles, and not to the Admin user role.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/1_MDM_Assets.zip`
3. Click **Open**.
4. On the **Import Assets** page, ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing reference data assets

After you import the assets for the source systems that you plan to use, import reference data code values in bulk from CSV files into reference data assets.

The following table describes the files and folders in the extracted reference data directory:

File or Folder Name	Description
`Life Science`	The folder that contains the MedPro Systems and NPPES lookup code values folders and crosswalks. The Life Science folder contains the following folders: - `_1`. Contains the parent lookup code values. - `_2`. Contains the child lookup code values. - `Crosswalk`. Contains the reference data set crosswalks.
`Salesforce`	The folder that contains the code values for Salesforce.
`LoadReferenceData.py`	Python script to import reference data.

To import the Life Science code values in bulk from CSV files that are available in the extracted reference data directory, run the LoadReferenceData.py Python script.

To import the Salesforce reference data file, see Adding code values to the reference data assets.

The following table lists the reference data assets and the corresponding code lists, crosswalks, and crosswalk location:

Reference Data Asset	Code List	Crosswalk	Crosswalk Location
AlternateIdType	AlternateIdType-Nppes AlternateIdType	AlternateIdType-Nppes AlternateIdType to Enterprise AlternateIdType	`<Extracted extension package>/Reference Data/Life Science/ Crosswalk`
AlternateNameType	AlternateNameType-Nppes HCO_alternateNameType	AlternateNameType-Nppes HCO_alternateNameType to Enterprise AlternateNameType	`<Extracted extension package>/Reference Data/Life Science/ Crosswalk`
AlternateNameType	AlternateNameType-Nppes HCP_alternateNameType	AlternateNameType-Nppes HCP_alternateNameType to Enterprise AlternateNameType	`<Extracted extension package>/Reference Data/Life Science/ Crosswalk`
IdentifierStatus	IdentifierStatus-Medpro IdentifierStatus	IdentifierStatus-Medpro IdentifierStatus to Enterprise IdentifierStatus	`<Extracted extension package>/Reference Data/Life Science/ Crosswalk`

Reference Data Asset	Code List	Crosswalk	Crosswalk Location
State	State-Medpro State	State-Medpro State to Enterprise State	<Extracted extension package>/Reference Data/Life Science/Crosswalk
State	State-Nppes State	State-Nppes State to Enterprise State	<Extracted extension package>/Reference Data/Life Science/Crosswalk

Prerequisites

Before you import reference data into your system, ensure that you meet the prerequisites.

Complete the following prerequisite tasks:

- Ensure that you have permission to import reference data.
- Install Python version 3 or later on your machine.
- To verify whether the cURL library files are pre-installed and to check the cURL library version, run the following command from a command prompt:
  ```
  curl --version
  ```
  Note: If cURL isn't available in your operating system, ensure that you install it. You can download the cURL library for your operating system from the cURL website:
  ```
  http://curl.haxx.se/download.html
  ```

Importing the reference data

To import all the reference data in bulk, run the Python script.

1. Open a command prompt, and navigate to the following directory:
   ```
   <Extracted extension package>/Reference Data
   ```
2. Run the following command:
   - On Windows.
     ```
     python LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --userName <user name> --password <password> --region <POD region>
     ```
   - On Linux.
     ```
     python3 LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --userName <user name> --password <password> --region <POD region>
     ```

   The jobs to import reference data code values run.
3. To monitor the status of a job, click **My Jobs** in Reference 360.

   The My Jobs page lists the job instances that are currently running, failed, and successfully completed.

Configuring search for Customer 360

You must assign the predefined search layouts to user roles. Each search result in the Customer 360 application displays the field values based on the search result layout components assigned to a user role.

1. In Business 360 Console, click **Explore** > **Customer 360**.
2. Click the **Customer 360** business application.
3. Click **Search**.
4. In the **Search Result Layouts** section, select a business entity type.

   The list of search result layout components defined for the selected business entity appears.
5. Click **Add Search Result Layout**.

   A blank row appears.
6. To add a search result layout component, click the asset picker.

   The **Select a component** dialog box appears.
7. Select **Search Layout HCP** and assign it to **Customer 360 Data Steward**.
8. Click **Save**.
9. Repeat steps 4 through 8 for HCO business entity.

CHAPTER 5

Configuring Customer 360 for source system integration

Configure Customer 360 to integrate with source systems, such as Salesforce, National Plan and Provider Enumeration System (NPPES), and MedPro Systems.

You can configure Customer 360 to integrate with MedPro Systems and process Customer 360 records in batches. You can also integrate Customer 360 with MedPro Systems to enrich Customer 360 records in real time. Configure Customer 360 to integrate with NPPES in batches. To process the Salesforce records in Customer 360 in batches and real-time, configure Customer 360 to integrate Salesforce and Customer 360.

After you extract the extension package, import the extension assets in the package into Customer 360.

Note: Importing the extension assets overwrites any prior customization of Customer 360. Before you customize the Customer 360 data model, ensure that you import the extension assets.

After you import the data model changes and custom pages, import assets for the source systems that you plan to use and reference data assets.

Configuring Customer 360 to process data from MedPro Systems in batches

Configure Customer 360 to integrate Customer 360 with MedPro Systems and process the Customer 360 records with data from MedPro Systems in batches.

Import the assets related to MedPro Systems into your organization. The assets include Data Integration and Application Integration assets. To import the assets, you require the license to access MedPro Systems.

Note: Before you import the assets related to MedPro Systems, ensure that you have imported the data model related to the extension, the predefined custom pages, and the source system.

To configure Customer 360, perform the following tasks:

1. Add a user group in Administrator for MedPro Systems.
2. Import the Cloud Data Integration assets related to MedPro Systems.
3. Import the job assets.
4. Import the Cloud Application Integration assets related to MedPro Systems.
5. Configure the service connector and the application connection.
6. Publish the Application Integration process.

7. Add the lookup files related to MedPro Systems in the Secure Agent machine.
8. Set the environment variable for the operating system to the extracted folder of the `MedproIntegration.zip` file.
9. Set the Secure Agent parameters.
10. Import the parameter files.
11. Configure the flat file connection.
12. Configure the Business 360 FEP connector.

Adding a user group

Add a user group and enable privileges for the user group.

1. In Administrator, click **User Groups** > **Add Group**.
2. On the **New Group** page, enter the following name:

   `Medpro_Api_Group`
3. In the **Group Members** section, assign users from the available users.
4. In the **Assigned Roles** section, enable the following privileges:
   - Business Manager
   - Customer 360 Data Steward
   - Data Integration Task Executor
   - Data Preview
   - Data Viewer
   - Deployer
   - Designer
   - Job Executor
   - MDM Business User
   - MDM Designer
   - Monitor
   - Operator
   - Reference 360 Business Analyst
   - Reference 360 Business Steward
   - Reference 360 Planner
   - Reference 360 Primary Owner
   - Reference 360 Stake Holder
   - Reference 360
   - Service Consumer
5. Click **Save**.

Importing the Cloud Data Integration assets

Import the Cloud Data Integration assets related to the source system, such as predefined taskflows, mapping tasks, and mappings. Create import and export jobs based on the predefined taskflows.

1. In Data Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/2_DI_Assets/<Source system>_DI_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and then select **Publish Taskflow(s) after import**.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the job assets

After you import the Cloud Data Integration assets, import the job assets related to the source system. Use batch jobs to ingress records from and egress the processed records to the source system.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/3_MDM_Job_Assets/<Source system>_Job_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the Cloud Application Integration processes

After you import the job assets, import the Cloud Application Integration processes related to the source system.

1. In Application Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/4_CAI_Assets/<Source system>_CAI_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Configuring connectors

To integrate with the source system, configure the service connector and the application connection.

1. In Application Integration, click **Explore** > **Customer360** > **Life Sciences Extension**.
2. Click the **infac360ls_connector_medpro_trigger_ingress** service connector.

3. In the **Connection Properties** section, update the following details:
   - Host name. To get the host name of the application, perform the following steps:
     1. In Data Integration, click **Explore** > **Customer360** > **Life Sciences Extension**.
     2. Select the **infac360ls_tf_medpro_read_write_Filename_local** taskflow.
     3. Expand the **Actions** menu, and select **Properties Detail**.
     4. Get the host name from the service URL endpoint.
   - User name. The user name to connect to the Informatica Intelligent Cloud Services (IICS).
   - Password. The password associated with the user name.
4. Click **Save**.
5. Publish the connector.
6. In the left pane, click **Explore** > **Customer360** > **Life Sciences Extension**.
7. To publish the following application connections, select the following application connections and repeat steps 3 through 5.
   - infac360ls-appConn-medpro-trigger-ingress
   - infac360ls-appConn-sftp-medproOutbound-InboundHCP-HCO

Publishing the Cloud Application Integration process

To run the Cloud Application Integration process, publish the process.

1. In Application Integration, click **Explore** > **Customer360** > **Life Sciences Extension**.
2. Click the process.

   Select the following processes based on how you choose to run the trigger:

Trigger	Process
Auto	infac360ls_process_medpro_auto_trigger_ingress
Manual	infac360ls_process_medpro_manually_trigger_ingress

3. Publish the process.

Adding lookup files

To import reference data CSV files to the Secure Agent, add the lookup files related to MedPro Systems in the Secure Agent machine.

1. Navigate to the following directory:

   `<Extracted extension package>\Secure Agent Files\Lookup Files\MedPro`
2. Copy the following files to the local directory where you store the flat file connection:
   - `IdentifierStatus.csv`
   - `stateCdConversion.csv`
3. Navigate to the Medpro file in the following directory:

   `<Extracted extension package>/Secure Agent Files/Medpro`

4. Extract the file for your operating system:
   - Linux. `\Linux\MedproIntegration.zip`
   - Windows. `\Windows\MedproIntegration.zip`

Setting up the environment variable

Set the environment variable for the operating system to the extracted folder of the `MedproIntegration.zip` file.

On Windows, configure the environment variable on the system settings page.

1. On the Windows taskbar, right-click the **Windows** icon and select **System**.
   The **Settings** page appears.
2. Click **Advanced system settings**.
3. On the **Advanced** tab, click **Environment Variables**.
4. To create the `infac360ls_medpro_dir` environment variable, perform the following steps:
   a. Click **New**.
   b. Add the path to the `MedproIntegration` directory.
   For example, `C:\MedproIntegration`
   c. Click **Apply** > **OK**.
5. To modify an existing environment variable, perform the following steps:
   a. Click **Edit** and modify the existing environment variable.
   b. Click **Apply** > **OK**.

On Linux, run the following command:

```
$ export infac360ls_medpro_dir="<MedproIntegration_folder_path>"
```

Setting up the Secure Agent parameters

After you set the environment variable for the operating system, set the Secure Agent parameters.

1. In Administrator, click **Runtime Environments**.
2. Expand the **Actions** menu for the Secure Agent, and select **Edit Secure Agent**.
3. In the **Custom Configuration Details** section, enter the following details:

Field Name	Value
Type	DTM
Name	SFTP_MaxWriteSize
Value	8192

4. To save the custom configuration of the Secure Agent, click **OK**.

   The Secure Agent restarts automatically within 10 minutes. To apply the properties immediately, you can restart manually. To avoid failure of any running task, ensure that no tasks run .

Importing parameter files

Import the list of user-defined parameters and their associated values for Cloud Data Integration mappings.

To import parameter files, save the parameter files in the Secure Agent Installation directory.

Copy the parameter files from the source directory to the target Secure Agent installation directory:

Source: `<Extracted extension package>\Secure Agent Files\Parameter Files\<Source System>`

Target: `<Secure Agent Installation Directory>\apps\Data_Integration_Server\data\userparameters`

Optionally, if you want to use a configured path for the target location, see Parameter file location.

Configuring the flat file connection

To access flat files from the Secure Agent, configure the flat file connection.

1. In Administrator, click **Connections**.
2. Click `infac360ls_conn_flatfile`.
3. Verify the directory to store the flat file.

   Default is `C:\ReferenceData`.
4. Test the connection, and ensure that the connection is successful.

Configuring Business 360 FEP connection

You can use the Business 360 FEP Connector to write data from the source system into MDM SaaS. If the input values for source system integer fields are null, the Business 360 FEP Connector converts the null values to 0 in MDM SaaS.

1. In Administrator, click **Connections**.
2. Click `infac360hc_conn_customer360`.
3. Test the connection.

   The connection might fail with the following error:
   ```
   The test connection for infac360hc_conn_customer360 failed. Unable to fetch connector attributes, Ensure adapter ID is valid[com.infa.adapter.mdmflat].
   ```
4. If the connection fails, verify and ensure that the connection is successful.
   a. Verify the license used.
   b. Ensure that the connector is enabled for the Secure Agent group.
   c. Restart the Secure Agent.

Configuring Customer 360 to enrich data from MedPro Systems in real time

Configure Customer 360 to integrate Customer 360 with MedPro Systems and enrich the Customer 360 records with data from MedPro Systems in real time.

Import the assets related to MedPro Systems for real-time enrichment and publish them.

Note: Before you import the assets related to MedPro Systems, ensure that you have imported the data model related to the extension, the predefined custom pages, and the source system.

The following table lists the assets that you use to enrich Customer 360 records:

Asset Name	Asset Type
infac360ls_srvconn_authenticate	Cloud Application Integration Service Connector
infac360ls-appconn-authenticate	Cloud Application Integration App Connector
infac360ls_proc_TokenMangmnt	Cloud Application Integration Process
infac360ls_srvconn_hcoSearch	Cloud Application Integration Service Connector
infac360ls-appconn-hcoSearch	Cloud Application Integration App Connector
infac360ls_proc_medpro_hco_IdentiyResolutionProcess	Cloud Application Integration Process
infac360ls_srvconn_hcoDetails	Cloud Application Integration Service Connector
infac360ls-appconn-hcoDetails	Cloud Application Integration App Connector
infac360ls_proc_medpro_hco_EnrichProcess	Cloud Application Integration Process
infac360ls_srvconn_hcpSearch	Cloud Application Integration Service Connector
infac360ls-appconn-hcpSearch	Cloud Application Integration App Connector
infac360ls_proc_medpro_hcp_IdentiyResolutionProcess	Cloud Application Integration Process
infac360ls_srvconn_hcpDetails	Cloud Application Integration Service Connector
infac360ls-appconn-hcpDetails	Cloud Application Integration App Connector
infac360ls_proc_medpro_hcp_EnrichProcess	Cloud Application Integration Process

To configure Customer 360, perform the following tasks:

1. Import the MDM SaaS application assets.
2. Publish the assets to enrich Customer 360 records in real time.
3. Configure the Cloud Application Integration process for the HCO business entity.
4. Configure the Cloud Application Integration URN mappings.

Importing assets to enrich Customer 360 records

After you import the MDM SaaS application assets, import the assets to enrich the Customer 360 records.

Note: To enrich the Customer 360 records with data from MedPro Systems in real time, import the enrichment assets. When you import the enrichment assets, you enable the enrichment of Customer 360 records with data from MedPro Systems in real time. After you import the enrichment assets, you can't disable the enrichment of Customer 360 records.

1. In Business 360 Console, click **Explore** > **Import**.

2. On the **Import Assets** page, navigate to the following file:

   `<Extracted extension package>/Enrichment_Assets.zip`

3. Click **Open**.

   The **Import Assets** page lists the assets in the file.

4. Ensure that all the assets are selected, and then select **Publish Application Integration Assets after import**.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Publishing assets to enrich Customer 360 records in real time

After you import the assets into Customer 360, publish them. You publish the HCP and HCO assets to enrich the Customer 360 records with data from MedPro Systems in real time.

Publish the HCP assets in the following order:

1. infac360ls_srvconn_authenticate
2. infac360ls-appconn-authenticate
3. infac360ls_proc_TokenMangmnt
4. infac360ls_srvconn_hcpSearch
5. infac360ls-appconn-hcpSearch
6. infac360ls_proc_medpro_hcp_IdentiyResolutionProcess
7. infac360ls_srvconn_hcpDetails
8. infac360ls-appconn-hcpDetails
9. infac360ls_proc_medpro_hcp_EnrichProcess

Publish the HCO assets in the following order:

1. infac360ls_srvconn_authenticate
2. infac360ls-appconn-authenticate
3. infac360ls_proc_TokenMangmnt
4. infac360ls_srvconn_hcoSearch
5. infac360ls-appconn-hcoSearch
6. infac360ls_proc_medpro_hco_IdentiyResolutionProcess
7. infac360ls_srvconn_hcoDetails
8. infac360ls-appconn-hcoDetails
9. infac360ls_proc_medpro_hco_EnrichProcess

1. In Application Integration, click **Explore** > **Customer360** > **Life Sciences Extension**.
2. Select the asset to publish.
3. To publish the assets, expand the **Actions** menu, and select **Publish**.

Configuring the Cloud Application Integration process for the HCO business entity

If you want to use an address type other than the default SLN Primary Address, configure the Cloud Application Integration process for the HCO business entity.

1. In Application Integration, click **Explore** > **Customer 360** > **Life Sciences Extension**.
2. Navigate to the **infac360ls_proc_medpro_hco_IdentiyResolutionProcess Assets** process.
3. In the **Design** section, click the **Assignment to tempSLNPrimAddr** step.
4. In the properties panel, click the **Assignment** tab.
5. To open the formula editor, click the **f(x)** icon for the **tempSLNPrimAddr** field.
6. Edit the addressType expression with the address type that you want to add.
7. Click **OK**.
8. Save and publish the process.

Configuring the Cloud Application Integration URN mappings

When you use the United States as the country lookup reference entity, map a URN to a URL.

1. In Application Integration Console, click **Deployed Assets**, and select **Cloud**.
2. Click the **URN Mappings** tab.
3. To create URN mappings, use the following values:

URN Mapping Objects	Value
URN	Iso3States
URL	ARK:AR,COT:CT,GEO:GA,MIN:MN,ORE:OR,TE:TN

For more information, see URN mappings.

Configuring Customer 360 to process data from NPPES in batches

Configure Customer 360 to integrate Customer 360 with NPPES and process data from NPPES in batches. Import the assets related to NPPES into your organization.

Note: Before you import the assets related to NPPES, ensure that you import the data model related to the extension, the predefined custom pages, and the source system.

To configure Customer 360, perform the following tasks:

1. Import the Cloud Data Integration assets related to NPPES.
2. Import the job assets.
3. Add the lookup files related to NPPES in the Secure Agent machine.
4. Import the parameter files.

5. Configure the flat file connection.
6. Configure the Business 360 FEP connector.

Importing the Cloud Data Integration assets

Import the Cloud Data Integration assets related to the source system, such as predefined taskflows, mapping tasks, and mappings. Create import and export jobs based on the predefined taskflows.

1. In Data Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/2_DI_Assets/<Source system>_DI_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and then select **Publish Taskflow(s) after import**.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the job assets

After you import the Cloud Data Integration assets, import the job assets related to the source system. Use batch jobs to ingress records from and egress the processed records to the source system.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/3_MDM_Job_Assets/<Source system>_Job_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Adding lookup files

Add the lookup files related to NPPES in the Secure Agent machine.

1. Navigate to the following directory:

   `<Extracted extension package>\Secure Agent Files\Lookup Files\NPPES`
2. Copy the following files to the local directory where you store the flat file connection:
   - `AlternateNameTypeHCONppesCodeConversion.csv`
   - `AlternateNameTypeHCPNppesCodeConversion.csv`
   - `IdentifierTypeNppesCodeConversion.csv`
   - `stateCdConversion.csv`

Importing parameter files

Import the list of user-defined parameters and their associated values for Cloud Data Integration mappings.

To import parameter files, save the parameter files in the Secure Agent Installation directory.

Copy the parameter files from the source directory to the target Secure Agent installation directory:

Source: `<Extracted extension package>\Secure Agent Files\Parameter Files\<Source System>`

Target: `<Secure Agent Installation Directory>\apps\Data_Integration_Server\data\userparameters`

Optionally, if you want to use a configured path for the target location, see Parameter file location.

Configuring the flat file connection

To access flat files from the Secure Agent, configure the flat file connection.

1. In Administrator, click **Connections**.
2. Click `infac360ls_conn_flatfile`.
3. Verify the directory to store the flat file.

   Default is `C:\ReferenceData`.
4. Test the connection, and ensure that the connection is successful.

Configuring Business 360 FEP connection

You can use the Business 360 FEP Connector to write data from the source system into MDM SaaS. If the input values for source system integer fields are null, the Business 360 FEP Connector converts the null values to 0 in MDM SaaS.

1. In Administrator, click **Connections**.
2. Click `infac360hc_conn_customer360`.
3. Test the connection.

   The connection might fail with the following error:
   ```
   The test connection for infac360hc_conn_customer360 failed. Unable to fetch connector attributes, Ensure adapter ID is valid[com.infa.adapter.mdmflat].
   ```
4. If the connection fails, verify and ensure that the connection is successful.
   a. Verify the license used.
   b. Ensure that the connector is enabled for the Secure Agent group.
   c. Restart the Secure Agent.

Configuring Customer 360 to process data from Salesforce

Configure Customer 360 to integrate Salesforce and Customer 360 and process the Salesforce records in Customer 360. You can process Salesforce records in batches or in real time. Import the assets into Customer 360 to ingress data from and egress data to Salesforce. You can configure the extension manually, or you can use guided assistance.

Note: Before you import the assets related to Salesforce, ensure that you import the data model related to the extension, the predefined custom pages, and the source system.

To configure Customer 360, perform the following tasks:

1. Import the Cloud Data Integration assets related to Salesforce.

2. Import the job assets.
3. Import the Cloud Application Integration assets related to Salesforce.
4. Add a Secure Agent to the predefined Secure Agent group.
5. Add the lookup files related to Salesforce in the Secure Agent machine.
6. Import the parameter files.
7. Configure the flat file connection.
8. Configure the Business 360 FEP connector.
9. Configure the Salesforce assets manually or using guided assistance.

Importing the Cloud Data Integration assets

Import the Cloud Data Integration assets related to the source system, such as predefined taskflows, mapping tasks, and mappings. Create import and export jobs based on the predefined taskflows.

1. In Data Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/2_DI_Assets/<Source system>_DI_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and then select **Publish Taskflow(s) after import**.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the job assets

After you import the Cloud Data Integration assets, import the job assets related to the source system. Use batch jobs to ingress records from and egress the processed records to the source system.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/3_MDM_Job_Assets/<Source system>_Job_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the Cloud Application Integration processes

After you import the job assets, import the Cloud Application Integration processes related to the source system.

1. In Application Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/4_CAI_Assets/<Source system>_CAI_Assets.zip`
3. Click **Open**.

The **Import Assets** page lists the assets in the file.

4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Adding a Secure Agent

After you import the job assets, add a Secure Agent to the predefined Secure Agent group.

1. In Administrator, click **Runtime Environments**.
2. Expand the **Actions** menu for the `infa_extension_runtime` Secure Agent group, and select **Add or Remove Secure Agents**.
3. In the **Available Agents** list, select the Secure Agent that you want to add to the group, and click **Select**.
4. Expand the **Actions** menu for the `infa_extension_runtime` Secure Agent group, and select **Enable or Disable Services, Connectors**.
5. From the **Services** tab, select the services to enable for the Secure Agent group.
6. From the **Connectors** tab, select the connectors to enable for the Secure Agent group.
7. Click **Save**.

Adding lookup files

To import reference data CSV files to the Secure Agent, add the lookup files related to Salesforce in the Secure Agent machine.

1. Navigate to the following directory:

   `<Extracted extension package>\Reference Data`
2. Copy the following files to the local directory where you store the flat file connection:
   - `Country_ISO_Conversion.csv`
   - `State_ISO_Conversion.csv`

Importing parameter files

Import the list of user-defined parameters and their associated values for Cloud Data Integration mappings.

To import parameter files, save the parameter files in the Secure Agent Installation directory.

Copy the parameter files from the source directory to the target Secure Agent installation directory:

Source: `<Extracted extension package>\Secure Agent Files\Parameter Files\<Source System>`

Target: `<Secure Agent Installation Directory>\apps\Data_Integration_Server\data\userparameters`

Optionally, if you want to use a configured path for the target location, see Parameter file location.

Configuring the flat file connection

To access flat files from the Secure Agent, configure the flat file connection.

1. In Administrator, click **Connections**.
2. Click `infac360ls_conn_flatfile`.
3. Verify the directory to store the flat file.

Default is `C:\ReferenceData`.

4. Test the connection, and ensure that the connection is successful.

Configuring Business 360 FEP connection

You can use the Business 360 FEP Connector to write data from the source system into MDM SaaS. If the input values for source system integer fields are null, the Business 360 FEP Connector converts the null values to 0 in MDM SaaS.

1. In Administrator, click **Connections**.
2. Click `infac360hc_conn_customer360`.
3. Test the connection.

   The connection might fail with the following error:
   ```
   The test connection for infac360hc_conn_customer360 failed. Unable to fetch connector attributes, Ensure adapter ID is valid[com.infa.adapter.mdmflat].
   ```
4. If the connection fails, verify and ensure that the connection is successful.
   a. Verify the license used.
   b. Ensure that the connector is enabled for the Secure Agent group.
   c. Restart the Secure Agent.

Configuring Salesforce assets using guided assistance

After you complete the prerequisites, guided assistance takes you through the step-by-step installation and configuration processes. Guided assistance ensures that you acknowledge the task completion. You can choose to pause or cancel the installation anytime.

The configuration of Salesforce assets using the guided assistance consists of multiple phases that include pre-installation tasks, deployment planning based on the integration choices, and post-installation tasks.

For more information, see Installation process.

After you complete the prerequisites, run guided assistance to configure the Salesforce assets.

For more information, see Running guided assistance.

Configuring Salesforce assets manually

Configure Salesforce to synchronize records with Customer 360 in batches or real-time and to search for matching records in Customer 360 before creating a record.

To process Salesforce contact records, person account records, relationship records, and hierarchy records with Customer 360 SaaS in batches, see Processing data in batches.

To synchronize Salesforce contact records, person account records, and account to contact relationships with Customer 360 in real time, see Processing data in real time.

You can setup Salesforce to search for matching Account and Person Account records in Customer 360 SaaS when you create a record in Salesforce.

For more information, see Searching for matching records in Customer 360.

INDEX

I

Informatica Global Customer Support
  contact information 7
Informatica Intelligent Data Management Cloud
  web site 6

M

maintenance outages 7

S

status
  IDMC 7
  system status 7

T

trust site
  description 7

U

upgrade notifications 7

W

web site 6