Informatica® MDM - Customer 360 SaaS
April 2026

Legal Entity 360 for Banking

Informatica MDM - Customer 360 SaaS Legal Entity 360 for Banking
April 2026

© Copyright Informatica LLC 2023, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-04-11

Table of Contents

Preface. . . . 5
Informatica Resources. . . . 5
Informatica Documentation. . . . 5
IDMC web site. . . . 5
Intelligent Data Management Cloud Communities. . . . 5
IDMC Marketplace. . . . 5
Informatica Knowledge Base. . . . 5
IDMC Trust Center. . . . 6
Informatica Global Customer Support. . . . 6

Chapter 1: Introducing Legal Entity 360 for Banking. . . . 7
Guidelines for importing assets. . . . 7
Guidelines for migrating assets. . . . 8
Prerequisites. . . . 8

Chapter 2: Integrating Customer 360 with source systems. . . . 9
Enriching the Customer 360 records in real time. . . . 9

Chapter 3: Predefined Legal Entity 360 for Banking assets. . . . 10
Data model attributes. . . . 10
Legal Entity business entity model. . . . 11
Person business entity model. . . . 28
Predefined assets for real-time data processing. . . . 44
Field mapping. . . . 44
Mapping the Legal Entity business entity and GLEIF record fields. . . . 44
Relationships. . . . 47
Hierarchy relationships of the Legal Entity business entity. . . . 48
Match Model. . . . 49
Data quality assets. . . . 50
Rule specification assets. . . . 51

Chapter 4: Deploying Legal Entity 360 for Banking on Customer 360. . . . 52
Downloading and extracting the Legal Entity 360 for Banking package. . . . 52
Importing the Legal Entity 360 for Banking assets. . . . 53
Importing the data model, pages, and source systems. . . . 53
Importing assets to enrich the legal entity records. . . . 53
Publishing the Cloud Application Integration assets. . . . 54
Importing reference data assets. . . . 54
Configuring the Cloud Application Integration URN mappings. . . . 55

Index **56**

Preface

Follow the instructions in *Legal Entity 360 for Banking* to deploy the Legal Entity 360 for Banking extension.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the IDMC Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Data Management Cloud Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all IDMC components. Subscribing to all components is the best way to be certain you never miss an update.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introducing Legal Entity 360 for Banking

An industry 360 application is a ready-to-use package that you can use as a template for implementing MDM SaaS. With an industry 360 application, you can customize solutions to meet specific requirements and business initiatives of your industry. Use an industry 360 application to reduce implementation time, enhance data quality, and achieve faster business outcomes.

Use Legal Entity 360 for Banking to manage legal entity and person records for the banking industry.

Use Legal Entity 360 for Banking to achieve the following goals:

Onboard records

Onboard the legal entity identifier records from third-party legal entity data providers to Customer 360. You can create a new legal entity or import a legal entity after searching the source systems.

Consolidate records

Merge the records from different source systems and provide a single version of the truth.

Validate and enrich records

Validate and enrich legal entity data from third-party data sources using custom rules. You can use match and merge rules to consolidate and master the records.

Manage affiliations

Manage the associations of legal entities. For example, you can identify the investor associated with a legal entity.

Generate reports

View the important aspects of the master data using reports. Legal Entity 360 for Banking provides dashboards to view legal entity data reports.

Use the GLEIF API v1.0 version to integrate Legal Entity 360 for Banking with the source system.

Guidelines for importing assets

Consider the following guidelines before you import the industry 360 application assets:

- Set up the prerequisite MDM SaaS business application.
- Import the industry 360 application assets before you customize the business entities. You can safely import multiple industry 360 application assets that use different business entities and in different MDM

SaaS business applications. When you import the assets in an environment that already has an industry 360 application with the same business entities, the import fails.

- After you import the assets, consider them as your custom assets.
- Once you deploy an industry 360 application, upgrading to a newer version of the industry 360 application isn't supported.

Guidelines for migrating assets

Consider the following guidelines before you migrate the industry 360 application assets to another environment:

- To migrate the industry 360 application assets to higher environments, such as QA and production, export the assets from the development environment. Then, import them into the QA and production environments. For more information about migrating assets, see Migrating projects and assets*Migrating projects and assets*.
- Don't import the industry 360 application assets again into a higher environment.

Prerequisites

Before you deploy Legal Entity 360 for Banking, perform the following prerequisites:

- Ensure that you have the Integration Components for Business 360 and Customer 360 SaaS Edition licenses.
- Ensure that you have the licenses required to manage connections, external data, and service rights.

  Note: The use of the industry 360 application doesn't confer any additional license or entitlement to license consumption beyond the terms specified in the applicable licensing agreements.

  Ensure that the version of the industry 360 application matches the current MDM SaaS version where you import the industry 360 application assets.

  To view the MDM SaaS version, in Business 360 Console, click **About** in the IDMC Help menu and verify the build version.

  To view the MDM version of the industry 360 application, navigate to the readme text file in the extracted industry 360 application package and verify the platform version.

  If the version of the industry 360 application package doesn't match the current MDM SaaS version, contact Informatica Global Customer Support to use the compatible version of the MDM SaaS.
- To integrate Customer 360 with GLEIF source system, ensure that you comply with the terms of use provided by GLEIF. For more information, see LEI Data Terms of Use.

CHAPTER 2

Integrating Customer 360 with source systems


You can integrate Customer 360 with third-party data providers to enrich Customer 360 records. Legal Entity 360 for Banking supports the GLEIF database as a third-party data provider to enrich records in real time.

To integrate Customer 360 with the GLEIF source system, ensure that you comply with the terms of use provided by GLEIF. For more information, see LEI Data Terms of Use.

Enriching the Customer 360 records in real time

You can enrich the legal entity records with data from the supported data providers in real time.

When you create a record in Customer 360, you can search for matching records in the database of data providers, such as GLEIF. Legal Entity 360 for Banking uses a Cloud Application Integration process to search for similar records. To import the record into Customer 360, the extension uses another Cloud Application Integration process to import it.
The following image shows how you can search for matching records before creating a record in Customer 360:



CHAPTER 3

Predefined Legal Entity 360 for Banking assets

Legal Entity 360 for Banking is available as a package for installation on request.

The package includes the following predefined assets:


- Additional business entity fields
- Reference data assets
- Source system
- Connections
- Custom reports
- Data quality assets
- Pages
- Relationships
- Hierarchies

Note: Importing the Legal Entity 360 for Banking assets overwrites the existing Customer 360 assets and your customization. Ensure to import the extension assets before you customize the Customer 360 data model.

Data model attributes

Legal Entity 360 for Banking includes additional fields and reference data for the Legal Entity and Person business entities.

The following image shows the business entities and their relationships of Legal Entity 360 for Banking:



Legal Entity business entity model

Legal Entity business entity stores information about a legal entity. This business entity contains some basic fields and some field groups.

General fields of the Legal Entity business entity

The general fields store basic information about a legal entity, such as legal name and registration number.

The following table lists the general fields that the Legal Entity business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country of Domicile	X_infac360lei_countryOfDomicile	Lookup	NA	Country	ISO 3166-1 and ISO 3166-2 country code for the country of the head office for a legal entity.
Country of Incorporation	X_infac360lei_countryOfIncorporation	Lookup	NA	Country	ISO 3166-1 and ISO 3166-2 country code for the country of incorporation of a legal entity.
Company Logo	imageUrl	Text	255	NA	URL of the image for a legal entity.
Company Type	companyType	Lookup	NA	CompanyType	Type of company. For example, government, registered, or statutory.
Date of Incorporation	dateOfIncorporation	Date	NA	NA	Date from when a legal entity was incorporated.
Entity Creation Date	X_infac360lei_entityCreationDate	Date	NA	NA	Date when a legal entity was created.
IPO Date	X_infac360lei_iPODate	Date	NA	NA	Date when a legal entity went public.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Legal Entity Subtype	X_infac360lei_subType	Lookup	NA	infac360lei_LegalEntitySubtype	Subtype of legal entity. For example, if the legal entity type is a resident government entity, the legal entity subtypes can be central government or state government.
Legal Entity Type	X_infac360lei_type	Lookup	NA	infac360lei_LegalEntityType	Type of legal entity. For example, branch, fund, or resident government entity.
Legal Form	X_infac360lei_legalForm	Lookup	NA	infac360lei_LegalFormType	The legal structure of a legal entity. For example, trust company, stock corporation, or statutory company.
Legal Jurisdiction	X_infac360lei_legalJurisdiction	Lookup	NA	Country	ISO 3166-1 and ISO 3166-2 country code of the country whose laws and courts have authority over the legal entity.
Legal Name	name	Text	255	NA	Name of a legal entity.
Number of Employees	numberOfEmployees	Integer	NA	NA	Total number of employees in a legal entity.
Regulator	X_infac360lei_regulator	Text	255	NA	Authority regulating a legal entity.
Registration Authority	X_infac360lei_registrationAuthority	Text	255	NA	Authority that establishes and vouches for the identity of a legal entity.
Registration Number	X_infac360lei_registrationNumber	Text	255	NA	Identifier that the registration authority provides to a legal entity.
Regulator ID	X_infac360lei_regulatorID	Text	255	NA	The ID of the authority that regulates a legal entity.
State of Incorporation	stateOfIncorporation	Lookup	NA	State	State where a legal entity was incorporated. For example, if the country is the United States, the state of incorporation can be California or Florida. Legal Entity 360 for Banking supports only states in the United States.
Ticker Symbol	X_infac360lei_ticker	Text	255	NA	Identifier that a legal entity uses for trading purposes.
Website	X_infac360lei_website	Text	255	NA	URL to access the website of a legal entity.

Address field group of the Legal Entity business entity

The Address field group stores the address details of a legal entity.

The following table lists the fields that the Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active, current, old address, or changed.
Address Type	addressType	Lookup	NA	AddressType	Type of address. For example, organization, high-rise building, or home.
City	city	Text	50	NA	City of the postal address.
Coordinate System	coordinateSystem	Text	100	NA	A coordinate system that's used to determine the location of the address.
Country	country	Lookup	NA	Country	Country code of the postal address. For example, Australia or the United States.
County	county	Text	50	NA	County of the postal address.
Default Indicator	defaultIndicator	Boolean	NA	NA	Flag to indicate whether the address is the default address.
End Date	effectiveEndDate	Date Time	NA	NA	The expiry date of the address.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Location Coordinate Description	locationCoordinateDesc	Text	50	NA	Location of the address using the geocode coordinates system.
Longitude	longitude	Text	20	NA	Longitude of the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Start Date	effectiveStartDate	Date Time	NA	NA	Date from when the address is active.
State	state	Lookup	NA	State	State of the postal address. For example, if the country is the United States, the state can be California or Florida. Legal Entity 360 for Banking supports only states in the United States.
Usage Type	usageType	Lookup	NA	AddressUsageType	Classification of the address based on usage. For example, business or personal.

Alternate Names field group of the Legal Entity business entity

The Alternate Names field group stores the details of the alternative name of a legal entity.

The following table lists the fields that the Alternate Names field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	name	Text	255	NA	An alternative name for a legal entity.
Effective End Date	effectiveEndDate	Date Time	NA	NA	The expiry date of the alternate name.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the alternate name is valid.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language Code	X_infac360lei_languageCode	Lookup	NA	Language	Language in which the alternate name of a legal entity is specified.
Name Type	nameType	Lookup	NA	AlternateNameType	Alternate name type. For example, business name, company name, or marketing name.

Credit Rating field group of the Legal Entity business entity

The Credit Rating field group stores the credit rating details of a legal entity.

The following table lists the fields that the Credit Rating field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Date	X_infac360lei_effectiveDate	Date	NA	NA	Start date from when the credit rating is valid.
Foreign or Domestic Indicator	X_infac360lei_foreignOrDomestic Indicator	Lookup	NA	infac360lei_ForeignOrDomesticIndicator	Indicator to identify whether the credit rating is a foreign currency rating or a local currency rating.
Grade	X_infac360lei_grade	Lookup	NA	infac360lei_Grade	Credit rating category. For example, investment grade or speculative grade.
Preliminary Indicator	X_infac360lei_preliminaryIndicator	Boolean	NA	NA	Flag to indicate whether the credit rating is preliminary.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Rating	X_infac360lei_rating	Lookup	NA	infac360lei_Rating	Rating of a legal entity.
Rating Source	X_infac360lei_ratingSource	Lookup	NA	infac360lei_RatingSource	Source of the credit rating.
Rating Type	X_infac360lei_ratingType	Lookup	255	infac360lei_RatingType	Type of credit rating for a legal entity. For example, short-term or long-term.

Country of Risk field group of the Legal Entity business entity

The Country of Risk field group stores the indicator details that determine the risk exposure of a legal entity.

The following table lists the fields that the Country of Risk field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	X_infac360lei_country	Lookup	NA	Country	Country where the majority of the underlying economic value of a legal entity is derived.
Date	X_infac360lei_date	Date	NA	NA	Date when the country of risk was updated.
Description	X_infac360lei_description	Text	255	NA	Description of the risk category.
Primary Indicator	X_infac360lei_primaryIndicator	Boolean	NA	NA	Indicates whether the country of risk is considered as primary.
Risk Category	X_infac360lei_classification	Text	255	NA	Classification of the level of risk.

Documents field group of the Legal Entity business entity

The Documents field group stores the document details of a legal entity.

The following table lists the fields that the Documents field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Link	documentLink	Text	255	NA	URL to access the document.
Document Name	documentName	Text	255	NA	Name of the document.
Document Type	documentType	Lookup	NA	DocumentType	Type of the document. For example, application form, claim form, or policy.
File Name	fileName	Text	255	NA	Physical name of the file.
Valid From	validFrom	Date	NA	NA	Date from when the document becomes valid.
Valid To	validTo	Date	NA	NA	Date until when the document is valid.

Email field group of the Legal Entity business entity

The Email field group stores information about the electronic addresses, such as email addresses and hygiene status of the electronic address.

The following table lists the fields that the Email field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date for the electronic address.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date for the electronic address.
Electronic Address	electronicAddress	Text	255	NA	Actual electronic address of a legal entity.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the electronic address. For example, active, blocked, or not in use.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Validation status of the electronic address. For example, error, valid, or not validated.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or former trap.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify which service or appliance is monitoring a given network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsage Type	Intended use of the communication preference that a legal entity shared. For example, business or personal.
Validation Message	validateMessage	Text	50	NA	Message that the electronic address validation service generates to indicate how valid and trusted the electronic address is.
Validation Status	validationStatusCode	Text	50	NA	Validation status code that the email address validation service returns.

Financial field group of the Legal Entity business entity

The Financial field group stores the financial information of a legal entity.

The following table lists the fields that the Financial field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	20	NA	The total value of the physical assets that a legal entity owns.
Currency	currency	Lookup	NA	Currency	Currency used for transactions. For example, the United States dollar or Euro.
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, total equity, annual revenue, or debt.
Finance Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data to determine whether the data is actual or an estimate.
Time Period	timePeriod	Text	255	NA	The financial period for which the data is collected.
Time Period Type	financeTimePeriodType	Lookup	NA	TimePeriodType	Type of the finance period. For example, quarterly or annual.
Unit	financialUnit	Lookup	NA	FinancialUnit	Unit for the amount. For example, thousand, million, or billion.

Identifier field group of the Legal Entity business entity

The Identifier field group stores the identifier details of a legal entity.

The following table lists the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date	NA	NA	The expiry date of an identifier.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date from when an identifier is valid.
Identifier Type	idType	Lookup	NA	AlternateIdType	Type of identifier.
Identifier Value	altIdValue	Text	50	NA	Value of an identifier.
Issuing Authority	issuingAuthority	Lookup		IssuingAuthority	The authority that issued the identifier.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status	identifierStatus	Lookup	NA	IdentifierStatus	Status of an alternative identifier.
Verified	X_infac360lei_verified	Boolean	NA	NA	Indicator to identify whether the identifier is verified.

Indicator field group of the Legal Entity business entity

The Indicator field group stores the indicator details based on which you want to identify a legal entity.

The following table lists the fields that the Indicator field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Date	X_infac360lei_effectiveDate	Date	NA	NA	Date from when the indicator is valid.
Indicator Type	X_infac360lei_indicatorType	Lookup	NA	infac360lei_IndicatorType	Indicates the type of legal entity, such as minority-owned, women-owned, and small business.
Indicator Value	X_infac360lei_indicatorValue	Lookup	NA	infac360lei_IndicatorValue	Actual value of the indicator.

Industry Classification field group of the Legal Entity business entity

The Industry Classification field group stores the classification details of a legal entity, such as classification type and code.

The following table lists the fields that the Industry Classification field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Classification Type	X_infac360lei_classificationType	Lookup	NA	infac360lei_ClassificationType	Type of classification system that groups legal entities.
Classification Level 1	X_infac360lei_classificationLevel1Code	Lookup	NA	infac360lei_ClassificationLevel1Code	Code value that indicates the group to which a legal entity belongs.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Classification Level 1 Label	X_infac360lei_classificationLevel1Label	Lookup	NA	infac360lei_ClassificationLevel1Label	Hierarchical classification that indicates the sector to which a legal entity belongs.
Classification Level 2	X_infac360lei_classificationLevel2Code	Lookup	NA	infac360lei_ClassificationLevel2Code	Code value that indicates the group to which a legal entity belongs.
Classification Level 2 Label	X_infac360lei_classificationLevel2Label	Lookup	NA	infac360lei_ClassificationLevel2Label	Hierarchical classification that indicates the industry group to which a legal entity belongs.
Classification Level 3	X_infac360lei_classificationLevel3Code	Lookup	NA	infac360lei_ClassificationLevel3Code	Code value that indicates the group to which a legal entity belongs.
Classification Level 3 Label	X_infac360lei_classificationLevel3Label	Lookup	NA	infac360lei_ClassificationLevel3Label	Hierarchical classification that indicates the industry to which a legal entity belongs.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Classification Level 4	X_infac360lei_classificationLevel4Code	Lookup	NA	infac360lei_ClassificationLevel4Code	Code value that indicates the group to which a legal entity belongs.
Classification Level 4 Label	X_infac360lei_classificationLevel4Label	Lookup	NA	infac360lei_ClassificationLevel4Label	Hierarchical classification that indicates the sub-industry to which a legal entity belongs.

Insurance field group of the Legal Entity business entity

The Insurance field group stores the insurance details of a legal entity, such as name of the insurance provider and policy number.

The following table lists the fields that the Insurance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	currency	Lookup	NA	Currency	Currency for the premium payment and claim settlement.
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the insurance.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date of the insurance.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Insurance Provider	insuranceProvider	Text	255	NA	Company that provides the insurance.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is lenders mortgage, the subtype might be extended lenders mortgage.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	Type of the insurance, such as commercial auto, lenders mortgage, or shipping.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Policy Number	insurancePolicyNumber	Text	100	NA	Insurance policy number.
Status	insuranceStatus	Text	255	insuranceStatus	Status of the insurance. For example, active or expired.
Unit	unit	Lookup	NA	FinancialUnit	Specifies the unit for the amount. For example, thousands, millions, ot billions.
Value	insuranceValue	Double	NA	NA	Amount insured.

Key People field group of the Legal Entity business entity

The Key People field group stores information about the key executives in a legal entity. The key executives are important people in a legal entity. For example, the key executives include chief executive officer and chief financial officer of a legal entity.

The following table lists the fields that the Key People field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Designation	designation	Text	255	NA	Designation of the key executive.
Executive Type	executiveType	Lookup	NA	ExecutiveType	Executive type. For example, executive chairman, non-executive chairman, or chief executive officer.
Name	name	Text	255	NA	Name of the executive.

Phone field group of the Legal Entity business entity

The Phone field group stores the phone details of a legal entity.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	255	NA	Dialing prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Flag to indicate whether the phone number is the default number.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Flag to indicate whether a legal entity is willing to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	DateTime	NA	NA	Date until when the phone number was active or will be active.
Effective Start Date	effectiveStartDate	DateTime	NA	NA	Date from when the phone number is active.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Validation status of the phone number. For example, error, valid, or not validated.
ISO	iso	Text	2	NA	ISO country code.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	255	NA	The prefix that's used to select an international telephone circuit.
National Destination Code	nationalDestinationCode	Text	255	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Flag to indicate whether a country defines geographic area codes in the national numbering plan.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	Digit or a combination of digits to dial before an area or city code.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Number	phoneNumber	Text	255	NA	Phone number of the legal entity .
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, or fax.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, or home.
Prefix Number	prefixNumber	Text	255	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as publicly unavailable or the contact point is active.
Validation Message	validationMessage	Text	255	NA	Validation message that the phone number validation service returns.
Validation Status	validationStatusCode	Text	255	NA	Validation status code that the phone number validation service returns.

Sanctions field group of the Legal Entity business entity

The Sanctions field group stores the details of sanctions that are imposed on a legal entity.

The following table lists the fields that the Sanctions field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Start Date	X_infac360lei_effectiveStartDate	Date	NA	NA	The date from when the sanction is valid.
Expired End Date	X_infac360lei_effectiveEndDate	Date	NA	NA	The date when the sanction ends.
Explicitly Sanctioned	X_infac360lei_explicitlySanctioned	Boolean	NA	NA	Indicator to identify whether the legal entity is explicitly sanctioned.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Sanction Source	X_infac360lei_sanctionSource	Text	255	NA	The source that imposes a sanction on a legal entity.
Sanction Type	X_infac360lei_sanctionType	Text	255	NA	Type of sanction that is imposed on a legal entity. For example, full or sectoral.

Segment field group of the Legal Entity business entity

The Segment field group stores information about the segment of a legal entity. Segmentation can help marketers to design targeted campaigns.

The following table lists the fields that the Segment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	segmentType	Lookup	NA	SegmentType	Type of segment, such as income.
Segment Value	segmentValue	Lookup	NA	SegmentValue	Name of the category or segment. For example, if the segment type is age, then segment value can be 0-18 years.

Social Media field group of the Legal Entity business entity

The Social Media field group stores information about the social media identifiers of a legal entity.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Handle	socialMediaHandle	Text	255	NA	Social media contact details.
Social Media Type	socialHandleType	Lookup	NA	SocialHandleType	Type of social media contact details. For example, Facebook, Linkedin, or Pinterest.

Status field group of the Legal Entity business entity

The Status field group stores the statuses of a legal entity.

The following table lists the fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	X_infac360lei_effEndDate	DateTime	NA	NA	The expiry date of the status.
Effective Start Date	X_infac360lei_effStartDate	DateTime	NA	NA	Date from when the status is valid.
Status Reason	X_infac360lei_statusReason	Text	255	NA	Reason for the status.
Status Type	X_infac360lei_statusType	Lookup	NA	infac360in_OrgStatusType	Status type of a legal entity. For example, corroboration level or onboarding.
Status Value	X_infac360lei_statusValue	Lookup	NA	infac360in_OrgStatusValue	Status value of a legal entity. For example, active, inactive, or sanctioned.

Stock field group of the Legal Entity business entity

The Stock field group stores information about the stock exchanges where a legal entity trades.

The following table lists the fields that the Stock field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country in which the stock exchange is located.
Stock Exchange	stockExchangeName	Text	255	NA	Name of the stock exchange that trades the shares.
Ticker Symbol	tickerSymbol	Text	255	NA	Abbreviation used to identify the publicly traded shares of a legal entity.

Tax field group of the Legal Entity business entity

The Tax field group stores the tax-related information of a legal entity, such as tax name and tax type.

The following table lists the fields that the Tax field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the tax period.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the tax period.
State	state	Lookup	NA	State	State within the country of taxation. Legal Entity 360 for Banking supports only states in the United States.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Tax Number	taxNumber	Text	50	NA	A unique number that identifies a legal entity for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of the tax number. The type can be Individual Taxpayer Identification Number (ITIN), (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).
Tax Paid	taxPaid	Text	50	NA	Tax amount that a legal entity has paid.
Taxpayer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of taxpayer. For example, company, partnership, or trust.

Person business entity model

Person business entity stores information about a person. This business entity contains some basic fields and some field groups.

General fields of the Person business entity

The general fields store basic information about a person, such as full name and birth date.

The following table lists the general fields that the Person business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Birth Date	birthDate	Date	NA	NA	Date of birth of a person.
Birth Place	birthPlace	Text	255	NA	Place of birth of a person.
Designation	designation	Text	255	NA	Designation or position of a person.
First Name	firstName	Text	255	NA	First name of a person.
Full Name	fullName	Text	255	NA	Full name of a person.
Gender	gender	Lookup	NA	Gender	Gender of a person. For example, female, male, or unknown.
Image	imageUrl	Text	255	NA	URL of the image for a person.
Last Name	lastName	Text	255	NA	Last name of a person.
Marital Status	maritalStatus	Lookup	NA	MaritalStatus	Marital status of a person. For example, single, married, or divorced.
Middle Name	middleName	Text	255	NA	Middle name of a person.
Prefix Name	prefixName	Lookup	NA	PrefixName	Prefix for the name of a person. For example, Dr, Mr, or Mrs.
Suffix Name	suffixName	Lookup	NA	SuffixName	Suffix name of a person. For example, Sr, Jr, II, or III.
Title	title	Text	255	NA	Business title of a person.

Address field group of the Person business entity

The Address field group stores the address details of a person.

The following table lists the fields that the Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active, current, old address, or changed.
Address Type	addressType	Lookup	NA	AddressType	Type of address. For example, organization, high-rise building, or home.
City	city	Text	50	NA	City of the postal address.
Coordinate System	coordinateSystem	Text	100	NA	A coordinate system that's used to determine the location of the address.
Country	country	Lookup	NA	Country	Country code of the postal address. For example, Australia or the United States.
County	county	Text	50	NA	County of the postal address.
Default Indicator	defaultIndicator	Boolean	NA	NA	Flag to indicate whether the address is the default address.
End Date	effectiveEndDate	Date Time	NA	NA	The expiry date of the address.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Location Coordinate Description	locationCoordinateDesc	Text	50	NA	Location of the address using the geocode coordinates system.
Longitude	longitude	Text	20	NA	Longitude of the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Start Date	effectiveStartDate	Date Time	NA	NA	Date from when the address is active.
State	state	Lookup	NA	State	State of the postal address. For example, if the country is the United States, the state can be California or Florida. Legal Entity 360 for Banking supports only states in the United States.
Usage Type	usageType	Lookup	NA	AddressUsageType	Classification of the address based on usage. For example, business or personal.

Alternate Names field group of the Person business entity

The Alternate Names field group stores the details of alternate name of a person.

The following table lists the fields that the Alternate Names field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	name	Text	255	NA	An alternative name of a person.
Alternate Name Type	nameType	Lookup	NA	AlternateNameType	Type of alternate name. For example, alias, maiden name, or married name.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the alternate name.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the alternate name is valid.
Language	X_infac360lei_language	Lookup	NA	Language	Language in which a person has proficiency.

Citizenship field group of the Person business entity

The Citizenship field group stores the details of citizenship of a person, such as country and status of citizenship.

The following table describes the fields of the Citizenship field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Citizen of Country	citizenOfCountry	Lookup	NA	Country	Country to which a person belongs.
Citizenship Status	citizenshipStatus	Text	255	NA	Status of the citizenship.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of citizenship.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the citizenship is valid.
Supporting Document Name	supportingDocumentName	Text	255	NA	Name of the supporting document that proves the citizenship.

Demographics field group of the Person business entity

The Demographics field group stores the demographic details of a person.

The following table describes the fields of the Demographics field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Demographic Type	demographicType	Lookup	NA	DemographicType	Type of demographic factors. For example, ethnicity, income level, age, and profession.
Demographic Value	demographicValue	Lookup	NA	DemographicValue	Demographic values for a demographic type. For example, if ethnicity is a demographic type, then Hispanic and Asian are demographic values.

Document field group of the Person business entity

The Document field group stores the document details of a person.

The following table describes the fields of the Document field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Link	documentLink	Text	255	NA	URL to access the document.
Document Name	documentName	Text	255	NA	Name of the document.
Document Type	documentType	Lookup	NA	DocumentType	Type of the document. For example, application form, claim form, or policy.
File Name	fileName	Text	255	NA	Physical name of the file.
Valid From	validFrom	Date	NA	NA	Date from when the document becomes valid.
Valid To	validTo	Date	NA	NA	Date until when the document is valid.

Education field group of the Person business entity

The Education field group stores the education details of a person. The education details can include the name of the institution where a person graduated, address of the institution, and year of passing.

The following table lists the fields that the Education field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	255	NA	Line 1 of the address of the educational institution.
Address Line 2	addressLine2	Text	255	NA	Line 2 of the address of the educational institution.
City	city	Text	255	NA	City in which the institution is located.
Country	country	Lookup	NA	Country	Country in which the institution is located.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the qualification.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the qualification.
Institution Name	institutionName	Text	255	NA	Name of the institution.
Qualification Name	qualificationName	Text	255	NA	Name of the qualification.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Qualification Status	qualificationStatus	Lookup	NA	QualificationStatus	Status of the qualification.
Qualification Type	qualificationType	Lookup	NA	QualificationType	Type of qualification, such as illiterate, certification, diploma, bachelor, master, or doctoral.
Postal Code	postalCode	Text	255	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	255	NA	Postal code extension of the address.
State	state	Lookup	NA	State	State in which the institution is located. Legal Entity 360 for Banking supports only states in the United States.
Student Number	studentNumber	Text	255	NA	Student number in the institution.

Email field group of the Person business entity

The Email field group stores information about the electronic addresses, such as email addresses and the hygiene status of the electronic address.

The following table lists the fields that the Email field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicator to identify whether the electronic address is primary or default.
Electronic Address	electronicAddress	Text	255	NA	Actual electronic address of a person.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date for the electronic address.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date for the electronic address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the electronic address. For example, active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Validation status of the electronic address. For example, error, valid, or not validated.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or former trap.
Net Protect Code	netProtectCode	Text	50	NA	Code to identify the service or appliance that monitors a given network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Intended use of the communication preference that a person shared. For example, business or personal.
Validation Message	validateMessage	Text	50	NA	The message that the electronic address validation service generates to indicate how valid and trusted the electronic address is.
Validation Status	validationStatusCode	Text	50	NA	Validation status code that the email address validation service returns.

Employment field group of the Person business entity

The Employment field group stores the employment details of a person.

The following table lists the additional fields that the Employment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Designation	designation	Text	255	NA	Designation of a person.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of employment.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of employment.
Employer Name	employerName	Text	255	NA	Name of the employer.
Employment Status	employmentStatus	Lookup	NA	EmploymentStatus	Status of employment, such as active, inactive, or resigned.
Employment Type	employmentType	Lookup	NA	EmploymentType	Type of employment, such as fixed term, contract, or self-employed.
Line of Business	lineOfBusiness	Text	255	NA	Line of business, such as retail or mortgage.
Location	location	Text	255	NA	Location of the employer.

Financial field group of the Person business entity

The Financial field group stores financial information of a person.

The following table describes the fields of the Financial field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	20	NA	Total value of the physical assets that a person owns.
Currency	currency	Lookup	NA	Currency	Currency used for transactions. For example, United States dollar or United Kingdom pound.
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, total asset or annual income.
Finance Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data, if the data is actual or an estimate.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Time Period	timePeriod	Text	255	NA	Finance period for which the data is collected.
Time Period Type	financeTimePeriodType	Lookup	NA	TimePeriodType	Type of the finance period. For example, quarterly or annual.
Unit	financialUnit	Lookup	NA	FinancialUnit	Unit for the amount. For example, thousand, million, or billion.

Identifier field group of the Person business entity

The Identifier field group stores the alternate identifier details of a person. Alternate identifiers are known identifiers that uniquely identify a person.

The following table lists the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Identifier Type	alternateIdentifierType	Lookup	NA	AlternateIdType	Type of alternate identifier. For example, passport number or social security number.
Alternate Identifier Value	alternateIdentifierValue	Text	50	NA	Value of alternate identifier, such as driver's license number or passport number. Reason for the deactivation of the identifier.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the identifier.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Issued date of the identifier.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority that has issued the identifier to a person. For example, government agency or vehicle.
Status	identifierStatus	Lookup	NA	IdentifierStatus	Code to indicate the status of the alternate identifier. For example, effective, disqualified, expired, or temporary.

Insurance field group of the Person business entity

The Insurance field group stores the insurance details of a person, such as name of the insurance provider and policy number.

The following table describes the fields of the Insurance field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	currency	Lookup	NA	Currency	Currency for the premium payment and claim settlement.
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the insurance.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date of the insurance.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Insurance Provider	insuranceProvider	Text	255	NA	Company that provides the insurance.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is travel, the subtype might be platinum travel.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	Type of the insurance, such as life, health, or travel.
Policy Number	insurancePolicyNumber	Text	100	NA	Insurance policy number.
Insurance Status	insuranceStatus	Text	255	insuranceStatus	Status of the insurance. For example, active or expired.
Unit	unit	Lookup	NA	FinancialUnit	Specifies the unit for the amount. For example, thousands, millions, ot billions.
Insurance Value	insuranceValue	Double	NA	NA	Amount insured.

Lifestyle field group of the Person business entity

The Lifestyle field group stores the details of the lifestyle of a person.

The following table describes the fields of the Lifestyle field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Lifestyle Type	lifestyleType	Lookup	NA	LifestyleType	Type of lifestyle. For example, alcohol consumption or tobacco consumption.
Lifestyle Value	lifestyleValue	Text	255	NA	Frequency of a lifestyle. For example, frequent, moderate, or never.

Loyalty field group of the Person business entity

The Loyalty field group stores the loyalty account details of a person.

The following table describes the fields of the Loyalty field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Number	AccountNumber	Text	255	NA	Loyalty account number.
Account Status	accountStatus	Lookup	NA	LoyaltyAccountStatus	Status of the account. For example, active or inactive.
Account Type	accountType	Lookup	NA	LoyaltyAccountType	Type of loyalty accounts. For example, silver, gold, or platinum.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the loyalty account.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the loyalty account.
Redemption Preferences	redemptionPreferences	Lookup	NA	RedemptionPreferences	Preference for the redemption of loyalty points. For example, cash back or credit.

Phone field group of the Person business entity

The Phone field group stores the phone details of a person.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	255	NA	Dialing prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Flag to indicate whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Flag to indicate whether a legal entity is willing to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	DateTime	NA	NA	Date until when the phone number was active or will be active.
Effective Start Date	effectiveStartDate	DateTime	NA	NA	Date from when the phone number is active.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Validation status of the phone number. For example, error, valid, or not validated.
ISO	iso	Text	2	NA	ISO country code.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	255	NA	The prefix that's used to select an international telephone circuit.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
National Destination Code	nationalDestinationCode	Text	255	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Flag to indicate whether a country defines geographic area codes in the national numbering plan.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	Digit or a combination of digits to dial before an area or city code.
Phone Number	phoneNumber	Text	255	NA	Phone number of the legal entity .
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, or fax.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, or home.
Prefix Number	prefixNumber	Text	255	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as publicly unavailable or the contact point is active.
Validation Message	validationMessage	Text	255	NA	Validation message that the phone number validation service returns.
Validation Status	validationStatusCode	Text	255	NA	Validation status code that the phone number validation service returns.

Segment field group of the Person business entity

The Segment field group stores information about the segment of a person. Segmentation can help marketers to design targeted campaigns.

The following table describes the fields of the Segment field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	segmentType	Lookup	NA	SegmentType	Type of segment, such as income.
Segment Value	segmentValue	Lookup	NA	SegmentValue	Name of the category or segment. For example, lower middle class, upper high class, and upper middle class.

Specialization field group of the Person business entity

The Specialization field group stores information about the specialities or specializations of a person.

The following table describes the fields of the Specialization field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Specialty Type	specialtyType	Lookup	NA	SpecialityType	Specialty type. For example, construction, educational services, and finance and insurance.
Specialty	speciality	Text	255	NA	Name of specialty.
Board Certification Flag	boardCertificationFlag	Boolean	NA	NA	Indicates whether the board certification is active or not.

Social Media field group of the Person business entity

The Social Media field group stores information about the social media identifiers of a person.

The following table describes the fields of the Social Media field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Handle	socialMediaValue	Text	255	NA	Social media contact details.
Social Media Type	socialHandleType	Lookup	NA	SocialHandleType	Type of social media contact details. For example, Facebook, Linkedin, or Pinterest.

Status field group of the Person business entity

The Status field group stores the statuses of a person. A status can be registered, approved, submitted, rejected, active, or inactive.

The following table describes the fields of the Status field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status Type	statusType	Lookup	NA	PersonStatusType	Status type of a person, such as onboarding or primary status.
Status Value	statusValue	Lookup	NA	PersonStatusValue	Status value of a person, such as active, accepted, or rejected.

Tax Details field group of the Person business entity

The Tax Details field group stores tax-related information of a person, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the fields that the Tax Details field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the tax period.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the tax period.
State	state	Lookup	NA	State	State within the country of the taxation. Legal Entity 360 for Banking supports only states in the United States.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Tax Number	taxNumber	Text Field	255	NA	Unique number that identifies a person for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of the tax number. Tax number can be Individual Taxpayer Identification Number (ITIN), Employer Identification Number (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Taxpayer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of tax payer. For example, individual, company, partnership, or trust.
Tax Paid	taxPaid	Text Field	255	NA	Tax amount that a person has paid.

Predefined assets for real-time data processing

Legal Entity 360 for Banking includes predefined assets to enrich records in real time.

The following table lists the predefined assets that the extension includes:

Asset Name	Asset Type	Description
infac360lei_proc_gleifSearch	Process	Synchronizes GLEIF records with the Legal Entity business entity in real time.
infac360lei_srvconn_gleifSearch	Service Connector	Service connector that connects to GLEIF API.
infac360lei-appconn-gleifSearch	App Connection	App connection that defines the actions to use with the infac360lei_srvconn_gleifSearch service connector.

Field mapping

Legal Entity 360 for Banking includes the Cloud Data Integration mappings that map the fields of Customer 360 and GLEIF. Based on the mappings, the legal entity data from GLEIF is enriched and stored in Customer 360.

Mapping the Legal Entity business entity and GLEIF record fields

The fields from Global Legal Entity Identifier Foundation (GLEIF) are mapped to the Customer 360 Legal Entity business entity for data integration. You can map multiple GLEIF fields to a Customer 360 field. For example, GLEIF fields, such as BIC, SPGLOBAL, and LEI, are mapped to Identifier Type field of Customer 360.

General fields of the Legal Entity business entity

The following table lists the general fields of the Legal Entity business entity that are mapped to the GLEIF fields:

Customer 360 Display Name	Customer 360 Internal ID	GLEIF API Response Field Name
Entity Creation Date	X_infac360lei_entityCreationDate	creationDate
Legal Entity Sub Type	X_infac360lei_subType	subCategory
Legal Entity Type	X_infac360lei_type	category
Legal Form	X_infac360lei_legalForm	legalForm/id
Legal Jurisdiction	X_infac360lei_legalJurisdiction	jurisdiction
Legal Name	name	legalName/name
Registration Authority	X_infac360lei_registrationAuthority	registeredAt/id
Registration Number	X_infac360lei_registrationNumber	registeredAs/id

Address field group of the Legal Entity business entity

The following table lists the Address field group fields that are mapped to the GLEIF fields:

Customer 360 Display Name	Customer 360 Internal ID	GLEIF API Response Field Name
Address Line 1	addressLine1	- legalAddress/addressLines - headquartersAddress/addressLines - Other/addressLines
Address Line 2	addressLine2	- legalAddress/addressLines - headquartersAddress/addressLines
Address Line 3	addressLine3	- legalAddress/addressLines - headquartersAddress/addressLines
Address Type	addressType	headquarters/legal/Other
City	city	- legalAddress/city - headquartersAddress/city
Country	country	- legalAddress/country - headquartersAddress/country

Customer 360 Display Name	Customer 360 Internal ID	GLEIF API Response Field Name
Postal Code	postalCode	- legalAddress/ postalCode - headquartersAddress/ postalCode
State	state	- legalAddress/region - headquartersAddress/ region

Alternate Names field group of the Legal Entity business entity

The following table lists the Alternate Names field group fields that are mapped to the GLEIF fields:

Customer 360 Display Name	Customer 360 Internal ID	GLEIF API Response Field Name
Language code	Language	- otherNames/language - transliteratedOtherNames/language
Name	name	- otherNames/type - transliteratedOtherNames/type
Name Type	nameType	- otherNames/type - transliteratedOtherNames/type

Identifier field group of the Legal Entity business entity

The following table lists the Identifier field group fields that are mapped to the GLEIF fields:

Customer 360 Display Name	Customer 360 Internal ID	GLEIF API Response Field Name
Language Code	Language	- otherNames/language - transliteratedOtherNames/language
Name	name	- otherNames/name - transliteratedOtherNames/name
Name Type	nameType	- otherNames/type - transliteratedOtherNames/type

Status field group of the Legal Entity business entity


The following table lists the Status field group fields that are mapped to the GLEIF fields:

Customer 360 Display Name	Customer 360 Internal ID	GLEIF API Response Field Name
StatusType	StatusType	Onboarding/ Corroboration Level
StatusValue	StatusValue	status/registration/ corroborationLevel

Relationships

You can use the predefined relationships between the predefined business entities that are included in the Legal Entity 360 for Banking extension.

The following image shows the predefined relationship types between the business entities and the direction of the relationships:



The following table describes the relationship types for the Legal Entity 360 for Banking extension:

Relationship Name	Internal ID	Business Entity 1	Business Entity 2	Direction	Relationship Attribute Name
Associated	infac360lei_rel_associated	Legal Entity	Legal Entity	Legal Entity→ Legal Entity	NA
Auditor	infac360lei_rel_auditor	Legal Entity	Legal Entity	Legal Entity→ Legal Entity	NA

Relationship Name	Internal ID	Business Entity 1	Business Entity 2	Direction	Relationship Attribute Name
Creditor	infac360lei_rel_creditor	Legal Entity	Legal Entity	Legal Entity→ Legal Entity	NA
Headquarters	infac360lei_rel_headquarter	Legal Entity	Legal Entity	Legal Entity→ Legal Entity	NA
Investor	infac360lei_rel_investor	Legal Entity	Legal Entity	Legal Entity→ Legal Entity	NA
Key Person	infac360lei_rel_keyperson	Person	Legal Entity	Person → Legal Entity	- Role - Designation
Successor	infac360lei_rel_successor	Legal Entity	Legal Entity	Legal Entity→ Legal Entity	NA

Hierarchy relationships of the Legal Entity business entity

Use the Legal Entity business entity hierarchy to define hierarchical relationships between the Legal Entity business entity records in Customer 360.

The following table describes the hierarchical relationships types for the Legal Entity 360 for Banking extension:

Relationship Name	Internal ID	Business Entity 1	Business Entity 2	Direction	Relationship Attribute Name
Ultimate Parent	c360_organization_to_c360_organization_1672733315	Legal Entity	Legal Entity	Legal Entity → Legal Entity	- Direct Ownership Indicator - Ownership Description - Ownership Percent - Ownership Qualifier
Parent	c360_organization_to_c360_organization_1672733106	Legal Entity	Legal Entity	Legal Entity → Legal Entity	- Direct Ownership Indicator - Ownership Description - Ownership Percent - Ownership Qualifier

Match Model

The match model determines how your data is matched. You can use the predefined match model to identify and resolve duplicate records.

The Legal Entity 360 for Banking extension uses the `Baseline Match Model for organization Deduplication` predefined match model to match and merge duplicate Legal Entity business entity records.

The following table describes the match model properties:

Declarative Rule Rank	Match Objective	Match Strategy	Match Fields	Description
1	Resolve Duplicates	Exact	Exact match fields: - AlternateIdentifier.idType - AlternateIdentifier.idType Fuzzy match fields: - Organization_Name	Strongly similar legal entity name with exactly matching identifier.
2	Resolve Duplicates	Fuzzy	Exact match fields: - PostalAddress.country - TaxDetail.taxNumberType - TaxDetail.taxNumber Fuzzy match fields: - Address_Part1 - Organization_Name	Strongly similar legal entity name and address with exactly matching tax number details.
3	Resolve Duplicates	Fuzzy	Exact match fields: - PostalAddress.country - PostalAddress.state Fuzzy match fields: - Address_Part1 - Organization_Name	Similar legal entity name and address.

Declarative Rule Rank	Match Objective	Match Strategy	Match Fields	Description
4	Resolve Duplicates	Fuzzy	Exact match fields: - PostalAddress.country - PhoneCommunication.phoneType - PhoneCommunication.phoneNumber Fuzzy match fields: - Address_Part1 - Organization_Name	Similar legal entity name and address with exactly matching phone number.
5	Resolve Duplicates	Fuzzy	Exact match fields: - PostalAddress.country - AlternateName.nameType - AlternateName.name Fuzzy match fields: - Organization_Name	Similar legal entity name and similar address with exactly matching alternate name.

Data quality assets

You can associate data quality rules with the Legal Entity business entity fields to cleanse, standardize, and validate the field values. When you import the source records, the rule associations validate and transform the records in Customer 360.

Note: The predefined data quality rules are disabled for the Legal Entity business entity.

The following table lists the advanced rule associations for the Legal Entity business entity:

Rule Association Name	Rule Specification Name	Applied Field	Description
DUNSSSNValidation_AlternateIdentifier	DUNS SSN Validation	Identifier.Identifier Value	Validates whether a DUNS or social security number has a valid format.
Identifier Check	IdentifierCheck	Identifier.Identifier Value	Validates whether the identifier value has a valid format.

Legal Entity 360 for Banking includes rule logic for identifier types, such as LEI, BIC, IBAN, FDIC Certificate ID, and RSSD ID. Based on the identifier type, you can apply the rule logic. The rule logic validates whether the identifier value has a valid format.

Rule specification assets

A rule specification is a data quality asset that represents the data requirements of a business rule in logical form. Legal Entity 360 for Banking uses rule specifications to define the conditions that the input data must satisfy. Also, the rule specifications define the actions to take when input values satisfy the conditions.

Rule sets define the logical flow of data through the rule specification. A rule set contains rule statements. A rule statement reads a column of input data and verifies that the input data meets the conditions that you specify. Rule logic displays the rule statements in the rule set.

Legal Entity 360 for Banking includes rule statements to define the conditions and operations that a rule specification applies to input data. Based on the identifier type, the rule statement validates the format of the input data. An action generates an output value when the conditions in the rule statement validate an input value. If the input string conforms to the condition, the rule returns the input value, else the rule returns "INVALID".

To generate an output, Legal Entity 360 for Banking uses rule logic and regular expressions to input values.

The following table lists the rule logic and their regular expression descriptions:

Rule Logic	Description
LEI IdentifierType	Validates the format of a Legal Entity Identifier (LEI) number. The rule validates the values based on the following conditions: - Length of the input is 20. - First four characters are numeric. - Characters 5 and 6 are numeric. - Characters 7 to18 are alphanumeric. - Characters 19 and 20 are numeric.
BIC IdentifierType	Validates the format of a Business Identifier Code (BIC) number. The rule validates the values based on the following conditions: - Length of the input is 14. - First four characters are alphabets. - Character 5 is a hyphen. - Characters 6 and 7 are alphabets. - Character 8 is a hyphen. - Characters 9 and 10 are alphanumeric. - Character 11 is a hyphen. - Characters 12, 13, and 14 are alphanumeric.
IBAN IdentifierType	Validates the format of a International Bank Account Number (IBAN). The rule validates the values based on the following conditions: - Length of the input is less than or equal to 34. - First 2 characters are alphabets. - Characters 3 and 4 are numeric. - Characters 5 to 34 are alphanumeric.
FDIC Certificate ID IdentifierType	Validates the format of a Federal Deposit Insurance Corporation (FDIC) Certificate ID. The rule returns validates the values based on the following conditions: - Length of the input is less than or equal to 20. - Characters are numeric.
RSSD ID IdentifierType	Validates the format of a Research, Statistics, Supervision and Regulation, and Discount and Credit Database (RSSD) ID. The rule validates the values based on the following conditions: - Length of the input is less than or equal to 10. - Characters are numeric.

CHAPTER 4

Deploying Legal Entity 360 for Banking on Customer 360

Before you deploy Legal Entity 360 for Banking, ensure that you have the Integration Components for Business 360 and Customer 360 SaaS Edition licenses.

To deploy Legal Entity 360 for Banking on Customer 360, perform the following tasks:

1. Download and extract the extension package.
2. Import the data model, the predefined custom pages, and the source systems.
3. Import the assets to enrich the legal entity records.
4. Import reference data code values into reference data assets.
5. Configure the Cloud Application Integration URN mappings.

Note: To import the data model, pages, source system, enrichment assets, and reference data assets, ensure that you belong to the MDM Designer and Designer user roles. Ensure that you don't have the Admin user role.

Downloading and extracting the Legal Entity 360 for Banking package

To get the Legal Entity 360 for Banking package, contact Informatica Global Customer Support.

After you download the Legal Entity 360 for Banking package, extract the package on your computer. The package contains the additional data model attributes, relationships, and predefined custom pages for Customer 360.

The extracted package contains the following files and folders:

File or Folder Name	Description
`1_MDM_Assets.zip`	Contains the following assets: - Additional data model attributes to store Legal Entity records. - Relationships. - Source system for GLEIF. - Predefined custom pages for Customer 360.
`2_Enrichment_Assets.zip`	Contains the following assets to enrich the legal entity records: - Cloud Application Integration process - Service connector - App connection
`Reference Data`	Contains files that store code lists and values that business entity attributes require.

Importing the Legal Entity 360 for Banking assets

After you extract the extension package, import the Legal Entity 360 for Banking assets into Customer 360. Import the data model attributes, reference data assets, source system, predefined custom pages, and the assets to enrich the legal entity records. During the import, the Legal Entity 360 for Banking assets overwrite the existing Customer 360 assets and your customization.

Before you customize the Customer 360 data model, ensure that you import the extension assets.

Note: Before importing the data model, pages, and reference data assets, ensure that you are assigned to the Designer, MDM Designer, Reference 360 User, and Reference 360 Business Steward user roles, and not to the Admin user role.

Importing the data model, pages, and source systems

Import the data model changes related to the industry 360 application, the predefined pages, search result layouts, reports, and the source system.

Before you customize the Customer 360 SaaS data model, ensure that you import the extension assets.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/1_MDM_Assets.zip`
3. Click **Open**.
4. On the **Import Assets** page, ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing assets to enrich the legal entity records

After you import the MDM assets, import the assets to enrich the legal entity records.

1. In Business 360 Console, click **Explore** > **Import**.
2. On the **Import Assets** page, navigate to the following file:

   `<Extracted extension package>/2_Enrichment_Assets.zip`

3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Click **Import**.
5. On the **My Import/Export Logs** page, verify that the import job is successful.

Publishing the Cloud Application Integration assets

After you import the assets to enrich the legal entity records, publish the Cloud Application Integration assets.

1. In Application Integration, click **Explore** > **Customer360** > **Legal Entity**.
2. To publish an asset, click the asset, expand the **Actions** menu, and select **Publish**.

   Publish the assets in the following order:

   1. infac360lei_srvconn_gleifSearch
   2. infac360lei-appconn-gleifSearch
   3. infac360lei_proc_gleifSearch

Importing reference data assets

After you import MDM assets and enrichment assets, import reference data code values in bulk from CSV files into reference data assets.

The following table describes the files and folders in the extracted reference data directory:

File or Folder Name	Description
`_1`	Folder that contains the parent lookup code values.
`_2`	Folder that contains the child lookup code values.
`LoadReferenceData.py`	Python script to import reference data.

To import code values in bulk from CSV files that are available in the extracted reference data directory, run the LoadReferenceData.py Python script.

Prerequisites

Before you import reference data into your system, ensure that you meet the prerequisites.

Complete the following prerequisite tasks:

- Ensure that you have permission to import reference data.
- Install Python version 3 or later on your machine.
- To verify whether the cURL library files are pre-installed and to check the cURL library version, run the following command from a command prompt:

  ```
  curl --version
  ```

  Note: If cURL isn't available in your operating system, ensure that you install it. You can download the cURL library for your operating system from the cURL website:

  ```
  http://curl.haxx.se/download.html
  ```

Importing the reference data

To import all the reference data in bulk, run the Python script.

1. Open a command prompt, and navigate to the following directory:

   ```
   <Extracted extension package>/Reference Data
   ```

2. Run the following command:

   - On Windows.

     ```
     python LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --
     userName <user name> --password <password> --region <POD region>
     ```

   - On Linux.

     ```
     python3 LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --
     userName <user name> --password <password> --region <POD region>
     ```

   The jobs to import reference data code values run.

3. To monitor the status of a job, click **My Jobs** in Reference 360.

   The My Jobs page lists the job instances that are currently running, failed, and successfully completed.

Configuring the Cloud Application Integration URN mappings

When you use the United States as the country lookup reference entity, map a URN to a URL.

1. In Application Integration Console, click **Deployed Assets**, and select **Cloud**.
2. Click the **URN Mappings** tab.
3. To create URN mappings, use the following values:

URN Mapping Objects	Value
URN	Iso3States
URL	ARK:AR,COT:CT,GEO:GA,MIN:MN,ORE:OR,TE:TN

For more information, see URN mappingsURN mappings.

INDEX

I

Informatica Global Customer Support
  contact information 6
Informatica Intelligent Data Management Cloud
  web site 5

M

maintenance outages 6

S

status
  IDMC 6
  system status 6

T

trust site
  description 6

U

upgrade notifications 6

W

web site 5