Informatica® MDM SaaS
April 2026

Location 360

Informatica MDM SaaS Location 360
April 2026

© Copyright Informatica LLC 2023, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-04-11

Table of Contents

Preface. . . . 4
Informatica Resources. . . . 4
Informatica Documentation. . . . 4
IDMC web site. . . . 4
Intelligent Data Management Cloud Communities. . . . 4
IDMC Marketplace. . . . 4
Informatica Knowledge Base. . . . 4
IDMC Trust Center. . . . 5
Informatica Global Customer Support. . . . 5

Chapter 1: Introducing Location 360. . . . 6

Guidelines for importing assets. . . . 6
Guidelines for migrating assets. . . . 7
Prerequisites to deploy the extension. . . . 7

Chapter 2: Location 360 assets. . . . 8

Data model attributes. . . . 8
Location business entity model. . . . 8
Predefined pages. . . . 18
Search result layout components. . . . 19
Data quality rules. . . . 20

Chapter 3: Deploying Location 360. . . . 22

Downloading and extracting the Location 360 package. . . . 22
Importing data model, pages, and source systems. . . . 23
Adding predefined pages and components. . . . 23
Importing reference data assets. . . . 24
Prerequisites. . . . 24
Importing the reference data. . . . 24

Index. . . . 26

Preface

Follow the instructions in *Location 360* to deploy the Location 360 extension.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the IDMC Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Data Management Cloud Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all IDMC components. Subscribing to all components is the best way to be certain you never miss an update.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introducing Location 360

An industry 360 application is a ready-to-use package that you can use as a template for implementing MDM SaaS. With an industry 360 application, you can customize solutions to meet specific requirements and business initiatives of your industry. Use an industry 360 application to reduce implementation time, enhance data quality, and achieve faster business outcomes.

Location is a physical or virtual site managed by an organization or an individual to perform business operations or services. For example, a medical ward in a hospital where a practitioner performs a procedure, or a wing of a specific floor in an office where a network router is installed.

You can use Location 360 to master location data. Use Location 360 to track objects, other entities, and assets associated with specific locations.

For example, you can track and analyze the following data for a manufacturing location to make effective business decisions:

- Utilities in a manufacturing location, such as equipment and storage.
- Entities, such as customers and suppliers.
- Assets associated with a manufacturing location, such as real estate.

You can use the data to make effective decisions, such as effective marketing campaigns, improve sales opportunities, and recognize accurate revenue.

Guidelines for importing assets

Consider the following guidelines before you import the industry 360 application assets:

- Set up the prerequisite MDM SaaS business application.
- Import the industry 360 application assets before you customize the business entities. You can safely import multiple industry 360 application assets that use different business entities and in different MDM SaaS business applications. When you import the assets in an environment that already has an industry 360 application with the same business entities, the import fails.
- After you import the assets, consider them as your custom assets.
- Once you deploy an industry 360 application, upgrading to a newer version of the industry 360 application isn't supported.

Guidelines for migrating assets

Consider the following guidelines before you migrate the industry 360 application assets to another environment:

- To migrate the industry 360 application assets to higher environments, such as QA and production, export the assets from the development environment. Then, import them into the QA and production environments. For more information about migrating assets, see *Migrating projects and assets*.
- Don't import the industry 360 application assets again into a higher environment.

Prerequisites to deploy the extension

Before you deploy Location 360, perform the following prerequisites:

- Ensure that you have the license for the Integration Components for Business 360 and MDM SaaS Edition.

  Ensure that you have the licenses required to manage connections, external data, and service rights.

  Note: The use of the extension doesn't confer any additional license or entitlement to license consumption beyond the terms specified in the applicable licensing agreements.
- Ensure that the version of the package matches the current MDM SaaS version where you import the extension assets.
  To view the MDM SaaS version, in Business 360 Console, click **About** in the IDMC Help menu and verify the build version.

  To view the MDM version of the extension, navigate to the readme text file in the extracted extension package and verify the platform version.

  If the version of the extension bundle doesn't match the current MDM SaaS version, contact Informatica Global Customer Support to use the current version of the extension.

CHAPTER 2

Location 360 assets

Location 360 is available as a package for installation on request.

The package includes the following predefined assets:

- Business entities
- Pages
- Reference data assets
- Search result layout components

Data model attributes

Location 360 includes fields and reference data for the Supplier business entity.

Location business entity model

The Location business entity stores information about locations. This business entity contains basic fields and field groups.

General fields of the Location business entity

The general fields store basic information about a location, such as location type and ownership type.

The following table describes the general fields of the Location business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Name	X_infa360loc_name	Text	255	NA	Name of a location.
Location Type	X_infa360loc_locationType	Lookup	NA	infa360loc_LocationType	Type of location, such as a factory, hospital, or office.
Location Form	X_infa360loc_locationForm	Lookup	NA	infa360loc_LocationForm	Form of a location, such as building, jurisdiction, or virtual.
Ownership Type	X_infa360loc_ownershipType	Lookup	NA	infa360loc_OwnershipType	Type of ownership of the location, such as leased or owned.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Opening Date	X_infa360loc_openDate	Date and Time	NA	NA	Date since when the location is open.
Closing Date	X_infa360loc_closeDate	Date and Time	NA	NA	Date until when the location is open.
Short Description	X_infa360loc_shortDescription	Text	255	NA	Brief description of a location.
Long Description	X_infa360loc_longDescription	Text	255	NA	Detailed description of a location.
Standard Time Zone	X_infa360loc_standardTimeZone	Lookup	NA	infa360loc_StandardTimeZone	Standard time zone of a location based on the IANA (Internet Assigned Numbers Authority)time zone database.
URL	X_infac360loc_url	Text	255	NA	URL to identify the network address of a location, such as website, blog, Facebook or Skype.

Alternate Names field group of the Location business entity

The Alternate Names field group stores the information related to alternative names, such as an alternative name, effective start date, and effective end date. A supplier might use alternative names, such as a legal name, alias, and trading name. An alternative name might be active during a particular time.

The following table describes the fields of the Alternate Names field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	X_infa360loc_alternateName	Text	255	NA	Alternative name of the location.
Effective End Date	X_infa360loc_effectiveEndDate	Date	NA	NA	Date until when the alternative name is active.
Effective Start Date	X_infa360loc_effectiveStartDate	Date	NA	NA	Date from when the alternative name is active.
Name Type	X_infa360loc_nameType	Lookup	NA	infa360loc_NameType	Alternative name type of the location, such as alias.

Email Address field group of the Location business entity

The Email Address field group stores information about electronic addresses, such as email address and status of the email address.

The following table describes the fields of the Email Address field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Effective End Date	effectiveEndDate	Date and Time	NA	NA	Date until when the electronic address is active.
Effective Start Date	effectiveStartDate	Date and Time	NA	NA	Date from when the electronic address is active.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of the supplier organization.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address, such as active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the email verification service verified the electronic address.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status of the electronic address, such as safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	50	NA	Code that identifies the service or appliance that's monitoring a specific network to filter or detect spam emails.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Intended use or purpose of the electronic address, such as business, work, or personal.
Verification Status Code	validationStatusCode	Text	50	NA	Validation status of the electronic address.
Verification Message	validationMessage	Text	50	NA	Message that the email validation service generates to indicate how valid and trusted the address is.

Geo Location field group of the Location business entity

The Geo Location field group stores the geographic details of a location, such as the type of location and location coordinates.

The following table describes the fields of the Geo Location field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Type	X_infa360loc_type	Lookup	NA	infa360loc_GeoLocType	Type of geographic location, such as point, line string, or polygon.
Coordinates	X_infa360loc_coordinates	Nested field group	NA	NA	Coordinates of a geographic location.

Coordinates field group of the Location business entity

The Coordinates field group stores the details of the coordinates of a geographic location. This field group is nested within the Geo Location field group.

The following table describes the fields of the Coordinates nested field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Positions	X_infa360loc_positions	Nested field group	NA	NA	Position of the coordinates of a location.

Positions field group of the Location business entity

The Positions field group stores the position of the coordinates of a location. This field group is nested within the Coordinates field group.

The following table describes the fields of the Positions nested field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Latitude	X_infa360loc_latitude	Text	255	NA	Latitude of the location.
Longitude	X_infa360loc_longitude	Text	255	NA	Longitude of the location.

Identifier field group of the Location business entity

The Identifier field group stores the identifier information of a location, such as identifier type and identifier issuer.

The following table describes the fields of the Identifier field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	X_infa360loc_effectiveEndDate	DateTime	NA	NA	Expiry date of the identifier.
Effective Start Date	X_infa360loc_effectiveStartDate	DateTime	NA	NA	Issued date of the identifier.
Identifier Issuer	X_infa360loc_identifierIssuer	Text	255	NA	Authority that issued the identifier to an organization, such as Dun & Bradstreet or a government agency.
Identifier Type	X_infa360loc_identifierType	Lookup	NA	infa360loc_IdentifierType	Type of the identifier, such as Global Location Number or Google Place ID.
Identifier Value	X_infa360loc_identifierValue	Text	255	NA	Value of the identifier.
Usage Type	X_infa360loc_usageType	Lookup	NA	infa360loc_UsageType	Type of usage of the identifier, such as old, primary, or secondary.

Indicator field group of the Location business entity

The Indicator field group stores the indicator details that you use to identify a location.

The following table lists the fields of the Indicator field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Type	X_infa360loc_indicatorType	Lookup	NA	infa360loc_IndicatorType	Indicates the type of location, such as cash point, fire inspection, or parking.
Indicator Value	X_infa360loc_indicatorValue	Lookup	NA	infa360loc_IndicatorValue	Actual value of the indicator, such as multilevel or underground.
Indicator Group	X_infa360loc_indicatorGroup	Lookup	NA	infa360loc_IndicatorGroup	Group of the indicator, such as compliance or facility.

Operating Hours field group of the Location business entity

The Operating Hours field group stores the operating hours information of a location.

The following table describes the fields of the Operating Hours field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Days of Week	X_infa360loc_daysOfweek	Lookup	NA	infa360loc_DaysOfweek	Days of a week when the location is operational.
All Day	X_infa360loc_allDay	Boolean	NA	NA	Indicates whether the location is operational all day.
Start Time (Hours)	X_infa360loc_startTimeHours	Lookup	NA	infa360loc_StartTimeHours	The hour when the location starts operations.
Start Time (Minutes)	X_infa360loc_startTimeMinutes	Lookup	NA	infa360loc_StartTimeMinutes	The minutes of the hour when the location starts operations.
Start Time (Seconds)	X_infa360loc_startTimeSeconds	Lookup	NA	infa360loc_StartTimeSeconds	The seconds after the minutes of the hour when the location starts operations.
End Time (Hours)	X_infa360loc_endTimeHours	Lookup	NA	infa360loc_EndTimeHours	The hour when the location closes operations.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
End Time (Minutes)	X_infa360loc_endTimeMinutes	Lookup	NA	infa360loc_EndTimeMinutes	The minutes of the hour when the location closes operations.
End Time (Seconds)	X_infa360loc_endTimeSeconds	Lookup	NA	infa360loc_EndTimeSeconds	The seconds after the minutes of the hour when the location closes operations.

Operating Hours Exception field group of the Location business entity

The Operating Hours Exception field group stores the exception to the operating hours information for a location.

The following table describes the fields of the Operating Hours Exception field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Description	X_infa360loc_description	Text	255	NA	Description of the exception to operating hours of a location when the opening hours are different to normal, such as public holiday availability.
End Date and Time	X_infa360loc_end	Date and Time	NA	NA	End data and time of the exception to operating hours for a location..
Start Date and Time	X_infa360loc_start	Date and Time	NA	NA	Start date and time of the exception to operating hours for a location.

Phone field group of the Location business entity

The Phone field group stores the phone details of a location, such as phone number, phone number extension, and phone type.

The following table describes the fields of the Phone field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix for the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default phone number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the supplier wants to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the phone number was active or will be active.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date from when the phone number is active.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Format	nationalFormat	Text	50	NA	National format for the phone number.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
National Prefix	nationalPrefix	Text	255	NA	Digit or a combination of digits that must be dialed before an area or city code.
NDC Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code (NDC).
Phone Number	phoneNumber	Text	20	NA	Phone number of the location.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone, such as a cell, fax, freephone, landline, mobile, or pager.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Type of phone usage, such as business, customer service - group market, customer service toll free - individual market, or small group market.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as whether the phone number is publicly available or active.
Verification Status Code	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.
Verification Message	validationMessage	Text	255	NA	Validation message that the phone number validation service returns.

Postal Address field group of the Location business entity

The Postal Address field group stores the postal addresses of a location.

The following table describes the fields of the Postal Address field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Effective End Date	X_infa360loc_effectiveEndDate	Date and Time	NA	NA	Date until when the address is active.
Address Effective Start Date	X_infa360loc_effectiveStartDate	Date and Time	NA	NA	Date from when the address is active.
Address Line 1	X_infa360loc_line1	Text	255	NA	Line 1 of the postal address.
Address Line 2	X_infa360loc_line2	Text	255	NA	Line 2 of the postal address.
Address Line 3	X_infa360loc_line3	Text	255	NA	Line 3 of the postal address.
Address Line 4	X_infa360loc_line4	Text	255	NA	Line 4 of the postal address.
Address Type	X_infa360loc_addressType	Lookup	NA	infa360loc_AddressType	Type of postal address, such as physical or P.O. box.
Address Usage Type	X_infa360loc_addressUsageType	Lookup	NA	infa360loc_AddressUsageType	Usage type of the address, such as billing or shipping.
Altitude	X_infa360loc_altitude	Text	255	NA	Altitude of the location.
City	X_infa360loc_city	Text	255	NA	City of the postal address.
Country	X_infa360loc_country	Lookup	NA	infa360loc_Country	District or country of the postal address.
District or County	X_infa360loc_district_county	Text	255	NA	County of the postal address.
Enriched Indicator	X_infa360loc_enrichedIndicator	Lookup	NA	infa360loc_EnrichedIndicator	Validation status of the address, such as error, valid, or not validated.
Latitude	X_infa360loc_latitude	Text	255	NA	Latitude for the address.
Longitude	X_infa360loc_longitude	Text	255	NA	Longitude for the address.
Postal Code	X_infa360loc_postalCode	Text	255	NA	Postal code of the address.
Postal Code Extension	X_infa360loc_postalCodeExtension	Text	255	NA	Postal code extension of the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Region	X_infa360loc_region	Text	255	NA	Region of the postal address.
State	X_infa360loc_state	Lookup	NA	infa360loc_State	State of the postal address.
Verification Message	X_infa360loc_verificationMessage	Text	255	NA	Validation message that the address verification service returns.
Verification Status Code	X_infa360loc_verificationStatusCode	Text	255	NA	Validation status that the address verification service returns.

Status field group of the Location business entity

The Status field group stores the status information of a location.

The following table describes the fields of the Status field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	X_infa360loc_effectiveEndDate	Date and Time	NA	NA	Date until when a location is active.
Effective Start Date	X_infa360loc_effectiveStartDate	Date and Time	NA	NA	Date from when a location is active.
Status Type	X_infa360loc_statusType	Lookup	NA	infa360loc_StatusType	Type of status of a location, such as operational status or overall status.
Status Value	X_infa360loc_statusValue	Lookup	NA	infa360loc_StatusValue	Status of a location, such as active, closed, or inactive.

Predefined pages

The Location 360 package contains predefined pages. You can use the predefined pages as a reference to create similar custom pages for the Location business entity.

Use the Create page type to create records. Use the View and Edit page type to view and edit records.

The following table describes the predefined pages for the Location business entity:

Page Name	Description	Assigned User Roles
Create Page Location	A page to create a Location business entity record.	- MDM Business User - Business360ProcessExecutor
Edit Page Location	A page to view and edit a Location business entity record.	- MDM Business User - Business360ProcessExecutor

For more information about creating pages, see *Designing user interface*.

Search result layout components

The Location 360 package contains a predefined search result layout component.

The following table describes the search result layout component for the Location business entity:

Search Result Layout Component Name	Description	Assigned User Roles
Search Layout Location	Search layout to display search results of Location records.	- MDM Business User - Business360ProcessExecutor

For more information about configuring a search results layout component, see *Configure a search results layout component*.

Data quality rules

You can associate data quality rules with the Location business entity fields to cleanse, standardize, and validate the field values. When you import the source records, the rule associations validate and transform the records in MDM SaaS.

The following table lists the advanced rule associations for the Location business entity:

Rule Association Name	Rule Specification Name	Applied Field	Description
AllDayend Check	AllDayend Check	- Operating Hours.End Time (Hours) - Operating Hours.End Time (Minutes) - Operating Hours.End Time (Seconds)	Validates whether the applied field values are set to null when the All Day field is set to True. It internally uses the Endtime Rule to validate the applied fields.
Endtime Rule	Endtime Rule	- Operating Hours.End Time (Hours) - Operating Hours.End Time (Minutes) - Operating Hours.End Time (Seconds)	Validates whether the applied field values are null.
AllDaystart Check	AllDaystartCheck	- Operating Hours.Start Time (Hours) - Operating Hours.Start Time (Minutes) - Operating Hours.Start Time (Seconds)	Validates whether the applied field values are set to null when the All Day field is set to True. It internally uses the Starttime Rule to validate the applied fields.
Starttime Rule	Starttime Rule	- Operating Hours.Start Time (Hours) - Operating Hours.Start Time (Minutes) - Operating Hours.Start Time (Seconds)	Validates whether the applied field values are null.
Latitude Check	Latitude Check	Postal Address.Latitude	Validates whether the latitude value is in between -90 and +90.
Longitude Check	Longitude Check	Postal Address.Longitude	Validates whether the longitude value is between -180 and +180.

Rule Association Name	Rule Specification Name	Applied Field	Description
PostalCode Check	PostalCode Check	Postal Address.Postal Code	Validates whether the applied field value is equal to five when the Postal Code field isn't null. It internally uses the PostalCode Rule to validate the applied field.
PostalCode Rule	PostalCode Rule	Postal Address.Postal Code	Validates whether the length of the field value is equal to five.
State Check	State Check	Postal Address.State	Validates whether the applied field value is equal to `USA` when the State field isn't null. It internally uses the State Rule to validate the applied field.
State Rule	State Rule	Postal Address.State	Validates whether the value is equal to `USA`.
URL Check	URL Rule	URL	Validates whether the value has a valid URL format.

CHAPTER 3

Deploying Location 360

To deploy Location 360, perform the following tasks:

1. Download and extract the extension package.
2. Import the data model, the predefined custom pages, and the source systems.
3. Add predefined pages and search result layout components.
4. Import reference data code values into reference data assets.

Note: To import the data model, pages, source system, and reference data assets, ensure that you belong to the MDM Designer and Designer user roles. Ensure that you don't have the Admin user role.

When you import the extension assets, the predefined assets are configured to use Multidomain MDM SaaS as the business application. You can also configure other business applications to use the extension assets.

Downloading and extracting the Location 360 package

To get the link to download the Location 360 package, contact Informatica Global Customer Support.

After you download Location 360, extract the package on your machine. The package contains the additional data model attributes and predefined custom pages for MDM SaaS.

The extracted package contains the following files and folders:

File or Folder Name	Description
`1_MDM_Assets.zip`	Contains the following attributes: - Data model attributes to store location data. - Predefined custom pages.
`Reference Data`	Contains files that store code lists and values.

Importing data model, pages, and source systems

After you download and extract the extension package, import the data model assets, the predefined pages, and the source systems.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/1_MDM_Assets.zip`
3. Click **Open**.
4. Ensure that all the assets are selected.
5. In the **Review Locations** section, select the target project to which you want to import the assets.

   MultidomainMDM is selected by default.
6. Click **Import**.
7. On the **My Import/Export Logs** page, verify whether the import job is successful.

Adding predefined pages and components

You can add the predefined pages and search result layout components of the Location business entity to MDM SaaS. Ensure that have the administrator user role.

1. In Business 360 Console, click **Explore** > **<Project>**.

   For example, if you use Product 360 SaaS, click **Product360**.
2. Click the business application.
3. On the **Pages** tab, select **Location**.

   Note: If you don't see Location, you can add the Location business entity.
4. On the **Create** tab, click **Add Page**.

   A blank row appears.
5. To select a page, click the asset picker.

   The **Select a page** window appears.
6. Select **Create Page Location**, and click **Select**.

   The selected page appears in the row.
7. To assign user roles to the page, from the list of user roles, select one or more user roles.

   For more information about the user roles assigned to pages, see “Predefined pages” on page 18.
8. On the **View and Edit** tab, click **Add Page**.

   A blank row appears.
9. To select a page, click the asset picker.

   The **Select a page** window appears.
10. Select **Edit Page Location**, and assign the page to one or more user roles.

    For more information about the user roles assigned to pages, see “Predefined pages” on page 18.
11. On the **Seach** tab, in the **Business Entities** section, select **Location**.

12. In the **Search Result Layouts: Location** section, click **Add Search Result Layout**.

    A blank row appears.

13. To select a component, click the asset picker.

    The **Select a Component** window appears.

14. Select **Search Layout Location**, and assign the component to one or more user roles.

    For more information about the user roles assigned to search result layout components, see "Search result layout components" on page 19.

15. Click **Save**.

For more information about how to assign pages to user roles, see *Assign pages to user roles*.

Importing reference data assets

After you import MDM assets, import reference data code values in bulk from CSV files into reference data assets.

The following table describes the files and folders in the extracted reference data directory:

File or Folder Name	Description
`_1`	Folder that contains the code values.
`LoadReferenceData.py`	Python script to import reference data.

To import code values in bulk from CSV files that are available in the extracted reference data directory, run the LoadReferenceData.py Python script.

Prerequisites

Before you import reference data into MDM SaaS, ensure that you complete the following prerequisite tasks:

- Ensure that you have permission to import reference data.
- Install Python version 3 or later on your machine.
- To verify whether the cURL library files are preinstalled and to check the cURL library version, run the following command from a command prompt:

  ```
  curl --version
  ```

  Note: If cURL isn't available in your operating system, ensure that you install it. You can download the cURL library for your operating system from the cURL website:

  ```
  http://curl.haxx.se/download.html
  ```

Importing the reference data

To import all the reference data in bulk, run the Python script.

1. Open a command prompt, and navigate to the following directory:

   ```
   <Extracted extension package>/Reference Data
   ```

2. Run the following command:

   - On Windows.
     ```
     python LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --
     userName <user name> --password <password> --region <POD region>
     ```
   - On Linux.
     ```
     python3 LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --
     userName <user name> --password <password> --region <POD region>
     ```

   The jobs to import reference data code values run.

3. To monitor the status of a job, click **My Jobs** in Reference 360.

   The My Jobs page lists the job instances that are currently running, failed, and successfully completed.

INDEX

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Data Management Cloud
  web site 4

M

maintenance outages 5

S

status
  IDMC 5
  system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4