Informatica® Cloud Business 360 Console
April 2026

Predefined Assets

Informatica Cloud Business 360 Console Predefined Assets
April 2026

© Copyright Informatica LLC 2020, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices and AI assistant acknowledgements are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-10-16

Table of Contents

Preface 5

Chapter 1: Introduction 6

Customize predefined assets 7

Chapter 2: Predefined Business 360 Console assets 8

Enrichment providers 8

Job definitions 9

Pages 9

Processes 9

Report set 10

Reports 10

Source systems 11

Verifiers 11

Chapter 3: Predefined Customer 360 SaaS assets 12

Business entities 12

- Person business entity 12
- Organization business entity 27

Components 38

Job definitions 39

Pages 39

Processes 40

Relationships 40

Report set 42

Reports 42

Rule specification 43

Chapter 4: Predefined Product 360 SaaS assets 44

Business entities 44

- Item business entity 44
- Category business entity 47

Pages 49

Process 49

Report set 49

Job definition 49

Hierarchy 50

- Hierarchical relationships 50

Chapter 5: Predefined Supplier 360 SaaS assets. 52

Business entities. 52

Supplier business entity. 52

Contact business entity. 69

Pages. 77

Process. 77

Components. 78

Job definition. 78

Hierarchy. 78

Relationships. 78

Rule specifications. 80

Chapter 6: Predefined Reference 360 assets. 81

Reference data assets. 81

Preface

Read *Predefined assets* to learn about predefined assets included in Informatica Intelligent Cloud Services℠ Business 360 Console for use by MDM SaaS applications.

CHAPTER 1

Introduction

Business 360 Console includes predefined assets to help you get started with MDM SaaS applications. The predefined assets include predefined business entities, user interface components, pages, and reports.

You can find the predefined assets of MDM SaaS applications in their respective projects on the Explore page in Business 360 Console.

The following table describes the asset types that MDM SaaS uses:

Asset Type	Description
Business Application	A business application that uses the predefined data model.
Business Entity	An entity of importance that consists of fields that might support your data needs. The predefined business entities help you get started, and you can later customize them.
Component	User interface components, such as pages and search layouts of business applications.
Job Definition	An executable instance of a predefined process.
Page	Pages that the business applications display for users to view or edit data.
Process	Cloud Application Integration processes that orchestrate jobs.
Relationship	A relationship between two predefined business entities that have some type of association.
Report Set	A container for a set of reports.
Report	A visual representation of data in the form of charts and table.
Rule Specification	Rules that the business applications use to validate data.
Source System	Source system that business applications use as the default data source.

Customize predefined assets

You can customize the predefined assets based on your business needs. However, you can't delete any predefined assets.

You can customize assets in the following ways:

- Modify the display name of any predefined business entity, predefined business application, predefined job definition, or source system. However, you can't modify the display name of the predefined assets page, relationships, components, predefined reports, report sets, or rule specifications.
- Modify the display name of predefined business entity fields.
- Disable predefined rule specifications.
- Disable predefined optional fields that have no dependent objects.

CHAPTER 2

Predefined Business 360 Console assets

Business 360 Console includes a set of predefined assets that are common to all business applications. You can find the predefined assets in the Business360 project on the Explore page.

Enrichment providers

Predefined enrichment providers are data quality assets that validate business entity record fields and fields that store postal addresses.

The following table describes the predefined enrichment providers that are available for all business applications:

Enrichment Provider Name	Description
Address Verification DaaS Provider	Validates address fields by using DaaS rule associations.
Business Entity Attribute Check	Validates business entity record fields by using business entity attributes.
Relationship attribute Check	Validates business entity record fields by using relationship attributes.
Relationships exists between entities Check	Validates business entity record fields by using relationships.

Job definitions

Predefined job definitions are executable instances of predefined processes.

The following table describes the predefined job definitions that are available for all business applications:

Job Definition Name	Description
Reindex Records: Organization	Indexes the Organization records for search requests.
Reindex Records: Person	Indexes the Person records for search requests.

Pages

Predefined pages are predefined dashboard layouts that the users can select to create a dashboard.

The following table describes the predefined pages that are available for all business applications:

Layout	Description
Default Grid	A predefined dashboard layout that contains 1 big grid and 10 standard grids.
Grid 1 (4x3)	A predefined dashboard layout that contains 4 rows of 3 grids with a total of 12 grids.
Grid 2 (4x2)	A predefined dashboard layout that contains 4 rows of 2 grids with a total of 8 grids.
Grid 3 (4x2)	A predefined dashboard layout that contains 3 rows of 2 grids with a total of 6 grids.
Grid 4 (2x3) and (1x2)	A predefined dashboard layout that contains 2 rows of 3 grids and 1 row of 2 grids.
Grid 5 (8 Grids)	A predefined dashboard layout that contains 2 long grids, 2 wide grids, and 4 standard grids.
Grid 6 (6 Grids)	A predefined dashboard layout that contains 2 big grids and 4 standard grids.

Processes

Predefined Cloud Application Integration processes orchestrate or automate business processes. Business 360 Console uses predefined Cloud Application Integration processes to orchestrate jobs.

The following table describes the predefined Cloud Application Integration processes that are available for all business applications:

Process Name	Description
MDMEgress	Exports data from MDM SaaS to a target data source.
MDMExtractandValidate	A subprocess that the MDMIngress process uses.

Process Name	Description
MDMGenerateMergeTasks	Generates merge tasks for approval.
MDMIngress	Imports data from a data source to MDM SaaS.
MDMMatchMerge	Matches the records, creates match pairs, and then merges the match pairs. It can also reset the matched records that are not yet merged and makes the records available for matching again.
MDMMatchReindex	Generates match keys for the match process.
MDM Multi-Step Approval Template	A predefined template process that you can use to design your own processes.
MDMPublishBusinessEvents	Publishes business events from MDM SaaS to an external target.
MDMSearchIndex	Indexes records for search.

Report set

A report set is a predefined asset that Business 360 Console uses to organize reports. The predefined report set named B360 Report Set contains a collection of reports, field templates, and data sources.

Reports

Business 360 Console uses predefined reports to help visualize data in the form of charts and report tables.

The following table describes the predefined reports that are available for all business applications:

Report Name	Description
Number of Records by Business Entity	Displays the total number of records in each business entity.
Number of records with Validation Errors by Business Entity	Displays the total number of records with validation errors in each business entity.
Number of Valid Records by Business Entity	Displays the total number of valid records in each business entity.

Source systems

Predefined source systems are names of external applications or systems that act as data sources for the business applications to use.

The following table describes the predefined source systems that are available for all business applications:

Source System	Description
Default	A default source system for all business applications except Customer 360 SaaS. Business applications use this source system when users create records.
Informatica DaaS	A default source system for the enrichments that Informatica DaaS provides.

Verifiers

Business 360 Console uses a predefined verifier, which is a Cloud Data Quality asset. The predefined verifier named Address_Verifier_OOTB validates the addresses in records.

CHAPTER 3

Predefined Customer 360 SaaS assets

Customer 360 SaaS uses a set of predefined assets to help you get started. You can find these predefined assets in the Customer360 and Business360 projects on the Explore page in Business 360 Console.

When you get started with Customer 360 SaaS, it uses the predefined business application called Customer 360. The predefined business application uses predefined user interface components that are designed for the Person and Organization business entities. You can use the Business 360 Console to customize the predefined assets or create custom assets.

By default, Customer 360 SaaS saves the records that users create in the predefined Informatica C360 source system. Customer 360 SaaS also uses some predefined, jobs, processes, and rule specifications.

Business entities

The data model of Customer 360 SaaS includes the predefined Person and Organization business entities. The Person and Organization business entities consist of fields that support the creation of records for individuals and organizations.

Person business entity

Person business entity stores information about people. This business entity contains some basic fields and some field groups.

General fields of Person business entity

The general fields store basic information about a person, such as name and date of birth.

The following table lists the general fields that the Person business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
First Name	firstName	Text	255	NA	First name of the person.
Middle Name	middleName	Text	255	NA	Middle name of the person.
Last Name	lastName	Text	255	NA	Last name of the person.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Full Name	fullName	Text	255	NA	Full name of the person.
Title	title	Text	255	NA	Title associated with the person's name.
Birth Place	birthPlace	Text	255	NA	Place of birth of the person.
Birth Date	birthDate	Date Time	NA	NA	Date of birth of the person.
Gender	gender	Lookup	NA	Gender	Gender of the person.
Image	imageUrl	Text	255	NA	URL of the image of the person.
Prefix Name	prefixName	Lookup	NA	PrefixName	Prefix for the name of the person. For example, Dr, Mr, or Mrs.
Suffix Name	suffixName	Lookup	NA	SuffixName	Suffix name of the person. For example, Sr, Jr, II, or III.
Designation	designation	Text	255	NA	Designation or position of the person.
Marital Status	maritalStatus	Lookup	NA	MaritalStatus	Marital status of the person. For example, single, married, or divorced.

Address field group of Person business entity

The Address field group stores the postal addresses of a person. Postal address is a physical address associated with the person. A person can have multiple addresses.

The following table lists the fields that the Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, home, office, shipping, or mailing.
Usage Type	usageType	Lookup	NA	AddressUsageType	Usage type. For example, business or personal.
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
City	city	Text	50	NA	City of postal address.
County	county	Text	50	NA	County of postal address.
State	state	Lookup	NA	State	State of postal address.
Country	country	Lookup	NA	Country	Country of postal address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Coordinate System	coordinateSystem	Text	100	NA	Coordinate system used to determine the location of the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using coordinate system.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active, current, old address, or changed.
Latitude	latitude	Text	20	NA	Latitude for the address.
Longitude	longitude	Text	NA	NA	Longitude for the address.
Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the address is active.
End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the address.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.

Alternate Names field group of Person business entity

The Alternate Names field group stores the details of alternate names. Alternate names can be alias, previous name, doing business as and maiden name.

The following table lists the fields that the Alternate Names field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name Type	alternateNameType	Lookup	NA	AlternateNameType	Type of the alternate name.
Alternate Name	AlternateName	Text	255	NA	Alternate name of the person such as alias, previous name and maiden name.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the alternate name is valid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the alternate name.

Citizenship field group of Person business entity

The Citizenship field group stores the details of citizenship of a person, such as country and status of citizenship.

The following table lists the fields that the Citizenship field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Citizen of Country	citizenOfCountry	Lookup	NA	Country	Country to which the person belongs.
Citizenship Status	citizenshipStatus	Text	255	NA	Status of the citizenship.
Supporting Document Name	supportingDocumentName	Text	255	NA	Name of the supporting document that proves the citizenship.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the citizenship is valid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of citizenship.

Demographics field group of Person business entity

The Demographics field group stores the demographic details of a person.

The following table lists the fields that the Demographics field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Demographic Type	demographicType	Lookup	NA	DemographicType	Type of demographic factors. For example, ethnicity, income level, age, and profession.
Demographic Value	demographicValue	Lookup	NA	DemographicValue	Demographic values for a demographic type. For example, if ethnicity is a demographic type, then Hispanic and Asian are demographic values.

Documents field group of Person business entity

The Documents field group stores the document details, such as bank statement, salary slip, qualification certificate, identity proof, and residence proof.

The following table lists the fields that the Documents field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Type	documentType	Lookup	NA	DocumentType	Type of document.
Document Name	documentName	Text	255	NA	Name of the document.
Document Link	documentLink	Text	255	NA	URL to access the document.
File Name	fileName	Text	255	NA	Name of the file.
Valid From	validFrom	Date Time	NA	NA	Date from when the document is valid.
Valid To	validTo	Date Time	NA	NA	Date until when the document is valid.

Education field group of Person business entity

The Education field group stores the education details of a person. The education details can include the name of the institution where a person graduated, address of the institution, and year of passing.

The following table lists the fields that the Education field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Qualification Type	qualificationType	Lookup	NA	QualificationType	Type of qualification, such as illiterate, certification, diploma, bachelor, master, or doctoral.
Qualification Status	qualificationStatus	Lookup	NA	QualificationStatus	Status of the qualification.
Qualification Name	qualificationName	Text	255	NA	Name of the qualification.
Institution Name	institutionName	Text	255	NA	Name of the institution.
Student Number	studentNumber	Text	255	NA	Student number in the institution.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the qualification.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the qualification.
Address Line 1	addressLine1	Text	255	NA	Line 1 of the address of the educational institution.
Address Line 2	addressLine2	Text	255	NA	Line 2 of the address of the educational institution.
City	city	Text	255	NA	City in which the institution is located.
Postal Code	postalCode	Text	255	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	255	NA	Postal code extension of the address.
State	state	Lookup	NA	State	State in which the institution is located.
Country	country	Lookup	NA	Country	Country in which the institution is located.

Email field group of Person business entity

The Email field group stores information about the electronic addresses, such as email addresses or URL of the websites.

The following table lists the fields that the Email field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of the electronic address. For example, business, work, or personal.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of the person.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Hygiene Status	hygieneStatus	Text	255	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Validation Status	validationStatusCode	Text	255	NA	Validation status of the electronic address.
Validation Message	validateMessage	Text	255	NA	Message that the address validation service generates to indicate how valid and trusted the address is.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date for the electronic address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date for the electronic address.
Net Protect Code	netProtectCode	Text	255	NA	Net protect codes identify which service or appliance is monitoring a given network.

Employment field group of Person business entity

The Employment field group stores the employment details, such as the employer name, the type of employment, and the status of employment.

The following table lists the fields that the Employment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Employer Name	employerName	Text	255	NA	Name of the employer.
Employment Type	employmentType	Lookup	NA	EmploymentType	Type of employment, such as permanent, contract, and part-time.
Employment Status	employmentStatus	Lookup	NA	EmploymentStatus	Status of employment, such as active, inactive, resigned, and terminated.
Designation	designation	Text	255	NA	Designation of the person.
Line of Business	lineOfBusiness	Text	255	NA	Line of business, such as retail or mortgage.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of employment.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of employment.
Location	location	Text	255	NA	Location of the employer.

Financial field group of Person business entity

The Financial field group stores financial information of a person.

The following table lists the fields that the Financial field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	NA	PersonStatusValue	Total value of the finance.
Currency	currency	Lookup	NA	Currency	Currency in which the financial information is provided.
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, and debt.
Financial Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period	timePeriod	Text	255	NA	Finance period for which the data is collected.
Time Period Type	timePeriodType	Lookup	NA	TimePeriodType	Type of the finance period. For example, quarterly or yearly.
Unit	unit	Lookup	NA	FinancialUnit	Unit of the amount. For example, thousands, millions, or billions.

Identifier field group of Person business entity

The Identifier field group stores the alternate identifier details of a person, such as Social Security number, driver's license number, or passport number. Alternate identifiers are known identifiers that uniquely identify a person.

The following table lists the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Identifier Type	alternateIdentifierType	Lookup	NA	AlternateIdType	Type of alternate identifier.
Alternate Identifier Value	alternateIdentifierValue	Text	255	NA	Value of alternate identifier, such as driver's license number, or passport number.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority that has issued the identifier to the person.
Status	identifierStatus	Lookup	NA	IdentifierStatus	Status of the alternate identifier. For example, effective, disqualified, expired, and temporary.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Issued date of the identifier.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the identifier.

Insurance field group of Person business entity

The Insurance field group stores the insurance details, such as the name of the insurance provider, the policy number, the insurance type, and the validity.

The following table lists the fields that the Insurance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Policy Number	policyNumber	Text	255	NA	Policy number of the insurance.
Insurance Value	insuranceValue	Double	NA	NA	Amount insured.
Unit	unit	Lookup	NA	FinancialUnit	Unit for the amount.
Currency	currency	Lookup	NA	Currency	Currency in which the person is insured.
Insurance Provider	insuranceProvider	Text	255	NA	Company that provides the insurance.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	Type of insurance, such as life, health and accident, professional indemnity, or medical malpractice.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is life, the subtypes might be non-participating, participating, indeterminate premium, economic, limited pay, or single premium.
Insurance Status	insuranceStatus	Lookup	NA	InsuranceStatus	Status of the insurance. For example, active or expired.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the insurance.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the insurance.

Lifestyle field group of Person business entity

The Lifestyle field group stores the details related to the lifestyle of a person. Lifestyle details give additional information about the person, such as behavior and interests. Lifestyle information includes travel style, hobbies, and entertainment preferences.

The following table lists the fields that the Lifestyle field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Lifestyle Type	lifestyleType	Lookup	NA	LifestyleType	Type of lifestyle, such as classical music listener, decision maker or movie maniac.
Lifestyle Value	lifestyleValue	Text	255	NA	Value for a specified lifestyle.

Loyalty field group of Person business entity

The Loyalty field group stores the loyalty account details of a person.

The following table lists the fields that the Loyalty field group entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Type	accountType	Lookup	NA	LoyaltyAccountType	Type of loyalty accounts. For example, elite, silver, gold, or privileged.
Account Number	AccountNumber	Text	255	NA	Loyalty account number.
Redemption Preferences	redemptionPreferences	Lookup	NA	RedemptionPreferences	Preference for the redemption of loyalty points. For example, cash back or credit.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the loyalty account.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the loyalty account.
Account Status	accountStatus	Lookup	NA	LoyaltyAccountStatus	Status of the account. For example, active, inactive, or dormant.

Phone field group of Person business entity

The Phone field group stores the phone details of a person.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Phone Number	phoneNumber	Text	255	NA	Phone number of the person.
Phone Number Extension	phoneNumberExtension	Text	255	NA	Extension to phone number.
Prefix Number	prefixNumber	Text	255	NA	Country dialing code.
International Prefix	internationalPrefix	Text	255	NA	Prefix used to select an international telephone circuit.
National Prefix	nationalPrefix	Text	255	NA	Digit or combination of digits which must be dialed before an area or city code.
Cell Prefix	cellPrefix	Text	255	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the person is interested to receive unsolicited phone calls from marketers.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
National Destination Code	nationalDestinationCode	Text	255	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
Validation Status	validationStatusCode	Text	255	NA	Validation status that the phone number validation service returns.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
Validation Message	validationMessage	Text	255	NA	Validation message that the phone number validation service returns.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Date from when the phone number is active.
Effective End Date	effectiveEndDate	DateTime	NA	NA	Date until when the phone number was active or will be active.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
ISO	iso	Text	2	NA	ISO country code.

Segment field group of Person business entity

The Segment field group stores the segment of a person. Segmentation can help marketers to design targeted campaigns.

The following table lists the fields that the Segment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	segmentType	Lookup	NA	SegmentType	Segment type of the person. For example, income, age, location, or spending pattern.
Segment Value	segmentValue	Lookup	NA	SegmentValue	A segment type can have segment values. For example, if income is a segment type, then lower middle class, upper high class and upper middle class are segment values.

Social Media field group of Person business entity

The Social Media field group stores information about the social media identifiers of a person.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	socialHandleType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Value	socialMediaValue	Text	255	NA	Social media identifier or name of the person.

Specialization field group of Person business entity

The Specialization field group stores information about the specialities or specializations of a person. For healthcare professionals, a speciality can be cardiology, pediatrics, dermatology, or endocrinology.

The following table lists the fields that the Specialization field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Specialty Type	specialtyType	Lookup	NA	SpecialityType	Speciality type. For example, cytopathology, nephrology, or geriatrics.
Speciality	speciality	Text	255	NA	Name of speciality.
Board Certification Flag	boardCertificationFlag	Boolean	NA	NA	Indicates whether the board certification is active or not.

Status field group of Person business entity

The Status field group stores the statuses of a person. A status can be registered, approved, submitted, rejected, active, or inactive.

The following table lists the fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status Type	statusType	Lookup	NA	PersonStatusType	Status type of the person. For example, onboarding, legal, or credit.
Status Value	statusValue	Lookup	NA	PersonStatusValue	Status value of the person.

Tax Details field group of Person business entity

The Tax Details field group stores tax-related information of a person, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the fields that the Tax Details field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the tax period.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the tax period.
State	state	Lookup	NA	State	State within the country of the taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Tax Number	taxNumber	Text Field	255	NA	Unique number that identifies the person for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of the tax number. Tax number can be Individual Taxpayer Identification Number (ITIN), Employer Identification Number (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Tax Paid	taxPaid	Text Field	255	NA	Tax amount that the person has paid.
Taxpayer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of tax payer. For example, individual, company, partnership, or trust.

Organization business entity

The Organization business entity stores information about the organization. This data model includes some basic fields and some field groups.

General fields of Organization business entity

The general fields store some basic information about an organization such as name and date of incorporation.

The following table lists the general fields that the Organization business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Name	name	Text	255	NA	Name of the organization.
Number Of Employees	numberOfEmployees	Integer	NA	NA	Total number of employees in the organization.
Company Type	companyType	Lookup	NA	CompanyType	Type of company.
Date of Incorporation	dateOfIncorporation	Date Time	NA	NA	Date of incorporation of the organization.
State Of Incorporation	stateOfIncorporation	Lookup	NA	State	State of incorporation of the organization.
Country Of Incorporation	countryOfIncorporation	Lookup	NA	Country	Country of incorporation of the organization.
Company Logo	imageUrl	Text	255	NA	URL of the image for the organization.

Address field group of Organization business entity

The Address field group stores the postal addresses of an organization. Postal address is a physical address associated with the organization. An organization can have multiple addresses.

The following table lists the fields that the Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
Usage Type	usageType	Lookup	NA	AddressUsageType	Usage type. For example, business or personal.
Address Line 1	addressLine1	Text	200	NA	Line 1 of the address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the address.
City	city	Text	50	NA	City of postal address.
County	county	Text	50	NA	County of postal address.
State	state	Lookup	NA	State	State of postal address.
Country	country	Lookup	NA	Country	Country of postal address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Coordinate System	coordinateSystem	Text	100	NA	Coordinate system used to determine the location of the address.
Location Coordinate Desc	locationCoordinateDesc	Text	50	NA	Location of the address using coordinate system.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active, current, old address, or changed.
Latitude	latitude	Text	20	NA	Latitude for the address.
Longitude	longitude	Text	20	NA	Longitude for the address.
Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the address is active.
End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the address.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnrichedIndicator	Validation status of the address. For example, error, valid, or not validated.

Alternate Names field group of Organization business entity

The Alternate Names field group stores the details of alternate names. An organization might use different names, such as legal name, alias, and trading name. An alternative name might be active during a particular time.

The following table lists the fields that the Alternate Names field group of Organization business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	name	Text	255	NA	Alternate name of the organization.
Name Type	nameType	Lookup	NA	AlternateNameType	Alternate name type. For example, doing business as, alias, business name, and trading name.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date from when the alternate name is valid.
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the alternate name.

Documents field group of Organization business entity

The Documents field group stores the document details, such as bank statement, qualification certificate and proof of business existence.

The following table lists the fields that the Documents field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Type	documentType	Lookup	NA	DocumentType	Type of document.
Document Name	documentName	Text	255	NA	Name of the document.
Document Link	documentLink	Text	255	NA	URL to access the document.
File Name	fileName	Text	255	NA	Name of the file.
Valid From	validFrom	Date Time	NA	NA	Date from when the document is valid.
Valid To	validTo	Date Time	NA	NA	Date until when the document is valid.

Email field group of Organization business entity

The Email field group stores information about the electronic addresses, such as email addresses or URL of the websites.

The following table lists the fields that the Email field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Usage type indicates the intended use or purpose of the address. For example, business, work, or personal.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of the organization.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the electronic address is primary or default.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Validation Status	validationStatusCode	Text	50	NA	Validation status of the electronic address.
Validation Message	validateMessage	Text	50	NA	Message that the address validation service generates to indicate how valid and trusted the address is.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify which service or appliance is monitoring a given network.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the address.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date for the electronic address.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date for the electronic address.

Financial field group of Organization business entity

The Financial field group stores financial information of an organization.

The following table lists the fields that the Financial field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, and debt.
Amount	amount	Double	NA	NA	Total value of the finance.
Time Period	timePeriod	Text	255	NA	Finance period for which the data is collected.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	currency	Lookup	NA	Currency	Currency in which the financial information is collected.
Unit	financialUnit	Lookup	NA	FinancialUnit	Unit of the amount. For example, thousands, millions, or billions.
Finance Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period Type	financeTimePeriodType	Lookup	NA	TimePeriodType	Type of the finance period. For example, quarterly or yearly.

Identifier field group of Organization business entity

The Identifier field group stores the alternate identifier details of an organization, such as tax numbers, D-U-N-S number, or National Provider Identifier (NPI) numbers for healthcare providers.. Alternate identifiers are known identifiers that uniquely identify an organization.

The following table lists the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority that has issued the identifier to the organization.
Identifier Type	idType	Lookup	NA	AlternateIdType	Type of alternate identifier.
Effective Start Date	effectiveStartDate	DateTime	NA	NA	Issued date of the identifier.
Effective End Date	effectiveEndDate	DateTime	NA	NA	Expiry date of the identifier.
Identifier Value	altIdValue	Text	50	NA	Value of alternate identifier, such as D-U-N-S number, or National Provider Identifier.
Status	identifierStatus	Lookup	NA	IdentifierStatus	Status of the alternate identifier. For example, effective, disqualified, expired, and temporary.

Indicator field group of Organization business entity

The Indicator field group stores the indicator types based on which you want to identify an organization.

The following table lists the fields that the Indicator field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Type	indicatorType	Lookup	NA	IndicatorType	Type of organization indicator such as promoter, detractor, minority-owned, women-owned, locally based, and small business.
Indicator value	value	Text	255	NA	Actual value of the indicator.

Insurance field group of Organization business entity

The Insurance field group stores the insurance details, such as the name of the insurance provider, the policy number, the insurance type, and the validity.

The following table lists the fields that the Insurance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Policy Number	insurancePolicyNumber	Text	100	NA	Policy number of the insurance.
Value	insuranceValue	Double	NA	NA	Amount insured.
Unit	unit	Lookup	NA	FinancialUnit	Unit for the amount.
Currency	currency	Lookup	NA	Currency	Currency in which the organization is insured.
Insurance Provider	insuranceProvider	Text	255	NA	Company that provides the insurance.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	Type of insurance, such as life, health and accident, professional indemnity, or medical malpractice.
Insurance Sub Type	insuranceSubType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is life, the subtypes might be non-participating, participating, indeterminate premium, economic, limited pay, or single premium.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the insurance.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	Expiry date of the insurance.
Status	insuranceStatus	Text	255	NA	Status of the insurance. For example, active or expired.

Key People field group of Organization business entity

The Key People field group stores information about the key executives in an organization. The key executives are important people in an organization. For example, the key executives include chief executive officer and chief financial officer of the organization.

The following table lists the fields that the Key People field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Executive Type	executiveType	Lookup	NA	ExecutiveType	Executive type. For example, executive chairman, non-executive chairman, or chief executive officer.
Name	name	Text	255	NA	Name of the executive.
Designation	designation	Text	255	NA	Designation of the key executive.

Phone field group of Organization business entity

The Phone field group stores the phone details of the organization.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, and customer service.
Phone Number	phoneNumber	Text	20	NA	Phone number of the organization.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to the phone number.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
National Prefix	nationalPrefix	Text	255	NA	Digit or combination of digits which must be dialed before an area or city code.
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the organization is interested to receive unsolicited phone calls from marketers.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Destination Code Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Date from when the phone number is active.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date Time	NA	NA	Date until when the phone number was active or will be active.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
ISO	iso	Text	2	NA	ISO country code.

Segments field group of Organization business entity

The Segment field group stores the segment of an organization. Segmentation can help marketers to design targeted campaigns.

The following table lists the fields that the Segments field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Type	segmentType	Lookup	NA	SegmentType	Type of segment of the organization. For example, income, age, or geography.
Segment Name	segmentValue	Lookup	NA	SegmentValue	Name of the category or segment. A segment type can have segment values.

Social Media field group of Organization business entity

The Social Media field group stores information about the social media identifiers of an organization.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	socialHandleType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.
Social Media Handle	socialMediaHandle	Text	255	NA	Social media identifier or name of the organization.

Status field group of Organization business entity

The Status field group stores the statuses of the organization. A status can be registered, approved, submitted, rejected, active, or inactive.

The following table lists the fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status Type	statusType	Lookup	NA	OrgStatusType	Status type of the organization. For example, onboarding, legal, or credit.
Status Value	statusValue	Lookup	NA	OrgStatusValue	Status value of the organization.

Stock field group of Organization business entity

The Stock field group stores information about the stock exchanges where an organization trades.

The following table lists the fields that the Stock field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country in which the stock exchange is located.
Stock Exchange	stockExchangeName	Text	255	NA	Name of the stock exchange that trades the shares.
Ticker Symbol	tickerSymbol	Text	255	NA	Abbreviation used to identify the publicly traded shares of the organization.

Tax field group of Organization business entity

The Tax field group stores tax-related information, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid.

The following table lists the fields that the Tax field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of the tax number. Tax number can be Individual Taxpayer Identification Number (ITIN), (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).
Tax Payer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of tax payer. For example, company, partnership, or trust.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Country	country	Lookup	NA	Country	Country of taxation.
State	state	Lookup	NA	State	State within the country of the taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
Effective Start Date	effectiveStartDate	Date Time	NA	NA	Start date of the tax period.
Effective End Date	effectiveEndDate	Date Time	NA	NA	End date of the tax period.
Tax Paid	taxPaid	Text	50	NA	Tax amount that the organization has paid.
Tax Number	taxNumber	Text	50	NA	Unique number that identifies the organization for tax purposes.

Components

Predefined user interface components contain the layouts of pages used in the Customer 360 SaaS user interface. By default, the components include search results layout and record summary pages.

The layouts are associated with predefined business entities. You can configure the layouts to include fields that you want to display on the search results and record summary pages.

The following table describes the predefined user interface components for Customer 360 SaaS:

Component Name	Description
Organization Search Layout	Search layout to display search results of organization records.
Organization Summary	Page to display the summary of organization records.
Person Search Layout	Search layout to display search results of person records.
Person Summary	Page to display the summary of person records.

Job definitions

Predefined job definitions are executable instances of predefined processes.

The following table describes the predefined job definitions for Customer 360 SaaS:

Job Definition Name	Description
Generate Merge Tasks	Merges multiple source records to create master records.
Job Recovery: Organization	Recovers failed jobs that processed organization records.
Job Recovery: Person	Recovers failed jobs that processed person records.

Pages

Predefined pages are associated with the predefined business entities of the Customer 360 SaaS business application.

The following table describes the predefined pages for Customer 360 SaaS:

Page Name	Description
Organization_Create_Page_OOTB	A create page for users to add organization records.
Organization_View_Edit_Page_OOTB	A view and edit page for users to view and edit organization records.
Person_Create_Page_OOTB	A create page for users to add person records.
Person_View_Edit_Page_OOTB	A view and edit page for users to view and edit person records.

Processes

Predefined Cloud Application Integration processes orchestrate or automate business processes. Customer 360 SaaS uses predefined Cloud Application Integration processes in job definitions.


The following table describes the predefined Application Integration processes for Customer 360 SaaS:

Process Name	Description
CleanupResources	An internal process that the job uses to clean the residual data.
Export	The process is deprecated. Customer 360 SaaS uses MDMEgress process to export data to a target data source.
GenerateMergeTasks	The process is deprecated. Customer 360 SaaS uses MDMGenerateMergeTasks process to generate merge tasks for approval.
Ingress	The process is deprecated. Customer 360 SaaS uses the MDMIngress process to import data from a data source.
MatchMerge	The process is deprecated. Customer 360 SaaS uses MDMMatchMerge process to match the records and then merge the match pairs.
MDMFlow	Triggers the main flow that imports data from a data source.
MDMFlowFileImportDQ	Imports data when users import records in Customer 360 SaaS.
MDMFlowFileImportDQInternal	An internal process that the MDMFlowFileImportDQ process uses.
SearchIndex	The process is deprecated. Customer 360 SaaS uses MDMSearchIndex process to index records for search.

Relationships

Customer 360 SaaS users can use predefined relationships to define and visualize relationships between business entity records.

The following image shows predefined relationships between business entities and the direction of the relationships:



The following table describes the predefined relationships for Customer 360 SaaS:

Relationship Name	Description
Child	A self-referential Person business entity relationship to establish a hierarchical parent-child relationship between two person records. For example, a relationship between two persons, a child and a parent.
Contact	Relationship between Organization and Person business entities that have the means to communicate with each other.
Employee	Relationship between Person and Organization business entities where a person is an employee of an organization. For example, a relationship between an employee and an employer.

Relationship Name	Description
Employs	Relationship between Organization and Person business entities where an organization employs a person. For example, a relationship between an employer and an employee.
Guardian	A self-referential Person business entity relationship to establish a hierarchical parent-child relationship between two person records. For example, a relationship between a minor child and its custodian.
Parent	A self-referential Person business entity relationship to establish a hierarchical parent-child relationship between two person records. For example, a relationship between two persons, a parent and a child.
Sibling	A self-referential Person business entity relationship to establish a relationship between two person records where one person is a sibling of the other.
Spouse	A self-referential Person business entity relationship to establish a relationship between two person records where one person is a spouse of the other.
Subsidiary	A self-referential Organization business entity relationship to establish a hierarchical relationship between two organization records. In the relationship, one organization is allied with, but a subsidiary to the other.

Report set

A report set is a predefined asset that Customer 360 SaaS uses to organize reports. You can export the collection of reports in a report set from one organization to another.

Reports

Customer 360 SaaS uses predefined reports to help you visualize data in the form of charts and report tables.

The following table describes the predefined reports for Customer 360 SaaS:

Report Name	Description
Customer Distribution by State	Displays the number of records distributed across a geographical region on a map.
Customers by Employment Type	Displays the number of records based on the occupation.
Customers by Household Size	Display the number of records based on the size of households.
Customers by Marital Status	Displays the number of records based on marital status.
Customers by Loyalty Account Type	Displays the number of records based on the loyalty account type.

Report Name	Description
Organization by Category	Displays the number of organizations based on their category.
Organizations by Revenue	Displays the number of organizations based on their revenue in USD.
Validation Status of Phone Numbers	Displays the total number of phone numbers based on their validation status.
Validation Status of Email Addresses	Displays the total number of email addresses based on their validation status.

Rule specification

Customer 360 SaaS uses a predefined rule specification, which is a Cloud Data Quality asset. The predefined rule specification DUNS SSN Validation validates DUNS numbers and SSNs of records in the predefined business entities.

The Dun and Bradstreet number or DUNS number is a unique identifier assigned to businesses across the globe. Similarly, the Social Security Number (SSN) is a unique identifier assigned to the citizens of the United States of America.

CHAPTER 4

Predefined Product 360 SaaS assets

Product 360 SaaS uses a set of predefined assets to help you get started. You can find these predefined assets in the Product360 and Business360 projects on the **Explore** page in Business 360 Console.

When you get started with Product 360 SaaS, it uses a predefined business application called Product 360. The predefined business application uses predefined user interface components that are designed for the Item and Category business entities. You can use the Business 360 Console to customize the predefined assets or create custom assets.

Business entities

The data model of Product 360 SaaS includes the predefined Item and Category business entities. The Item and Category business entities consist of fields that support the creation of item and category records for your products.

Item business entity

Item business entity stores information about product items. This business entity contains some basic fields and field groups.

General fields of the Item business entity

The general fields store basic information about an item, such as the unique identifier, manufacturer details, and availability and expiration dates.

The following table describes the general fields that the Item business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Identifier	identifier	Text	255	NA	Unique identifier of the item.
GTIN	gtin	Text	14	NA	Global Trade Item Number. An item identifier assigned by GS1.
Status	status	Lookup	NA	ItemStatus	Status of the item.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Brand	brand	Text	255	NA	The brand name of the item.
Sub brand	subBrand	Text	255	NA	Sub-brand of the item.
Availability	availability	Lookup	NA	ItemAvailability	Indicates if the item is in stock.
Country of origin	countryOfOrigin	Lookup	NA	Country	Country from which the item originates.
Availability date	availabilityDate	Date	NA	NA	The date from when the item will be available.
Expiration date	expirationDate	Date	NA	NA	The date after which the item expires.
Manufacturer	manufacturer	Text	255	NA	The manufacturer of the item.
Manufacturer GLN	manufacturerGLN	Text	13	NA	Manufacturer Global Location Number. Identifies the name and address of the company that manufactures the item.
Manufacturer product number	manufacturerProductNumber	Text	255	NA	SKU number of the item specified by the manufacturer.

Description field group of the Item business entity

The Description field group stores the short or long description of an item.

The following table describes the fields that the Description field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	descriptionLanguage	Lookup	NA	Language	Language of the item description.
Title	productTitle	Text	255	NA	Title of the item.
Short description	shortDescription	Text	255	NA	Short description of the item.
Long description	longDescription	Text	4000	NA	Detailed description of the item.

Meta information field group of the Item business entity

The Meta information field group stores the meta description of an item.

The following table describes the fields that the Meta information field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	metaInformationLanguage	Lookup	NA	Language	Language of the meta information for the item.
Meta title	metaTitle	Text	255	NA	The meta title tag for the item. Search engines use the meta title tags to identify the content available on the web page or web store selling the item.
Meta description	metaDescription	Text	225	NA	The meta description tag for the item. Search engines use the meta description tags to identify the content available on the web page or web store selling the item.

Product highlight field group of the Item business entity

The Product highlight field group stores the most relevant highlight of an item.

The following table describes the fields that the Product highlight field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	producthighlightsLanguage	Lookup	NA	Language	Language of the product highlights.
Product highlight	productHighlight	Text	4000	NA	The most relevant highlight of the item.

Tags field group of the Item business entity

The Tags field group stores the relevant hashtags to associate with an item.

The following table describes the fields that the Tags field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	tagsLanguage	Lookup	NA	Language	Language of the hashtags associated with the item.
Tag	tag	Text	255	NA	Relevant hashtag to associate with the item.

Keywords field group of the Item business entity

The Keywords field group stores the relevant keywords to associate with an item.

The following table describes the fields that the Keywords field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	keywordsLanguage	Lookup	NA	Language	Language of the keywords to associate with the item.
Keyword	keyword	Text	255	NA	The word that customers might use to find an item on a search page or an online store.

Selling price field group of the Item business entity

The Selling price field group stores the selling price details of an item.

The following table describes the fields that the Selling price field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Type	sellingPriceType	Lookup	NA	SellingPriceType	Type of the selling price.
Currency	sellingCurrency	Lookup	NA	Currency	Currency in which the selling price is specified.
Territory	sellingTerritory	Lookup	NA	Country	Region in which the selling price is valid.
Valid from	sellingValidFrom	Date	NA	NA	The date from when the selling price is valid.
Valid to	sellingValidTo	Date	NA	NA	The date until when the selling price is valid.
Amount	sellingPriceAmount	Decimal	NA	NA	Price of the item.

Category business entity

The category business entity stores information about product categories. This business entity contains a basic field and some field groups.

General field of the Category business entity

The general field stores the unique identifier of the category.

The following table describes the general field that the Category business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Identifier	identifier	Text	255	NA	Unique identifier of the category.

Description field group of the Category Business Entity

The Description field group stores the short or long description of the category.

The following table describes the fields that the Description field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	descriptionsLanguage	Lookup	NA	Language	Language of the category description.
Name	name	Text	255	NA	Name of the category.
Description	description	Text	4000	NA	Description of the category.

Keywords field group of the Category business entity

The Keywords field group stores the relevant keywords to associate with the category.

The following table describes the fields that the Keywords field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Language	keywordsLanguage	Lookup	NA	Language	Language of the keyword to associate with the category.
Keyword	keyword	Text	255	NA	The word that customers might use to find the category containing the item on a search page or an online store.

Pages

Product 360 SaaS contains predefined pages associated with the predefined business entities of the Product 360 SaaS application. It also contains predefined dashboard layouts that the user can select to create a dashboard.

The following table describes the predefined pages for Product 360 SaaS:

Page name	Description
Category Create Page	A create page for users to add category records.
Category View Edit Page	A view and edit page for users to view and edit category records.
Grid 1 (4x3)	A predefined dashboard layout that contains 4 rows of 3 grids with a total of 12 grids.
Item Create Page	A create page for users to create item records.
Item View Edit Page	A view and edit page for users to view and edit item records.

Process

Predefined Cloud Application Integration processes orchestrate or automate business processes. Product 360 SaaS uses predefined Cloud Application Integration processes in job definitions.

Product 360 SaaS displays P360FileImport as a predefined process that imports data from a data source.

For more information about the predefined process in MDM SaaS, see “Processes” on page 9.

Report set

A report set is a predefined asset that Product 360 SaaS uses to organize reports. You can export the collection of reports in a report set from one organization to another.

Job definition

Predefined job definitions are executable instances of predefined processes.

Product 360 SaaS contains Product360 Intelligent File Import as a predefined job definition that imports records into Product 360 SaaS.

Hierarchy

Product 360 SaaS uses a predefined Classification hierarchical model that contains relationship between Category and Item business entities and a recursive relationship between Category business entities.


For example, under Electronics, you can include child categories, such as Cameras, Computer Peripherals, Laptops, Mobiles, and TVs. The Cameras category can include additional child categories, such as Camera Lenses and DSLR Cameras. The DSLR Cameras category can include all the available DSLR that are item records.

Note: To use the Classification hierarchy model as a hierarchy filter in the predefined search layout component of the Item business entity, enable search for the Classification hierarchy model.In the organizations that were created before the July 2024 release, an internal asset, the Classification business entity, appears on the Explore page. Don't use the Classification business entity. To hide the business entity from the Explore page, contact Informatica Global Customer Support.

Hierarchical relationships

Product 360 SaaS contains predefined hierarchical relationships that you can use to define relationships between business entity records.

The following image shows predefined relationships between business entities and the direction of the relationships:



The following table describes the predefined relationships for Product 360 SaaS:

Relationship name	Description
Category to Category	A self-referential Category business entity relationship to establish a hierarchical parent-child relationship between two category records.
Category to Item	Relationship between Category and Item business entities where an item record is associated with a category record. For example, Nikon D7500 item record is associated with the DSLR category record.

CHAPTER 5

Predefined Supplier 360 SaaS assets

Supplier 360 SaaS uses a set of predefined assets to help you get started. You can find these predefined assets in the Supplier360 and Business360 projects on the **Explore** page in Business 360 Console.

When you get started with Supplier 360 SaaS, it uses the predefined business application called Supplier 360. The predefined business application uses predefined user interface components that are designed for the Supplier and Contact business entities. You can use the Business 360 Console to customize the predefined assets or create custom assets.

Business entities

The data model of Supplier 360 SaaS includes the predefined Supplier and Contact business entities. The Supplier and Contact business entities consist of fields that support the creation of records for individuals and organizations.

Supplier business entity

The Supplier business entity stores details about suppliers. This business entity contains some basic fields and field groups.

General fields of Supplier business entity

The general fields store some basic information about a supplier organization such as name and date of incorporation.

The following table lists the general fields that the Supplier business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Business Type	businessType	Lookup	NA	BusinessType	Type of business. For example, asset based or non-asset based.
Company Code	companyCode	Text	255	NA	Company code of the supplier organization.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Company Logo	companyLogo	Text	255	NA	URL of the image for the supplier organization.
Currency Type	currencyType	Lookup	NA	Currency	Currency in which the financial information is provided.
Date of Incorporation	dateOfIncorporation	Date	NA	NA	Date of incorporation of the supplier organization.
DUNS Number	dunsNumber	Text	255	NA	DUNS number of the supplier organization.
Industry Type	industryType	Lookup	NA	IndustryType	Type of industry. For example, agriculture, banking, chemicals, or communication.
NAICS Code	naicsCode	Text	255	NA	North American Industry Classification System code of the supplier organization.
Name	name	Text	255	NA	Name of the supplier organization.
Number of Employees	numberOfEmployees	Integer	NA	NA	Total number of employees in the supplier organization.
Online Catalog Flag	onlineCatalogFlag	Boolean	NA	NA	Indicates whether the supplier organization provides an online catalog.
Online Sell Flag	onlineSellFlag	Boolean	NA	NA	Indicates whether the supplier sells online.
Ownership Type	ownershipType	Lookup	NA	OwnershipType	Type of ownership for the supplier organization. For example, cooperative, private, public, or self-owned.
SIC Code	sicCode	Text	255	NA	Standard Industrial Classification code of the supplier organization.
Supplier Type	supplierType	Lookup	NA	SupplierType	Type of supplier. For example, manufacturers, exporters, or distributors.
Web Address	webAddress	Text	255	NA	Website of the supplier organization.

Address field group of Supplier business entity

The Address field group stores the postal addresses of suppliers. Postal address is a physical address associated with the supplier organization. A supplier organization can have multiple addresses.

The following table describes the fields that the Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the postal address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the postal address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the postal address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active or inactive.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
City	city	Text	50	NA	City of the postal address.
Coordinate System	coordinateSystem	Text	100	NA	Coordinate system used to determine the location of the address.
Country	country	Lookup	NA	Country	Country of the postal address.
County	county	Text	50	NA	County of the postal address.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the postal address is the default address.
End Date	effectiveEndDate	Date and Time	NA	NA	Expiry date of the address.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnriched Indicator	Validation status of the address. For example, error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.
Location Coordinate Desc	locationCoordinate Desc	Text	50	NA	Location of the address using coordinate system.
Longitude	longitude	Text	20	NA	Longitude for the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtensio n	Text	10	NA	Postal code extension of the address.
Start Date	effectiveStartDate	Date and Time	NA	NA	Start date from when the address is active.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
State	state	Lookup	NA	State	State of the postal address.
Usage Type	usageType	Lookup	NA	AddressUsageType	Usage type. For example, business or personal.
Verification Message	statusMessage	Text	255	NA	Validation message that the address verification service returns.
Verification Status Code	statusCode	Text	10	NA	Validation status that the address verification service returns.

Alternate Names field group of Supplier business entity

The Alternate Names field group stores the alternate names related information, such as alternate name, effective start date, and effective end date. A supplier might use different names, such as legal name, alias, and trading name. An alternative name might be active during a particular time.

The following table describes the fields that the Alternate Names field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	alternateName	Text	255	NA	Alternate name of the supplier organization.
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the alternate name.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date from when the alternate name is valid.
Name Type	nameType	Lookup	NA	AlternateNameType	Alternate name type of the supplier organization. For example, doing business as name, alias, legal name, or previous name.

Bank Details field group of Supplier business entity

The Bank Details field group stores the bank related information, such as account number, account holder, and branch of the contact.

The following table describes the fields that the Bank Details field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Type	accountType	Lookup	NA	NA	Type of bank account, such as savings account or current account.
Account Holder	accountHolder	Text	50	NA	Bank account holder's name.
Branch Name	branchName	Text	255	NA	Name of the branch in which the supplier organization has the account.
Account Number	accountNumber	Text	50	NA	Bank account number of the supplier organization.
Account Status	accountStatus	Lookup	NA	NA	Status of the bank account, such as active or inactive.
Bank Name	bankName	Text	255	NA	Name of the bank.
SWIFT	swift	Text	50	NA	Society for Worldwide Interbank Financial Telecommunication code.
IBAN	iban	Text	50	NA	International Bank Account Number.
Country	country	Lookup	NA	NA	Country of the bank account.
Branch Number	branchNumber	Text	50	NA	Branch number of the bank.
Check Digit	checkDigit	Text	50	NA	Error detection on identification numbers, such as bank account numbers.
Primary Indicator	primaryIndicator	Boolean	NA	NA	Indicates whether the bank account is the primary account.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date from when the bank account is valid.
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the bank account.

Contract field group of Supplier business entity

The Contract field group stores contract related information, such as the order number, quality, transit risk, shipment completion method, and payment type.

The following table describes the fields that the Contract field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Agreement Confidentiality	agreementConfidentiality	Boolean	NA	NA	Indicates whether the contract agreement is confidential.
Agreement Date	agreementDate	Date	NA	NA	Date when the contract agreement is drawn.
Arbitration	arbitration	Boolean	NA	NA	Indicates whether arbitration is applicable to the contract.
Country	country	Lookup	NA	Country	Country code of the contract.
Currency	currency	Lookup	NA	Currency	Currency that is specified in the contract.
Delivery Responsibility	deliveryResponsibility	Lookup	NA	DeliveryResponsibilityType	Delivery responsibility of the contract, such as customer will arrange delivery or supplier will arrange delivery.
Discount Avail	discountAvail	Boolean	NA	NA	Indicates whether discount is available for the contract.
Effective End Date	effectiveEndDate	Date	NA	NA	Effective end date of the contract.
Effective Start Date	effectiveStartDate	Date	NA	NA	Effective start date of the contract.
Force Majeure	forceMajeure	Boolean	NA	NA	Indicates whether the force majeure provision is applicable to the contract.
Language	language	Lookup	NA	Language	Language in which the contract is written.
Order Number	orderNumber	Text	255	NA	Order number of the contract.
Payment Method	paymentMethod	Lookup	NA	PaymentMethodType	Payment method, such as cash, cheque, direct debit, or file electronic transfer.
Payment Type	paymentType	Lookup	NA	PaymentType	Payment type of the contract, such as several installment payments or single lump sum payment.
Purchasing Org Code	purchaseOrgCode	Lookup	NA	PurchaseOrgCodeType	Code of the purchasing organization.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Quality	quality	Text	255	NA	Quality requirements of the product or service contract.
Return Remedy Period	returnRemedyPeriod	Text	255	NA	Return remedy period of the contract.
Return Responsibility	returnResponsibility	Lookup	NA	ReturnResponsibilityType	Return responsibility of the contract, such as customer will take responsibility for returns, or supplier will take responsibility for returns.
Shipment Completion Type	shipmentCompletionType	Lookup	NA	ShipmentCompletionType	Shipment completion type of the contract, such as upon delivery of goods to the final destination or upon delivery of goods to the shipping company.
State Law Applied	stateLawApplied	Boolean	NA	NA	Indicates whether the state law is applicable to the contract.
Transferability	transferability	Boolean	NA	NA	Indicates whether the contract is transferable.
Transit Risk	transitRisk	Text	255	N	Transit risk factors of the contract, such as loss of goods.
Tax Responsibility	taxResponsibility	Lokkup	NA	TaxResponsibilityType	Tax responsibility of the contract, such as customer will take responsibility for tax, do not include tax provision, or supplier will take responsibility for tax.
Violation Grace Period	violationGracePeriod	Text	255	NA	Violation grace period of the contact.
Warranty	warranty	Text	255	NA	Warranty of the contract.

Diversity field group of Supplier business entity

The Diversity field group stores diversity related information, such as diversity status and diversity type.

The following table describes the fields that the Diversity field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Diversity Status	diversityStatus	Boolean	NA	NA	Indicates whether the supplier organization is diverse.
Diversity Type	diversityType	Lookup	NA	DiversityType	Diversity type of the supplier organization. For example, minority business enterprise, small disadvantaged business, or women business enterprise.

Documents field group of Supplier business entity

The Documents field group stores the document related information, such as bank statement, qualification certificate, and proof of business existence.

The following table describes the fields that the Documents field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Link	documentLink	Text	255	NA	URL to access the document.
Document Name	documentName	Lookup	NA	DocumentType	Name of the document.
Document Type	documentType	Text	255	NA	Type of document.
File Name	fileName	Text	255	NA	Name of the file.
Valid From	validFrom	Date	NA	NA	Date from when the document is valid.
Valid To	validTo	Date	NA	NA	Date until when the document is valid.

Email field group of Supplier business entity

The Email field group stores information about the electronic addresses, such as email addresses.

The following table describes the fields that the Email field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Effective End Date	effectiveEndDate	Date and Time	NA	NA	End date for the electronic address.
Effective Start Date	effectiveStartDate	Date and Time	NA	NA	Start date for the electronic address.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of the supplier organization.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the email verification service verified the electronic address.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify which service or appliance is monitoring a given network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Intended use or purpose of the electronic address. For example, business, work, or personal.
Verification Status Code	validationStatusCode	Text	50	NA	Validation status of the electronic address.
Verification Message	validationMessage	Text	50	NA	Message that the email validation service generates to indicate how valid and trusted the address is.

Executive Members field group of Supplier business entity

The Executive Members field group stores the executive members-related information, such as company name, business title, and executive type.

The following table describes the fields that the Executive Members field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Business Title	businessTitle	Text	255	NA	Business title for the executive member.
Company Name	companyName	Text	255	NA	Company name of the executive member.
Executive Type	executiveType	Lookup	NA	ExecutiveType	Type of the executive member. For example, Board of Directors, Chief Executive Officer, Chief Financial Officer, or Managing Director.
Full Name	fullName	Text	50	NA	Full name of the executive member of the supplier organization.

Financial field group of Supplier business entity

The Financial field group stores financial information of a supplier organization, such as currency, unit, and financial reliability.

The following table describes the fields that the Financial field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	NA	NA	Total value of the finance.
Currency	currency	Lookup	NA	Currency	Currency in which the financial information is collected.
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information. For example, equity, annual income, or debt.
Finance Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data. For example, actual or estimate.
Time Period	timePeriod	Text	255	NA	Finance period for which the data is collected.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Time Period Type	timePeriodType	Lookup	NA	TimePeriodType	Type of the finance period. For example, quarterly or yearly.
Unit	unit	Lookup	NA	FinancialUnit	Unit of the amount. For example, thousands, millions, or billions.

Identifier field group of Supplier business entity

The Identifier field group stores the identifier related information of a supplier organization, such as tax numbers, D-U-N-S number or National Provider Identifier (NPI) numbers for healthcare providers.

The following table describes the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the identifier.
Effective Start Date	effectiveStartDate	Date	NA	NA	Issued date of the identifier.
Identifier Type	identifierType	NA	NA	OrganizationIdentifierType	Type of identifier.
Identifier Value	identifierValue	Text	50	NA	Value of identifier, such as D-U-N-S number or National Provider Identifier.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority that has issued the identifier to the supplier organization.
Status	status	Lookup	NA	IdentifierStatus	Status of the alternate identifier. For example, effective, disqualified, expired, or temporary.

Insurance field group of Supplier business entity

The Insurance field group stores the insurance-related information, such as the name of the insurance provider, the policy number, the insurance type, and the validity.

The following table describes the fields that the Insurance field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	currency	Lookup	NA	Currency	Currency in which the supplier organization is insured.
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the insurance.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date of the insurance.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Insurance Provider	insuranceProvider	Text	255	NA	Company that provides the insurance.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	Type of insurance, such as cargo insurance, casualty, commercial auto, or shipping.
Policy Number	policyNumber	Text	100	NA	Policy number of the insurance.
Status	status	Text	255	NA	Status of the insurance. For example, active or expired.
Sub Type	subType	Lookup	NA	InsuranceSubType	Insurance subtype. For example, if the insurance type is group, the subtypes might be extended lenders mortgage, family health gold, mediexcel horizon, or platinum travel.
Unit	unit	Lookup	NA	FinancialUnit	Unit for the amount. For example, billion, million, or thousand.
Value	value	Double	NA	NA	Amount insured.

Phone field group of the Supplier business entity

The Phone field group stores the phone details, such as phone number, phone number extension, and phone type.

The following table describes the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default phone number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the supplier is interested to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the phone number was active or will be active.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date from when the phone number is active.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	Digit or combination of digits which must be dialed before an area or city code.
NDC Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code.
Phone Number	phoneNumber	Text	20	NA	Phone number of the supplier organization.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, cell, fax, freephone, landline, mobile, or pager.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, business, customer service - group market, customer service toll free - individual market, or small group market.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
Verification Status Code	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.
Verification Message	validationMessage	Text	255	NA	Validation message that the phone number validation service returns.

Reference Details field group of Supplier business entity

The Reference Details field group stores the reference details, such as company name, contact name, and company contact number.

The following table describes the fields that the Reference Details field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Company Name	companyName	Text	255	NA	Name of the reference organization.
Contact Name	contactName	Text	255	NA	Name of the contact in the reference organization.
Contact Number	contactNumber	Text	255	NA	Contact number of the reference organization.

Risk Questions field group of Supplier business entity

The Risk Questions field group stores information about risk-related questions.

The following table describes the fields that the Tax field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Anti-Bribery - Will the supplier interact with government officials on behalf of the buyer?	question1	Boolean	NA	NA	Indicates whether the supplier organization interacts with government officials on behalf of the buyer.
Personally Identifiable Information - Will the supplier process or store personal information of any of the buyer's employees or customers?	question2	Boolean	NA	NA	Indicates whether the supplier organization processes or store personal information of any of the buyer's employees or customers.
Protected Health Information - Will the supplier collect and store data relating to health of any of the buyer's employees or customers?	question3	Boolean	NA	NA	Indicates whether the supplier organization collects and store data relating to health of the buyer's employees or customers.
Will the supplier interact with customers or provide any customer-facing services?	question4	Boolean	NA	NA	Indicates whether the supplier organization interacts with customers or provides any customer-facing services.

Segment field group of Supplier business entity

The Segment field group stores the segment related information, such as segment type and segment name.

The following table describes the fields that the Segment field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Name	segmentName	Lookup	NA	SegmentValue	Supplier segment name.
Segment Type	segmentType	Lookup	NA	SegmentType	Segment type of the supplier organization. For example, region or supplier criticality.

Social Media field group of Supplier business entity

The Social Media field group stores information about the social media identifiers of a supplier organization.

The following table describes the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Handle	socialMediaHandle	Text	255	NA	Social media identifier or name of the supplier organization.
Social Media Type	socialMediaType	Lookup	NA	SocialHandleType	Type of social media platform. For example, Facebook or Twitter.

Sourcing Manager field group of Supplier business entity

The Sourcing Manager field group stores the sourcing manager related information, such as name and employee ID.

The following table describes the fields that the Sourcing Manager field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Employee ID	sourcingManagerEmployeeId	Text	255	NA	Employee ID of the sourcing manager.
Name	sourcingManagerName	Text	255	NA	Name of the sourcing manager.

Stock field group of Supplier business entity

The Stock field group stores the stock related information, such as ticker symbol, exchange name, and country.

The following table describes the fields that the Stock field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country where the stock exchange is located.
Exchange Name	exchangeName	Text	255	NA	Name of the stock exchange that trades the shares of the supplier organization.
Ticker Symbol	tickerSymbol	Text	255	NA	Abbreviation used to identify the publicly traded shares of the organization.

Supplier Alerts field group of Supplier business entity

The Supplier Alerts field group stores information, such as message, message type, and external link.

The following table describes the fields that the Supplier Alerts field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the supplier alert.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date of the supplier alert.
External Link	externalLink	Text	255	NA	External link to the supplier alert message.
Message	message	Text	255	NA	Supplier alert message.
Message Type	messageType	Text	255	NA	Type of supplier alert message.

Tax field group of Supplier business entity

The Tax field group stores tax-related information, such as the taxpayer type, tax authority, taxpayer identification number, and amount of tax paid of the supplier organization.

The following table describes the fields that the Tax field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency in which the tax is paid.
Effective End Date	effectiveEndDate	Date	NA	NA	End date of the tax period.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date of the tax period.
State	state	Lookup	NA	State	State within the country of taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority. For example, Internal Revenue Service (IRS) or HM Revenue and Customs (HMRC).
Tax Number	taxNumber	Text	50	NA	Unique number that identifies the supplier organization for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of the tax number. For example, tax number can be Individual Taxpayer Identification Number (ITIN) or Social Security Number.
Tax Paid	taxPaid	Text	50	NA	Tax amount that the supplier organization has paid.
Tax Payer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of tax payer. For example, business entity, estate, or individual.

Contact business entity

The Contact business entity stores details of people who act as point of contact for suppliers. This business entity contains some basic fields and field groups.

General fields of Contact business entity

The general fields store basic information about a contact, such as name and job title.

The following table lists the general fields that the Contact business entity contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
First Name	firstName	Text	255	NA	First name of the contact.
Middle Name	middleName	Text	255	NA	Middle name of the contact.
Last Name	lastName	Text	255	NA	Last name of the contact.
Full Name	fullName	Text	255	NA	Full name of the contact.
Prefix Name	prefixName	Lookup	NA	PrefixName	Prefix for the name of the contact. For example, Dr, Mr, or Mrs.
Suffix Name	suffixName	Lookup	NA	NA	Suffix name of the contact. For example, Sr, Jr, II, or III.
Gender	gender	Lookup	NA	Gender	Gender of the contact.
Birth Date	birthDate	Date	NA	NA	Date of birth of the contact.
Job Title	jobTitle	Lookup	NA	JobTitle	Job title of the contact. For example, category manager, demand planner, or quality manager.
Department	department	Lookup	NA	DepartmentType	Department of the contact. For example, finance, logistics, or sales.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Salutation	salutation	Lookup	NA	SalutationType	Salutation of the contact. For example, Sir or Madam.
Language	language	Lookup	NA	Language	Language in which the contact has proficiency.

Address field group of Contact business entity

The Address field group stores the postal addresses of a contact. Postal address is a physical address associated with the contact. A contact can have multiple addresses.

The following table lists the fields that the Address field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the postal address is the default address.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address. For example, office, or shipping.
Usage Type	usageType	Lookup	NA	AddressUsageType	Usage type. For example, business or personal.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address. For example, active or inactive.
Address Line 1	addressLine1	Text	200	NA	Line 1 of the postal address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the postal address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the postal address.
City	city	Text	255	NA	City of the postal address.
County	county	Text	255	NA	County of the postal address.
Country	country	Lookup	NA	Country	Country of the postal address.
State	state	Lookup	NA	State	State of the postal address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Coordinate System	coordinateSystem	Text	100	NA	Coordinate system used to determine the location of the address.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Location Coordinate Desc	locationCoordinate Desc	Text	50	NA	Location of the address using coordinate system.
Start Date	effectiveStartDate	Date and Time	NA	NA	Start date from when the address is active.
End Date	effectiveEndDate	Date and Time	NA	NA	Expiry date of the address.
Latitude	latitude	Text	20	NA	Latitude for the address.
Longitude	longitude	Text	20	NA	Longitude for the address.

Bank Details field group of Contact business entity

The Bank Details field group stores the bank related information, such as account number, account holder, and branch of the supplier organization.

The following table lists the fields that the Bank Details field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Type	accountType	Lookup	NA	NA	Type of bank account, such as savings account or current account.
Account Holder	accountHolder	Text	50	NA	Bank account holder's name.
Branch Name	branchName	Text	255	NA	Name of the branch in which the contact has the account.
Account Number	accountNumber	Text	50	NA	Bank account number of the contact.
Account Status	accountStatus	Lookup	NA	NA	Status of the bank account, such as active or inactive.
Bank Name	bankName	Text	255	NA	Name of the bank.
SWIFT	swift	Text	50	NA	Society for Worldwide Interbank Financial Telecommunication code.
IBAN	iban	Text	50	NA	International Bank Account Number.
Country	country	Lookup	NA	NA	Country of the bank account.
Branch Number	branchNumber	Text	50	NA	Branch number of the bank.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Check Digit	checkDigit	Text	50	NA	Error detection on identification numbers such as bank account numbers.
Primary Indicator	primaryIndicator	Boolean	NA	NA	Indicates whether the bank account is the primary.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date from when the bank account is valid.
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the bank account.

Contact business entity model

Contact business entity stores information about a contact person. This business entity contains some basic fields and some field groups.

Email field group of Contact business entity

The Email field group stores information about the electronic addresses, such as email addresses.

The following table lists the fields that the Email field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Intended use or purpose of the electronic address. For example, business, work, or personal.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of the contact.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address. For example, active, blocked, or not in use.
Effective Start Date	effectiveStartDate	Date and Time	NA	NA	Start date for the electronic address.
Effective End Date	effectiveEndDate	Date and Time	NA	NA	End date for the electronic address.
Net Protect Code	netProtectCode	Text	50	NA	Net protect codes identify which service or appliance is monitoring a given network.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Validation Status	validationStatusCode	Text	50	NA	Validation status of the electronic address.
Validation Message	validationMessage	Text	50	NA	Message that the email validation service generates to indicate how valid and trusted the address is.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address. For example, safe to send, invalid, or spam.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the address verification service verified the electronic address.

Identifier field group of Contact business entity

The Identifier field group stores the identifier related information of a contact, such as social security number, driver's license number, or passport number.

The following table lists the fields that the Identifier field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Identifier Type	identifierType	Lookup	NA	PersonIdentifierType	Type of identifier. For example, driver license number, employee ID, passport number, or social security number.
Identifier Value	identifierValue	Text	255	NA	Value of identifier, such as driver's license number, or passport number.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority that has issued the identifier to the contact. For example, Drug Enforcement Administration, Government Agency, or National Association of Insurance Commissioners.
Status	status	Lookup	NA	IdentifierStatus	Status of the identifier. For example, effective, disqualified, expired, or draft.
Effective Start Date	effectiveStartDate	Date	NA	NA	Issue date of the identifier.
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the identifier.

Phone field group of Contact business entity

The Phone field group stores the phone details, such as phone number, phone number extension, and phone type.

The following table lists the fields that the Phone field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default phone number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the contact is interested to receive unsolicited phone calls from marketers.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone. For example, personal, business, or customer service.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone. For example, landline, mobile, home, or business.
Phone Number	phoneNumber	Text	20	NA	Phone number of the contact.
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
National Prefix	nationalPrefix	Text	255	NA	Digit or combination of digits which must be dialed before an area or city code.
Cell Prefix	cellPrefix	Text	1	NA	Prefix that must prepend the national significant number for inbound international calls.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date from when the phone number is active.
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the phone number was active or will be active.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
NDC Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the national destination code.
National Format	nationalFormat	Text	50	NA	National format of the phone number.
International Format	internationalFormat	Text	50	NA	International format of the phone number.
ISO	iso	Text	2	NA	ISO country code.
Validation Status	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
Validation Message	validationMessage	Text	50	NA	Validation message that the phone number validation service returns.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.

Social Media field group of Contact business entity

The Social Media field group stores social media-related information, such as social media type and social media handle of the contact.

The following table lists the fields that the Social Media field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Type	socialMediaType	Lookup	NA	SocialHandleType	Type of social media platform. For example, Facebook or Twitter.
Social Media Value	socialMediaValue	Text	255	NA	Social media identifier or name of the contact.

Status field group of Contact business entity

The Status field group stores status related information, such as the status type and status value.

The following table lists the fields that the Status field group contains:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Status Type	statusType	Lookup	NA	PersonStatusType	Status type of the contact. For example, primary status.
Status Value	statusValue	Lookup	NA	PersonStatusValue	Status value of the contact. For example, primary status.
Effective Start Date	effectiveStartDate	Date	NA	NA	Effective start date of the contact with the supplier organization.
Effective End Date	effectiveEndDate	Date	NA	NA	Effective end date of the contact with the supplier organization.

Pages

Predefined pages are associated with the predefined business entities of the Supplier 360 SaaS business application.

The following table describes the predefined pages for Supplier 360 SaaS:

Page Name	Description
Supplier_Create_Page_OOTB	Page for users to add supplier records.
Supplier_View_Edit_Page_OOTB	Page for users to view and edit supplier records.
Contact_Create_Page_OOTB	Page for users to add contact records.
Contact_View_Edit_Page_OOTB	Page for users to view and edit contact records.

Process

Predefined Cloud Application Integration processes orchestrate or automate business processes. Supplier 360 SaaS uses predefined Cloud Application Integration processes in job definitions.

Supplier 360 SaaS uses S360FileImport as a predefined process that imports data from a data source.

For more information about the predefined processes in MDM SaaS, see "Processes" on page 9.

Components

Predefined user interface components contain the layouts of pages used in the Supplier 360 SaaS user interface. The layouts are associated with predefined business entities. By default, the components include search layouts.

The following table describes the predefined user interface components for Supplier 360 SaaS:

Component Name	Description
Supplier Search Layout	Displays search results of the supplier records.
Contact Search Layout	Displays the search results of the contact records.

Job definition

Predefined job definitions are executable instances of predefined processes. Supplier 360 SaaS contains S360FileImport as the predefined job definition that imports records into Supplier 360 SaaS.

Hierarchy


Supplier 360 SaaS uses a predefined Supplier hierarchy that contains relationship between Supplier and Contact business entities and a recursive relationship between Supplier business entities.

For example, ABC international is a supplier that gets supplies from another supplier called PQR international and John Smith is the contact of the ABC international supplier. The supplier hierarchy displays ABC international as the first-level node. John Smith is a contact record that has a relationship with the ABC international supplier record. The PQR international has a recursive relationship with the ABC international supplier record.

Relationships

Supplier 360 SaaS users can use predefined relationships to define and visualize relationships between business entity records.

The following image shows predefined relationships between business entities and the direction of the relationships:



The following table describes the predefined relationships for Supplier 360 SaaS:

Relationship Name	Description
Supplier to Contact	Represents relationship between Supplier and Contact business entities where a contact belongs to a supplier.
Sub-Supplier	Represents relationships between two supplier business entities where one supplier is a parent to another supplier from a different organization.
Subsidiary	Represents relationship between two supplier business entities where one supplier is a parent to another supplier in the same organization.
Supplier to Contact Hier	Represents relationship between the contact associated with the supplier. This relationships is used in the supplier hierarchy.
Supplier to Supplier Hier	Represents relationship between a supplier associated with another supplier. This relationships is used in the supplier hierarchy.

Rule specifications

Supplier 360 SaaS uses predefined rule specifications, such as DUNS and SSN validation that validate DUNS numbers and SSNs of supplier and contact records in the predefined business entities.

The Dun and Bradstreet number or DUNS number is a unique identifier assigned to businesses across the globe. Similarly, the Social Security Number (SSN) is a unique identifier assigned to the citizens of the United States of America.

CHAPTER 6

Predefined Reference 360 assets

Reference data is a set of values that you can use in a business entity picklist field. The predefined data model includes predefined reference data that you can view in the Reference360 project on the **Explore** page in Business 360 Console.

You can use Reference 360 to customize the predefined assets or create custom assets.

Reference data assets

The following table describes the predefined reference data assets that are available for MDM SaaS business applications:

Reference Data Set Name	Internal ID of the Reference Data Set	Description
AccountStatus	accountstatus	State of an account, such as active, inactive, or dormant.
AccountType	accounttype	Type of account, such as savings account or current account.
AddressEnrichedIndicator	addressenrichedindicator	Validation status of the address, such as error, valid, or not validated.
AddressStatus	addressstatus	State of an address, such as active, current, old address, or changed.
AddressType	addresstype	Type of a postal address, such as home, office, shipping, or mailing.
AddressUsageType	addressusagetype	Type to specify the intended use of an address, such as business or personal.
AlternateIdType	alternateidtype	Type of an alternate identifier, such as D&B ID or Federal Employer Identification Number.
AlternateNameType	alternatenametype	Type of an alternative name, such as business name, company name, or marketing name.

Reference Data Set Name	Internal ID of the Reference Data Set	Description
BankAccountType	bankaccounttype	Type of bank account, such as savings account or current account.
BusinessType	businesstype	Type of business, such as asset based or non-asset based.
Color	color	Color of an asset, such as black or red.
CompanyType	companytype	Type of company, such as government, registered, or statutory.
Country	country	Country of a postal address.
Currency	currency	Currency in which the financial information is collected.
DeliveryResponsibilityType	deliveryresponsibilitytype	Delivery responsibility of the contract, such as customer will arrange delivery or supplier will arrange delivery.
DemographicType	demographictype	Type of demographic information, such as ethnicity, income level, age, and profession.
DemographicValue	demographicvalue	Demographic values for a demographic type. For example, if ethnicity is a demographic type, then Hispanic and Asian are demographic values.
DepartmentType	departmenttype	Department to which the business entity belongs, such as finance, logistics, or sales.
DiversityType	diversitytype	Diversity type of the organization, such as minority business enterprise, small disadvantaged business, or women business enterprise.
DocumentType	documenttype	Type of the document, such as application form, claim form, or policy.
ElectronicAddressStatus	electronicaddressstatus	State of an electronic address, such as active, blocked, or not in use.
ElectronicAddressType	electronicaddresstype	Type of electronic address, such as business or personal.
ElectronicAddressUsageType	electronicaddressusagetype	Type to specify the intended use of an electronic address, such as business, work, or personal.

Reference Data Set Name	Internal ID of the Reference Data Set	Description
EmploymentStatus	employmentstatus	State of employment, such as active, inactive, or resigned.
EmploymentType	employmenttype	Type of employment, such as fixed term, contract, or self-employed.
ExecutiveType	executivetype	Type of the executive member, such as executive chairman, non-executive chairman, or chief executive officer.
FinanceInfoType	financeinfotype	Type of financial information, such as total equity, annual revenue, or debt.
FinanceReliability	financereliability	Reliability of the financial data to determine whether the data is actual or an estimate.
FinancialUnit	financialunit	Unit for the amount, such as thousand, million, or billion.
Gender	gender	Gender of a person, such as female, male, or unknown.
IdentifierStatus	identifierstatus	State of an alternative identifier, such as rejected, requested, or suspended.
IndicatorType	indicatortype	Type of an indicator, such as promoter, detractor, minority-owned, women-owned, locally based, and small business.
IndustryType	industrytype	Type of industry, such as agriculture, banking, chemicals, or communication.
InsuranceStatus	insurancestatus	State of an insurance, such as active or expired.
InsuranceSubType	insurancesubtype	Subtype of an insurance. For example, if the insurance type is lenders mortgage, the subtype might be extended lenders mortgage.
InsuranceType	insurancetype	Type of insurance, such as commercial auto, lenders mortgage, or shipping.
IssuingAuthority	issuingauthority	Authority that has issued an identifier, such as government agency or Dun & Bradstreet.
ItemAvailability	itemavailability	Indicates if an item is in stock, such as in stock, out of stock, or preorder.

Reference Data Set Name	Internal ID of the Reference Data Set	Description
ItemStatus	itemstatus	State of an item, such as active or expired.
JobTitle	jobtitle	Job title of a person, such as category manager, demand planner, or quality manager.
Language	language	Language of the description of an item, such as Albanian, Arabic, or English.
LifestyleType	lifestyletype	Type of lifestyle, such as classical music listener, decision maker, or movie maniac.
LoyaltyAccountStatus	loyaltyaccountstatus	State of a loyalty account, such as active or inactive.
LoyaltyAccountType	loyaltyaccounttype	Type of loyalty accounts, such as silver, gold, or platinum.
MailabilityScore	mailabilityscore	Indicates the probability that an email or physical mail will be successfully delivered, such as a fair chance of delivery or almost certain.
MaritalStatus	maritalstatus	Marital status of a person, such as single, married, or divorced.
MassUnit	massunit	Unit of measurement for mass, such as gram, kilogram, or milligram.
MeasuringUnit	measuringunit	Unit of measurement of length, such as centimeter, foot, or inch.
OrganizationIdentifierType	organizationidentifiertype	Type of identifier for an organization, such as Global Location Number or Social Security Number.
OrganizationStatus	organizationstatus	State of an organization, such as active or inactive.
OrgStatusType	orgstatustype	Status type of an organization, such as onboarding, legal, or credit.
OrgStatusValue	orgstatusvalue	Status value of an organization, such as active or inactive.
OwnershipType	ownershiptype	Type of ownership for a supplier organization, such as cooperative, private, public, or self-owned.
PaymentMethodType	paymentmethodtype	Type in which payment is made, such as cash, cheque, direct debit, or file electronic transfer.

Reference Data Set Name	Internal ID of the Reference Data Set	Description
PaymentType	paymenttype	Payment type of the contract, such as several installment payments or single lump sum payment.
PersonIdentifierType	personidentifiertype	Type of identifier for a person, such as driver license number, employee ID, passport number, or social security number.
PersonStatus	personstatus	State of a person.
PersonStatusType	personstatustype	Status type of a person, such as onboarding or primary status.
PersonStatusValue	personstatusvalue	Status value of a person, such as active, accepted, or rejected.
PhoneStatus	phonestatus	Status of the phone number, such as publicly unavailable or active.
PhoneType	phonetype	Type of phone, such as landline, mobile, or fax.
PhoneUsageType	phoneusagetype	Type to specify the intended use of the phone type, such as personal, business, or home.
PopulationName	populationname	Name of a population, such as Argentina, Denmark, or Japan.
PrefixName	prefixname	Prefix for the name of a person, such as Dr, Mr, or Mrs.
PurchaseOrgCodeType	purchaseorgcodetype	Code of a purchasing organization.
QualificationStatus	qualificationstatus	Status of the qualification, such as effective or expired.
QualificationType	qualificationtype	Type of qualification, such as illiterate, certification, diploma, bachelor, master, or doctoral.
RedemptionPreferences	redemptionpreferences	Preference for the redemption of loyalty points, such as cash back or credit.
ReturnResponsibilityType	returnresponsibilitytype	Return responsibility of the contract, such as customer will take responsibility for returns, or supplier will take responsibility for returns.
RevenueType	revenuetype	Type of revenue generated by a business over a specific period.

Reference Data Set Name	Internal ID of the Reference Data Set	Description
SalutationType	salutationtype	Salutation for a person, such as Sir or Madam.
SegmentType	segmenttype	Type of segment, such as age or income.
SegmentValue	segmentvalue	Name of the segment. For example, if the segment type is age, then segment value can be 0-18 years.
SellingPriceType	sellingpricetype	Type of a selling price, such as gross list price or net list price.
ShipmentCompletionType	shipmentcompletiontype	Shipment completion type of the contract, such as upon delivery of goods to the final destination or upon delivery of goods to the shipping company.
SocialHandleType	socialhandletype	Type of social media contact details, such as Facebook, Linkedin, or Pinterest.
SpecialityCode	specialitycode	Code for the speciality.
SpecialityType	specialitytype	Type of specialty, such as construction, educational services, and finance and insurance.
State	state	State of postal address.
SuffixName	suffixname	Suffix for the name of a person, such as Sr, Jr, II, or III.
SupplierType	suppliertype	Type of supplier, such as manufacturers, exporters, or distributors.
TaxAuthority	taxauthority	Tax authority, such as Internal Revenue Service (IRS), HM Revenue and Customs (HMRC), and Inland Revenue Department.
TaxNumberType	taxnumbertype	Type of the tax number. The type can be Individual Taxpayer Identification Number (ITIN), (EIN), Inland Revenue Department (IRD) number, and Permanent Account Number (PAN).
TaxPayerType	taxpayertype	Type of taxpayer, such as company, partnership, or trust.

Reference Data Set Name	Internal ID of the Reference Data Set	Description
TaxResponsibilityType	taxresponsibilitytype	Tax responsibility of the contract, such as customer will take responsibility for tax, do not include tax provision, or supplier will take responsibility for tax.
TimePeriodType	timeperiodtype	Type of the finance period, such as quarterly or annual.