Informatica® MDM - Supplier 360 SaaS
April 2026

Supplier 360 Extension for SAP

Informatica MDM - Supplier 360 SaaS Supplier 360 Extension for SAP
April 2026

© Copyright Informatica LLC 2021, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-05-22

Table of Contents

Preface. . . . 5
Informatica Resources. . . . 5
Informatica Documentation. . . . 5
IDMC web site. . . . 5
Intelligent Data Management Cloud Communities. . . . 5
IDMC Marketplace. . . . 5
Informatica Knowledge Base. . . . 5
IDMC Trust Center. . . . 6
Informatica Global Customer Support. . . . 6

Chapter 1: Introducing Supplier 360 Extension for SAP. . . . 7
Guidelines for importing assets. . . . 8
Guidelines for migrating assets. . . . 8
Prerequisites for extension deployment. . . . 8

Chapter 2: Supplier 360 Extension for SAP and SAP integration. . . . 10
Processing data in batches. . . . 10
Ingress data. . . . 10
Egress data. . . . 11
Import reference data. . . . 12

Chapter 3: Predefined Supplier 360 Extension for SAP assets. . . . 13
Data model attributes. . . . 13
Supplier business entity model. . . . 13
Batch jobs. . . . 33
Batch jobs of the Supplier business entity for SAP ECC. . . . 33
Batch jobs of the Supplier business entity for SAP S/4HANA. . . . 37
Field mapping. . . . 43
Mapping of the Supplier business entity and SAP ECC vendor fields. . . . 43
Mapping of the Supplier business entity and SAP business partner fields. . . . 47
Pages. . . . 52
Reports. . . . 53
Data quality rule associations. . . . 54

Chapter 4: Deploying Supplier 360 Extension for SAP. . . . 55
Downloading and extracting the Supplier 360 Extension for SAP package. . . . 55
Importing data model, pages, and source systems. . . . 56
Adding predefined pages. . . . 56
Importing reference data assets. . . . 57
Prerequisites. . . . 57

Importing the reference data. 58

Chapter 5: Integrating Supplier 360 with SAP. 59

Importing the Cloud Data Integration assets. 59
Importing the job assets. 60
Importing the Cloud Application Integration assets. 60
Publishing the Cloud Application Integration processes. 60
Adding a Secure Agent. 61
Importing parameter files. 61
Configuring the flat file connection. 61
Configuring the Business 360 FEP connection. 62
Configuring the Reference 360 connection. 62
Configuring the SAP Table Connector. 62
Creating a custom table in SAP. 65
Creating import jobs 65
Running the jobs. 66

Index. 67

Preface

Follow the instructions in *Supplier 360 Extension for SAP* to deploy Supplier 360 Extension for SAP.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the IDMC Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Data Management Cloud Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all IDMC components. Subscribing to all components is the best way to be certain you never miss an update.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introducing Supplier 360 Extension for SAP

An MDM SaaS extension is a ready-to-use package that streamlines and accelerates the implementation of MDM SaaS. MDM SaaS extensions contain pre-configured assets and integrations that extend and enhance the MDM SaaS business applications. Use an extension to reduce implementation time, enhance data quality, and achieve faster business outcomes.

You can use Supplier 360 Extension for SAP to standardize and consolidate supplier records. The extension uses the Supplier business entity to store the SAP ECC vendor and SAP S/4HANA business partner records. You can configure SAP to synchronize records with Supplier 360 in batches.

Use Supplier 360 Extension for SAP to achieve the following goals:

Import SAP ECC and SAP S/4HANA records

You can import SAP ECC vendor and SAP S/4HANA business partner records into Supplier 360. After you import the initial load, you can also import incremental changes from SAP ECC or SAP S/4HANA into Supplier 360.

Master and export SAP ECC records to SAP S/4HANA

You can master SAP ECC vendor and SAP S/4HANA business partner records in Supplier 360. You can then export them to SAP S/4HANA as business partner records in batches.

Synchronize records between Supplier 360 and SAP S/4HANA

To synchronize records between Supplier 360 and SAP S/4HANA, you can export the incremental changes to the processed records from Supplier 360 to SAP S/4HANA. You can create and process records in Supplier 360 and export these records to SAP S/4HANA as new business partner records. When you update records in Supplier 360, you can export the incremental changes to the records in SAP S/4HANA.

You can use the following SAP business partner roles with Supplier 360 Extension for SAP:

- Business Partner (General). General business partner role.
- Supplier (Financial Accounting) Business Partner. Supplier with a company code but without a purchase organization.
- Supplier Business Partner. Supplier with a purchase organization.

Guidelines for importing assets

Consider the following guidelines before you import the extension assets:

- Set up the prerequisite MDM SaaS business application.
- Import the extension assets before you customize the business entities. You can safely import multiple extension assets that use different business entities and in different MDM SaaS business applications. When you import the assets in an environment that already has an extension with the same business entities, the import fails.
- After you import the assets, consider them as your custom assets.
- Once you deploy an extension, upgrading to a newer version of the extension isn't supported.

Guidelines for migrating assets

Consider the following guidelines before you migrate the extension assets to another environment:

- To migrate the extension assets to higher environments, such as QA and production, export the assets from the development environment. Then, import them into the QA and production environments. For more information about migrating assets, see *Migrating projects and assets*.
- Don't import the extension assets again into a higher environment.

Prerequisites for extension deployment

Before you deploy Supplier 360 Extension for SAP, perform the following prerequisites:

- Ensure that you have the license for the Integration Components for Business 360 and Supplier 360 SaaS Edition.
  Ensure that you have the licenses required to manage connections, external data, and service rights.

  Note: The use of the extension doesn't confer any additional license or entitlement to license consumption beyond the terms specified in the applicable licensing agreements.
- Ensure that the version of the package matches the current MDM SaaS version where you import the extension assets.
  To view the MDM SaaS version, in Business 360 Console, click **About** in the IDMC Help menu and verify the build version.

  To view the MDM version of the extension, navigate to the readme text file in the extracted extension package and verify the platform version.

  If the version of the extension bundle doesn't match the current MDM SaaS version, contact Informatica Global Customer Support to use the current version of the extension.

- You can also enable the following optional licenses:

Functionality	Licenses and Product Versions
Integrating Supplier 360 with SAP S/4HANA	- SAP S/4HANA 2020 version - SAP Business Application Programming Interfaces (BAPI) Connector - SAP Table Connector
Integrating Supplier 360 with SAP ECC	- SAP ECC 6.0 EHP8 version - SAP Business Application Programming Interfaces (BAPI) Connector - SAP Table Connector

CHAPTER 2

Supplier 360 Extension for SAP and SAP integration

Use Supplier 360 Extension for SAP to integrate SAP and Supplier 360, process the SAP records in Supplier 360, and export the processed records to SAP S/4HANA.

Processing data in batches

You can process SAP ECC and SAP S/4HANA records with Supplier 360 in batches.

Run ingress batch jobs to import records from SAP ECC and SAP S/4HANA into Supplier 360 in batches. Run egress batch jobs to export processed records to SAP S/4HANA in batches. The job uses a taskflow to run mapping tasks. Each mapping task includes a mapping that maps the SAP fields with the Supplier 360 business entity fields.

Ingress data


You can import SAP ECC and SAP S/4HANA records to Supplier 360 and process these records in batches using predefined ingress jobs.

When you import SAP ECC vendor and SAP S/4HANA business partner records to Supplier 360, the ingress job imports them as supplier records. A supplier record contains a source primary key, such as a vendor number for an SAP ECC vendor record or a business partner number for an SAP S/4HANA business partner record. After the initial import, you can run incremental ingress jobs to incrementally import the records that are added or updated in SAP ECC and SAP S/4HANA to Supplier 360.

To import records from SAP, the ingress job uses SAP Table Connector and Business 360 FEP Connector. To read data from SAP, you require SAP Table Connector. To write data into Supplier 360, you require Business 360 FEP Connector. After you import SAP records, you can process the records in Supplier 360.

For more details about ingress jobs, see "Batch jobs" on page 33.

The following image displays the process to import SAP records in batches:



Egress data


You can export the processed supplier records from Supplier 360 to SAP S/4HANA in batches.

After you create, update, or process supplier records in Supplier 360, you can export them to SAP S/4HANA in batches. Use egress jobs, Cloud Data Integration assets, and multiple Business Application Programming Interfaces (BAPIs) to export the processed supplier records. After you export the records to SAP S/4HANA, the integration status of records, which can be either successful or failed, is written back to Supplier 360.

You can export the following records to SAP S/4HANA in batches:

- Records imported from SAP ECC. After you import vendor records from SAP ECC, you can process these records in Supplier 360 and export them to SAP S/4HANA as business partner records.
- Records imported from SAP S/4HANA. After you import business partner records from SAP S/4HANA, you can process and update these records in Supplier 360. You can then export the processed records to SAP S/4HANA as business partner records.
- Records created or updated in Supplier 360. After you create a supplier record in Supplier 360, you can process it and then export it to SAP S/4HANA as a business partner record. SAP S/4HANA then assigns a new business partner number to the processed record and stores the number in an SAP custom table. This business partner number is retrieved and stored in the Identifier field of the Supplier business entity in Supplier 360. If you update a record in Supplier 360 that was previously exported to SAP S/4HANA, you can export the incremental changes to SAP S/4HANA using the existing business partner number without creating duplicates.

The following image shows how to egress supplier records to SAP S/4HANA in batches:



Import reference data

To import reference data sets from SAP ECC or SAP S/4HANA into Reference 360, you can create import jobs in Reference 360.

You can import the following reference data from SAP ECC or SAP S/4HANA:

- Reconciliation account
- Purchase organization
- Company code

For information about creating import jobs, see “Creating import jobs ” on page 65.

After you create the import jobs, run the jobs.

For information about running import jobs, see “Running the jobs” on page 66.

CHAPTER 3

Predefined Supplier 360 Extension for SAP assets

Supplier 360 Extension for SAP is available as a package for installation on request.

The package includes the following predefined assets:

- Business application
- Business entities
- Data quality rule associations
- Batch jobs
- Pages
- Reference data assets
- Source systems
- Cloud Data Integration assets

Data model attributes

Supplier 360 Extension for SAP includes fields and reference data for the Supplier business entity.

The data dictionary provides the metadata, such as entity and field descriptions, to understand the data model for Supplier 360 Extension for SAP.

Supplier business entity model

Supplier business entity stores information about a supplier. This business entity contains basic fields and field groups.

General fields of the Supplier business entity

The general fields store basic information about the organization of a supplier, such as the date of incorporation and liquidation.

The following table describes the general fields of the Supplier business entity:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Business Type	businessType	Lookup	NA	BusinessType	Type of business, such as asset based or non-asset based.
Company Logo	companyLogo	Text	255	NA	URL of the image for the supplier.
Currency Type	currencyType	Lookup	NA	Currency	Currency used for transaction, such as United States dollar or United Kingdom pound.
Date of Incorporation	dateOfIncorporation	Date	NA	NA	Date of incorporation of the supplier.
DUNS Number	dunsNumber	Text	255	NA	DUNS number of the supplier.
Industry Type	industryType	Lookup	NA	IndustryType	Type of industry, such as agriculture, banking, chemicals, or communication.
NAICS Code	naicsCode	Text	255	NA	North American Industry Classification System (NAICS) code of the supplier.
Name	name	Text	255	NA	Name of the supplier.
Number of Employees	numberOfEmployees	Integer	NA	NA	Total number of employees in the supplier.
Online Catalog Flag	onlineCatalogFlag	Boolean	NA	NA	Indicates whether the supplier provides an online catalog.
Online Sell Flag	onlineSellFlag	Boolean	NA	NA	Indicates whether the supplier sells online.
Ownership Type	ownershipType	Lookup	NA	OwnershipType	Type of ownership for the supplier, such as cooperative, private, public, or self-owned.
SIC Code	sicCode	Text	255	NA	Standard Industrial Classification (SIC) code of the supplier.
Supplier Company Code	companyCode	Text	255	NA	Company code of the supplier.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Supplier Type	supplierType	Lookup	NA	SupplierType	Type of supplier, such as manufacturer, exporter, or distributor.
Web Address	webAddress	Text	255	NA	Website of the supplier.

Address field group of the Supplier business entity

The Address field group stores the postal addresses of suppliers. A supplier can have multiple addresses.

The following table describes the fields of the Address field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Address Line 1	addressLine1	Text	200	NA	Line 1 of the postal address.
Address Line 2	addressLine2	Text	200	NA	Line 2 of the postal address.
Address Line 3	addressLine3	Text	200	NA	Line 3 of the postal address.
Address Status	addressStatus	Lookup	NA	AddressStatus	Status of the address, such as active or inactive.
Address Type	addressType	Lookup	NA	AddressType	Type of postal address, such as office, or shipping.
City	city	Text	50	NA	City of the postal address.
Coordinate System	coordinateSystem	Text	100	NA	Coordinate system used to determine the location of the address.
Country	country	Lookup	NA	Country	Country of the postal address.
County	county	Text	50	NA	County of the postal address.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the postal address is the default address.
End Date	effectiveEndDate	Date and Time	NA	NA	Date until when the address is active.
Enriched Indicator	enrichedIndicator	Lookup	NA	AddressEnriched Indicator	Validation status of the address, such as error, valid, or not validated.
Latitude	latitude	Text	20	NA	Latitude for the address.
Location Coordinate Desc	locationCoordinate Desc	Text	50	NA	Location of the address based on coordinate system.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Longitude	longitude	Text	20	NA	Longitude for the address.
Postal Code	postalCode	Text	10	NA	Postal code of the address.
Postal Code Extension	postalCodeExtension	Text	10	NA	Postal code extension of the address.
Start Date	effectiveStartDate	Date and Time	NA	NA	Date from when the address is active.
State	state	Lookup	NA	State	State of the postal address.
Usage Type	usageType	Lookup	NA	AddressUsageType	Usage type, such as business or personal.
Verification Message	statusMessage	Text	255	NA	Validation message that the address verification service returns.
Verification Status Code	statusCode	Text	10	NA	Validation status that the address verification service returns.

Alternate Names field group of the Supplier business entity

The Alternate Names field group stores the information related to alternative names, such as alternative name, effective start date, and effective end date. A supplier might use different names, such as legal name, alias, and trading name. An alternative name might be active during a particular time.

The following table describes the fields of the Alternate Names field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Alternate Name	alternateName	Text	255	NA	Alternative name of the supplier.
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the alternative name is active.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date from when the alternative name is active.
Name Type	nameType	Lookup	NA	AlternateNameType	Alternative name type of the supplier, such as alias or previous name.

Bank Details field group of the Supplier business entity

The Bank Details field group stores the banking information of a supplier, such as account number, account holder, and branch of the contact.

The following table describes the fields of the Bank Details field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Account Holder	accountHolder	Text	50	NA	Name of the account holder.
Account Name	X_infas360sap_AccountName	Text	255	NA	Name of the supplier account.
Account Number	accountNumber	Text	50	NA	Bank account number of the supplier organization.
Account Status	accountStatus	Lookup	NA	AccountStatus	Status of the bank account, such as active or inactive.
Account Type	accountType	Lookup	NA	BankAccountType	Type of bank account, such as savings account or current account.
Bank Detail Identifier	X_infas360sap_BankDetailID	Text	255	NA	Unique identifier for bank details.
Bank Key	X_infas360sap_BankKey	Text	255	NA	Unique identifier assigned to a bank or branch.
Bank Name	bankName	Text	255	NA	Name of the bank.
Branch Name	branchName	Text	255	NA	Name of the branch that the supplier organization has the account.
Branch Number	branchNumber	Text	50	NA	Branch number of the bank.
Check Digit	checkDigit	Text	50	NA	Error detection on identification numbers, such as bank account numbers.
Country	country	Lookup	NA	Country	Country of the bank account.
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the bank account is active.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date from when the bank account is active.
IBAN	iban	Text	50	NA	International Bank Account Number (IBAN).

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Primary Indicator	primaryIndicator	Boolean	NA	NA	Indicates whether the bank account is the primary account.
SWIFT	swift	Text	50	NA	Society for Worldwide Interbank Financial Telecommunication (SWIFT) code.

Company Code field group of the Supplier business entity

The Company Code field group stores details of the unit of a supplier organization.

The following table describes the fields of the Company Code field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Company Code	X_infas360sap_companyCode	Lookup	NA	infas360sap_CompanyCode	Company code of a buyer.
Reconciliation Account	X_infas360sap_reconciliationAccount	Lookup	NA	infas360sap_ReconciliationAccount	Account used to reconcile the sub ledgers with the general ledger.

Contract field group of the Supplier business entity

The Contract field group stores information related to contracts, such as the order number, quality, transit risk, shipment completion method, and payment type.

The following table describes the fields of the Contract field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Agreement Confidentiality	agreementConfidentiality	Boolean	NA	NA	Indicates whether the contract is confidential.
Agreement Date	agreementDate	Date	NA	NA	Date when the contract is drawn.
Arbitration	arbitration	Boolean	NA	NA	Indicates whether arbitration is applicable to the contract.
Country	country	Lookup	NA	Country	Country code of the contract.
Currency	currency	Lookup	NA	Currency	Currency that is specified in the contract.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Delivery Responsibility	deliveryResponsibility	Lookup	NA	DeliveryResponsibilityType	Delivery responsibility of the contract, such as customer will arrange delivery or supplier will arrange delivery.
Discount Avail	discountAvail	Boolean	NA	NA	Indicates whether discount is available for the contract.
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the contract is valid.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date since when the contract is valid.
Force Majeure	forceMajeure	Boolean	NA	NA	Indicates whether the force majeure provision is applicable to the contract.
Language	language	Lookup	NA	Language	Language that the contract is written in.
Order Number	orderNumber	Text	255	NA	Order number of the contract.
Payment Method	paymentMethod	Lookup	NA	PaymentMethodType	Payment method, such as cash, cheque, direct debit, or file electronic transfer.
Payment Type	paymentType	Lookup	NA	PaymentType	Payment type of the contract, such as several installment payments or single lump sum payment.
Purchasing Org Code	purchaseOrgCode	Lookup	NA	PurchaseOrgCodeType	Code of the purchasing organization.
Quality	quality	Text	255	NA	Quality requirements of the product or service contract.
Return Remedy Period	returnRemedyPeriod	Text	255	NA	Return remedy period of the contract.
Return Responsibility	returnResponsibility	Lookup	NA	ReturnResponsibilityType	Return responsibility of the contract, such as customer will take responsibility for returns, or supplier will take responsibility for returns.
Shipment Completion Type	shipmentCompletionType	Lookup	NA	ShipmentCompletionType	Definition of shipment completion, such as upon delivery of goods to the final destination or upon delivery of goods to the shipping company.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
State Law Applied	stateLawApplied	Boolean	NA	NA	Indicates whether the state law is applicable to the contract.
Transferability	transferability	Boolean	NA	NA	Indicates whether the contract is transferable.
Transit Risk	transitRisk	Text	255	N	Transit risk factors of the contract, such as loss of goods.
Tax Responsibility	taxResponsibility	Lokkup	NA	TaxResponsibilityType	Tax responsibility of the contract, such as customer will take responsibility for taxes, do not include tax provision, or supplier will take responsibility for taxes.
Violation Grace Period	violationGracePeriod	Text	255	NA	Grace period until when the contract is active after violation of the contract.
Warranty	warranty	Text	255	NA	Warranty of the contract.

Documents field group of the Supplier business entity

The Documents field group stores the information related to documents, such as bank statement, qualification certificate, and proof of business existence.

The following table describes the fields of the Documents field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Document Link	documentLink	Text	255	NA	URL to access the document.
Document Name	documentName	Lookup	NA	DocumentType	Name of the document.
Document Type	documentType	Text	255	NA	Type of document.
File Name	fileName	Text	255	NA	Name of the file.
Valid From	validFrom	Date	NA	NA	Date from when the document is valid.
Valid To	validTo	Date	NA	NA	Date until when the document is valid.

Diversity field group of the Supplier business entity

The Diversity field group stores information related to diversity, such as diversity status and diversity type.

The following table describes the fields of the Diversity field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Diversity Status	diversityStatus	Boolean	NA	NA	Indicates whether the supplier organization is diverse.
Diversity Type	diversityType	Lookup	NA	DiversityType	Diversity type of the supplier organization, such as minority business enterprise, small disadvantaged business, or women business enterprise.

Email field group of the Supplier business entity

The Email field group stores information about electronic addresses, such as email addresses.

The following table describes the fields of the Email field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the address is the default address.
Effective End Date	effectiveEndDate	Date and Time	NA	NA	Date until when the electronic address is active.
Effective Start Date	effectiveStartDate	Date and Time	NA	NA	Date from when the electronic address is active.
Electronic Address	electronicAddress	Text	255	NA	Electronic address of the supplier organization.
Electronic Address Status	electronicAddressStatus	Lookup	NA	ElectronicAddressStatus	Status of the email address, such as active, blocked, or not in use.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the email verification service verified the electronic address.
Hygiene Status	hygieneStatus	Text	50	NA	Hygiene status for the electronic address, such as safe to send, invalid, or spam.
Net Protect Code	netProtectCode	Text	50	NA	Code that identifies the service or appliance that's monitoring a specific network.
Usage Type	usageType	Lookup	NA	ElectronicAddressUsageType	Intended use or purpose of the electronic address, such as business, work, or personal.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Verification Status Code	validationStatusCode	Text	50	NA	Validation status of the electronic address.
Verification Message	validationMessage	Text	50	NA	Message that the email validation service generates to indicate how valid and trusted the address is.

Executive Members field group of the Supplier business entity

The Executive Members field group stores the information related executive members, such as company name, business title, and executive type.

The following table describes the fields of the Executive Members field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Business Title	businessTitle	Text	255	NA	Business title of the executive member.
Company Name	companyName	Text	255	NA	Name of the company that the executive member belongs to.
Executive Type	executiveType	Lookup	NA	ExecutiveType	Type of the executive member, such as Board of Directors, Chief Executive Officer, Chief Financial Officer, or Managing Director.
Full Name	fullName	Text	50	NA	Full name of the executive member of the supplier organization.

Financial field group of the Supplier business entity

The Financial field group stores financial information of a supplier organization, such as currency, unit, and financial reliability.

The following table describes the fields of the Financial field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Amount	amount	Double	NA	NA	Total value of the financial amount.
Currency	currency	Lookup	NA	Currency	Currency used for financial transaction, such as United States dollar or United Kingdom pound.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Finance Info Type	financeInfoType	Lookup	NA	FinanceInfoType	Type of financial information, such as equity, annual income, or debt.
Finance Reliability	financeReliability	Lookup	NA	FinanceReliability	Reliability of the financial data, such as actual or estimate.
Time Period	timePeriod	Text	255	NA	Finance period that the data is collected for.
Time Period Type	timePeriodType	Lookup	NA	TimePeriodType	Type of the finance period, such as quarterly or yearly.
Unit	unit	Lookup	NA	FinancialUnit	Unit of the amount, such as thousands, millions, or billions.

Identifier field group of the Supplier business entity

The Identifier field group stores information related to an identifier of a supplier organization.

The following table describes the fields of the Identifier field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the identifier is active.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date since when the identifier is active.
Identifier Type	identifierType	NA	NA	OrganizationIdentifierType	Type of identifier.
Identifier Value	identifierValue	Text	50	NA	Value of identifier, such as D-U-N-S number or National Provider Identifier.
Issuing Authority	issuingAuthority	Lookup	NA	IssuingAuthority	Authority that has issued the identifier to the supplier organization.
Status	status	Lookup	NA	IdentifierStatus	Status of the alternative identifier, such as effective, disqualified, expired, or temporary.

Indicator field group of the Supplier business entity

The Indicator field group stores the indicator details that you use to identify a supplier organization.

The following table lists the fields of the Indicator field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Indicator Type	X_infas360sap_indicatorType	Lookup	NA	infas360sap_indicatorType	Indicates the type of supplier, such as military use or nuclear sector.
Indicator Value	X_infas360sap_indicatorValue	Text	255	NA	Actual value of the indicator.

Insurance field group of the Supplier business entity

The Insurance field group stores information related to insurance, such as the name of the insurance provider, the policy number, the insurance type, and the validity.

The following table describes the fields of the Insurance field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Currency	currency	Lookup	NA	Currency	Currency that the supplier organization is insured in.
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the insurance is active.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date since when the insurance is active.
Insurance Holder	insuranceHolder	Text	255	NA	Name of the insurance holder.
Insurance Provider	insuranceProvider	Text	255	NA	Company that provides the insurance.
Insurance Type	insuranceType	Lookup	NA	InsuranceType	Type of insurance, such as cargo insurance, casualty, commercial auto, or shipping.
Policy Number	policyNumber	Text	100	NA	Policy number of the insurance.
Status	status	Text	255	NA	Status of the insurance, such as active or expired.
Sub Type	subType	Lookup	NA	InsuranceSubType	Subtype of the insurance, such as if the insurance type is group, the subtypes might be extended lenders mortgage, family health gold, mediexcel horizon, or platinum travel.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Unit	unit	Lookup	NA	FinancialUnit	Unit for the amount, such as billion, million, or thousand.
Value	value	Double	NA	NA	Amount insured.

PO Box Address field group of the Supplier business entity

The PO Box Address field group stores the postal address details of an organization, such as postal code and delivery service number.

The following table lists the fields of the PO Box Address field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Company Postal Code	X_infas360sap_companyPostalCode	Text	255	NA	Postal code for a supplier organization.
Delivery Number	X_infas360sap_deliveryNumber	Text	255	NA	Unique number assigned to the delivery document.
Delivery Service	X_infas360sap_deliveryService	Lookup	NA	infas360sap_DeliveryService	Type of delivery service, such as counter delivery or general delivery.
Postal Code	X_infas360sap_postalCode	Text	255	NA	Postal code of the address.
PO Box	X_infas360sap_poBox	Text	255	NA	PO box number.
PO Box Without Number	X_infas360sap_poBoxWoNo	Boolean	NA	NA	Indicates whether the PO box is without a number.
PO Box Lobby	X_infas360sap_poBoxLobby	Text	255	NA	Name of the PO box lobby.
Other City	X_infas360sap_otherCity	Text	255	NA	Different PO box city.
Other Country	X_infas360sap_otherCountry	Lookup	NA	Country	Different PO box country.
Other Region	X_infas360sap_otherRegion	Lookup	NA	State	Different PO box region.
Undeliverable	X_infas360sap_undeliverable	Lookup	NA	infas360sap_Undeliverable	Undelivered status, such as deceased or illegible address.

Phone field group of the Supplier business entity

The Phone field group stores the phone details, such as phone number, phone number extension, and phone type.

The following table describes the fields of the Phone field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Cell Prefix	cellPrefix	Text	1	NA	Prefix for the National Significant Number for inbound international calls.
Default Indicator	defaultIndicator	Boolean	NA	NA	Indicates whether the phone number is the default phone number.
Do Not Call Indicator	doNotCallIndicator	Boolean	NA	NA	Indicates whether the supplier wants to receive unsolicited phone calls from marketers.
Effective End Date	effectiveEndDate	Date	NA	NA	Date until when the phone number was active or will be active.
Effective Start Date	effectiveStartDate	Date	NA	NA	Date from when the phone number is active.
Enriched Indicator	enrichedIndicator	Boolean	NA	NA	Indicates whether the phone number validation service verified the phone number.
International Format	internationalFormat	Text	50	NA	International format for the phone number.
International Prefix	internationalPrefix	Text	3	NA	Prefix used to select an international telephone circuit.
ISO	iso	Text	2	NA	ISO country code.
National Destination Code	nationalDestinationCode	Text	10	NA	Code that identifies a numbering area within a country or a group of countries.
National Format	nationalFormat	Text	50	NA	National format for the phone number.
National Prefix	nationalPrefix	Text	255	NA	Digit or combination of digits that must be dialed before an area or city code.
NDC Indicator	nationalDestinationCodeIndicator	Boolean	NA	NA	Indicates whether the phone number includes the National Destination Code (NDC).
Phone Number	phoneNumber	Text	20	NA	Phone number of the supplier organization.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Phone Number Extension	phoneNumberExtension	Text	10	NA	Extension to phone number.
Phone Type	phoneType	Lookup	NA	PhoneType	Type of phone, such as cell, fax, freephone, landline, mobile, or pager.
Phone Usage Type	phoneUsageType	Lookup	NA	PhoneUsageType	Usage type of the phone, such as business, customer service - group market, customer service toll free - individual market, or small group market.
Prefix Number	prefixNumber	Text	3	NA	Country dialing code.
Status	status	Lookup	NA	PhoneStatus	Status of the phone number, such as the phone number is publicly available or active.
Verification Status Code	validationStatusCode	Text	50	NA	Validation status that the phone number validation service returns.
Verification Message	validationMessage	Text	255	NA	Validation message that the phone number validation service returns.

Purchasing Organization field group of the Supplier business entity

The Purchasing Organization field group stores the details of a purchasing organization.

The following table describes the fields of the Purchasing Organization field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Purchase Organization	X_infas360sap_purchaseOrganization	Lookup	NA	infas360sap_PurchaseOrganization	Code of the purchasing organization.
Purchase Order Currency	X_infas360sap_purchaseOrderCurrency	Lookup	NA	infas360sap_PurchaseOrderCurrency	Currency that the purchase information is provided in.

Record Status field group of the Supplier business entity

The Record Status field group stores the status of a Supplier business entity record.

The following table describes the fields of the Record Status field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Description	X_infas360sap_description	Text	255	NA	A brief description of the status of a record.
Last Updated	X_infas360sap_lastUpdated	Date and Time	NA	NA	The latest date and time when the status was updated.
Status	X_infas360sap_status	Lookup	NA	infap360mm_errorStatus	Integration status of a record, such as success or failure.
Status Type	X_infas360sap_status_Type	Lookup	NA	infas360sap_ErrorStatusType	Type of record status, such as SAP S/4HANA Integration Status.

Reference Details field group of the Supplier business entity

The Reference Details field group stores the reference details, such as company name, contact name, and company contact number.

The following table describes the fields of the Reference Details field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Company Name	companyName	Text	255	NA	Name of the reference organization.
Contact Name	contactName	Text	255	NA	Name of the contact in the reference organization.
Contact Number	contactNumber	Text	255	NA	Contact number of the reference organization.

Risk Questions field group of the Supplier business entity

The Risk Questions field group stores information about questions related to risks.

The following table describes the fields of the Risk Questions field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Anti-Bribery - Will the supplier interact with government officials on behalf of the buyer?	question1	Boolean	NA	NA	Indicates whether the supplier organization interacts with government officials on behalf of the buyer.
Personally Identifiable Information - Will the supplier process or store personal information of any of the buyer's employees or customers?	question2	Boolean	NA	NA	Indicates whether the supplier organization processes or stores the personal information of the employees or customers of the buyer.
Protected Health Information - Will the supplier collect and store data relating to health of any of the buyer's employees or customers?	question3	Boolean	NA	NA	Indicates whether the supplier organization collects and stores data related to the health of the employees or customers of the buyer.
Will the supplier interact with customers or provide any customer-facing services?	question4	Boolean	NA	NA	Indicates whether the supplier organization interacts with customers or provides any customer-facing services.

Role field group of the Supplier business entity

The Role field group stores the business partner roles assigned for the business transactions of a supplier organization.

The following table lists the field of the Role field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Role	X_infas360sap_bpRole	Lookup	NA	infas360sap_OrgRoleType	Roles assigned to a business partner.

Segment field group of the Supplier business entity

The Segment field group stores information related to the segment, such as segment type and segment name.

The following table describes the fields of the Segment field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Segment Name	segmentName	Lookup	NA	SegmentValue	Supplier segment name.
Segment Type	segmentType	Lookup	NA	SegmentType	Segment type of the supplier organization, such as region or supplier criticality.

Social Media field group of the Supplier business entity

The Social Media field group stores information about the social media identifiers of a supplier organization.

The following table describes the fields of the Social Media field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Social Media Handle	socialMediaHandle	Text	255	NA	Social media identifier or name of the supplier organization.
Social Media Type	socialMediaType	Lookup	NA	SocialHandleType	Type of social media platform, such as Facebook or Twitter.

Sourcing Manager field group of the Supplier business entity

The Sourcing Manager field group stores information related to the sourcing manager, such as name and employee ID.

The following table describes the fields of the Sourcing Manager field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Employee ID	sourcingManagerEmployeeId	Text	255	NA	Employee ID of the sourcing manager.
Name	sourcingManagerName	Text	255	NA	Name of the sourcing manager.

Stock field group of the Supplier business entity

The Stock field group stores information related to stocks, such as ticker symbol, exchange name, and country.

The following table describes the fields of the Stock field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country where the stock exchange is located.
Exchange Name	exchangeName	Text	255	NA	Name of the stock exchange that trades the shares of the supplier organization.
Ticker Symbol	tickerSymbol	Text	255	NA	Abbreviation used to identify the publicly traded shares of the organization.

Supplier Alerts field group of the Supplier business entity

The Supplier Alerts field group stores information related to supplier confirmation alerts, such as message, message type, and external link.

The following table describes the fields of the Supplier Alerts field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Effective End Date	effectiveEndDate	Date	NA	NA	Expiry date of the supplier alert.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date of the supplier alert.
External Link	externalLink	Text	255	NA	External link to the supplier alert message.

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Message	message	Text	255	NA	Supplier alert message.
Message Type	messageType	Text	255	NA	Type of supplier alert message.

Tax field group of the Supplier business entity

The Tax field group stores information related to taxes of a supplier organization.

The following table describes the fields of the Tax field group:

Display Name	Internal ID	Field Type	Length	Reference Data	Description
Country	country	Lookup	NA	Country	Country of taxation.
Currency	currency	Lookup	NA	Currency	Currency that the tax is paid in.
Effective End Date	effectiveEndDate	Date	NA	NA	End date of the tax period.
Effective Start Date	effectiveStartDate	Date	NA	NA	Start date of the tax period.
State	state	Lookup	NA	State	State within the country of taxation.
Tax Authority	taxAuthority	Lookup	NA	TaxAuthority	Tax authority, such as Internal Revenue Service (IRS) or HM Revenue and Customs (HMRC).
Tax Number	taxNumber	Text	50	NA	Unique number that identifies the supplier organization for tax purposes.
Tax Number Type	taxNumberType	Lookup	NA	TaxNumberType	Type of tax number, such as Individual Taxpayer Identification Number (ITIN) or Social Security Number.
Tax Paid	taxPaid	Text	50	NA	Tax amount that the supplier organization has paid.
Tax Payer Type	taxPayerType	Lookup	NA	TaxPayerType	Type of tax payer, such as business entity, estate, or individual.

Batch jobs

Use ingress batch jobs to import SAP ECC vendor and SAP S/4HANA business partner records into Supplier 360 and egress batch jobs to export the processed records to SAP S/4HANA in batches.

After you import SAP records into Supplier 360, you can process the imported records in Supplier 360. After the initial import, you can import incremental changes, process them, and export the processed records to SAP S/4HANA in batches. Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps the SAP fields with the Supplier business entity fields.

Batch jobs of the Supplier business entity for SAP ECC

You can use batch jobs to import vendor records from SAP ECC into Supplier 360.

Use the initial ingress job to import vendor records from SAP ECC into Supplier 360 in batches for the first time. Use the incremental ingress job to import incremental changes into Supplier 360 to be in synchronization with SAP ECC.

The job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps the SAP ECC fields with the Supplier business entity fields. The Supplier 360 Extension for SAP package includes predefined batch jobs and their related assets. You can customize the assets based on your requirement.

The following table lists the predefined initial ingress job and its dependent assets to import initial load from SAP ECC:

Job Name	Taskflow	Mapping Task	Mapping	Description
infas360sap_ingress_ecc_supplier_inbound_initial	infas360sap_tf_ecc_s360_supplier_batch_inbound_initial	- infas360sap_mt_ecc_s360_supplier_batch_inbound_root_initial - infas360sap_mt_ecc_s360_supplier_batch_inbound_address_initial - infas360sap_mt_ecc_s360_supplier_batch_inbound_purchaseorganization_initial - infas360sap_mt_ecc_s360_supplier_batch_inbound_identifier_initial - infas360sap_mt_ecc_s360_supplier_batch_inbound_altname_initial - infas360sap_mt_ecc_s360_supplier_batch_inbound_pobox_initial - infas360sap_mt_ecc_s360_supplier_batch_inbound_email_initial - infas360sap_mt_ecc_s360_supplier_batch_inbound_company_code_initial - infas360sap_mt_ecc_s360_supplier_batch_inbound_phone_initial	- infas360sap_m_ecc_s360_supplier_batch_inbound_root_initial - infas360sap_m_ecc_s360_supplier_batch_inbound_address_initial - infas360sap_m_ecc_s360_supplier_batch_inbound_purchase_organization_initial - infas360sap_m_ecc_s360_supplier_batch_inbound_identifier_initial - infas360sap_m_ecc_s360_supplier_batch_inbound_altname_initial - infas360sap_m_ecc_s360_supplier_batch_inbound_pobox_initial - infas360sap_m_ecc_s360_supplier_batch_inbound_email_initial - infas360sap_m_ecc_s360_supplier_batch_inbound_company_code_initial - infas360sap_m_ecc_s360_supplier_batch_inbound_phone_initial	Imports complete data from the SAP ECC vendor records to the Supplier business entity.

The following table lists the predefined incremental ingress job and its dependent assets to import incremental load from SAP ECC:

Job Name	Taskflow	Mapping Task	Mapping	Description
infas360sap_ingress_ecc_supplier_inbound_delta	infas360sap_tf_ecc_s360_supplier_batch_inbound_delta	- infas360sap_mt_ecc_s360_supplier_batch_inbound_root_delta - infas360sap_mt_ecc_s360_supplier_batch_inbound_address_delta - infas360sap_mt_ecc_s360_supplier_batch_inbound_purchaseorganization_delta - infas360sap_mt_ecc_s360_supplier_batch_inbound_altname_delta - infas360sap_mt_ecc_s360_supplier_batch_inbound_pobox_delta - infas360sap_mt_ecc_s360_supplier_batch_inbound_email_delta - infas360sap_mt_ecc_s360_supplier_batch_inbound_company_code_delta - infas360sap_mt_ecc_s360_supplier_batch_inbound_phone_delta	infas360sap_m_ecc_s360_supplier_batch_inbound_root_delta infas360sap_m_ecc_s360_supplier_batch_inbound_address_delta infas360sap_m_ecc_s360_supplier_batch_inbound_purchase_organization_delta infas360sap_m_ecc_s360_supplier_batch_inbound_altname_delta infas360sap_m_ecc_s360_supplier_batch_inbound_pobox_delta infas360sap_m_ecc_s360_supplier_batch_inbound_email_delta infas360sap_m_ecc_s360_supplier_batch_inbound_company_code_delta infas360sap_m_ecc_s360_supplier_batch_inbound_phone_delta	Imports incremental data from the SAP ECC vendor records to the Supplier business entity.

The following table lists the predefined taskflows, mapping tasks, and mappings to import reference data from SAP ECC:

Taskflow	Mapping Task	Mapping	Description
infas360sap_tf_ecc_reconcacct_reconcacct_inbound	infas360sap_mt_ecc_reconcacct_reconcacct_inbound	infas360sap_m_ecc_reconcacct_reconcacct_inbound	Imports the reconciliation account data from SAP ECC to the Reconciliation Account reference data in Reference 360. **Note:** You must manually create an import job with the taskflow. For more information, see "Creating import jobs " on page 65.
infas360sap_tf_ecc_purchorg_purchorg_inbound	infas360sap_mt_ecc_purchorg_purchorg_inbound	infas360sap_m_ecc_purchorg_purchorg_inbound	Imports the purchase organization data from SAP ECC to the Purchase Organization reference data in Reference 360. **Note:** You must manually create an import job with the taskflow. For more information, see "Creating import jobs " on page 65.
infas360sap_tf_ecc_batch_companycode_companycode_inbound	infas360sap_mt_ecc_batch_companycode_companycode_inbound	infas360sap_m_ecc_batch_companycode_companycode_inbound	Imports the company code data from SAP ECC to the Company Code reference data in Reference 360. **Note:** You must manually create an import job with the taskflow. For more information, see "Creating import

Taskflow	Mapping Task	Mapping	Description
			jobs ” on page 65.

Batch jobs of the Supplier business entity for SAP S/4HANA

You can use batch jobs to import business partner records from SAP S/4HANA into Supplier 360 and to export processed records to SAP S/4HANA in batches.

Use the initial ingress job to import business partner records from SAP S/4HANA into Supplier 360 in batches for the first time. Use the incremental ingress job to import incremental data into Supplier 360 to be in synchronization with SAP S/4HANA. Use egress jobs to export the processed records to SAP S/4HANA in batches.

The job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps the SAP S/4HANA business partner fields with the Supplier business entity fields. The Supplier 360 Extension for SAP package includes predefined batch jobs and their related assets. You can customize the assets based on your requirement.

The following table lists the predefined initial ingress job and its dependent assets to import initial load from SAP S/4HANA:

Job Name	Taskflow	Mapping Task	Mapping	Description
infas360sap_ingress_s4h_supplier_inbound_initial	infas360sap_tf_ecc_s360_supplier_batch_inbound_initial	- infas360sap_mt_s4h_s360_supplier_batch_inbound_root_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_purchase_organization_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_identifier_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_bankdetails_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_company_code_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_address_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_tax_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_indicator_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_po_box_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_alt_name_initial - infas360sap_mt_s4h_s360_supplier_batch	- infas360sap_m_s4h_s360_supplier_batch_inbound_root_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_purchase_organization_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_identifier_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_bankdetails_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_company_code_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_address_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_tax_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_indicator_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_po_box_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_alt_name_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_phone_initial	Imports complete data from the SAP S/4HANA business partner to the Supplier business entity.

Job Name	Taskflow	Mapping Task	Mapping	Description
		_inbound_phone_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_email_initial - infas360sap_mt_s4h_s360_supplier_batch_inbound_role_initial	- infas360sap_m_s4h_s360_supplier_batch_inbound_email_initial - infas360sap_m_s4h_s360_supplier_batch_inbound_role_initial	

The following table lists the predefined incremental ingress job and its dependent assets to import incremental load from SAP S/4HANA:

Job Name	Taskflow	Mapping Task	Mapping	Description
infas360sap_ingress_s4h_supplier_inbound_delta	infas360sap_tf_s4h_s360_supplier_batch_inbound_delta	- infas360sap_mt_s4h_s360_supplier_batch_inbound_root_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_purchase_organization_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_bankdetails_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_company_code_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_address_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_tax_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_indicator_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_po_box_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_alt_name_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_phone_delta - infas360sap_mt_s4h_s360_supplier_batch	- infas360sap_m_s4h_s360_supplier_batch_inbound_root_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_purchase_organization_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_bankdetails_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_company_code_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_address_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_tax_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_indicator_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_po_box_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_alt_name_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_phone_delta - infas360sap_m_s4h_s360_supplier_batch_inbound_email_delta	Imports incremental data from the SAP S/4HANA business partner to the Supplier business entity.

Job Name	Taskflow	Mapping Task	Mapping	Description
		_inbound_email_delta - infas360sap_mt_s4h_s360_supplier_batch_inbound_role_delta	- infas360sap_m_s4h_s360_supplier_batch_inbound_role_delta	

The following table lists the predefined taskflows, mapping tasks, and mappings to import reference data from SAP S/4HANA:

Taskflow	Mapping Task	Mapping	Description
infas360sap_tf_s4h_reconcacct_reconcacct_inbound	infas360sap_mt_s4h_reconcacct_reconcacct_inbound	infas360sap_m_s4h_enterp_reconcacct_reconcacct_inbound	Imports the reconciliation account data from SAP S/4HANA to the Reconciliation Account reference data in Reference 360. **Note:** You must manually create an import job with the taskflow. For more information, see "Creating import jobs " on page 65.
infas360sap_tf_s4h_purchorg_purchorg_inbound	infas360sap_mt_s4h_purchorg_purchorg_inbnd	infas360sap_m_s4h_purchorg_purchorg_inbound	Imports the purchase organization data from SAP S/4HANA to the Purchase Organization reference data in Reference 360. **Note:** You must manually create an import job with the taskflow. For more information, see "Creating import jobs " on page 65.
infas360sap_tf_s4h_batch_companycode_companycode_inbound	infas360sap_mt_s4h_batch_companycode_companycode_inbound	infas360sap_m_s4h_batch_companycode_companycode_inbound	Imports the company code data from SAP S/4HANA to the Company Code reference data in Reference 360. **Note:** You must manually create an import job with the taskflow. For more information, see "Creating import jobs " on page 65.
infas360sap_tf_s4h_enterp_reconcacct_reconcacct_inbound	infas360sap_mt_s4h_enterp_reconcacct_reconcacct_inbound	infas360sap_m_s4h_entrep_reconcacct_reconcacct_inbound	Imports the reconciliation account data from SAP S/4HANA to the Reference 360 Enterprise code list. **Note:** You must manually create an import job with the taskflow. For more information, see "Creating import jobs " on page 65.

The following table lists the predefined egress jobs and their dependent assets to export data from Supplier 360 to SAP S/4HANA:

Job Name	Taskflow	Mapping Task	Mapping	Description
- infas360mm_egress_s4h_supplier_root_writeback_create - infas360sap_egress_s4h_supplier_outbound_tax_bank_address_add - infas360sap_egress_s4h_supplier_outbound_tax_bank_address_update_add	- infas360sap_tf_s4h_supplier_outbound_root_writeback_create - infas360sap_tf_s4h_supplier_outbound_tax_bank_address_add - infas360sap_tf_s4h_supplier_outbound_root_addr_bank_tax_update_add	- infas360sap_mt_s4h_s360_writeback_root - infas360sap_mt_s4h_s360_org_batch_outbound_root_create - infas360sap_mt_s4h_s360_org_batch_outbound_tax_add - infas360sap_mt_s4h_s360_org_batch_outbound_address_add - infas360sap_mt_s4h_s360_org_batch_outbound_bank_add - infas360sap_mt_s4h_s360_org_batch_outbound_root_update - infas360sap_mt_s4h_s360_org_batch_outbound_address_update_add - infas360sap_mt_s4h_s360_org_batch_outbound_tax_update_add - infas360sap_mt_s4h_s360_org_batch_outbound_bank_update_add	- infas360sap_m_s4h_s360_writeback_root - infas360sap_m_s4h_s360_org_batch_outbound_root_create - infas360sap_m_s4h_s360_org_batch_outbound_tax_add - infas360sap_m_s4h_s360_org_batch_outbound_address_add - infas360sap_m_s4h_s360_org_batch_outbound_bank_add - infas360sap_m_s4h_s360_org_batch_outbound_root_update - infas360sap_m_s4h_s360_org_batch_outbound_address_update_add - infas360sap_m_s4h_s360_org_batch_outbound_tax_update_add - infas360sap_m_s4h_s360_org_batch_outbound_bank_update_add	Exports processed data from Supplier 360 to SAP S/4HANA.

The following table lists the mapplets that the predefined mappings use:

Mapplet	Description
- BAPI_BUPA_CREATE_FROM_DATA - BAPI_BUPA_ADDRESS_ADD - API_BUPA_TAX_ADD - BAPI_BUPA_BANKDETAIL_ADD - BAPI_BUPA_CENTRAL_CHANGE - BAPI_BUPA_ADDRESS_GET_NUMBERS - BAPI_BUPA_ADDRESS_CHANGE - BAPI_BUPA_TAX_GETDETAIL - BAPI_BUPA_TAX_CHANGE - BAPI_BUPA_BANKDETAIL_GETDETAIL - BAPI_BUPA_BANKDETAIL_CHANGE	Loads supplier data from Supplier 360 into SAP S/4HANA and generates a SAP S/4HANA business partner number.

Field mapping

The Cloud Data Integration mappings map the fields of Supplier 360 and SAP. Based on the mappings, the SAP data is stored in Supplier 360.

The following table lists the SAP objects and the Supplier 360 business entity to which they are mapped:

Source System	SAP Object Name	Supplier 360 Object Name	Supplier 360 Object Type
SAP ECC	Vendor	Supplier	Business entity
SAP S/4HANA	Business Partner	Supplier	Business entity

Mapping of the Supplier business entity and SAP ECC vendor fields

The fields from the SAP ECC vendor are mapped to the Supplier business entity for data integration. You can map multiple SAP fields to a Supplier 360 field. For example, SAP fields, such as Telephone, Fax, and Mobile, are mapped to Phone Number field of Supplier 360.

General fields of the Supplier business entity

The following table lists the SAP ECC general data in supplier master fields that are mapped to the general fields of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Name1	LFA1-NAME1	Name	name

Address field group of the Supplier business entity

The following table lists the SAP ECC fields that are mapped to the Address field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Undeliverable	ADRC_DONT_USE_P	Address Status	addressStatus
- Building code - Room - Floor - Street - House number	- ADRC_BUILDING - ADRC_ROOMNUMBER - ADRC_FLOOR - ADRC_STREETCODE - ADRC_HOUSE_NUM1	Address Line 1	addressLine1
Street 2	ADRC_STR_SUPPL1	Address Line 2	addressLine2
- Street 3 - Street 4 - Street 5	- ADRC_STR_SUPPL2 - ADRC_STR_SUPPL3	Address Line 3	addressLine3
Country	ADRC_COUNTRY	Country	country
Region	ADRC_REGION	State	state
City	ADRC_CITY1	City	city
District	ADRC_CITY2	County	county
Postal Code	ADRC_POST_CODE1	Postal Code	postalCode
Postal code extension	ADRC_PCODE1_EXT	Postal Code Extension	postalCodeExtension
Valid from	ADRC_DATE_FROM	Start Date	effectiveStartDate
Valid to	ADRC_DATE_TO	End Date	effectiveEndDate

Alternate Names field group of the Supplier business entity

The following table lists the SAP ECC fields that are mapped to the Alternate Names field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
- Name2 - Name3 - Name4	- LFA1-NAME2 - LFA1-NAME3 - LFA1-NAME4	Alternate Name	alternateName

Company Code field group of the Supplier business entity

The following table lists the SAP ECC fields that are mapped to the Company Code field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Company Code	LFB1-BUKRS	Company Code	X_infas360sap_companyCode
Reconciliation Account	LFB1-AKONT	Reconciliation Account	X_infas360sap_reconciliationAccount

Email field group of the Supplier business entity

The following table lists the SAP ECC fields that are mapped to the Email field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
E-mail Address	ADR6-SMTP_ADDR	Electronic Address	electronicAddress
Valid from	ADR2-DATE_FROM	Effective Start Date	effectiveStartDate
Valid to	ADR2-VALID_TO	Effective End Date	effectiveEndDate

Identifier field group of the Supplier business entity

The following table lists the SAP ECC fields that are mapped to the Identifier field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Vendor	LFA1-LIFNR	Identifier Value	identifierValue

Phone field group of the Supplier business entity

The following table lists the SAP ECC fields that are mapped to the Phone field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Valid To	ADR2-VALID_TO	Effective End Date	effectiveEndDate
Valid From	ADR2-DATE_FROM	Effective Start Date	effectiveStartDate
- Telephone 1 - Fax Number	- ADR2-TEL_NUMBER - ADR3-FAX_NUMBER	Phone Number	phoneNumber
- Telephone Extension - Fax Extension	- ADR2-TEL_EXTENS - FAX_EXTENS	Phone Number Extension	phoneNumberExtension

PO Box Address field group of the Supplier business entity

The following table lists the SAP ECC fields that are mapped to the PO Box Address field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
PO Box	LFA1-PFACH	PO Box	X_infas360sap_poBox
Postal Code	LFA1-PSTLZ	Postal Code	X_infas360sap_postalCode
Company Postal Code	ADRC-POST_CODE3	Company Postal Code	X_infas360sap_companyPostalCode
PO Box w/o No	ADRC-PO_BOX_NUM	PO Box Without Number	X_infas360sap_poBoxWoNo
Delivery Number	ADRC-DELI_SERV_NUMBER	Delivery Number	X_infas360sap_deliveryNumber
Other City	ADRC-PO_BOX_LOC	Other City	X_infas360sap_otherCity
PO Box Lobby	ADRC-PO_BOX_LOBBY	PO Box Lobby	X_infas360sap_poBoxLobby
Delivery Service	ADRC-DELI_SERV_TYPE	Delivery Service	X_infas360sap_deliveryService
Other Country	ADRC-PO_BOX_CTY	Other Country	X_infas360sap_otherCountry

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Other Region	ADRC-PO_BOX_REG	Other Region	X_infas360sap_otherRegion
Undeliverable	ADRC-DONT_USE_P	Undeliverable	X_infas360sap_undeliverable

Purchase Organization field group of the Supplier business entity

The following table lists the SAP ECC fields that are mapped to the Purchase Organization field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Purchasing Org	LFM1-EKORG	Purchase Organization	X_infas360sap_purchaseOrganization
Purchasing Order Currency	LFM1-WAERS	Purchase Order Currency	X_infas360sap_purchaseOrderCurrency

Mapping of the Supplier business entity and SAP business partner fields

The fields from the SAP S4HANA business partner are mapped to the Supplier business entity for data integration. You can map multiple SAP fields to a Supplier 360 field. For example, SAP fields, such as Telephone, Fax, and Mobile, are mapped to Phone Number field of Supplier 360.

General fields of the Supplier business entity

The following table lists the SAP S/4HANA business partner fields that are mapped to the general fields of Supplier business entity:

SAP Display Name	SAP Business Partner Role	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Name	Vendor	BUT000-NAME_ORG1	Name	name
Date Founded	Vendor	BUT000-FOUND_DAT	Date of Incorporation	dateOfIncorporation

Address field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Address field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Undeliverable	ADRC_DONT_USE_P	Address Status	addressStatus
- Building code - Room - Floor - Street - House number	- ADRC_BUILDING - ADRC_ROOMNUMBER - ADRC_FLOOR - ADRC_STREETCODE - ADRC_HOUSE_NUM1	Address Line 1	addressLine1
Street 2	ADRC_STR_SUPPL1	Address Line 2	addressLine2
- Street 3 - Street 4 - Street 5	- ADRC_STR_SUPPL2 - ADRC_STR_SUPPL3	Address Line 3	addressLine3
Country	ADRC_COUNTRY	Country	country
Region	ADRC_REGION	State	state
City	ADRC_CITY1	City	city
District	ADRC_CITY2	County	county
Postal Code	ADRC_POST_CODE1	Postal Code	postalCode
Postal code extension	ADRC_PCODE1_EXT	Postal Code Extension	postalCodeExtension
Valid from	ADRC_DATE_FROM	Start Date	effectiveStartDate
Valid to	ADRC_DATE_TO	End Date	effectiveEndDate
NA	NA	Default Indicator	defaultIndicator

Alternate Names field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Alternate Names field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
- Name2 - Name3 - Name4	- BUT000-NAME_ORG2 - BUT000-NAME_ORG3 - BUT000-NAME_ORG4	Alternate Name	alternateName

Bank Details field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Bank Details field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Bank Detail ID	BUT0BK-BKVID	Bank Detail Identifier	X_infas360sap_BankDetailID
Bank country key	BUT0BK-BANKS	Country	country
Bank Keys	BUT0BK-BANKL	Bank Key	X_infas360sap_BankKey
Bank account number	BUT0BK-BANKN	Account Number	accountNumber
International Bank Account Number	BUT0BK-IBAN	IBAN	iban
Account Holder Name	BUT0BK-KOINH	Account Holder	accountHolder
User-Defined Name of Bank Details	BUT0BK-ACCNAME	Account Name	X_infas360sap_AccountName
Bank Details Valid From	BUT0BK-BK_VALID_FROM	Effective Start Date	effectiveStartDate
Bank details valid to	BUT0BK-BK_VALID_TO	Effective End Date	effectiveEndDate

Company Code field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Company Code field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Company Code	LFB1-BUKRS	Company Code	X_infas360sap_companyCode
Reconciliation Account	LFB1-SAKNR	Reconciliation Account	X_infas360sap_reconciliationAccount

Email field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Email field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
E-mail (address dependent & Address Independent)	ADR6-SMTP_ADDR	Electronic Address	electronicAddress
Valid from	ADR2-DATE_FROM	Effective Start Date	effectiveStartDate
Valid to	ADR2-VALID_TO	Effective End Date	effectiveEndDate

Identifier field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Identifier field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Vendor	- LFA1-LIFNR - BUT000-LIFNR	Identifier Value	identifierValue

Indicator field group of the Supplier business entity

The following table lists the SAP S4HANA fields that are mapped to the Indicator field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
- Military Use - Nuclear Sector	- BUT000-MILVE - BUT000- NUC_SEC	Indicator Value	X_infas360sap_indicatorValue

Phone field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Phone field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Valid To	ADR2-VALID_TO	Effective End Date	effectiveEndDate
Valid From	ADR2-DATE_FROM	Effective Start Date	effectiveStartDate

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
- Telephone 1 - Fax Number	- ADR2-TEL_NUMBER - ADR3-FAX_NUMBER	Phone Number	phoneNumber
- Telephone Extension - Fax Extension	- ADR2-TEL_EXTENS - FAX_EXTENS	Phone Number Extension	phoneNumberExtension

PO Box Address field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the PO Box Address field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
PO Box	ADRC-PO_BOX	PO Box	X_infas360sap_poBox
Postal Code	ADRC-POST_CODE1	Postal Code	X_infas360sap_postalCode
Company Postal Code	ADRC-POST_CODE3	Company Postal Code	X_infas360sap_companyPostalCode
PO Box w/o No	ADRC-PO_BOX_NUM	PO Box Without Number	X_infas360sap_poBoxWoNo
Delivery Number	ADRC-DELI_SERV_NUMBER	Delivery Number	X_infas360sap_deliveryNumber
Other City	ADRC-PO_BOX_LOC	Other City	X_infas360sap_otherCity
PO Box Lobby	ADRC-PO_BOX_LOBBY	PO Box Lobby	X_infas360sap_poBoxLobby
Delivery Service	ADRC-DELI_SERV_TYPE	Delivery Service	X_infas360sap_deliveryService
Other Country	ADRC-PO_BOX_CTY	Other Country	X_infas360sap_otherCountry
Other Region	ADRC-PO_BOX_REG	Other Region	X_infas360sap_otherRegion
Undeliverable	ADRC-DONT_USE_P	Undeliverable	X_infas360sap_undeliverable

Purchase Organization field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Purchase Organization field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Purchasing Org	LFM1-EKORG	Purchase Organization	X_infas360sap_purchaseOrganization
Purchasing Order Currency	LFM1-WAERS	Purchase Order Currency	X_infas360sap_purchaseOrderCurrency

Role field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Role Name field group of the Supplier business entity :

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
BP Role	BUT100-RLTYP	Role	role

Tax field group of the Supplier business entity

The following table lists the SAP S/4HANA fields that are mapped to the Tax field group of the Supplier business entity:

SAP Display Name	SAP Table Name	Supplier 360 Display Name	Supplier 360 Internal ID
Tax Number	DFKKBPTAXNUM-TAXNUM	Tax Number	taxNumber
Tax Number Type	DFKKBPTAXNUM-TAXTYPE	Tax Number Type	taxNumberType

Pages

The Supplier 360 Extension for SAP package contains predefined pages. You can use the predefined pages as a reference to create similar custom pages for business entities.

Use the Create page type to create records. Use the View and Edit page type to view and edit records.

The following table describes the predefined pages for the Supplier business entity:

Page Name	Description	Assigned User Roles
Create Page Supplier	A page to create a Supplier record.	- MDM Business User - Supplier 360 Analyst - Supplier 360 Contract Manager - Supplier 360 Data Steward - Supplier 360 Task Admin
Edit Page Supplier	A page to view or edit a Supplier record.	- MDM Business User - Supplier 360 Analyst - Supplier 360 Contract Manager - Supplier 360 Data Steward - Supplier 360 Task Admin

For more information about creating pages, see *Designing user interface*.

Reports

Use predefined reports to visualize data in the form of charts and report tables in Supplier 360.

The following table describes predefined reports that the Supplier 360 Extension for SAP package includes:

Report Name	Internal ID	Description
Migration Status	infas360sap_migration_status	Displays the number of SAP ECC vendor records that are exported to SAP S/4HANA and the number of SAP ECC vendor records that aren't exported to SAP S/4HANA.
Supplier by Source System	infas360sap_supplier_by_source_system	Displays the number of supplier records based on their source systems.

Data quality rule associations

Add the predefined data quality rule associations to the business entity fields to cleanse, standardize, and validate the field values. When you import source records, the data quality rule associations validate and transform the records in Supplier 360.

The following table describes the advanced rule associations that the Supplier business entity uses:

Rule Association Name	Rule Specification Name	Applied Field	Description
IBAN Validation	IBAN Validation	Bank Details.IBAN	Validates whether the length of the International Bank Account Number (IBAN) is less than or equal to 34.
Email Address Validation	Email Address Validation	Email.Electronic Address	Validates whether the email address value has a valid format.
PO Box and Delivery Service Validation	Po Box and Delivery Service validation	PO Box Address.PO Box	Validates whether the applied field or the Delivery Service field has a value, and ensures that both the fields don't contain a value at the same time.
PoBox and CompanyPostalCode validation	PoBox and CompanyPostalCode validation	PO Box Address.PO Box	Validates whether the applied field or the Company Postal Code field has a value, and ensures that both the fields don't contain a value at the same time.
Postal Code and Po Box Validation	Postal Code and Po Box Validation	PO Box Address.Postal Code	Validates that when the Postal Code field has a value, the PO Box field is not null.
PO Box Without Number Check	PO Box Without Number Check	PO Box Address.PO Box Without Number	Validates whether the PO Box field has a value.

CHAPTER 4

Deploying Supplier 360 Extension for SAP

To deploy Supplier 360 Extension for SAP, you must configure SAP ECC or SAP S/4HANA, download the extension package, import assets into Supplier 360, and update the predefined connections.

To deploy Supplier 360 Extension for SAP, perform the following tasks:

1. Download and extract the extension package.
2. Import the data model, the predefined custom pages, and the source systems.
3. Add predefined pages and search result layout components.
4. Import reference data code values into reference data assets.

Note: Before importing the data model, pages, and reference data assets, ensure that you are assigned to the Designer, MDM Designer, Reference 360 User, and Reference 360 Business Steward user roles, and not to the Admin user role.

After you deploy the extension, you can integrate Supplier 360 with SAP to process SAP supplier data in batches.

Downloading and extracting the Supplier 360 Extension for SAP package

To get the link to download the Supplier 360 Extension for SAP package, contact Informatica Global Customer Support.

After you download Supplier 360 Extension for SAP, extract the package on your machine. The package contains the additional data model attributes, relationships, and predefined custom pages for Supplier 360.

The extracted package contains the following files and folders:

File or Folder Name	Description
1_MDM_Assets.zip	Contains the following assets: - Additional data model attributes to store SAP ECC and SAP S/4HANA records. - Source system for SAP ECC and SAP S/4HANA. - Predefined custom pages. - Predefined reports.
2_DI_Assets.zip	Contains Data Integration assets to import SAP ECC and SAP S/4HANA records to Supplier 360 and export Supplier 360 records to SAP S/4HANA.
3_MDM_Job_Assets.zip	Contains the job assets to synchronize SAP ECC and SAP S/4HANA records with Supplier 360 in batches.
Reference Data	Contains files that store code lists and values related to SAP ECC and SAP S/4HANA.
Secure Agent Files	Contains the parameter values for the Cloud Data Integration mappings.

Importing data model, pages, and source systems

After you download and extract the extension package, import the data model assets, the predefined pages, and the source systems.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/1_MDM_Assets.zip`
3. Click **Open**.
4. Ensure that all the assets are selected.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Adding predefined pages

You can add the predefined pages of the Supplier business entity to Supplier 360. Ensure that you have the administrator user role.

1. In Business 360 Console, click **Explore** > **Supplier360**.
2. Click the business application.
3. On the **Pages** tab, select **Supplier**.
4. On the **Create** tab, click **Add Page**.

   A blank row appears.
5. To select a page, click the asset picker.

   The **Select a page** window appears.

6. Select **Create Page Supplier**, and click **Select**.

   The selected page appears in the row.

7. To assign user roles to the page, from the list of user roles, select one or more user roles.

   For more information about the user roles assigned to pages, see "Pages" on page 52.

8. On the **View and Edit** tab, click **Add Page**.

   A blank row appears.

9. To select a page, click the asset picker.

   The **Select a page** window appears.

10. Select **Edit Page Supplier**, and assign the page to one or more user roles.

    For more information about the user roles assigned to pages, see "Pages" on page 52.

11. Click **Save**.

For more information about how to assign pages to user roles, see *Assign pages to user roles*.

Importing reference data assets

After you import MDM assets, import reference data code values in bulk from CSV files into reference data assets.

The following table describes the files and folders in the extracted reference data directory:

File or Folder Name	Description
`_1`	Folder that contains the code values.
`LoadReferenceData.py`	Python script to import reference data.

To import code values in bulk from CSV files that are available in the extracted reference data directory, run the LoadReferenceData.py Python script.

Prerequisites

Before you import reference data into your system, ensure that you meet the prerequisites.

Complete the following prerequisite tasks:

- Ensure that you have permission to import reference data.
- Install Python version 3 or later on your machine.
- To verify whether the cURL library files are pre-installed and to check the cURL library version, run the following command from a command prompt:

  ```
  curl --version
  ```

  Note: If cURL isn't available in your operating system, ensure that you install it. You can download the cURL library for your operating system from the cURL website:

  `http://curl.haxx.se/download.html`

Importing the reference data

To import all the reference data in bulk, run the Python script.

1. Open a command prompt, and navigate to the following directory:

   ```
   <Extracted extension package>/Reference Data
   ```

2. Run the following command:

   - On Windows.

     ```
     python LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --
     userName <user name> --password <password> --region <POD region>
     ```

   - On Linux.

     ```
     python3 LoadReferenceData.py --podHostName <POD host name>.informaticacloud.com --
     userName <user name> --password <password> --region <POD region>
     ```

   The jobs to import reference data code values run.

3. To monitor the status of a job, click **My Jobs** in Reference 360.

   The My Jobs page lists the job instances that are currently running, failed, and successfully completed.

CHAPTER 5

Integrating Supplier 360 with SAP

Integrate Supplier 360 Extension for SAP with SAP ECC or SAP S/4HANA to process SAP supplier data in batches. To integrate Supplier 360 with SAP, import and configure Supplier 360 Extension for SAP assets.

Note: Import the extension assets before you customize your data model in MDM SaaS because the import process overwrites all your customization.

To configure Supplier 360 Extension for SAP assets, perform the following tasks:

1. Import the Cloud Data Integration assets.
2. Import the predefined batch jobs.
3. Set the Secure Agent parameters.
4. Import the parameter files.
5. Configure Cloud Data Integration assets for incremental data.
6. Configure the flat file connection.
7. Configure the Business 360 Connector.
8. Configure the Reference 360 Connector.
9. Configure the SAP Table Connector.
10. Create import jobs.
11. Run the jobs.

Importing the Cloud Data Integration assets

Import the Cloud Data Integration assets, such as predefined taskflows, mapping tasks, and mappings. Create import and export jobs based on the predefined taskflows.

1. In Data Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   ```
   <Extracted extension package>/2_DI_Assets/DI_Assets.zip
   ```

3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and then select **Publish Taskflow(s) after import**.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the job assets

After you import the Cloud Data Integration assets, import the job assets related to the source system. Use batch jobs to ingress records from and egress the processed records to the source system.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/3_MDM_Job_Assets/Job_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing the Cloud Application Integration assets

After you import the batch jobs, import the Cloud Application Integration assets.

1. In Application Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   `<Extracted extension package>/4_CAI_Assets.zip`
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected.
5. In the **Review Locations** section, select the target project to which you want to import the assets.
6. Click **Import**.
7. On the **My Import/Export Logs** page, verify whether the import job is successful.

Publishing the Cloud Application Integration processes

To run a Cloud Application Integration process, you must publish the process named `infap360mm_proc_supplier_writeback_create_ingress`.

1. In Application Integration, click **Explore** > **<Project>**.

   For example, if you use Supplier 360, click **Supplier360**.
2. Click **SAP Extension**.
3. To publish the process, click the process, expand the **Actions** menu, and click **Publish**.

Adding a Secure Agent

To run the Cloud Data Integration processes securely, add a Secure Agent to the predefined Secure Agent group.

1. In Administrator, click **Runtime Environments**.
2. Expand the **Actions** menu for the `infa_extension_runtime` Secure Agent group, and select **Add or Remove Secure Agents**.
3. In the **Available Agents** list, select the Secure Agent that you want to add to the group, and click **Select**.
4. Expand the **Actions** menu for the `infa_extension_runtime` Secure Agent group, and select **Enable or Disable Services, Connectors**.
5. From the **Services** tab, select the services to enable for the Secure Agent group.
6. From the **Connectors** tab, select the connectors to enable for the Secure Agent group.
7. Click **Save**.

Importing parameter files

A parameter file is a list of user-defined parameters and their associated values. Import the parameter files for Cloud Data Integration mappings.

The Supplier 360 Extension for SAP package contains the following parameter files in the Secure Agent files directory for the Data Integration mappings:

- `infac360sap_ecc_inbound`
- `infac360sap_s4h_inbound`

To import parameter files, save the parameter files in the Secure Agent Installation directory.

Copy the parameter files from the source directory to the target Secure Agent installation directory:

Source: `<Extracted extension package>\Secure Agent Files\Parameter Files`

Target: `<Secure Agent Installation Directory>\apps\Data_Integration_Server\data\userparameters`

Optionally, if you want to use a configured path for the target location, see *Parameter file location*.

Configuring the flat file connection

To access flat files from the Secure Agent, configure the flat file connection.

1. In Administrator, click **Connections**.
2. Click `infas360sap_conn_flatfile`.
3. Verify the directory to store the flat file.

   Default is `C:\ReferenceData`.
4. Test the connection and ensure that the connection is successful.

Configuring the Business 360 FEP connection

You can use the Business 360 FEP connector to write data from SAP ECC and SAP S/4HANA into Supplier 360. If the input values for source system integer fields are null, the Business 360 FEP connector converts the null values to 0 in Supplier 360.

1. In Administrator, click **Connections**.
2. Click `infas360sap_conn_business360_fep`.
3. Test the connection.

   The connection might fail with the following error:
   ```
   The test connection for infas360sap_conn_business360_fep failed. Unable to fetch
   connector attributes. Ensure that adapter ID is valid[com.infa.adapter.mdmflat].
   ```
4. If the connection fails, perform the following steps to ensure that the connection is successful:
   a. Verify the license for Business 360 FEP connector.
   b. Ensure that connector is enabled for the Secure Agent group.
   c. Restart the Secure Agent.

Configuring the Reference 360 connection

You can configure the Reference 360 connection to import reference data from SAP ECC and SAP S/4HANA into Reference 360 reference data sets.

1. In Administrator, click **Connections**.
2. Click `infar360sap_conn_Supplier360`.
3. Test the connection.

   The connection might fail with the following error:
   ```
   The test connection for infar360sap_conn_Supplier360 failed. Unable to fetch connector
   attributes. Ensure that the adapter ID is valid[com.infa.adapter.mdmflat].
   ```
4. If the connection fails, perform the following steps to ensure that the connection is successful:
   a. Verify your license for the Reference 360 connection.
   b. Ensure that the connector is enabled for the Secure Agent group.
   c. Restart the Secure Agent.

Configuring the SAP Table Connector

You can use a SAP Table Connector to integrate SAP ECC and SAP S/4HANA with Supplier 360 and read SAP data.

1. To configure a SAP Table Connector, perform the following steps:
   a. Verify whether the required licenses are available for SAP Table Connector.

b. If you host the Secure Agent on a Windows machine, download and install the Microsoft Visual C++ Redistributable package on the machine that hosts the Secure Agent.

c. Download and configure the SAP libraries on the Secure Agent machine to read from and write to SAP tables.

d. To enable the Secure Agent to connect to the SAP system as a Remote Function Call (RFC) client, create and configure the sapnwrfc.ini file on the machines that host the Secure Agent.

e. Configure the SAP user account to access the SAP table data.

f. Install the SAP Table connection transport files on the SAP machines that you want to access.

g. To connect to SAP through HTTPS and read SAP table sources, configure the machine that hosts the Secure Agent and the machine that hosts the SAP system.

For more information about SAP Table Connector, see *Connections for SAP Table Connector*.

2. Configure the following connections:

- `infas360sap_conn_table_s4h_presales`
- `infas360sap_conn_table_ecc_presales`

The following table describes the SAP Table Connector properties:

Connection Property	Description
Runtime Environment	The name of the runtime environment where you want to run tasks. Select a Secure Agent or serverless runtime environment.
Username	The user name with the appropriate user authorization to connect to the SAP account.
Password	The password to connect to the SAP account.
Client	The client number of the SAP application server.
Language	Language code that corresponds to the SAP language.
Saprfc.ini Path	Local directory to the `sapnwrfc.ini` file. To write to SAP tables, use the following directory: `<Informatica Secure Agent installation directory>/apps/Data_Integration_Server/ext/deploy_to_main/bin/rdtm`
Destination	DEST entry that you specified in the `sapnwrfc.ini` file for the SAP application server. Use all uppercase letters for the destination. If you enter the directory of the sapnwrfc.ini file in this field, you don't need to enter the host name or IP address and system number of the SAP application server in the **Application Server** and **System Number** fields.
Port Range	HTTP port range. The SAP Table connection uses the specified port numbers for connecting to SAP tables using the HTTP protocol. Default range is 10000-65535. Enter a range in the default range, for example, 10000-20000. If a range is outside the default range, the connection uses the default range.
Test Streaming	Tests the connection. When selected, tests the connection using both RFC and HTTP protocol. When not selected, tests connection using RFC protocol.

Connection Property	Description
Https Connection	When selected, connects to SAP through HTTPS protocol. To successfully connect to SAP through HTTPS, verify that an administrator has configured the machines that host the Secure Agent and the SAP system.
Keystore Location	Absolute path and file name of the keystore file required for the SAP connection. Specify both the directory and file name in the following format: `<Directory>/<Keystore file name>.jks`
Keystore Password	The destination password to access the keystore file.
Private Key Password	The export password that you specify for the .P12 file.

3. Test the connections, and ensure that the connections are successful.

   For more information about SAP Connector, see *SAP IDocs and RFCs/BAPI Connector administration*.

4. If the SAP instance and the Secure Agent are installed in the same Virtual Private Cloud (VPC) network, perform the following steps:

   a. Configure the Secure Agent host to use the private IP address for accessing the SAP instance.

      1. Open the following file on the Secure Agent:
         - On Windows. `\Windows\System32\drivers\etc\hosts`
         - On Linux. `/etc/hosts`
      2. Add an entry for the SAP instance in the following format:
         `<SAP Hostname> <Private IP address of the SAP host>`
      3. Repeat step 2 for all the SAP instances available in VPC as the Secure Agent host.

   b. For communication between the SAP instance and the Secure Agent, add a custom DTM configuration property to use the private IP address of the Secure Agent host.

      1. In Administrator, click **Runtime Environments**.
      2. Expand the **Actions** menu for the Secure Agent, and select **Edit Secure Agent**.
      3. In the **Custom Configuration Details** section, enter the following details:

Field Name	Value
Services	Data Integration Server
Type	DTM
Name	SapTableReaderNatIpAddress
Value	<Private IP address of Secure Agent host>

4. Click **Save**.
   The Secure Agent restarts automatically within 10 minutes. To apply the properties immediately, you can restart manually. To avoid failure of any running task, ensure that no tasks run .

c. Test the connection to verify the connectivity between the SAP instance and the Secure Agent.

   If the connection test is unsuccessful, disable the firewall to resolve the issue.

Creating a custom table in SAP

Create a custom table named `ZINFA_SUPPLIER` in SAP to store the MDM SaaS data in SAP S/4HANA. Ensure that you set the name of the table correctly because the predefined batch jobs use the table. For more information about creating a custom table in SAP, see the SAP documentation.

After you create the custom table, you can run the predefined batch jobs to load data from MDM SaaS to SAP S/4HANA.

Creating import jobs

To import data from SAP ECC and SAP S/4HANA to Reference 360, create import jobs in Reference 360.

1. In Reference 360, click **New**.

   The **New Asset** dialog box appears.
2. Click **Jobs** > **Reference Data Import**, and click **Create**.

   The **Reference Data Import** dialog box appears.
3. Set the display name and internal ID of the job.
4. To import data from SAP ECC, create the following jobs:
   - infas360sap_import_ecc_reconcacct_inbound
   - infas360sap_import_ecc_purchorg_inbound
   - infas360sap_import_ecc_companycode_inbound

   To import data from SAP S/4HANA, create the following jobs:
   - infas360sap_import_s4h_reconcacct_inbound
   - infas360sap_import_s4h_purchorg_inbound
   - infas360sap_import_s4h_companycode_inbound
   - infas360sap_import_s4h_enterp_reconcacct_reconcacct_inbound
5. Set the location to `Supplier360\SAP Extension`.
6. Add the taskflow associated with the job.

   For more information about jobs and their related taskflow, mapping task, and mapping of the Supplier business entity, see "Import reference data" on page 12.
7. Save the job.

   For more information about import jobs, see *Import reference data*.

Running the jobs

After integrating SAP ECC and SAP S/4HANA with Supplier 360, you can run the ingress job.

Note: When you configure an SAP Table Reader mapping to read data from an SAP table source object, the mapping might fail with the following error:

```
com.sap.conn.jco.AbapException: (126) OPTION_NOT_VALID: OPTION_NOT_VALID Message 000 of class SAIS type E, Par[1]: DB_Error, Par[2]: DD02L I
```

If the SAP Table Reader mapping fails, configure the `SapStrictSql` custom property and set the value based on the SAP system language.

To configure the `SapStrictSql` custom property, perform the following tasks :

1. In Administrator, click **Runtime Environments**.
   The **Runtime Environments** page appears.
2. Select the Secure Agent that runs the mapping.
3. Click **Edit**.
4. In the **Custom Configuration Details** section, select **Data Integration Server** as the **Service** and **Tomcat** as the **Type**.
5. In the **Name** field, enter `SapStrictSql` and set the value based on the SAP system language.
   For example, set the value as **E** for English language.

To import data from SAP ECC, run the following import jobs:

- infas360sap_import_ecc_reconcacct_inbound
- infas360sap_import_ecc_purchorg_inbound
- infas360sap_import_ecc_companycode_inbound

To import data from SAP S/4HANA, run the following import jobs:

- infas360sap_import_s4h_reconcacct_inbound
- infas360sap_import_s4h_purchorg_inbound
- infas360sap_import_s4h_companycode_inbound
- infas360sap_import_s4h_enterp_reconcacct_reconcacct_inbound
- infas360sap_import_s4h_enterp_reconcacct_reconcacct_inbound

For more information about the list of available jobs, see "Batch jobs" on page 33.

INDEX

I

Informatica Global Customer Support
  contact information 6
Informatica Intelligent Data Management Cloud
  web site 5

M

maintenance outages 6

S

status
  IDMC 6
system status 6

T

trust site
  description 6

U

upgrade notifications 6

W

web site 5