Informatica® Business 360 Console
October 2026

Configure Global Settings

Informatica Business 360 Console Configure Global Settings
October 2026

© Copyright Informatica LLC 2023, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices and AI assistant acknowledgements are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-10-16

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- IDMC web site 4
- Intelligent Data Management Cloud Communities 4
- IDMC Marketplace 4
- Informatica Knowledge Base 5
- IDMC Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Configuring global settings 6

Setting license details 6

Granting support access 7

- Grant access to Global Customer Support 7
- Revoke access to Global Customer Support 7

Purging data 7

- Types of data to purge 7
- Rules and guidelines for purging data 8
- Performance considerations for purging data 8
- Setting up data purge 9

Enabling merge history activity for custom reports 9

Configuring retention periods for historical data 10

- Configure the retention period for historical data 10

Enabling Match Analysis and Explainability dashboard 11

Migrate existing data quality rule associations 11

Resetting organizations 12

- Rules and guidelines to reset an organization 13
- Reset an organization 13

Index 14

Preface

Follow the instructions in *Configure Global Settings* to configure global settings such as license keys, support access, and data purge.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security, compliance, and privacy practices.

You can access the trust center at https://trust.informatica.com/.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Configuring global settings

The settings that impact an organization or all users of the organization are grouped under global settings. You can use global settings to manage license keys and files, configure access for Informatica Global Customer Support, configure data purge rules, reset organizations, and migrate existing rule associations to use Enrichment and Validation Orchestrator.

Access the Global Settings page from the Business 360 Console navigation bar.

Setting license details

To validate and enrich the records, you can set the license keys and license files for the DaaS services that you want to use.

1. On the Home page, click **Global Settings**.

   The **Global Settings** page appears.

2. Click **Edit**, and specify the license details for the DaaS services:

   a. In the **Real-time Address Verification** section, enter the account ID and cloud token.

      You can get the account ID and cloud token from the Informatica Data Quality Center to verify addresses in real time.

   b. In the **Address Verification Batch** section, upload the address verification version 6.5.0 or later license file that you receive in an email from Informatica.

      Note: You can upload up to five license files. Ensure that you don't rename the file.

   c. In the **Email and Global Phone Verification** section, enter the license keys to verify the email addresses and phone numbers in real time.

   For more information about the license keys and license files, contact Informatica Global Customer Support.

3. Click **Save**.

   The DaaS services are activated.

Granting support access

You can grant read-only access to Informatica Global Customer Support for a specific period.

When you grant access, support users can view metadata on the Explore, Business Events, and My Jobs pages of Business 360 Console. The support users can't edit the data on these pages. You can set the period for which you want the access to be valid and also revoke access at any time.

Grant access to Global Customer Support

To troubleshoot issues, you can grant read-only access to Informatica Global Customer Support.

1. Click **Global Settings** > **GCS Access**.

   The **GCS Access** page appears.
2. Grant read-only access to Global Customer Support.
3. Set the date and time until which you want the access to be valid, and click **OK**.
4. Click **Save**.

Revoke access to Global Customer Support

You can revoke read-only access to Informatica Global Customer Support at any time.

1. Click **Global Settings** > **GCS Access**.

   The **GCS Access** page appears.
2. Revoke read-only access to Global Customer Support.

Purging data

You can purge the data of your organization. When you purge data, you permanently delete data from the data store without deleting data models and other configuration details.

You can purge data in the development, QA, and production environments. When you purge data, a purge job is automatically created and triggered.

Types of data to purge

You can purge business entity records, source records, relationships, historical data, or remove code values and their dependent reference data assets.

You can choose to purge the following data:

- All business entity records, source records, and relationships, including historical data.
- Historical data of business entity records, hierarchies, and relationships.
- Business entity records, source records, relationships, historical data of a specific business entity.
- Code values of code lists along with their dependent reference data assets, such as crosswalks, relationships, and hierarchies.

Rules and guidelines for purging data

Before purging data, consider the following rules and guidelines to prevent any data issues:

- No users have logged in to business applications.
- No jobs are running.
- All workflow tasks are complete.
- Don't update the metadata of any business entity while the purge job is running.
- Don't train any Adaptive AI match models.
- If you purge deleted source records that contribute to the business IDs of active master records, the business IDs of those master records are updated. The business IDs are updated because deleted source records are first unmerged from their master records and then purged. To track master records whose business IDs are updated, configure publishing events for unmerge actions before you purge.
- If all source records of a master record are deleted, then purging the deleted source records also purges the master record.
- You can purge code values of custom code lists that aren't picklist values of business entities in business applications, such as Customer 360 SaaS.
- Review all assets that depend on the code list you are about to purge and assess their impact.

Performance considerations for purging data

The performance of data purge depends on the data set, data volume, and POD-level limits.

To optimize performance of data purge, consider the aspects of data, such as volume and complexity, and purging limits.

Complexity of the data set

The performance of purge jobs depends on the size and complexity of your data set, such as the number of relationships, source records associated with master records, number of record pairs generated for matching, and historical data.

Small volume data purge

When you purge up to 1,000 records, including each master record, source record, relationship, record pair, and history record, the purge job runs immediately without queuing.

Large volume data purge

You can purge up to 1 million master records at a time. To purge larger volumes, run the purge job multiple times.

You can purge up to 10 million deleted source records. To ensure proper scheduling and resource allocation for purging volumes exceeding 1 million records, contact Informatica Global Customer Support.

For information about viewing the number of master records and source records in your organization, see *Monitor MDM SaaS*.

Concurrency limits at the POD level

Informatica limits the number of concurrent purge jobs that can run on a POD. As a result, your purge job might be queued if multiple jobs run concurrently on a POD.

Setting up data purge

You can purge all data from the data store, including historical data, records that belong to a specific business entity, and code values of a code list.

1. Click **Global Settings** > **Purge Data**.
2. Click **Start**.
3. In the **Purge Data** dialog box, select one of the following options:
   - Purge all. Permanently deletes all business entity records, source records, relationships, search, report, and hierarchy indexes, and history data.
   - Purge the history of all records. Permanently deletes all historical data from business entity records, hierarchies, and relationships.
   - Purge records. Permanently deletes all records in a business entity or code values in a code list.
4. If you select **Purge records**, perform the following steps:
   a. Select a business entity or a code list.
   b. If you select a business entity, select one of the following options:
      - Purge all records. Permanently deletes business entity records, relationship records, search, report indexes, and hierarchy indexes, and history data of the selected business entity.

        Note: You can't purge invalid relationships where one of the records in the relationship doesn't exist.
      - Purge deleted source records. Permanently deletes only the deleted source records of the selected business entity along with their dependencies, such as relationships, associated inactive master records, history, and match details.

   c. If you select a code list, select one of the following options:
      - Purge all records. Permanently deletes code values in the selected code list along with their relationships and historical data.
      - Purge deleted source records. Permanently deletes only the deleted code values of the selected code list along with their relationships and historical data.
5. Click **Next**.
6. Enter your organization ID, and click **Submit**.

   You can monitor the status of the job on the **My Jobs** page. For more information about monitoring jobs, see *Monitoring Jobs*.

Enabling merge history activity for custom reports

The merge history activity reports contain information about source records that are merged to form master records. You can use the merge history activity reports to understand the number of records that are merged by the match process and users.

You can also view the number of records that were merged with and without approval process and the number of records that weren't merged.

1. Click **Global Settings** > **Reports & Dashboards**.
2. In the **Reports** section, enable **Merge History Activity**.

3. Click **Save**.

   The Publish Report Data job runs.

4. If the job fails, enable **Merge History Activity** again, and then click **Save**.

   After you enable merge history activity, users can create reports based on merge history activity.

Configuring retention periods for historical data

To comply with data retention policies, you can configure a retention period for the history of master data.

Use the **History Retention** page to configure the retention period. You can set the retention period for historical data up to a maximum of seven years. Historical data that's older than the retention period is permanently deleted and can't be restored. For example, if you set the retention period today to one month, all historical data older than 31 days is purged. You can still access data from the past 31 days.

Note: Ensure that you set the retention period to up to one month for development environments and up to three months for QA environments.

When you save the configuration, a purge job is created. The job permanently deletes historical data of business entity records, hierarchies, and relationships that exceeds the specified retention period.

You can monitor the status of the purge job on the **My Jobs** page.

Configure the retention period for historical data

You can set the retention period for historical data up to a maximum of seven years.

When a job is running to permanently delete historical data, you can't save changes to the history retention configuration.

1. Click **Global Settings** > **History Retention**.
2. In the **Retention Period** column, select the number of years and months.

   Note: One month is 31 days.

3. Click **Save**.

   A **Warning** dialog box appears.

4. Enter the ID of the organization for which you want to set the history retention.
5. If you entered the ID of a production organization, acknowledge that you understand the specified organization is a production organization and that purged data can't be recovered.
6. Click **Save**.

   A history record purge job is created to permanently delete historical data that exceeds the specified retention period. You can monitor the status of the job on the **My Jobs** page. For more information about monitoring jobs, see *Monitoring jobs*.

Enabling Match Analysis and Explainability dashboard

You can use the Match Analysis and Explainability dashboard to explore match results, gain insights into the match process, and understand how record pairs are generated.

The dashboard shows key metrics of the match process, match and merge outcomes, and directed AI match rules that generated record pairs. You can access this dashboard on the Home page of business applications.

1. Click **Global Settings** > **Reports & Dashboards**.
2. In the **Dashboards** section, select **Match Analysis and Explainability**.
3. Select the business entities for which you want to view the match data.
4. Click **Save**.

   Users can view the Match Analysis and Explainability dashboard in business applications.


Migrate existing data quality rule associations

To orchestrate data validation and enrichment, migrate your existing basic, advanced, and DaaS rule associations to use Enrichment and Validation Orchestrator. You can migrate the rule associations only once for each organization.

1. Click **Global Settings** > **Rule Association Migration**.
2. Click **Start**.

   Note: If you have already migrated rule associations in an organization, the option to start the migration is disabled.
3. In the **Rule Association Migration** dialog box, enter the **Organization ID**.

The following image shows the Specify Organization Details step of the Rule Association Migration dialog box:



4. Select the organization type.

   Note: Informatica recommends that you first migrate rule associations in your development and QA organizations. After you complete testing the migrated rule associations, migrate them in a production organization.

5. If you select the organization type as **Production**, acknowledge that you have migrated and tested the rule associations in a development or QA organization.
6. Click **Next**.
7. In the **View Data Quality Objects** section, review all the data quality objects including functions of basic rule associations, rule specifications from Data Quality that are used in advanced rule associations, and DaaS-related objects.
8. Click **Migrate**.

   MDM SaaS runs the migrate rule associations job. You can view the status of the job in the **Job Details** section of the **Global Settings** page. You can also monitor the job on the **My Jobs** page.
   For more information about the migrate rule associations job, see *Monitoring Jobs*.


Resetting organizations

You can reset your organization to its default, newly provisioned state. A reset applies to all business applications and permanently deletes all data, assets, configurations, jobs, and job schedules in MDM SaaS. You can't recover any of the deleted data and configurations.

Over time, an MDM SaaS organization can accumulate configurations and data that you no longer want. For example, trial-and-error customization in a development or QA environment can build up and eventually make the organization unusable.

To enable the reset for your organization, contact Informatica Global Customer Support. After reset is enabled, you can perform a reset if you have the Reset Organization privilege

The following image shows the Reset Organization privilege in Administrator:



During reset, the process identifies any non-MDM dependencies that reference MDM SaaS assets. You must first remove any references to MDM SaaS assets from other services. For example, if MDM SaaS assets are referenced in Data Governance and Catalog, disassociate them from MDM first. If an active license exists, the reset then reprovisions the organization, giving you the same experience as a newly licensed MDM SaaS organization.

If you rename a predefined asset, such as a rule specification or verifier, the reset doesn't delete the renamed asset. After the reset, the process reprovisions the organization and provisions the predefined asset with its original name. The renamed asset remains in the organization.

Only one reset can run at a time in an organization. Resetting automatically creates and triggers a job. On the **My Jobs** page, you can monitor the status of the job.

Rules and guidelines to reset an organization

Before you reset an organization, consider the following rules and guidelines to prevent any data issues:

- Ensure that no users are logged in to business applications.
- Ensure that no jobs are running.
- If you reset the development environment, reset the higher environments to avoid a data type mismatch in fields across environments.
- Export any data that you want to keep because a reset permanently deletes all data and configurations in the organization.

Reset an organization

Resetting an organization removes all the data, assets, configurations, jobs, and job schedules from the specific organization.

1. Click **Global Settings** > **Reset Organization**.
2. Click **Start**.
3. In the **Reset Organization** dialog box, enter the organization ID.
4. Acknowledge that you understand all data and configurations in the specified organization will be deleted and can't be recovered.
5. Click **Next**.
6. In **View Dependencies**, you can view the assets that have dependencies on the MDM assets.
7. After you resolve the dependencies, click **Reset**.

   You can monitor the status of the job on the **My Jobs** page.

INDEX

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Data Management Cloud
  web site 4

M

maintenance outages 5

S

status
  IDMC 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4