Informatica® Cloud Business 360 Console
October 2026

Design the User Interface

Informatica Cloud Business 360 Console Design the User Interface
October 2026

© Copyright Informatica LLC 2020, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices and AI assistant acknowledgements are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-10-21

Table of Contents

Preface 5

Informatica Resources 5

- Informatica Documentation 5
- IDMC web site 5
- Intelligent Data Management Cloud Communities 5
- IDMC Marketplace 5
- Informatica Knowledge Base 6
- IDMC Trust Center 6
- Informatica Global Customer Support 6

Chapter 1: Designing user interface 7

Chapter 2: Designing custom pages 8

Sample custom page 8

Custom page design process 9

Creating a custom page 9

Validating a custom page 11

Editing a custom page 11

Chapter 3: Configuring components 12

Component types 12

Configuring a page header 12

Configuring a Fields component 14

- Field properties 15
- Field group properties 18
- Nested field groups in custom pages 20

Configuring a Summary component 20

- Cloud services for hosting images 22

Configuring a Source Records component 23

Configuring the Related Records component 23

Creating a Hierarchy tab 26

Configuring a Relationship Graph tab 27

Configuring a History component 28

Configuring a Report component 29

Configuring a Duration component 30

Configuring a Profile Tag component 30

Configuring the Dynamic Field Definitions component 31

Configuring the Lineage component 32

Chapter 4: Configuring applications. 33
Add business entities to an application. 33
Assign pages to user roles. 34
Page types. 34
Role-based access for pages. 35
Configure search for an application. 35
Configure a search results layout component. 36
Validate a search result layout component. 38
Configure a grouped tasks layout component. 39
Customize the brand. 41

Index. 42

Preface

Follow the instructions in *Design the User Interface* to design the user interface of a business application. Learn how to create and configure custom pages for a business application.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security, compliance, and privacy practices.

You can access the trust center at https://trust.informatica.com/.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Designing user interface

A user interface includes pages, icons, buttons, and other elements that help you interact with your business application. You can design the user interface based on your business requirements. You can create custom pages and add the predefined components. The users can view the customized pages when they create or open a record in the application. You can assign pages to user roles, associate business entities to your application, and configure search properties and search layouts for your application.

For example, in your business application, you want to view suggestions while searching for a record. When you open a record, you want to view the record name at the top and view the history of updates. To meet your requirements, you configure the search properties to enable suggestions. You create a custom page and add the header component that can contain the record name. You add a new tab to the custom page and add the history component that displays the change history of the record.

CHAPTER 2


Designing custom pages

You can create and configure custom pages for your application. Assign the custom page to your application and view the user interface as per your requirement.

You can configure the layout of the page by adding tabs, panels, and sections. You can split each panel into sections of different sizes. In each panel, you can add components, and select fields and field groups. When you complete creating your page, assign the page to your application.

Sample custom page


The following image shows a sample custom page:



1. Page Header
2. Page Tab
3. Section
4. Panel Group
5. Field within a section

Custom page design process

The following flow chart shows the process of designing a custom page:



Creating a custom page

You can create and design custom pages for your application. You can add one or more tabs, split the page into sections, and add components. The components differ based on the business entity and page type you select.

1. Click **New** > **User Interface** > **Page** > **Create**.

   The **Page** dialog box appears.

2. Specify the following page properties:

Property	Description
Display Name	Name of the custom page.
Internal ID	A unique page identifier. You cannot change the internal ID after you create the page.
Description	Optional. A brief description of the custom page.

Property	Description
Business Entity	Business entity for which you want to create the custom page.
Page Type	The type of custom page. Select one of the following page types: - Create. To create records in your business application. - View and Edit. To view and edit records in your business application.
Location	Project or folder within which you want to save the custom page.

3. Click **OK**.

   A blank page with a panel appears.

4. To split the panel into sections, click the panel, click the down arrow, and select the required option.

   The following options are available:

   - 1:1:1. Splits into three equal sections.
   - 1:1. Splits into two equal sections.
   - 2:1. Splits into two sections. The first section is double the size of the second.
   - 1:2. Splits into two sections. The first section is half the size of the second.
   - 1:2:1. Splits into three sections. The first and the third sections are half the size of the second.

5. On the **Page Components** tab, drag the required component to a panel or section.

   Based on the components you choose, configure the component properties. For more information about configuring properties, see "Configuring a Fields component" on page 14.

6. To add additional panel, click **Add Panel Group**.
7. To add a page tab, click **Add Page Tab**.
8. Specify the following page tab properties.

Property	Description
Title	Name of the page tab.
Show Title	Specifies whether the page tab title is displayed.
Jump To	Allows the user to jump to a specific section.

   For example, you might want to create a Hierarchy page tab to display hierarchy data of a record. For more information, see "Creating a Hierarchy tab" on page 26.

After you create the custom page, validate the custom page configuration. For more information, see "Validating a custom page" on page 11.

Validating a custom page

After you create a custom page, you can validate the page to find errors related to the configured fields and the field properties. Correct the errors, and then save the page.

For example, when you configure a page, if you do not enter a value in a required field, an error appears in the **Validation Errors** panel. Correct the error by entering values in the required field.

1. On the custom page, click the **Validate** icon.
2. If errors appear in the **Validation Errors** panel, correct the errors.
   a. Click an error.

      The section that contains the error is highlighted. If there is an error in the properties, the erroneous field appears on the **Properties** tab.

   b. Correct the error.
3. After you fix all the errors, click **Save**.

Editing a custom page

You can edit a custom page based on your business needs. Your user role must have the required privileges to edit the custom page.

1. From the **Explore** page, find and open a business entity.
2. On the **Pages** tab, click the name of the custom page that you want to edit.

   The custom page appears.
3. Make the required changes, and click **Save**.

CHAPTER 3

Configuring components

Components are the building blocks of a custom page. You can configure components, such as fields, page header, and history, when you create or edit a page.

Component types

In each panel or section of the page, you can add multiple predefined components.

The following table lists all the supported components:

Component Type	List of Components
Fixed Components	Page Header. Contains data that displays on the header of the page.
Standard Components	- Fields. Displays business entity fields and field groups. - Summary. Displays fields that summarize the record data. - Source Records. Displays data that is used to create the master records. - Related Records. Displays records that are associated with a record. - Hierarchy. Displays hierarchy data of a record. - Relationship Graph. Displays network of relationships of a record. - History. Displays historical data of a record. - Report. Displays a widget through which you can visualize a chart. - Duration. Displays the duration between the selected fields for a record. - Profile Tag. Displays data that is used to tag a record profile. - Dynamic Field Definitions. Displays the dynamic field definitions that a dynamic pool contains. - Lineage. Displays an interactive timeline of create, merge, and unmerge events for a record to visualize how the record evolved over time.

Configuring a page header

You can add a header to a custom page to display the field data that you want to highlight for a record.

For example, you are working with a large insurance company that employs numerous insurance agents. The agents often open customer records to send emails regarding insurance premium. You configure the page

header to display the photo of the customer, customer name, insurance policy number, and email address. When the agents open a record, they find the required details on the header.

1. On the **Components** tab, in the **Fixed Components** section, drag the **Page Header** component to the page header section.
2. Select each item in the page header, configure the properties on the **Properties** tab, and click **Apply**.

   The following table describes the properties of the page header components:

Property	Description
Highlighted Field	Field that you want to highlight in page header. For example, you can highlight the full name of a person.
Line 1 Fields	Optional. Fields to display in the first line after the highlighted field. You can select a maximum of 7 fields. For example, you can display the address of the person.
Line 2 Fields	Optional. Fields to display in the second line after the highlighted field. You can select a maximum of 7 fields. For example, you can display the electronic address of the person.
Image Field	Optional. Field that users can use to display an image in the page header by specifying a URL. For example, you can display the front image of a product. You can use images that are hosted on external domains. To render these images, ensure that you request Informatica Global Customer Support to add the URL domains to the allowlist for each organization. To ensure data security, Informatica requires you to store images on the cloud services that it has evaluated for security and compliance standards. For more information about the list of allowed cloud services, see "Cloud services for hosting images" on page 22.
Separator	Appears when you configure line 1 fields or line 2 fields. Select one of the following field separators: - Pipe - Comma
Records to Display	Appears when you select fields from a field group for line 1 fields or line 2 fields. A field group might have multiple entries. To display the field data from a particular entry, select a field and enter its corresponding value. For example, you select the phone type, phone number, and phone number extension fields as line 1 fields. These fields belong to the Phone field group that might have multiple entries. To display the field data from a specific phone entry, select the phone number field, and enter its corresponding value. The system searches for the value and retrieves data from the phone entry that contains the phone number you entered.

3. If you use a URL field in a field group, configure rules to identify URL field values in multiple field group entries.

   You can base the rules on specific field types within the field group, which include text, boolean, picklist, decimal, integer, date fields, and URL for preview content.
   By default, the rules use the equals operator to find matching values. If multiple values match the filter criteria, MDM SaaS uses the first field group entry that's retrieved.
4. Click **Apply**, and then click **Save**.

Configuring a Fields component

When you add the Fields component to a custom page, you can add fields and field groups. You can configure properties for the fields or field groups that you add.

1. On the **Page Components** tab of a custom page, drag the **Fields** component to a section.
2. On the **Properties** tab, configure the following properties:

Property	Description
Title	Name of the section.
Show border	Specifies whether to display the section border. To display the section border, select the property.
Validate root fields in this section	Specifies whether to validate data in the root fields added to a section instead of validating data in the root fields added to all the sections. To validate data on the root fields of this section, select the property. By default, all the root fields added to the page are validated for each section. For example, create a custom page that contains two sections, section 1 and section 2. Enable root field validation in section 1. When users update the root field values in section 1 and apply the changes, MDM SaaS validates the root fields added to section 1. When you update the root field values in section 2 and apply the changes, MDM SaaS validates the root fields added to section 1 and section 2. When you submit the record, MDM SaaS validates all root fields.

3. Click **Apply**.
4. On the canvas, click **Add Fields** and select the fields, field groups, or folders. For a field group, you can select a maximum of 20 picklist fields.

   Note: When users create or update a record in a business application, all the sections that contain root fields open in the edit mode. To avoid opening multiple sections in the edit mode, add the root fields in one section.
5. To select a folder and the fields and field groups it contains, use the following options:
   - To select the entire folder, select the folder.
   - To select only the fields and field groups within a folder and exclude any subfolders, expand the folder and select **Immediate Fields**.
   - To select a subfolder, expand the parent folder and select the subfolder.


   When you select a folder or subfolder, the fields and field groups within it are also selected.
6. Click **Done**.

   Ensure that you add all the required root fields and the required fields of the field groups that you select. To avoid validation errors across sections, add the dependent root fields in one section.

   The selected fields and field groups appear in the panel.
7. Select a field or field group, and configure the properties on the **Properties** tab.

   For more information about field properties, see "Field properties" on page 15. For more information about field group properties, see "Field group properties" on page 18.
8. Click **Apply**, and then click **Save**.

The following image shows the fields and field groups that you configure for a record:



Field properties

You can configure properties for each field that you add to a custom page.

The following table lists the field properties:

Property	Description
Label	Display name of the field.
Label Position	Optional. Position for the display name to appear. The following label positions are available: - Top. The display name appears above the field. - Side. The display name and the field appear side by side. Default is Top.
Hide label	Optional. Indicates whether to hide the field label. To hide the field label, select the property.
Description	Displays the description of the field.
Default Value	Optional. Default value of the field.
Tip Text	Optional. Additional information about the field.

Property	Description
Width (%)	The width of the field. Default is 100%.
Required field	For internal use only.
Read only	Optional. Indicates whether you can edit the field. To configure the field as a non-editable field, select the property.
Render As	User interface element that you want to use for the field. The options vary depending on the selected field. The following options are available: - Text - Image - URL - Date - Date and Time - Multiline Text Area - Drop-down List - Radio Button - Check Box **Note:** URL fields for the purpose of previewing content render as images. URL fields for the purpose of downloading content and opening content from source render as text.
Ghost Text	Optional. A text that provides guidance for input. This text appears in the text fields, and the user input replaces it. For example, the placeholder text for the **First Name** field can be `Enter a first name`.
Placeholder Text	Optional. A text that provides guidance for input. This text appears in drop-down lists, and the user input replaces it. For example, the placeholder text for the **Country** drop-down list can be `Select a country`.
Date Format	Indicates the format of a date for the date fields. Default is Browser Locale. You can select another date format, such as MM/DD/YYYY or YYYY-MM-DD. When the date format is set to use the browser locale, the date and time fields use the date, time, and clock formats that the browser locale uses. The browser locale format overrides the values of the Time Format and Clock Format properties. For more information about date and time values, see "Date and time values" on page 17.
Time Format	Indicates the format of time for the date and time fields. Default is HH:MM. If the Date Format property is set to Browser Locale, then the browser locale format overrides the value of the Time Format property.
Clock Format	Indicates the format of a clock for the date and time fields. Default is 24 Hrs. If the Date Format property is set to Browser Locale, then the browser locale format overrides the value of the Clock Format property.

Date and time values

The date and time values in the business application user interface use the date and time format that the browser locale uses.

The following table lists the date and time formats that business application pages use:

Page	Date and Time Format	Example
My Jobs	MMM dd, yyyy h:mm:ss TT	Apr 21, 2014 6:30:00 AM
Search	Long	04/21/2024 6:30:00 AM
Edit in Bulk	Long	04/21/2024 6:30:00 AM
Record Details	Long	04/21/2024 6:30:00 AM
Source Records	Long	04/21/2024 6:30:00 AM
Related Records	Long	04/21/2024 6:30:00 AM
Hierarchy	Long	04/21/2024 6:30:00 AM
Relationship Graph	Long	04/21/2024 6:30:00 AM
History	Short	21 Apr 2024 06:30
Reports	Short	21 Apr 2024 06:30
Workflow Inbox	Long	04/21/2024 6:30:00 AM
File Import	Long	04/21/2024 6:30:00 AM
CLAIRE panel	Long	04/21/2024 6:30:00 AM

Note: Date and time values on the Summary, Duration, and Profile pages of a record don't use the format that the browser locale uses. These pages use the format of the en browser locale.

The following table lists the browser locales and their long and short date and time formats:

Browser Locale	Language	Long Format	Short Format
en	English	MM/dd/yyyy, h:mm:ss TT	MMM dd, yyyy, h:mm TT
en_AU	English (Australia)	dd/MM/yyyy, h:mm:ss TT	dd MMM yyyy, h:mm TT
es	Spanish	dd/MM/yyyy, h:mm:ss	dd MMM yyyy, H:mm
fr	French	dd/MM/yyyy HH:mm:ss	dd MMM yyyy, HH:mm
de	German	dd.MM.yyyy, HH:mm:ss	dd.MMM yyyy, HH:mm
pt	Portuguese	dd/MM/yyyy, HH:mm:ss	dd/MMM/yyyy, HH:mm
pt-BR	Portuguese (Brazil)	dd/MM/yyyy, HH:mm:ss	dd/MMM/yyyy, HH:mm

Browser Locale	Language	Long Format	Short Format
ru	Russian	dd.MM.yyyy, HH:mm:ss	dd MMM yyyy г., HH:mm
ja	Japanese	yyyy/MM/dd H:mm:ss	yyyy 年 M 月 dd 日 H:mm
ko	Korean	yyyy/MM/dd H:mm:ss	yyyy년 MMM dd일 a h:mm
th	Thai	dd/MM/yyyy HH:mm:ss	dd MMM yyyy HH:mm
zh-CN	Chinese (Simplified, China)	yyyy/MM/dd HH:mm:ss	yyyy 年 M 月 dd 日 HH:mm
nl	Dutch	dd-MM-yyyy, HH:mm:ss	dd MMM yyyy, HH:mm

Note: The English (Australia) locale uses the short date and time format.

Field group properties

For each field group that you add to a custom page, you can configure properties. Ensure that you add a field group only once to a page.

Note: To save a record page without validation errors, include at least one field in the parent field group before you add fields to a nested field group.

The following table lists the field group properties in the **Selection: <Field Group Name>** section:

Property	Description
Label	Display name of the field group.
Description	Displays the description of the field group.
Path	Hierarchy path of the field group.
Tip Text	Optional. Additional information about the field group.
Read only	Optional. Indicates whether you can edit the field. To configure the field as a non-editable field, select the property.

The following table lists the field group properties in the **Display Options** section:

Property	Description
Render As	Display style of the fields. The following options are available: - Card. The fields appear in a card layout. - List. The fields appear in a list format. - Table. The fields appear in a table. **Note:** To display a field group in a table effectively, ensure that the panel containing the field group uses at least 50% of the page to enhance user experience. - Form. The fields display in a form layout. **Note:** For nested field groups, the List and Form options are available. For dynamic field values attributes, the Table and Form options are available. If the associated dynamic field definition contains nested field groups, the dynamic field values render as a form in a business application.
Title Field	Field to display as the title of the field group. Appears when you select the **Render As** option as form or card.
Thumbnail Field	Optional. URL field in a field group to preview content as thumbnails. Appears when you select the **Render As** option as list or card.
Sort By	Field based on which the entries in a field group are sorted by default.
Sort Order	Order in which the field group entries are sorted by default. The order can be ascending or descending. Default is ascending. Applicable only when you configure the Sort By field.
Navigation Style	Navigation style of the section. The following navigation style is available: - Pagination. Each section displays the specified number of records.
Maximum Records Per Page	Maximum number of entries to display in a section. For example, the address section contains multiple entries. If you set the value to 6, the section displays a maximum of six entries. The next six entries display in the next section, and so on.

The following table lists the field group properties in the **Card Layout** section:

Property	Description
Title Field	Field to display as the title of the card.
Highlight Field	Optional. Field to display as a highlighted field of the card.
Thumbnail Field	Optional. URL field in a field group to preview content as thumbnails.
Cards Per Row	Maximum number of cards to display per row. You can display up to 12 cards per row. Default is 3. **Note:** The number of cards also depends on how you split a panel. Based on the space that a section of a panel gets, the section can display one or two cards.

The following table lists the field group properties in the **Line 1 Fields** and **Line 2 Fields** sections:

Property	Description
Fields	Fields to display in line 1 or line 2 of the card.
Display As	Optional. Indicates the arrangement style of the fields. The following field arrangement options are available: - Stacked. The fields are stacked vertically as columns. - Concatenated. The fields are arranged in a series. For example, Name | Age | Gender.
Show field label	Optional. Indicates whether to show the field labels. To display the field labels, select the property.

Nested field groups in custom pages

Business entities can contain field groups nested within field groups. Use the fields component to add nested field groups to a custom page. You can render a nested field group as a form or a list.

If you add nested field groups to custom pages, you can configure properties for each field group level. For more information about configuring field group properties, see "Field group properties" on page 18.

Based on how you split a panel in a custom page, the number of nested field group levels appears in each section of the panel.

The following table lists the panel split ratios and the corresponding number of nested field group levels that you can view for these panels:

Panel Split Ratio	Number of Nested Field Group Levels
1:1:1	Three levels in each section.
1:1	Five levels in each section.
2:1	Eight levels in the first section, and three levels in the second section.
1:2	Three levels in the first section, and eight levels in the second section.
1:2:1	Two levels in the first and third section, and five levels in the second section.

Configuring a Summary component

You can use the Summary component to add an overview of your record. By default, the Summary component includes fields that you can configure to display the overview of a record.

1. On the **Page Components** tab of a custom page, drag the **Summary** component to a section.

2. On the section where you added the Summary component, select the following fields and configure their properties on the **Properties** tab:

Field Name	Description
Image Field	Optional. Field to display an image in the summary by specifying an image URL. You can also select URL fields that are configured for the purpose of previewing content. If you use a URL field in a field group, configure rules to identify URL field values in multiple field group entries. You can base the rules on specific field types within the field group, which include text, boolean, picklist, decimal, integer, date fields, and URL for preview content. By default, the rules use the equals operator to find matching values. If multiple values match the filter criteria, MDM SaaS uses the first field group entry that's retrieved. You can use images that are hosted on external domains. To render these images, ensure that you request Informatica Global Customer Support to add the URL domains to the allowlist for each organization. To ensure data security, Informatica requires you to store images on the cloud services that it has evaluated for security and compliance standards. For more information about the list of allowed cloud services, see "Cloud services for hosting images" on page 22.
Header Field	Field to use as a header for the Summary component.
Line 1 Field	Optional. Fields to appear in the first line after the header field. You can select a maximum of seven fields.
Line 2 Field	Optional. Fields to appear in the second line after the header field. You can select a maximum of seven fields.
Line 3 Field	Optional. Fields to appear in the third line after the header field. You can select a maximum of seven fields.
Link 1 Field	Optional. Field that contains external URLs, such as social media accounts and website.
Link 2 Field	Optional. Field that contains external URLs, such as social media accounts and website.
Link 3 Field	Optional. Field that contains external URLs, such as social media accounts and website.


You can configure the properties for each field in the Summary component.

The following table lists the properties that you can configure:

Property	Description
Field	Fields to display the image, header or external URLs.
Fields	Fields to appear in the first, second, or third line after the header field.
Label	Display name of the field.
Separator	Character to separate the field values. Select one of the following field separators: - Pipe - Comma Default is Comma.

3. Click **Apply**, and then click **Save**.

The following image shows the Summary component of a record:



Cloud services for hosting images

To safeguard data security, Informatica requires you to host images on the cloud services that comply with the security and compliance standards of Informatica. To render these images in MDM SaaS, request Informatica Global Customer Support to add the URL domains to the allowlist for each organization.

Note: Ensure that the URLs you want to add to the allowlist are publicly accessible.

You can host images on the following cloud services that Informatica has reviewed for security and compliance standards:

- Adobe Experience Manager
- Akamai
- Amazon CloudFront
- Box
- Brandfolder
- Bynder
- Canto
- Cloudflare
- Cloudinary
- Fastly
- IntelligenceBank MRM
- MediaValet
- MerlinOne
- Microsoft Azure CDN
- Nuxeo
- OpenText
- SharePoint Online
- Veeva Vault
- Widen

The following table lists sample URL formats for cloud services:

Cloud service	URL format
Adobe Experience Manager	`https://<subdomain>.scene7.com`
SharePoint Online	`https://<subdomain>.sharepoint.com`


If you want to use a service that Informatica hasn't already evaluated, contact Informatica Global Customer Support for a security review and addition to the allowlist for each organization.

Configuring a Source Records component

The Source Records component displays the source records that contribute to a master record. It also displays system fields, match pair details, and general information about each source record.

1. On the **Page Components** tab of a custom page, drag the **Source Records** component to a section.
2. On the **Properties** tab, enter a title for the section.
3. Click **Apply**, and then click **Save**.

The following image shows the Source Records page with source records that contribute to a master record:



Configuring the Related Records component

You can configure the Related Records component to display related records of a record. You can also use the component to relate a record with other records through relationships.

1. On the **Page Components** tab of a custom page, drag the **Related Records** component to a section.

2. To display records related by a related record relationship, on the **Properties** tab, configure the following properties:

Property	Description
Title	Display name of the section.
Display Related Records Added Through	Indicates the type of related records that you want to display in the component. Select one of the following values: - Relationships. Displays the records that are related through relationships. - A business entity. Displays the records that are related through a business entity record field of the selected business entity. You can view any business entity that contains business entity record fields.
Filtering Direction	Relationship direction between the business entities based on which you can filter relationships. Select one of the following values: - All. Displays all relationships. - Business Entity 1 to Business Entity 2. Displays unidirectional relationships from business entity 1 to business entity 2. For example, employee is a unidirectional relationship from Person business entity to Organization business entity. - Business Entity 2 to Business Entity 1. Displays unidirectional relationships from business entity 2 to business entity 1. For example, employs is a unidirectional relationship from Organization business entity to Person business entity. - Bidirectional. Displays bidirectional relationships. For example, sibling is a bidirectional relationship between two Person records. **Note:** Effective in the August 2023 release, the ability to filter relationships based on their direction is available for preview. Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.
Render As	Display style of related records. Applicable only when you select **Relationships**. You can select one of the following options: - Card. Displays records in cards. Cards display the primary attributes of relationships. Due to space constraints, cards don't display the secondary attributes. In the Card view, users can view a maximum of 1000 related records. You can design Create pages and View and Edit pages to display related records in cards. - Table. Displays records in a table. Tables display both primary and secondary attributes of relationships. You can design View and Edit pages to display related records in a table. However, you can't design Create pages to display related records in a table.
Navigation Style	Style to navigate through the records. Use the pagination style. Applicable only when you select **Relationships**. The pagination style displays the specified number of records in each section.

Property	Description
Maximum Records Per Page	Maximum number of records to display in a section. Applicable only when you select **Relationships**.
Business Entity Record Field	List of business entity record fields present in the selected business entity. Applicable only when you select a business entity.
Hide the business entity record field	Indicates whether to hide the business entity record field and its related business entity field. Applicable only when you select a business entity. When you select this option, the component hides the business entity record field to avoid repetition of the field values. This option also hides the related business entity fields of the selected business entity record field.
Select Fields to Display	Allows you to select the fields from the related business entity. The component displays the selected fields. **Note:** You must select at least one field to display. Applicable only when you select a business entity.


3. If you click **Select Fields to Display**, perform the following steps:
   a. Select the fields that you want to display.
   b. If you select a business entity record field, optionally, select the fields from the related business entity fields by using the **Secondary Columns** field.
   c. To configure additional properties for a selected field, select the field from the **Related Business Entity** column, and set the following properties:

Property	Description
Alias Name for the Field	Alternate label for the selected field. Alternate labels are useful when you add more than two business entity record fields that are related to the same business entity to the component. For example, add two business entity lookup fields named Auditor and Primary Care Physician. Both the fields are related to the Person business entity. When you include both these fields in the component, if you select to display the Full Name field of the Person business entity for these fields, the component displays two Full Name values without any context. You can use the alternate label to differentiate these values.
Link the value to record	Indicates whether to link the field value to its corresponding record.

   d. Click **OK**.
   e. To set the order for the fields, move the arrows in the **Order** column up or down.
   f. Click **OK**.

4. After you configure the component, click **Apply**.
5. Click **Save**.

The following image shows the Related Records component of the record for John:



Creating a Hierarchy tab

You can create a page tab to display hierarchy data of a record. You create a page tab, add the **Hierarchy** component, and then configure the component properties.

Before you create a hierarchy tab, create a custom page.

1. Click **Add Page Tab**.

   An empty section appears.
2. On the **Properties** tab, enter `Hierarchy`, and then click **Apply**.

   The page header displays `Hierarchy`.
3. Click **Page Components**.


   The standard and fixed components appear.
4. Drag the **Hierarchy** component to the empty section.

   The **Hierarchy** component appears in the section, and the component properties appear.
5. Optionally, configure the panels to display.

   The following table describes the panels that you can configure:

Panels	Description
Hierarchy Tree	Displays the hierarchies associated with the record. The **Hierarchy Tree** panel displays the visualization of hierarchy relationships between records in a hierarchy.
Hierarchy Tree and Related Records	Displays the hierarchies associated with the record. For each associated hierarchy, two panels appear: the **Hierarchy Tree** and **Related Records** panels. The **Hierarchy Tree** panel displays the visualization of hierarchy relationships between records in a hierarchy. The **Related Records** panel displays the parent and child relationship details of the record selected in the **Hierarchy Tree** panel.
Hierarchy List and Hierarchy Tree	Displays the hierarchies associated with the record. For each associated hierarchy, two panels appear: the **Hierarchy List** and **Hierarchy Tree** panels. These are the default panels. The **Hierarchy List** panel displays a list of the hierarchies associated with the record grouped by hierarchy model. The **Hierarchy Tree** panel displays the visualization of hierarchy relationships between records in a hierarchy.

The following image shows a sample hierarchy that's rendered using the Hierarchy component:



6. Optionally, if you enabled the **Hierarchy Tree and Related Records** panels, configure the hierarchy relationships to show in the **Related Records** panel.

   The following table describes the hierarchy relationships that you can configure:

Option	Description
Parent Records	Show the parent records for the record selected in the **Hierarchy Tree** panel.
Child Records	Show the child records for the record selected in the **Hierarchy Tree** panel.

   Configure the hierarchy settings to indicate whether users can assign records to parent nodes or control the nodes that they view. You can also configure which nodes to show in the hierarchy. The following table describes the hierarchy settings that you can configure:

Option	Description
Display Show More/Show Less	Indicates whether to display the **Show More and Show Less** buttons on the Hierarchy tab. The Show More button displays the complete hierarchy. The Show Less button displays only the first-level nodes in the hierarchy.
Allow assigning record	Indicates whether to display the **Assign** button on the Hierarchy tab. If you select this option, users can assign records to parent nodes in a hierarchy.

Configuring a Relationship Graph tab

You can configure a Relationship Graphs tab to visualize and explore the relationships of a record. You create a page tab, add the **Relationship Graph** component, and then configure the component properties.

Before you configure a relationship graph tab, create a custom page.

1. Click **Add Page Tab**.

   An empty section appears.

2. On the **Properties** tab, enter `Relationship Graph` in the **Title** field, and then click **Apply**.

The page displays the **Relationship Graph** tab.

3. Click the **Page Components** tab.

   The standard and fixed components appear.

4. Drag the **Relationship Graph** component to the empty section.


   The **Relationship Graph** component appears in the section, and the component properties appear.

5. Optionally, configure the panels to display.

   The following table describes the panels that you can configure:

Panels	Description
Relationship Graph only	Displays the relationships associated with the record. The **Relationship Graph** panel displays the visualization of related records.
Relationship Graph and Properties	Displays the relationships associated with the record. For each relationship, two panels appear: the **Relationship Graph** and **Properties** panels. The **Relationship Graph** panel displays the visualization of related records. The **Properties** panel displays the relationship details of the record selected, including the primary relationship attributes, in the **Relationship Graph** panel. You can sort and filter relationship attributes in the **Properties** panel.

   The following image shows a sample relationship graph that's rendered using the Relationship Graph component:




6. Optionally, enter the maximum number of relationships that you want to progressively display when users expand nodes on the graph.

Configuring a History component

The History component displays the changes made to a record in a chronological order. The users can use the historical data to track the changes made to the record at any point in time through out its lifespan.

1. On the **Page Components** tab of a custom page, drag the **History** component to a section.
2. On the **Properties** tab, enter a title for the section.
3. Click **Apply**, and then click **Save**.

The following image shows the history of changes of a record:




Configuring a Report component

The Report component visualises the report data of the individual records. The users can add multiple widgets to display data as charts.

1. On the **Page Components** tab of a custom page, drag the **Report** component to a section.
2. Click **Save**.

The following image shows the Report component of a record:



Configuring a Duration component


You can use the Duration component to display how long an attribute of a record exists. The duration component displays years, months, and days in circular counters. For example, you can use the duration component to calculate the duration of time left for a software license to expire or a subscription period to end.

1. On the **Page Components** tab of a custom page, drag the **Duration** component to a section.
2. On the **Properties** tab, configure the following properties:

Property	Description
Title	Display name of the section.
Start Date	Field containing the start date to calculate the duration.
End Date	Field containing the end date to calculate the duration.
Color	Background color for the circular counters.

3. Click **Apply**, and then click **Save**.

The following image shows the Duration component of the record for Kevin:



Configuring a Profile Tag component

You can use the Profile Tag component to highlight the important aspects of a record. For example, you can highlight the account type of a record, such as Platinum, Diamond, or Silver. You can also configure the colors and icons for the field you choose to display in the Profile Tag component.


1. On the **Page Components** tab of a custom page, drag the **Profile Tag** component to a section.

2. On the **Properties** tab, configure the following properties:

Property	Description
Field	Field that contains tag values.
Icon	Field that users can use to display an icon in the profile tag. You can use images that are hosted on external domains. To render these images, ensure that you request Informatica Global Customer Support to add the URL domains to the allowlist for each organization. To ensure data security, Informatica requires you to store images on the cloud services that it has evaluated for security and compliance standards. For more information about the list of allowed cloud services, see "Cloud services for hosting images" on page 22.
Color	Background color for the tag value.

3. Click **Apply**, and then click **Save**.

The following image shows the Profile Tag component of a record:



Configuring the Dynamic Field Definitions component

You can configure the Dynamic Field Definitions component to display dynamic field definitions that a dynamic pool contains. When the users view a record in a business application, they can view all the dynamic field definitions and select the definitions that they want for the record.


1. From the **Page Components** tab of a custom page, drag the **Dynamic Field Definitions** component to a section.

2. On the **Properties** tab, configure the following properties:

Property	Description
Title	Display name of the section.
Dynamic Field Definitions	List of dynamic field definitions attributes that the business entity contains. You can select a dynamic field definitions attribute that you want the component to display.

3. Click **Apply**, and then click **Save**.

The following image shows the Dynamic Field Definitions component of a record:



For more information about dynamic fields, see *Define the Data Model*.

Configuring the Lineage component

The lineage component displays an interactive timeline of merge and unmerge events for a record to visualize its evolution over time. A business user can view all records that contributed to the master record at different points in time.

1. On the **Page Components** tab of a custom page, drag the **Lineage** component to a section.
2. On the **Properties** tab, enter a title for the section.
3. Click **Apply**, and then click **Save**.

CHAPTER 4

Configuring applications

Configure your business application to make business entities accessible, include pages that you want users to view, and specify search layouts for displaying search results.

To configure an application, start by adding all the business entities that you want to use within the application. Ensure that you add all business entities that are related through business entity record attributes, which are fields that relate two business entity records. You must add business entities to the application to set display fields for the application.

If your application includes hierarchies, ensure that you configure a maximum of 10 display fields for each business entity that you add to the application. If you increase the number of display fields, load time for hierarchies that contain the business entity might increase.

Add business entities to an application

You can add business entities and configure the display fields for each business entity. The values of the selected display fields appear in the left navigation bar when you open a record. You can view the list of components, such as search box, notifications, and tabs, that are enabled for the application. The enabled components appear on the application header and left navigation bar.

You can configure preview fields for each business entity. MDM SaaS displays preview images associated with records on the search results and related records pages.

1. On the **Explore** page, find and open the business application.

   The **Model** tab appears.
2. In the **Business Entities** section, click **Add Business Entity**.

   A blank row appears.
3. To add a business entity to the business application, click the asset picker.

   The **Select an Asset** dialog box appears.
4. Select a business entity, and click **Select**.

   The selected business entity appears in the row.
5. Select the display fields that a record can display in the left navigation bar when you open the record, and click **Done**.
6. Select a URL field to display preview images for records, and click **Done**.

   If you use a URL field in a field group, configure rules to identify URL field values in multiple field group entries. You can base the rules on specific searchable field types within the field group, which include text, picklist fields, and URL for preview content. By default, the rules use the equals operator to find

matching values. If multiple values match the filter criteria, MDM SaaS uses the first field group entry that's retrieved.

7. To remove an associated business entity, hover over a row, and click **Delete**.
8. Click **Save**.

Assign pages to user roles

You can assign pages to the user roles defined for your application. You can assign different pages for different roles. The users can view the business application interface based on the pages assigned to the user roles.

1. From the Explore page, open the business application.
2. On the **Pages** tab, click **Refresh** to load the latest assets.
3. Select a business entity.

   The list of pages associated with the business entity appear.
4. On the **Create** tab, click **Add Page**.

   A blank row appears.
5. To add a page, click the asset picker.

   The **Select a page** dialog box appears.
6. Select a page, and click **Select**.

   The selected page appears in the row.
7. To assign user roles to the page, click the down arrow and select one or more user roles.
8. Click **Save**.
9. On the **View and Edit** tab, repeat the steps 4 to 8.
10. To reorder the pages in the list, drag a row to the required level.

    When you assign multiple roles to a user, and assign different pages to each user role, the page that lists on top of other pages assigned to the user role or user appears.

For more information about how user roles can control access to pages, see "Role-based access for pages" on page 35.

Page types

Based on your data model and business needs, you can use different types of pages in your application. You can use a page to create records and another page to view and edit records.

You can use the following types of pages:

- Predefined. A page that contains all the fields of a predefined business entity. You can use the predefined Create page to create records, and the predefined View and Edit page to view and edit records. If you disable a field in a business entity, the field doesn't appear on the predefined page when you create, view, and edit records in a business application. The name of a predefined page has the suffix _OOTB. For example, the name of the predefined page to create records for the Person business entity is Person_Create_Page_OOTB.
- Autogenerated. A page that the system generates when you create, view, and edit a record. An autogenerated page contains all the fields that you enable for the business entity. When you start creating

a record, the system generates a Create page. After you submit the record, the system generates a page that you can use to view and edit records. By default, the autogenerated pages are assigned to all the users in the organization. You can't edit an autogenerated page. The name of an autogenerated page has the suffix _Autogenerated. For example, Person_Create_Page_Autogenerated.

- Custom. A page that you define. You can configure a page with tabs, panels, sections, and fields.

Note: If you customize a predefined business entity with additional fields or field groups, use an autogenerated page or a custom page to include the additional fields or field groups.

Role-based access for pages

Based on your business needs, you can assign pages to different user roles. You can use different pages for creating records and for viewing and editing records. The users see the pages assigned to their user roles.

When you do not assign any page to a user role for a business entity, the business application displays the following pages for the user role:

- To create records. An autogenerated page appears.
- To view and edit records. An autogenerated page appears if custom pages are not available for the business entity. If an unassigned custom page is available for the business entity, the unassigned page appears. If multiple unassigned pages are available for the business entity, the first listed unassigned page appears.

When you assign multiple roles to a user, and assign different pages to each user role, the page that lists on top of other pages assigned to the user role or user appears.

Note: After you upgrade your business application to May 2021 release, the last assigned pages continue to appear for a user. After you assign a page to a user role, the role-based access becomes effective for the pages.

Configure search for an application

You can configure the search properties, such as search suggestions and search history, for an application. For example, you can configure the number of previous searches to display when you click the search box.

Based on your business needs, you can assign the search result layout components to the user roles defined for your application. You can view the search results of the business entities in your application based on the search layout components assigned to the user roles.

1. From the Explore page, find and open the business application.
2. On the **Search** tab, configure the following properties:

Property	Description
Suggestions	Indicates whether to suggest search terms when the users type a search term. Default is Enabled.
Minimum Characters to Trigger Suggestions	Minimum number of characters required to suggest search terms. Default is 5.

Property	Description
Maximum Number of Suggestions	Maximum number of terms to suggest. Default is 10.
Search History	Indicates whether search history is enabled. Default is Disabled.
Number of Previous Searches	Maximum number of previous searches to display. Default is 5.
Results Per Page	Search results per page. Default is 25.
Similar Records	Indicates whether to display similar records when you create a new record. Default is Enabled.

3. To assign a search result layout component to user roles, perform the following steps:
   a. In the **Search Result Layouts** section, select a business entity type.

      The list of search result layout components defined for the selected business entity appear.
   b. Click the **Add Page** icon.

      A blank row appears.
   c. To add a search result layout component, click the asset picker.

      The **Select a component** dialog box appears.
   d. Select a search result layout component and click **Select**.

      The selected search result layout component appears in the list.
   e. Click on the search result layout component row and select one or more user roles to the selected search result layout component.
   f. To reorder the search result layout components in the list, drag and drop a row to the required level.
4. Click **Save**.

Configure a search results layout component

You can configure search results layout components for business entities and assign them to the user roles defined in your business application. Search results include field values based on the search results layout components assigned to a user role.

Review the fields that you want to include in a search results layout component. If system fields in a layout have searchable and facetable properties enabled, you can disable the properties. If the other fields in a layout have searchable and facetable properties enabled, you can't disable the properties.

1. Click **New** > **User Interface** > **Component** > **Create**.

   The **Component Layout** dialog box appears.

2. Specify the following component fields:

Field	Description
Component Type	Type of component that you want to create. Select **Search Result Layout**.
Display Name	Name of the search results layout component.
Internal ID	Unique identifier of the component that's generated based on the display name. You can't change the internal ID after you create the component.
Description	Optional. A brief description of the search results layout component.
Business Entity	Business entity for which you want to create the search results layout component.
Location	Project or folder within which you want to save the search results layout component.

3. Click **OK**.

   A layout with some sections appears.

4. Select each section, configure the properties on the **Properties** tab, and click **Apply**.

   The following table describes the sections in the layout:

Section	Description
Hierarchy Filter	Displays a list of searchable hierarchies to use as filter criteria. To configure a hierarchy filter, perform the following steps: 1. Ensure that the hierarchies you want to use as filter criteria are searchable. 2. Select **Enable hierarchy filter**, and select the hierarchies to use as filter criteria.
Facets	Facetable fields that you can select to display on the search results. Select one of the following options: - All Facetable Fields. All the facetable basic, smart, system, and dynamic fields appear in the search results. By default, this option is selected. - Selected Facetable Fields. The facetable basic, smart, and system fields that you select appear in the search results. The selected facetable fields also list dynamic pools associated with the business entity. The search results display values of all or selected facetable fields in title case irrespective of the case defined. For example, if the field value is NEW YORK or new york, the search results display New York.

Section	Description
Thumbnail	Displays the thumbnails of digital assets that are images associated with records. To configure a thumbnail, perform the following steps: 1. Ensure that you configure the URL field for the purpose of previewing content. The URL field needs to be searchable. 2. Select **Display thumbnail**. The default is the preview field that's set for the business entity when you configure the business application. You can also select a URL field that can access the digital asset to use as a thumbnail. 3. If you use a URL field in a field group, configure rules to identify URL field values in multiple field group entries. You can base the rules on specific searchable field types within the field group, which include text, picklist fields, and URL for preview content. By default, the rules use the equals operator to find matching values. If multiple values match the filter criteria, MDM SaaS uses the first field group entry that's retrieved.
Title	Title of the search results layout component.
System Fields	List of searchable system fields that you want to appear in search results.
Basic Fields	List of basic fields that you want to appear in search results. Select one of the following field separators: - Pipe - Comma
Additional Fields	List of additional fields that you want to appear in search results. Select one of the following field separators: - Pipe - Comma

5. To display specific field values in a field group, select the field group and configure rules.

   You can select any field in the field group as the criteria and enter the field values that you want to display.
   By default, the rule contains the equals operator that searches for matching values and displays the values for the records in the search results. If a single matching value is searched then you can't display values.

   Note: You can configure rules only for text fields. Additionally, you can configure rules for fields of field groups that aren't nested within another field group.

6. Click **Save**.

After you create the search results layout component, validate the component configuration. For more information, see "Validate a search result layout component" on page 38.

Validate a search result layout component

After you create a search result layout component, you can validate the component to find errors related to the configured fields and the field properties. Correct the errors, and then save the component.

For example, when you configure the component, if you do not enter a value in a required field, an error appears in the **Validation Errors** panel. Correct the error by entering values in the required field.

1. On the search result layout component, click the **Validate** icon.

2. If errors appear in the **Validation Errors** panel, correct the errors.
   a. Click an error.

      The section that contains the error is highlighted. If there is an error in the properties, the erroneous field appears on the **Properties** tab.

   b. Correct the error.
3. After you fix all the errors, click **Save**.

Configure a grouped tasks layout component

You can configure a layout for grouped tasks and assign it to user tasks in native workflows. When a reviewer groups tasks by workflow in the task inbox, the tasks appear in that layout.

For more information about assigning a grouped tasks layout to a user task, see *Designing a workflow*.

: Effective in the October 2026 release, the ability to configure a grouped tasks layout component is available for preview.

Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

1. Click **New** > **User Interface** > **Component** > **Create**.
2. In the **Component Layout** dialog box, specify the following details and click **OK**:

Field	Description
Component Type	Type of component that you want to create. Select **Grouped Tasks Layout**.
Display Name	Name of the grouped tasks layout component.
Internal ID	Unique identifier of the component that's generated based on the display name. You can't change the internal ID after you create the grouped tasks layout component.
Description	An optional brief description of the grouped tasks layout component.
Asset Type	Type of asset to create the grouped tasks layout component for. The supported asset types are business entity and hierarchy.
Business Entity or Hierarchy	Business entity or hierarchy to create the grouped tasks layout component for.
Location	Project or folder within which you want to save the grouped tasks layout component.

3. Select each section, configure its details on the **Properties** tab, and click **Apply**.

The following table describes the sections of the layout component:

Section	Description
Facets	Facetable business entity fields or hierarchy fields and task attributes that you can display in the task inbox. Select one of the following options: - All Facetable Fields. All the facetable fields appear in the task inbox. By default, this option is selected. - Selected Facetable Fields. The facetable fields that you select appear in the task inbox.
Thumbnail	Displays the thumbnails of digital assets that are images associated with records. To configure a thumbnail, perform the following steps: 1. Ensure that you configure the URL field for the purpose of previewing content. The URL field needs to be searchable. 2. Select **Display thumbnail**. The default is the preview field that's set for the business entity when you configure the business application. You can also select a URL field that can access the digital asset to use as a thumbnail. 3. If you use a URL field in a field group, configure rules to identify URL field values in multiple field group entries. You can base the rules on specific searchable field types within the field group, which include text, picklist fields, and URL for preview content. By default, the rules use the equals operator to find matching values. If multiple values match the filter criteria, MDM SaaS uses the first field group entry that's retrieved.
Title	Title for the grouped tasks. When you configure a grouped tasks layout component for a business entity, you can select a business entity field or task attribute as the title. When you configure a grouped tasks layout component for a hierarchy, you can select a hierarchy field or a task attribute as the title.
Task Attributes	Task attributes to appear in the task inbox. Select one of the following field separators: - Pipe - Comma
Business Entity Fields	Searchable and facetable business entity fields or hierarchy fields that appear in the task inbox. Select one of the following field separators: - Pipe - Comma
System Fields	Searchable and facetable business entity system fields or hierarchy system fields that appear in the task inbox.

4. To check for any errors in the layout, click **Validate**.
5. Fix any errors, and click **Save**.

Customize the brand

You can customize the logo and favicon that appear on your business application.

Use Administrator to configure custom branding for your parent organization and apply them to your sub-organizations. You can also configure custom branding for each sub-organization.

To change the branding, you must have the **Custom Logo & Color Themes** license. For more information about licenses, see Licenses in the Administrator help.

Use PNG, JPG, and GIF formats for the custom logo, and PNG format for the favicon.

For more information about configuring the custom branding, see Configuring custom branding for an organization in the Administrator help. For more information about the logo and favicon guidelines, see Logo and favicon guidelines in the Administrator help.

The branding settings do not apply to notifications, tooltips, custom components, and the following user interface screens:

- File Import
- My Jobs
- Reports
- Source Records

INDEX

I

Informatica Global Customer Support
  contact information 6
Informatica Intelligent Data Management Cloud
  web site 5

M

maintenance outages 6

R

relationship graph
  configuring 27
  creating 27
  page 27

S

status
  IDMC 6
  system status 6

T

trust site
  description 6

U

upgrade notifications 6

W

web site 5