Informatica® Business 360 Console
October 2026

Monitor MDM SaaS

Informatica Business 360 Console Monitor MDM SaaS
October 2026

© Copyright Informatica LLC 2020, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices and AI assistant acknowledgements are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-10-21

Table of Contents

Preface 7

Informatica Resources 7

- Informatica Documentation 7
- IDMC web site 7
- Intelligent Data Management Cloud Communities 7
- IDMC Marketplace 7
- Informatica Knowledge Base 8
- IDMC Trust Center 8
- Informatica Global Customer Support 8

Chapter 1: Monitor MDM SaaS 9

Configure access to monitor business applications and Reference 360 9

Monitor usage statistics for business applications 10

Monitor usage statistics for Reference 360 11

Monitor MDM SaaS jobs 12

View job summaries 13

View job instances and schedules 14

View key job metrics 14

- Ingress job metrics 16
- Egress job metrics 16
- Match job metrics 16
- Merge job metrics 17

View job performance 17

Export jobs 18

Compare jobs 18

Chapter 2: Monitoring jobs 19

My Jobs page 19

Viewing specific job details 20

Resolve long-running operations job 21

Creating a job schedule 21

Stopping a job 22

Monitoring queued jobs 22

Chapter 3: Monitoring ingress jobs 24

Extract data 24

Transform data 25

- Skipped records 25
- Viewing skipped records 26

Load cleansed records 26

Generate tickets. . . . 27
Index records for search. . . . 27
Generate match keys. . . . 28

Chapter 4: Monitoring egress jobs. . . . 29

Stage records. . . . 29
Extract staged records. . . . 29

Chapter 5: Monitoring generate search indexes or match keys jobs. . . . 31

Index records for search . . . 31
Index tasks. . . . 32
Lock the job. . . . 32
Generate match keys. . . . 32
Release the job. . . . 33

Chapter 6: Monitoring match model jobs. . . . 34

Monitoring machine learning model jobs. . . . 34
- Viewing Match - Start Training jobs. . . . 35
- Viewing Match - Calculate Accuracy jobs. . . . 36
- Viewing Match - Finish Training jobs. . . . 36
- Viewing Match - Delete Model jobs. . . . 37

Monitoring match and merge jobs. . . . 37
- Lock the job. . . . 38
- Match records. . . . 39
- Identify match pair groups. . . . 40
- Merge records. . . . 40
- Index records for search. . . . 41
- Group potential matches. . . . 41
- Update explainability metrics. . . . 42
- Reset matched records. . . . 42
- Release the job. . . . 42

Match output report. . . . 43
- Viewing match output report. . . . 43

Chapter 7: Monitoring generate merge tasks jobs. . . . 44

Lock the job. . . . 44
Generate merge tasks. . . . 44
Release the job. . . . 45

Chapter 8: Monitoring the recovery of failed jobs. . . . 46

Lock the job. . . . 46
Generate match keys. . . . 47
Match records. . . . 47

Merge records. . . . 48
Index records for search. . . . 48
Release the job. . . . 48

Chapter 9: Monitoring publish business events jobs. . . . 49

Publish events. . . . 49

Chapter 10: Monitoring process hierarchies jobs. . . . 50

Index hierarchy records. . . . 50
Inherit dynamic field definitions 51

Chapter 11: Monitoring publish report data jobs. . . . 52

Chapter 12: Monitoring publish data access rules jobs. . . . 53

Publish data access rules step. . . . 53
Index for search. . . . 55

Chapter 13: Monitoring reapply data access rules jobs. . . . 56

Reapply data access rules step. . . . 57

Chapter 14: Monitoring reprocess master data jobs. . . . 58

Lock the job. . . . 59
Reprocess master data. . . . 59
Recalculate trust score. . . . 60
Generate match keys. . . . 60
Index records for search. . . . 60
Release the job. . . . 61

Chapter 15: Monitoring refresh MDM SaaS usage metrics jobs. . . . 62

Key metrics for the refresh MDM SaaS usage metrics jobs 62

Chapter 16: Monitoring migrate rule associations jobs. . . . 63

Lock the job. . . . 63
Migrate rule associations. . . . 63
Release the job. . . . 64

Chapter 17: Monitoring export search results jobs. . . . 65

Export search results 65

Chapter 18: Monitoring purge jobs. . . . 66

Monitoring purge all jobs. . . . 66
    Data purge. . . . 67
    Physical validation. . . . 67

Prepare data store for data quality. . . . 67
Index for search. . . . 67
Purge business entity activity report index. . . . 68
Store cleanup. . . . 68
Monitoring purge history jobs. . . . 68
Data purge. . . . 69
Physical validation. . . . 69
Monitoring purge entity jobs. . . . 69
Purge records. . . . 70
Index for search. . . . 70
Purge business entity activity report index. . . . 71
Store cleanup. . . . 71
Monitoring purge source record jobs. . . . 71
Purge records. . . . 72
Index for search. . . . 72

Chapter 19: Monitoring assign population jobs. . . . 74

Lock the job. . . . 74
Assign population. . . . 74
Release the job. . . . 75

Chapter 20: Monitoring reset organization jobs. . . . 76

Lock the job. . . . 76
Validate dependencies 76
Delete data and configurations. . . . 77
Reset to default. . . . 77
Release the job. . . . 77

Index. . . . 78

Preface

Use *Monitor MDM SaaS* to learn how to monitor usage statistics of your organization and jobs instances that are running or have run in your IDMCenvironment.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security, compliance, and privacy practices.

You can access the trust center at https://trust.informatica.com/.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Monitor MDM SaaS

You can use Operational Insights to view data processing analytics and monitoring statistics for MDM SaaS business applications and Reference 360.

You can use data processing analytics to assess the effectiveness of your investment in Informatica by analyzing usage. You can use monitoring statistics to assess the health of your organization and troubleshoot job failures.

You can monitor the usage statistics of business applications, such as the number of source records, master records, and users. You can also monitor the usage statistics of Reference 360, such as the total number of code values in an organization and the number of code values in each code list.

To monitor business applications and Reference 360 in Operational Insights, your user role requires access to Operational Insights.

Configure access to monitor business applications and Reference 360

To monitor business applications and Reference 360 in Operational Insights, configure access to Operational Insights for your user role.


1. In Administrator, click **User Roles**.
2. Select the custom user role to which you want to provide access for monitoring business applications and Reference 360.
3. From the **Services** list on the role details page, select **Operational Insights**.
4. Click the **Features** tab.
5. Select **Operational Insights - view**.
6. From the **Services** list, select **MDM Configuration**.
7. Select **Configuration and Authoring**.
8. Click **Save**.

Monitor usage statistics for business applications

You can view the business applications usage summary that displays the count of source records, master records, and users. You can also view the usage details including source and master records count grouped by a business entity.

1. In Operational Insights, click **MDM SaaS**.

   The **Overview** page appears. The **Summary** section provides an overview of the usage statistics of business applications, and the **Details** section shows the source and master records count by business entity.
   The following image shows the usage statistics of business applications:



The following table describes the usage statistics that you can view in the **Summary** section:

Usage Statistic	Description
Source Records	The number of active and deleted source records. The source records contribute to the master records. The number doesn't include the records that the ingress job rejects. The source record count for a master record includes each source system only once, regardless of the number of records originating from each source system. For example, if a master record has a source record from HR and a patch source record from HR, the source record count is 1. Additionally, if a master record is from one source system and an associated patch record is from another source system, the patch record is included in the source record count. For example, if a master record has a source record from HR and a patch source record from Salesforce, the source record count is 2. **Note:** When you delete a source record, the deleted record is included in the source records count. After you delete a master record, the contributing source records remain active.
Master Records	The number of active and deleted master records. A master record is the consolidated version of source records from multiple source systems. **Note:** The master record count includes the deleted master records.
Users	The number of MDM users in the organization that you are monitoring. **Note:** For custom users or users other than the Admin, the count is displayed as 0.

2. To view the updated count of source records, master records, and users, perform the following steps:
   a. In the **Summary** section, click the **Refresh** icon.

      The **Summary Update Request** dialog box appears.

   b. Click **OK**.

   The refresh MDM SaaS usage metrics job runs to update the count of source records, master records, and users. You can monitor and view the job details on the My Jobs page. If the job fails, contact Informatica Global Customer Support.

   Note: You can refresh the metrics only once a week. For existing organizations, the source and master record count is displayed as 0 until the refresh MDM SaaS usage metrics job completes successfully for the first time.

Monitor usage statistics for Reference 360

You can view the total number of code values in an organization and the number of code values in each code list.


1. In Operational Insights, click **MDM SaaS**.

   The **Overview** page shows the usage statistics of business applications by default.

2. Click **Reference 360**.

   The **Summary** section shows the total number of code values in an organization, and the **Details** section shows the number of code values in each code list.

The following image shows the usage statistics of Reference 360:



3. To download the metrics as a CSV file, click **Download**.
4. To view the updated count of code values, perform the following steps:
   a. In the **Summary** section, click the **Refresh** icon.

      The **Summary Update Request** dialog box appears.

   b. Click **OK**.

   The refresh MDM SaaS usage metrics job runs to update the count of code values. You can monitor and view the job details on the My Jobs page. If the job fails due to a timeout error, you can still view the updated count of code values. However, if the job fails due to other reasons, contact Informatica Global Customer Support.

   Note: You can refresh the metrics only once a week. For existing organizations, the records count is displayed as 0 until the refresh MDM SaaS usage metrics job completes successfully for the first time.

Monitor MDM SaaS jobs

When you monitor MDM SaaS jobs, you can view a summary of jobs, and view all job instances and job schedules. You can also view key metrics for each job type.

You can monitor the data that each job processes or compare the metrics of various jobs. For example, you can compare the number of records processed by two or more ingress jobs to determine the number of records that were imported from source systems.

View job summaries


You can view the number of jobs that ran successfully, have failed, are running, and are scheduled to run in the next 24 hours on the job summary page. You can also view the top 5 jobs based on their run duration and the number of records processed.

To view the summary of jobs, use the **Overview** tab of the **MDM SaaS** page. You can filter and view the job summaries.

The following table describes the job filters:

Filter	Description
Job Type	Filters the job details based on the selected job type.
Business Application	Filters the job details based on the selected business application. The values depend on the business applications that your organization subscribes to.
Asset Type	Filters the job details based on the selected asset type.
Date and Time Range	Filters the following job details based on the selected date and time range: - The number of successful and failed jobs. - The top 5 jobs based on their run duration and the number of records processed. You can choose to set a custom date and time range. The specified data and time range don't affect the number of running and scheduled jobs. The job summary page displays the number of running jobs and the number of jobs scheduled to run in the next 24 hours, irrespective of the applied filters.

The following image shows the **Overview** tab:




View job instances and schedules

You can view a list of job instances and job schedules on the **Jobs** tab.

When you view the list of job instances and job schedules, you can monitor the status of jobs and which jobs have schedules.

The following image shows the **Jobs** tab:




You can filter the list of jobs by job type or status. You can filter the list of job schedules by schedule name, job name, or status. To specify a filter, click **Filter**, then click **Add Filter** and select the property to filter by.

View key job metrics

You can view key job metrics, such as the number of records processed, for ingress, egress, match, and merge jobs. To view job metrics, use the **Ingress**, **Egress**, **Match**, and **Merge** tabs.

The following image shows the **Ingress** tab with key metrics of ingress jobs:



You can view the status, start time, end time, duration, and metrics of a job. The metrics are specific to each job type. You can also sort and filter the jobs.

The following table describes the job filters:

Filter	Description
Status	Filters the job details based on the selected job status.
Asset Type	Filters the job details based on the selected asset type.
Asset Name	Filters the job details based on the selected asset name. The values depend on the assets in your organization.
Source System	Filters the job details based on the selected source system for an ingress job. The values depend on the source systems from which your organization gets data.
Date and Time Range	Applicable to completed jobs. Filters the job details based on the selected date and time range. You can choose to set a custom date and time range.

You can also filter the jobs by job ID, status, start time, end time, duration, and metrics of a job. To specify a filter, click **Filter**, then click **Add Filter** and select the property to filter by.

Ingress job metrics

You can analyze the ingress job metrics to determine the number of records that were imported from source systems.

The following table describes the metrics that you can view for an ingress job:

Metric Name	Description
Total Records	The total number of records that were processed.
Success Records	The number of records that were successfully imported.
Error Records	The number of records that failed to import.

Egress job metrics

You can analyze the egress job metrics to determine the number of records that were exported from the Business 360 data store to other external data sources.

The following table describes the metrics that you can view for an egress job:

Metric Name	Description
Number of Exported Records	The number of records that were successfully exported.

Match job metrics

You can analyze the match job metrics and decide whether to modify the match model configuration.

The following table describes the metrics that you can view for a match job:

Metric Name	Description
Total Matched Records	The number of records that were successfully matched.
Failed Matched Records	The number of records that failed to match.
Record Pairs for Manual Merge	The number of record pairs that require manual review.
Record Pairs for Automated Merge	The number of record pairs that will automatically merge based on declarative rules.
Record Pairs for Machine Learning Model Match	The number of record pairs that will automatically merge based on the machine learning model.

Merge job metrics

You can analyze the merge job metrics to determine the number of record pairs and record pair groups that were created by the job.

The following table describes the metrics that you can view for a merge job:


Metric Name	Description
Total Record Pairs	The number of record pairs that were successfully created by the job.
Number of Groups	The number of record pair groups that were successfully created by the job.

View job performance

You can view the performance of a job in the **Job Instances** panel. You can view the number of records, record pairs, or groups processed in a time interval of a job.

To view the performance of a job, in the **Job Instances** panel, hover over a job, then click **More Actions** > **View Job Performance**. You can also view the performance of a job by clicking the job duration link in the **Duration (mins)** column.

The following image shows the **Job Performance** window:



Export jobs

You can export the list of jobs and the details of those jobs in the **Job Instances** panel to a CSV file.

The following table describes the export types and the corresponding task steps:

Export Type	Task
All jobs	Click **None Selected** > **Select All**, then click **All Selected** > **Export**.
All jobs on a page	Click **None Selected** > **Select All On This Page**, then click **All Selected** > **Export**.
Selected jobs	Click **[Number of jobs selected] Selected** > **Export**.


Compare jobs

You can compare two to five jobs and view their key metrics in a bar chart, line chart, or table. The key metrics vary based on the type of jobs.

For example, you can compare the success records between two ingress jobs or the number of record pairs that require manual review between two match jobs.

To compare jobs, select two to five jobs in the **Job Instances** panel, then click **Compare**.

The following image shows the **Compare Jobs** panel:



CHAPTER 2

Monitoring jobs

You can monitor the jobs that are running or have run in your organization. Each time you perform an action, such as ingress data or export data, IDMC creates and runs a job.

You can monitor jobs on the **My Jobs** page. This page lists the jobs started in the Business 360 Console and your business applications. You can schedule jobs to ensure that the jobs execute at a specified time.

You can access the **My Jobs** page from the navigation bar for Business 360 Console .

My Jobs page

You can monitor the jobs on the **My Jobs** page of Business 360 Console and your business applications.


The **My Jobs** page contains the following tabs:

- Job Instances. Lists the job instances that are currently running, queued, failed, and successfully completed.
- Job Schedules. Lists the job schedules.

You can filter the jobs to find specific job instances. To filter the jobs on the **My Jobs** page, click the **Filter** icon, click **Add Field**, and then select the property to filter by.

You can find specific job instances or job schedules based on the full or partial name, status of the job, or name of the user who started the job. To search for job instances, enter a search value in the find field, and click the **Search** icon. To search for job schedules, enter a full or partial job schedule name in the find field of the **Job Schedules** tab and click the **Search** icon.

The following image shows the list of job instances on the **My Jobs** page:



By default, the following properties display for each job instance:

Property	Description
Name	Name of the job instance.
Job Type	The type of job that was executed.
Started By	Name of the user who started the job.
Start Time	Date and time that the job started.
End Time	Date and time that the job completed or stopped.
Status	Status of the job instance.

To view the job details, click the job instance name.

Viewing specific job details


You can drill down into any job on the **My Jobs** page to display detailed information about the job.

To drill down and view additional details about a specific job, click the job instance name. You can view the key metrics for each job, such as total records processed, records processed successfully, and failed records. You can also copy these metrics in JSON format for detailed analysis.

Note: The metrics vary for each job.

You can also view the overall data flow process for each job instance. Select a specific process step to view the step level details. The details displayed for the job vary based on the job type.

The following image shows the details of a file import job:



1. Overview. Lists the details of the job instance and each step, such as status, start time, and end time.
2. Runtime Parameters. Lists the runtime parameters of the job instance and each step.
3. Metrics. Lists the key metrics of each step, such as total records processed.

4. Errors. Lists the rejected records and the invalid records that failed to adhere to data quality rules. When you download the rejected or invalid records that contain invalid picklist values, the term `Code` is appended to the name of the picklist in the CSV file.

   For example, when the value of the Country picklist is invalid, the picklist name appears as `Country Code`.

Resolve long-running operations job

The resolve long-running operations job runs automatically to complete operations that time out.

When operations, such as merge and unmerge, take longer than expected to complete, they can time out. When an operation times out, the resolve long-running operations job runs automatically and completes the operation. You can view the details of these jobs on the **My Jobs** page.

MDM SaaS limits the number of resolve long-running operations jobs that can run concurrently on a POD. If the number of concurrent jobs reaches the limit on a POD, the operation fails. You can perform the operation again later.

Creating a job schedule

Schedule a job to ensure that the job executes at a specified time. You can also set a frequency to repeat the job at regular intervals. Ensure that you create a job before creating the job schedule.

1. On the **My Jobs** page, click **Job Schedules** > **Add Job Schedule**.

   The **New Job Schedule** page appears.
2. Enter the name of the job schedule.

   Each schedule name must be unique within the organization. Schedule names can contain alphanumeric characters, spaces, and the following special characters: _ . + -

   Maximum length is 100 characters. Schedule names are not case sensitive.
3. To select a job, perform the following tasks:
   a. Click the asset picker.

      The **Select a Job** page appears.
   b. Select a project, and then select a job definition.
   c. Click **Select**.
4. Select an existing IDMC schedule, or add a new schedule. To add a new IDMC schedule, perform the following tasks:
   a. Click **New Schedule**.

      The **New Schedule** dialog box appears.
   b. Enter the name and description of the schedule.
   c. Enter the start date and time of the schedule.
   d. Select the time zone for the schedule.

e. To run the job again in a schedule, select a frequency.

f. Click **Save**.

5. Save the job schedule.

Stopping a job

You can stop a job that's in progress. For example, if a job takes a long time to run, you might want to stop it. You can't restart or resume a job that's stopped.

To stop a job, perform one of the following tasks on the **My Jobs** page.

- From the **Actions** menu of the job instance, click **Stop**.
- Click the name of the job instance, and then click **Stop**.

You can't stop the following jobs:

- Egress
- Generate search indexes or match keys
- Generate merge tasks
- Publish business events
- Recover a failed job
- Reindex
- Match training

When you stop a job, data might be partially processed. To find and process the unprocessed data, run a recover failed job. However, when you stop a merge job, the job finishes processing the data it was working on and then releases its resources. When you run the merge job again, it resumes processing the remaining data.

For more information about finding and recovering unprocessed records, see Defining recover a failed job.

When you stop a job, the **Job Details** page can show the status of the job as Stopped even though the job might have already processed all records.

Monitoring queued jobs

To run a job, MDM SaaS requires sufficient resources, such as cores and memory. Based on the number of records that a job processes, MDM SaaS allocates the required resources and completes each process step of the job.

After the job completes each process step, MDM SaaS changes the status of the job. The change in job status depends on the records that MDM SaaS processes in each process step.

Based on the number of records that the job processes, MDM SaaS requires sufficient resources to complete each process step of the job. If MDM SaaS doesn't have sufficient resources to complete a process step, it changes the job status from **Running** to **Queued**. For example, if you run an ingress job with more than 10,000 records, the job requires sufficient resources to complete each process step. After the transform step, if MDM SaaS doesn't have sufficient resources to complete the load step, MDM SaaS queues the job.

MDM SaaS queues ingress and egress jobs when the count of concurrently running ingress and egress jobs reaches 25 on a POD or 5 within an organization.

MDM SaaS queues the stage step of egress jobs that process over 1000 records. For ingress jobs, MDM SaaS queues the load step that processes over 1000 records, transform step that processes over 100,000 records, index for search step that processes over 10,000 records, and generate match keys step that processes over 5000 records.

Note: MDM SaaS doesn't queue the extract step of ingress and egress jobs.

When a process hierarchy job is running for a particular hierarchy, no other job can run simultaneously for the same hierarchy. Instead, the subsequent jobs are queued and remain in a queued state until the previous job is complete.

CHAPTER 3

Monitoring ingress jobs

An ingress job imports data from external source systems and stores it in the MDM SaaS data store. When you get started with Business 360 for the first time, to onboard your initial data, you must ingress it. You can continue to ingress the incremental data to be in sync with the source systems.

After you run an ingress job, you can monitor and view the job details on the **My Jobs** page.

An ingress job includes the following steps, and you can view the data processing analytics for each step:

- "Extract data" on page 24.
- "Transform data" on page 25.
- "Load cleansed records" on page 26.
- "Index records for search" on page 27.
- "Generate match keys" on page 28.

Extract data

The extract step extracts data from the source system to a staging area. A staging area is a temporary location where the data is stored.

If an ingress job fails at this step or the step is in the *Running* status for a long time, go to the **My Jobs** page of Data Integration to troubleshoot. If the taskflow is in the *Suspended* status, view the subtasks and select the failed mapping task. Download the sessions log and check for errors.

The following table lists the metrics that you can view for the extract step:

Metric	Description
Total Records	The total number of records that the step processed.
Error Records	The number of records that the step didn't process.
Success Records	The number of records that the step successfully extracted from the source system.
Starting Records for Asset	The total number of records that the step processed for a specific asset.

Transform data

The transform step applies basic, advanced, and DaaS rule associations to the staged data. The rule associations cleanse and transform the staged data.

If an ingress job fails at this step or the step is in the *Running* status for a long time, go to the **My Jobs** page of Data Integration to troubleshoot. If the taskflow is in the *Suspended* status, view the subtasks and select the failed mapping task. Download the sessions log and check for errors.

Note: When you download the sessions log, you can view up to 10,000 skipped records.

The transform step applies data quality rule associations that are added to the mapped fields in Cloud Data Integration.

The following table lists the metrics that you can view for the transform step:

Metric	Description
Total Records	The total number of records that the step processed.
Error Records	The number of records that failed the data quality rule associations.
Success Records	The number of records that are validated and transformed and moved to the load step.
Starting Records for Asset	The total number of records that the step processed for a specific asset.
Skipped Records	The number of records that the step skipped because of some internal issues.
Applied Data Quality Rules	The number of data quality rule associations that the step applied on the records.
Failed Data Quality Rules	The number of data quality rules that returned errors.
Successful Data Quality Rules	The number of data quality rules that successfully validated records.

Skipped records

The ingress job might skip some of the records that you ingress during the transform step. The records are skipped for the following reasons:

- Records don't contain values in any of the fields.
- The source primary key field value of records contains special characters.
- Multiple records contain the same source primary key value and the number of records exceeds the threshold limit. By default, the threshold limit is set to 30,000.
- The size of a record exceeds 13 MB.
- Records contain data errors, such as a data type mismatch or when the value of a data type exceeds its maximum range.
- Records contain picklist values that are invalid.

Viewing skipped records

You can download the list of skipped records as a CSV file. The file includes the source and parent primary key values and error descriptions of the skipped records.

Note: MDM SaaS stores the skipped records in the database for seven days. Ensure that you download the skipped records within the specified time period.

1. On the **My Jobs** page, open an ingress job, and click **Transform** > **Errors**.
2. In the **Rejected Records** column, click **Download**.

   The list of skipped records downloads as a CSV file.
3. In the **Imported Records with Validation Errors** column, click **Download**.

   The list of records with validation errors downloads as a CSV file.

   Note: MDM SaaS stores the records with validation errors in the database for seven days. Ensure that you download the records with validation errors within the specified time period.

When you download the skipped records in the transform step, the CSV file doesn't include values in the target flat endpoint column for some records.
The transform step processes each target flat endpoint of the records and then merges them. If any error occurs when the step processes the individual target flat endpoints of the records, the CSV file includes the target flat endpoint for those records. If any error occurs after the step merges all target flat endpoints of the records, the CSV file doesn't include the target flat endpoint.

For example, you ingress a Person record that contains an address field group. When you run the ingress job, the transform step processes the target flat endpoints, such as person.root and person.address. After processing the target flat endpoints, the step merges the target flat endpoints.

If errors occur while processing the individual target flat endpoints, the CSV file includes the target flat endpoints for the Person record. If error occurs while merging the target flat endpoints, the CSV file doesn't include the target flat endpoints.

Load cleansed records

The load step loads the cleansed records into the MDM SaaS data store. It also generates workflow tickets for records that belong to business entities with configured business events.

If ticket generation fails for any records, the Generate Tickets for Pending Records step creates tickets for them.

If an ingress job fails at this step or the step is in the *Running* status for a long time, go to the **My Jobs** page of Data Integration to troubleshoot. If the taskflow is in the *Suspended* status, view the subtasks and select the failed mapping task. Download the sessions log and check for errors.

If your organization uses basic, advanced, and DaaS rule associations, and rule associations that are created using objective groups, MDM SaaS runs rule associations and objectives during both transform and load steps.

The following table describes the metrics that you can view in the **Overview** section of the load step:

Metric	Description
Total Records	The total number of records that the step processed.
Error Records	The number of records the step didn't process. An error record might be currently in the approval workflow or contain a relationship mismatch.
Starting Records for Asset	The total number of records that the step processed for a specific asset.
Successful Records	The number of records that are loaded and moved to the index for search step. Number of records that are created, updated, deleted, and restored. The records that are created, updated, deleted, and restored move to the index for search step.
Created Records	The total number of records that are created.
Updated Records	The total number of records that are updated.
Deleted Records	The total number of records that are deleted.
Restored Records	The total number of deleted records that are restored.

You can also view the runtime parameters and metrics for the load step.

Generate tickets

The Generate Tickets for Pending Records step generates workflow tickets for records for which ticket generation failed during the Load step.

Index records for search

The index for search step indexes the records for search based on the search configuration.

If an ingress job fails at this step or the step is in the *Running* status for a long time, go to the **My Jobs** page of Data Integration to troubleshoot. If the taskflow is in the *Suspended* status, view the subtasks and select the failed mapping task. Download the sessions log and check for errors.

The following table lists the metrics that you can view for the index for search step:

Metric	Description
Total Records	The total number of records that the step processed.
Error Records	The number of records that the step didn't process because of internal errors.

Metric	Description
Success Records	The number of records that are indexed and are moved to the generate tokens step.
Starting Records for Asset	The total number of records that the step processed for a specific asset.

Generate match keys

The generate tokens step generates match keys for records with updates to match fields. These records have the MATCH DIRTY status. Currently, the step uses SSA-NAME3 algorithm to generate match keys. The TF-IDF algorithm is not available in the current release.

If an ingress job fails at this step or the step is in the *Running* status for a long time, go to the **My Jobs** page of Data Integration to troubleshoot. If the taskflow is in the *Suspended* status, view the subtasks and select the failed mapping task. Download the sessions log and check for errors.

The following table lists the metrics that you can view for the generate tokens step:

Metric	Description
Total Records	Total number of records for which the step generated match keys.
Error Records	Number of records for which the step didn't generate match keys because of internal errors.
Success Records	Number of records for which match keys are generated.
Starting Records for Asset	Total number of records that the step processed for a specific asset.

CHAPTER 4

Monitoring egress jobs

An egress job exports data from the Business 360 data store to other external data sources.

After you run an egress job, you can monitor and view the job details on the **My Jobs** page.

An egress job contains the following steps, and you can view the data processing analytics for each step:

- "Stage records" on page 29
- "Extract staged records" on page 29

Stage records

The stage step loads master records from the MDM SaaS data store to a staging collection.

The following table lists the metrics that you can view for the stage step:

Metric	Description
Total Records	The total number of records that the step processed. **Note:** When the total number of records processed in the stage step is zero, MDM SaaS skips the extract step and completes the job.
Error Records	The number of records that the step didn't process because of internal errors.
Success Records	The number of records that are staged and are moved to the extract step.
Starting Records for Asset	The total number of records that the step processed for a specific asset.

Extract staged records

The extract step reads and extracts records from the staging collection and writes them to an external data source by using Business 360 Connector.

The following table lists the metrics that you can view for the extract step:

Metric	Description
Total Records	The total number of records that the step processed.
Error Records	The number of records that the step didn't process because of internal errors.
Success Records	The number of records that are exported to an external data source.
Starting Records for Asset	The total number of records that the step processed for a specific asset.

CHAPTER 5

Monitoring generate search indexes or match keys jobs

The generate search indexes or match keys job indexes records and their tasks based on native workflows for search requests or generates match keys for the match process. You can run this job after you update the search configuration or match model configuration of a business entity.

: Effective in the October 2026 release, the ability to index native workflow-based tasks for records is available for preview.

Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

After you run a generate search indexes or match keys job, you can monitor and view the job details on the **My Jobs** page.

Based on the process you select in the job, the steps vary. A generate search indexes or match keys job includes the following steps, and you can view the data processing analytics for each step:

- "Index records for search " on page 31
- "Index tasks" on page 32
- "Lock the job" on page 32
- "Generate match keys" on page 32
- "Release the job" on page 33

Index records for search

The search index step indexes records for search requests. This step runs when you select the *MDMSearchIndex* process in the job.

If a generate search indexes or match keys job fails at this step, verify the search configuration.

The following table lists the metrics that you can view for the search index step:

Metric	Description
Total Records	The total number of records that the step processed.
Error Records	The number of records that the step didn't process because of internal errors.
Success Records	The number of records that are indexed for search requests.
Starting Records for Asset	The total number of records that the step processed for a specific asset.

Index tasks

The step indexes native workflow-based tasks related to records for search requests.

The following table lists the metrics that you can view for the index tasks step:

Metric	Description
Total Tasks Processed	Total number of tasks that the step processed.
Failed Tasks	Number of tasks that the step failed to index.
Success Tasks	Number of tasks that are indexed for search requests.

Lock the job

The lock the job step locks this job instance. This step runs when you select the *MDMMatchReIndex* process in the job.

If the job fails at this step, check whether a similar job is already running.

Generate match keys

The generate tokens step generates match keys for records with updates to match fields. These records have the MATCH DIRTY status. Currently, the step uses SSA-NAME3 algorithm to generate match keys. The TF-IDF algorithm is not available in the current release.

If a generate search indexes or match keys job fails at this step, verify the match model configuration.

The following table lists the metrics that you can view for the generate tokens step:

Metric	Description
Total Records	Total number of records for which the step generated match keys.
Error Records	Number of records for which the step didn't generate match keys because of internal errors.
Success Records	Number of records for which match keys are generated.
Starting Records for Asset	Total number of records that the step processed for a specific asset.

Release the job

The release the job step releases the locked job instance. This step runs when you select the *MDMMatchReIndex* process in the job.

CHAPTER 6

Monitoring match model jobs

You can view separate jobs for match-related processes on the **My Jobs** page.

The data flow for a job varies based on the job type. You can view the details for each step in the data flow.

You can monitor match model jobs when you perform the following tasks:

- Train a machine learning (ML) model.
- Delete a match model.
- Define and run jobs to match records, merge records, or match and merge records.

Monitoring machine learning model jobs

When you train an ML model, a job runs at each stage of the training process.


When you train a machine learning model, you can view the following job types:

- Match - Start Training
- Match - Calculate Accuracy
- Match - Finish Training

Viewing Match - Start Training jobs

When you start the training process for an ML model, a Match - Start Training job runs to prepare the data for training by generating record pairs.

The following image shows the details for a sample Match - Start Training job:



You can view the following steps in a Match - Start Training job:


1. Generate Tokens. Verifies and ensures that the step generates match keys for all the source records.
2. Clean Up. Cleans up the intermediate states, such as candidate selection criteria and match rules, that the training process generates. The cleanup step is required for a fresh start of the training process after the process has failed.
3. Profile Data. Analyzes the source records and generates internal rules that can provide accurate match results.
4. Generate Candidates. Generates sample match candidates based on the candidate selection criteria of the match model. The process evaluates each candidate record pair against the rules that the data profiling step generates and assigns match scores. The outcome of the step is a list of match candidates with match scores.

   Note: The match process requires a minimum of 500 candidate record pairs to generate sample match candidates for accurate predictions. You can contact Informatica Global Support to modify this minimum requirement based on your business needs.
5. Generate Seeds. Identifies candidate record pairs that are a match and those that are not a match to generate the seed candidate records pairs.
6. Train and Prepare Batch. Creates a sample ML model trained using the seed candidates and then selects candidate record pairs to prepare the batch for training.

Viewing Match - Calculate Accuracy jobs

After the training data preparation completes, you can start labeling. After you label the record pairs, the Match - Calculate Accuracy job runs to calculate the accuracy of the ML model.

The following image shows the details for a sample Match - Calculate Accuracy job:




The Train and Prepare Batch step prepares the record pairs based on the labeling and calculates the accuracy of the ML model.

Viewing Match - Finish Training jobs

After you complete labeling the record pairs, you can finish the training process. When you finish the training process, a Match - Finish Training job runs to complete the training of the ML model.

The following image shows the details for a sample Match - Finish Training job:




A Match - Finish Training job runs with the following steps:

1. Train and Prepare Batch. Finalizes the record pairs with acceptable accuracy and precision.
2. Save Model. Saves the ML model as part of the match model.

Viewing Match - Delete Model jobs

When you delete a trained match learning model, a Match - Delete Model job runs.

The following image shows the details for a sample Match - Delete Model job:



You can view the following steps in a Match - Delete Model job:

- Clean Up. Cleans up the intermediate states, such as candidate selection criteria and match rules, that the training process generates. The cleanup step is required for a fresh start of the training process after the process has failed.
- Delete Match Model. Deletes the match model from the business entity.

Monitoring match and merge jobs

You can define a match job and a merge job separately or define a single match and merge job. You can also define a job to update the key metrics on the match analysis and explainability dashboard based on the most recent match jobs, and choose to reset the matched records.

After you run a job, you can monitor and view the job details. Each job performs a series of steps, and the steps vary based on the process type that you select.

After a match and merge job completes, you can view the job metrics, such as the total records processed for matching. You can evaluate the metrics to determine the performance of the match and merge job and the number of record pairs generated.

The following table lists the process types and their steps that are part of match and merge jobs:

Process Type	Process Steps
Match and Merge	Matches records and then merges the matching records based on the match model configuration. The match and merge process type contains the following steps: - Lock the Job - Match - Merge - Index for Search - Group Potential Matches - Release the Job
Match Only	Matches records based on the match model configuration. The match only process type contains the following steps: - Lock the Job - Match - Release the Job
Merge Only	Merges the matching records based on the match model configuration. The merge only process type contains the following steps: - Lock the Job - Identify Match Pair Groups - Merge - Index for Search - Group Potential Matches - Release the Job
Reset the Matched Records	Resets the matched records that are not yet merged. The reset the matched records process type contains the following steps: - Lock the Job - Reset - Release the Job
Update Match Explainability Metrics	Updates the key metrics, including large cluster metrics, on the match analysis and explainability dashboard based on the most recent match jobs. The update match explainability metrics process type contains the following steps: - Lock the Job - Update Explainability Metrics - Release the Job

Lock the job

The lock the job step locks the job instance so that you can run only a single job instance at a time for a business entity.

If the job fails at this step, check whether a similar job is already running.

Match records

The match step compares records based on the match model configuration and then identifies the matching records. You can evaluate the metrics and decide whether to enhance the match model configuration.

The following table describes the overall metrics:

Metric Name	Metric ID	Description
Total Records	MATCH_TOTAL_RECORDS	The total number of records that the step processed.
Skipped Records	MATCH_SKIPPED_RECORDS	The number of records that the step skipped because of data errors, such as data type mismatch. Fix the data errors so that the job can process the records.
Failed Records	MATCH_FAILED_RECORDS	The number of records that failed to match because of internal errors.
N/A	TOTAL_MATCH_JOBS	The total number of internal jobs that run to complete the match step. **Note:** To view this metric, copy the detailed metrics of this step in the JSON format.

The following table describes the metrics based on declarative rules:

Metric Name	Metric ID	Description
Records Pairs for Automatic Merge	MATCH_DECLARATIVE_AUTO_MERGE_PAIRS	The number of record pairs that will automatically merge.
Nonmatching Record Pairs	MATCH_DECLARATIVE_NEVER_MERGE_PAIRS	The number of record pairs that didn't match.
Record Pairs for Manual Review	MATCH_DECLARATIVE_STEWARD_REVIEW_PAIRS	The number of record pairs that require manual review based on declarative rules.

The following table describes the metrics based on the machine learning model:

Metric Name	Metric ID	Description
Total Record Pairs	MATCH_AI_MODEL_EVALUATION_PAIRS	The total number of record pairs available.
Records Pairs for Automatic Merge	MATCH_AI_AUTO_MERGE_PAIRS	The number of record pairs that will automatically merge.
Nonmatching Record Pairs	MATCH_AI_NEVER_MERGE_PAIRS	The number of record pairs that didn't match.

Identify match pair groups

The identify match pair groups step identifies groups of record pairs that are potential candidates for automated merges.

For example, if record A matches record B, record B matches record C, and record D matches record E, the step identifies four record pairs. The record pairs are A and B, B and C, A and C, and D and E. The step then groups record pairs into two match pair groups. One group contains A and B, B and C, and A and C while the other group contains D and E.

The following table describes the metrics of the identify match pair groups step:

Metric ID	Description
Total Record Pairs	Number of record pairs identified as potential candidates for automated merges.
Total Potential Groups	Number of match pair groups that can be formed.

Merge records

The merge step merges the records that are set for automatic merge based on declarative rules and the machine learning model.

The merge step forms groups of record pairs to efficiently merge the matching record pairs. Each group contains multiple record pairs.

The following table describes the metrics of the merge step:

Metric Name	Metric ID	Description
Total Record Pairs	number_of_match_pairs_read	The number of record pairs that the step processed.
Failed Groups	number_of_groups_that_failed_to_merge	The number of record pair groups that didn't merge due to internal errors, such as database connection errors.
Successful Groups	number_of_groups_merged	The number of record pair groups that the step successfully merged. The metric doesn't include the groups that require manual review and approval.
Pending Groups	number_of_pending_groups	The number of record pair groups that require manual review and approval.
N/A	number_of_groups	The total number of record pair groups that the step created. **Note:** To view this metric, copy the detailed metrics of this step in the JSON format.

Index records for search

The index for search step indexes all master records for search after the merge step.

The following table describes the metrics of the index for search step:

Metric ID	Description
SEARCH_INDEX_TOTAL_RECORDS	Total number of records that the step processed.
SEARCH_INDEX_FAILED_RECORDS	Number of records that failed to index.
OVERVIEW_SUCCESS_RECORDS	Number of records that are indexed for search requests.
SEARCH_INDEX_UPSERT_SUCCESS	Number of records for which the search indexes are added or updated.
SEARCH_INDEX_UPSERT_FAILURE	Number of records that failed to index for search.
SEARCH_INDEX_DELETE_SUCCESS	Number of records whose indexes were deleted.
SEARCH_INDEX_DELETE_FAILURE	Number of records whose indexes failed to be deleted.

Group potential matches

The group potential matches step optimizes the number of record pair groups that are candidates for manual merges by identifying and grouping related record pairs.

For example, record A matches with record B, and record B matches with record C. The match process might result in three record pair groups, one for A and B, one for B and C, and one for A and C. The group potential match pairs step identifies these record pair groups and merges them into one record pair group with records A, B, and C.

If you use an approval workflow, when you generate merge tasks, you get one approval task instead of three tasks.

If the number of record pairs or groups exceeds the processing limit, a warning message appears, and the match and merge job runs successfully without completing the group potential match pairs step. You must reconfigure the match model so that the number of record pairs or groups doesn't exceed the limit. After you configure the match model, you can run the reset the matched records job and then run another match and merge job.

The following table describes the metrics of the group potential matches step:

Metric ID	Description
TOTAL_PAIRS	Number of record pairs that are available for manual review.
NUMBER_OF_GROUPS	Number of groups that the step processed.
NUMBER_OF_MATCH_PAIRS_READ	Number of record pairs that are available for manual review.
number_of_pairs_exceeding_limit	Number of record pairs that exceeds the processing limit of 1,000,000 record pairs.
number_of_groups_exceeding_limit	Number of groups that exceeds the processing limit of 100,000 groups.

Update explainability metrics

The update explainability metrics step updates the key metrics on the match analysis and explainability dashboard.

The following table describes the metrics of the update explainability metrics step:

Metric ID	Description
MATCH_EXPLAINABILITY_JOB_DETAILS	Updates the key metrics on the explainability dashboard, except the large cluster metrics.
MATCH_EXPLAIN_LARGE_CLUSTER_JOB_DETAILS	Updates the large cluster metrics on the explainability dashboard. Appears only when the job updates large cluster metrics.
DATA_PROFILING_JOB_DETAILS	Updates the data profile details related to large clusters. Appears only when the job updates large cluster metrics.

Reset matched records

The reset step resets the already matched records that are yet to be merged. When you reset the matched records, the record state changes from MATCHED to MATCH_DIRTY. The MATCH_DIRTY record state indicates that the record did not undergo the match process.

The following table describes the metrics of the reset step:

Metric ID	Description
MATCH_TOTAL_RECORDS	The total number of records that step processed.
MATCH_FAILED_RECORDS	The number of records that failed to reset.
TOTAL_FAILED_STATE_TRANSIT_COUNT	The number of records that failed to reset as the record state didn't change.
TOTAL_MATCH_PAIRS_DELETED_COUNT	The number of match pairs that the step deleted after resetting the state of records.
TOTAL_RECORDS_RESET_STATE_TRANSIT_COUNT	The number of records for which the step reset the record state.

Release the job

The release the job step releases the locked job instance.

Match output report

After you run a match and merge job, you can download the match output report as a CSV file. The match output report contains the match and merge details, such as match scores, merge strategy, and declarative rule ranks. You can analyze the report and then update the match configuration to improve matching.

To download match output reports, ensure that you have the necessary privileges.

For more information about configuring privileges to download match output reports, see *Manage user roles and privileges*.

If the match model is deleted when you download the match report, the match report has the following changes:

- The match model name appears as Unavailable.
- The Match Rule, Description, and Match Criterion columns are blank.
- The match field columns don't appear.

Effective in the May 2023 release, you can preview the records for which the system generates more candidates than the specified limit. For example, when you process 1000 records, if the system generates more candidates than the specified limit for 100 records, you can view those 100 records.

If the record count is high, you can adjust the maximum candidate limit.

Note: Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

Viewing match output report

The match output report can contain a maximum of 150,000 records. If the report contains multi-byte characters, you can convert the report into a readable format.

1. Open a match and merge job, and click **Match** > **Output**.

   The details of the generated record pairs appear.
2. Click **Download**.

   The match output report downloads as a CSV file.

   Note: If your user role doesn't have the privilege to download match output reports, you can't view the Download option.
3. For records that exceed the maximum candidates limit, an additional report appears. To view the report, click **Download**.
4. If the report contains multi-byte characters, convert the report into a readable format.
   a. Open the CSV file in Microsoft Excel.
   b. Save the CSV file in the **Text (Tab delimited) (*.txt)** format.
   c. On the **Data** tab, in the group, click **Get Data** > **From Text/CSV**.
   d. Browse and select the saved text file.
   e. Click **Load**.

      The multi-byte characters appear in a readable format.

CHAPTER 7

Monitoring generate merge tasks jobs

The match process identifies pairs or records that require manual review. Use the generate merge tasks job to group the pairs or records and generate review tasks for groups that require manual review. Users then review the tasks and manually merge the appropriate records.

After you run a generate merge tasks job, you can monitor and view the job details on the **My Jobs** page.

A generate a merge tasks job includes the following steps, and you can view the data processing analytics for each step:

- "Lock the job" on page 44
- "Generate merge tasks" on page 44
- "Release the job" on page 45

Lock the job

The lock the job step locks the job instance so that you can run only a single a job instance at a time for a business entity.

If the job fails at this step, check whether a similar job is already running.

Generate merge tasks

The generate merge tasks step groups the pairs or records and generates review tasks for groups that require manual review.

When your organization is about to reach the open task limit, the overview of the generate merge tasks step displays a message with the open task limit as 0. You can ignore this incorrect value. For more information about workflow task limits, see *Limits and thresholds*.

Release the job

The release the job step releases the locked job instance.

CHAPTER 8

Monitoring the recovery of failed jobs

The job to recover a failed job identifies records that other jobs didn't process and processes them.

After you run the recover a failed job, you can monitor and view the job details on the **My Jobs** page.

A recover a failed job includes the following steps, and you can view the data processing analytics for each step:

- “Lock the job” on page 38
- “Generate match keys” on page 47
- “Match records” on page 47
- “Merge records” on page 48
- “Index records for search” on page 48
- “Release the job” on page 42

Lock the job

The lock the job step locks the job instance so that you can run only a single job instance at a time for a business entity.

If the job fails at this step, check whether a similar job is already running.

Generate match keys

The generate tokens step generates match keys for records with updates to match fields. These records have the MATCH DIRTY status. Currently, the step uses SSA-NAME3 algorithm to generate match keys. The TF-IDF algorithm is not available in the current release.

The following table lists the metrics that you can view for the step:

Metric	Description
Total Records	Total number of records for which the step generated match keys.
Error Records	Number of records for which the step didn't generate match keys because of internal errors.
Success Records	Number of records for which match keys are generated.
Starting Records for Asset	Total number of records that the step processed for a specific asset.

Match records

The match step compares records based on the match model configuration and then identifies the matching records. You can evaluate the metrics and decide whether to enhance the match model configuration.

The following table lists the metrics that you can view for the step:

Metric Name	Metric ID	Description
Total Records	MATCH_TOTAL_RECORDS	The total number of records that the step processed.
Skipped Records	MATCH_SKIPPED_RECORDS	The number of records that the step skipped because of data errors, such as data type mismatch. Fix the data errors so that the job can process the records.
Failed Records	MATCH_FAILED_RECORDS	The number of records that failed to match because of internal errors.
N/A	TOTAL_MATCH_JOBS	The total number of internal jobs that run to complete the match step. **Note:** To view this metric, copy the detailed metrics of this step in the JSON format.

Merge records

The merge step merges the records that are set for automatic merge based on declarative rules and the machine learning model.

The following table lists the metrics that you can view for the step:

Metric Name	Metric ID	Description
Total Record Pairs	number_of_match_pairs_read	The number of record pairs that the step processed.
Failed Groups	number_of_groups_that_failed_to_merge	The number of record pair groups that didn't merge due to internal errors, such as database connection errors.
Successful Groups	number_of_groups_merged	The number of record pair groups that the step successfully merged. The metric doesn't include the groups that require manual review and approval.
Pending Groups	number_of_pending_groups	The number of record pair groups that require manual review and approval.
N/A	number_of_groups	The total number of record pair groups that the step created. **Note:** To view this metric, copy the detailed metrics of this step in the JSON format.

Index records for search

The index for search step indexes the records for search based on the search configuration.

The following table lists the metrics that you can view for the step:

Metric	Description
Total Records	The total number of records that the step processed.
Error Records	The number of records that the step didn't process because of internal errors.
Success Records	The number of records that are indexed and are moved to the generate tokens step.
Starting Records for Asset	The total number of records that the step processed for a specific asset.

Release the job

The release the job step releases the locked job instance.

CHAPTER 9

Monitoring publish business events jobs

A publish business events job depends on the publish process. When you run the publish business events job, the publish process runs the taskflow that you create in Cloud Data Integration to publish events to external targets.

After you run a publish business events job, you can monitor and view the job details on the **My Jobs** page.

A publish business events job includes the publish step, and you can view the data processing analytics for this step.

Publish events

The publish step publishes events from business applications to external targets that Cloud Data Integration supports.

CHAPTER 10

Monitoring process hierarchies jobs

You can view the job metrics on the **My Jobs** page. You can view metrics such as the number of relationships processed, number of records indexed and number of records processed for the inheritance of dynamic field definitions.

When a job is running and a second job is triggered for the same hierarchy, the status of the second job changes to **Queued**. If a third job is triggered for the same hierarchy while the second job is queued for processing, the job status changes to **Skipped**. When the queued job runs, it indexes all the records that the hierarchy contains, and the skipped job becomes redundant and doesn't run.

A process hierarchies job includes steps to index records and inherit dynamic field definitions within a hierarchy.

The job might fail in the following reasons:

- The number of hierarchies that are created based on a hierarchy model exceeds 250,000.
- The records of business entities that are part of a hierarchy model require reindexing.
- The number of hierarchical relationships in all the hierarchies of a hierarchy model exceeds 25 million.
- The hierarchy model has been disabled for search after the job was run.

Index hierarchy records

The Index step indexes the records in a hierarchy.

The following table describes the metrics that you can view for the index step:

Metric	Description
Relationships Processed- Total	Total number of relationships that are processed within a hierarchy.
Relationships Processed- Failed	Total number of relationships that the step didn't process.
Relationships Processed- Success	Number of relationships that are successfully processed within a hierarchy.

Inherit dynamic field definitions

The inherit dynamic field definitions step updates the dynamic field definitions of the relevant records based on the inheritance settings configured for the dynamic field definitions attributes.

The following table describes the metrics that you can view for the inherit dynamic field definitions step:

Metric	Description
Records Processed- Total	Total number of records processed for inheritance of dynamic field definitions.
Records Processed- Failed	Number of records that the step didn't process because of internal errors.
Records Processed- Success	Number of records that are updated with inherited dynamic field definitions.

CHAPTER 11

Monitoring publish report data jobs

A publish report data job is a system-generated job that updates the details of matched and merged records in reports and generates report data for these records.

When you enable merge history activity for reports, the publish report data job automatically runs to publish report data for existing records. Subsequently, the job runs each time an ingress, file import, or match and merge job runs. This ensures that the reports you generate reflect the updated source record details from these jobs.

After a publish report data job starts, you can monitor and view the job details on the **My Jobs** page.

When a publish report data job runs, the job first indexes records for report requests. After the records are indexed, the publish report data job updates the information of master records, such as details of source records and rules used to master the records, into the merge history activity of source records.

For more information about merge history activity reports, see *Manage reports*.

CHAPTER 12

Monitoring publish data access rules jobs

When you review and publish existing and draft data access rules for a business entity, MDM SaaS automatically runs a publish data access rules job. It's a system-generated job that publishes the data access rules to reevaluate record permissions for custom user roles.

For example, your organization has 50,000 records. You create a data access rule that allows records with the Country field set to United Kingdom and assign it to Role 1. When you save the data access rule, MDM SaaS saves the rule as a draft. After you publish the draft data access rule, MDM SaaS automatically runs a publish data access rules job.

The job processes 50,000 records in your organization based on the data access rule condition. If 10,000 records have the country as United Kingdom, the job assigns each record to Role 1, thereby granting access to 10,000 records. When users that are assigned to Role 1 search for records in business applications, MDM SaaS fetches the 10,000 records and optimizes the performance by reducing the loading time.

Additionally, ensure that you publish the existing data access rules in your organization. If you don't publish the existing data access rules, MDM SaaS processes all records in your organization each time to retrieve record permissions for a custom user role. When users assigned to the custom user role search for records, MDM SaaS internally fetches all records and then applies the data access rule condition to filter and display the records that the custom user role can access. This process might impact performance because of the increase in loading time when users with the custom user role search for records in business applications.

The duration of a publish data access rules job depends on the conditions that you set and the total number of records that are impacted.

Publish data access rules step

The publish data access rules step reevaluates record permissions for custom user roles based on all the data access rules of a business entity.

The following table describes the metrics that you can view for a publish data access rules job:

Metric Name	Description
NUM_OF_REC_ABAC_EVAL_TOTAL	Number of records that are impacted based on existing, new, and updated data access rules.
NUM_OF_REC_ABAC_EVAL_SUCCESS	Number of records for which the job successfully applied the data access rules.
NUM_OF_REC_ABAC_EVAL_FAILED	Number of records for which the job failed to apply the data access rules.
NUM_OF_REC_ABAC_EVAL_SKIPPED	Number of records for which the job skipped to apply draft data access rules.


You can monitor and view the job details on the My Jobs page.

If any data access rule fails to reevaluate permissions for some records, MDM SaaS fails the step and the publish data access rules job. However, the Index for Search step indexes the remaining records that were successfully reevaluated with permission.

For example, the job processes 1000 records out of which a specific data access rule failed to reevaluate 500 records. The publish data access rules step fails but the index for search step indexes the remaining 500 records. However, after the records are indexed, the publish data access rules job fails.

The Data Access Rules tab displays the failed data access rule as invalid.

The following image displays the invalid data access rules on the Data Access Rules tab:



To reevaluate permissions for the failed records, restart the publish data access rules job from the My Jobs page.

Index for search

The index for search step indexes the records that the job processed.

The following table describes the metrics of the index for search step:

Metric ID	Description
SEARCH_INDEX_TOTAL_RECORDS	Total number of records that the step processed.
SEARCH_INDEX_FAILED_RECORDS	Number of records that failed to index.
OVERVIEW_SUCCESS_RECORDS	Number of records that are indexed for search requests.
SEARCH_INDEX_UPSERT_SUCCESS	Number of records for which the search indexes are added or updated.
SEARCH_INDEX_UPSERT_FAILURE	Number of records that failed to index for search.
SEARCH_INDEX_DELETE_SUCCESS	Number of records whose indexes were deleted.
SEARCH_INDEX_DELETE_FAILURE	Number of records whose indexes failed to be deleted.

CHAPTER 13

Monitoring reapply data access rules jobs

When users update or delete values of related business entity attributes that are part of a data access rule condition, MDM SaaS automatically runs the reapply data access rules job.

The reapply data access rules job reapplies the data access rules on the impacted records. This job runs when more than 1000 records are impacted.

The reapply data access rules job runs during the following scenarios:

- When users update or delete attribute values of a business entity that's related to a protected business entity through business entity record fields and relationships.
- When users edit values of attributes that are part of a data access rule condition in bulk.


For example, Jim creates a data access rule to protect the Person business entity and assigns it to Role 1. Jim wants to assign users to Role 1 to access records that contain ABC Corporation as the company name and Tom as the reporting manager.

Jim sets the following conditions in the data access rule:

- The First Name field in the Person business entity equals to Tom.
- The Name field in the Organization business entity equals to ABC Corporation.

The condition set for the data access rule includes a business entity attribute from the Organization business entity that's related to the Person business entity through the Company business entity record field.

The following image displays the data access rule set with a condition that contains a related business entity attribute:



The Person business entity contains 10,000 records of which 5000 meet the configured condition. Users assigned to the custom user role can view the 5000 records. If Jim updates the value of the Name field in the Organization business entity to JM Industries, MDM SaaS must reassess the 5000 records to ensure that they are no longer accessible to users assigned to Role 1.

To reassess the impacted records, MDM SaaS automatically runs the reapply data access rules job. This job reapplies the data access rule on the impacted records.

Reapply data access rules step

The reapply data access rules step reapplies data access rules on the impacted records.

The following table describes the metrics that you can view for a reapply data access rules job:

Metric Name	Description
NUM_OF_REC_ABAC_EVAL_TOTAL	Number of records that are impacted due to data changes.
NUM_OF_REC_ABAC_EVAL_SKIPPED	Number of records for which the process to reapply data access rules was skipped.
NUM_OF_REC_ABAC_EVAL_FAILED	Number of records for which the process to reapply data access rules failed.
NUM_OF_REC_ABAC_EVAL_SUCCESS	Number of records for which the process to reapply data access rules was successful.

You can monitor and view the job details on the My Jobs page.

CHAPTER 14

Monitoring reprocess master data jobs

A reprocess master data job applies the latest data enrichment and validation and survivorship configurations to active and deleted records.

If a deleted master record has active source records, the job applies the configurations to its active source records. If no active source records exist, the job applies the configurations to the deleted source records. When the reprocess master data job completes successfully, MDM SaaS updates the last updated date of the master records.

MDM SaaS runs one reprocess master data job at a time. When a reprocess master data job is in progress, any new reprocess master data job that you run for another business entity, is queued until the job in progress is complete. Different tenants in the same POD can run up to 50 reprocess master data jobs simultaneously.

After you run a reprocess master data job, you can monitor and view its details on the My Jobs page. The job steps vary based on the process type you select.

The following table describes the process types that are part of reprocess master data jobs:

Process Type	Description
Reprocess Master Data	Applies the data enrichment and validation configurations to master records, and recalculates their trust scores based on the survivorship configuration. The reprocess master data process type includes the following steps: - Lock the Job - Reprocess master data - Generate match keys - Index for Search - Release the Job
Recalculate Trust Score	Recalculates the trust scores of master records based on the survivorship configuration. The recalculate trust score process type includes the following steps: - Lock the Job - Recalculate the trust score - Generate match keys - Index for Search - Release the Job

Preview Notice: Effective in the April 2026 release, the reprocess master data process type is available for preview. Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in

accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

A reprocess master data job includes the following steps for which you can view the data processing analytics:

- "Lock the job" on page 59
- "Reprocess master data" on page 59
- "Recalculate trust score" on page 60
- "Generate match keys" on page 60
- "Index records for search" on page 60
- "Release the job" on page 61

Lock the job

The lock the job step locks the job instance so that you can run only a single job instance at a time for a business entity.

If the job fails at this step, check whether a similar job is already running.

Reprocess master data

The reprocess master data step applies the latest data enrichment and validation and survivorship configurations to active and deleted master records. If you updated data enrichment and validation configurations, the step applies these updated configurations to the records. If you updated survivorship configurations, the step recalculates trust scores for the records.

The following table describes the metrics that you can view for the reprocess master data step:

Metric ID	Description
NUM_OF_REC_RECALC_SUCCEED	Number of master records for which data enrichment and validation configurations were applied and trust scores were recalculated.
NUM_OF_REC_RECALC_FAILED	Number of master records for which the job failed to apply data enrichment and validation configurations or failed to recalculate the trust score.
NUM_OF_XREF_RECALC_SUCCEED	Number of source records for which data enrichment and validation configurations were applied and trust scores were recalculated.
NUM_OF_XREF_RECALC_FAILED	Number of source records for which the job failed to apply data enrichment and validation configurations or failed to calculate the trust score.

Recalculate trust score

The recalculate trust score step calculates trust scores for active and deleted master records.

The following table describes the metrics that you can view for the recalculate trust score step:

Metric ID	Description
NUM_OF_REC_RECALC_SUCCEED	Number of records for which trust scores were recalculated successfully.
NUM_OF_REC_RECALC_FAILED	Number of records for which trust scores weren't recalculated.

Generate match keys

The generate tokens step generates match keys for records with updates to match fields. These records have the MATCH DIRTY status. Currently, the step uses SSA-NAME3 algorithm to generate match keys. The TF-IDF algorithm is not available in the current release.

If the reprocess master data job fails at this step, verify the match model configuration.

The following table lists the metrics that you can view for the generate tokens step:

Metric	Description
Total Records	Total number of records for which the step generated match keys.
Error Records	Number of records for which the step didn't generate match keys because of internal errors.
Success Records	Number of records for which match keys are generated.
Starting Records for Asset	Total number of records that the step processed for a specific asset.

Index records for search

The index records for search step indexes master records that changed after applying the latest data enrichment and validation or survivorship configurations.

The following table describes the metrics of the index for search step:

Metric ID	Description
SEARCH_INDEX_TOTAL_RECORDS	Total number of records that the step processed.
SEARCH_INDEX_FAILED_RECORDS	Number of records that failed to index.

Metric ID	Description
OVERVIEW_SUCCESS_RECORDS	Number of records that are indexed for search requests.
SEARCH_INDEX_UPSERT_SUCCESS	Number of records for which the search indexes are added or updated.
SEARCH_INDEX_UPSERT_FAILURE	Number of records that failed to index for search.
SEARCH_INDEX_DELETE_SUCCESS	Number of records whose indexes were deleted.
SEARCH_INDEX_DELETE_FAILURE	Number of records whose indexes failed to be deleted.

Release the job

The release the job step releases the locked job instance.

CHAPTER 15

Monitoring refresh MDM SaaS usage metrics jobs

Refresh MDM SaaS usage metrics jobs update the usage summary details of business applications and Reference 360.

In Operational Insights, when you refresh the usage summary of business applications and Reference 360, the refresh MDM SaaS usage metrics jobs run.

After a refresh MDM SaaS usage metrics job starts, you can monitor and view the job details on the **My Jobs** page. If the job fails, contact Informatica Global Customer Support.

Key metrics for the refresh MDM SaaS usage metrics jobs

You can analyze the metrics of the refresh MDM SaaS usage metrics jobs to determine the number of processed source and master records for business applications and the number of code values for Reference 360.

The following table describes the metrics that you can view for business applications:

Metric Name	Description
Total Number of Source Records	Number of source records that are processed.
Number of Source Records Added	Number of source records that are added.
Total Number of Master Records	Number of master records that are processed.
Number of Master Records Added	Number of master records that are added.

CHAPTER 16

Monitoring migrate rule associations jobs

A migrate rule associations job migrates all basic, advanced, and DaaS rule associations in organizations created before the October 2025 release to use Enrichment and Validation Orchestrator.

After a migrate rule associations job starts, you can monitor and view the job details on the **My Jobs** page.

Note: After a migrate rule associations job succeeds in your organization, you can't trigger another job.

If the job fails, contact Informatica Global Customer Support.

A migrate rule associations job includes the following steps, and you can view the data processing analytics for each step:

- "Lock the job" on page 63
- "Migrate rule associations" on page 63
- "Release the job" on page 64

Lock the job

The lock the job step locks the job instance so that you can run only a single job instance at a time in your organization.

If the job fails at this step, contact Informatica Global Customer Support.

Migrate rule associations

The migrate rule associations step migrates existing basic, advanced, and DaaS rule associations to use Enrichment and Validation Orchestrator.

The following table describes the metrics that you can view for the migrate rule associations step:

Metric Name	Description
Total Business Entities	Total number of business entities that are processed.

Metric Name	Description
Business Entities Succeeded	Number of business entities for which the job successfully migrated basic, advanced, and DaaS rule associations.
Business Entities Failed	Number of business entities for which the job failed to migrate basic, advanced, and DaaS rule associations.
Number of Rule Associations Succeeded	Number of rule associations that are successfully migrated for a specific business entity.
Number of Rule Associations Failed	Number of rule associations that failed to migrate for a specific business entity.

When a migrate rule associations job runs, business entities and rule associations in a business entity might fail because of technical errors. You can rerun the job from the **Home** page. If the job fails again, contact Informatica Global Customer Support.

Release the job

The release the job step releases the locked job instance.

CHAPTER 17

Monitoring export search results jobs

An export search results job exports search results that you select in a business application to a CSV file. You can download the CSV file from the MDM SaaS business application.

You can view the job and its metrics on the job details page.

An export search results job includes the export search results step, and you can view the metrics for this step.

After the export search results job is complete, download the exported search results from the job details page in your MDM SaaS business application.

Export search results

The export search results step exports search results that you select in a business application.

The following table lists the metrics that you can view for the export search results step in Business 360 Console and your business application:

Metric	Description
Total Records	The total number of records that the step processed.
Error Records	The number of records that the step didn't process because of internal errors.
Total Records Exported	The total number of records that are exported to a CSV file.

You can download the exported data from the export search results job details page in your business application as a CSV file. MDM SaaS retains the exported data for 15 days following the successful completion of a job.

CHAPTER 18

Monitoring purge jobs

Purge jobs permanently delete data from the data store without deleting data models and other configuration details.

MDM SaaS uses the following jobs based on the data you want to purge:

- Purge all. Permanently deletes all business entity records, source records, and relationships, including historical data.
- Purge history. Permanently deletes historical data of business entity records, hierarchies, and relationships.
- Purge entity. Permanently deletes records that belong to a specific business entity or code values of a specific code list along with their dependencies.
- Purge source record. Permanently deletes only the deleted source records of the specified business entity or the deleted code values of a code list, along with their dependencies.

After a purge job starts, you can monitor and view the job details on the **My Jobs** page.

Monitoring purge all jobs

A purge all job permanently deletes all business entity records, source records, and relationships, along with historical data.

A purge all job includes the following steps, and you can view the data processing analytics for each step:

- "Data purge" on page 67
- "Physical validation" on page 67
- "Prepare data store for data quality" on page 67
- "Index for search" on page 67
- "Purge business entity activity report index" on page 68
- "Store cleanup" on page 68

Data purge

The data purge step deletes all business entity records, source records, and relationships, along with historical data.

The following table lists the metrics that you can view for the data purge step:

Metric ID	Description
TenantId	Unique identifier of the organization that contains the assets to purge.
Environment	Name of the user environment.
User	Number of users in the organization in which you are about to purge data.
Business Entity Records Purged	Total number of business entity records purged.
Master Records	Number of master records of the business entity that were purged.
Source Records	Number of source records of the business entity that were purged.
History Records	Number of historical records of the business entity that were purged.
Relationship Records Purged	Total number of relationship records purged.
Master Records	Number of master records of the relationship that were purged.
Source Records	Number of source records of the relationship that were purged.
History Records	Number of historical records of the relationship that were purged.

Physical validation

The physical validation step validates whether MDM SaaS successfully re-creates data collections after purging data.

Prepare data store for data quality

The prepare data store for data quality step re-creates the data collections for data enrichment.

This step applies data quality rule associations for data enrichment.

Index for search

The index for search step purges search indexes for all business entity records.

The following table describes the metrics that you can view for the index for search step:

Metric ID	Description
SEARCH_INDEX_TOTAL_RECORDS	Total number of records that the step processed.
SEARCH_INDEX_FAILED_RECORDS	Number of records that weren't indexed.

Metric ID	Description
SEARCH_INDEX_SUCCESS_RECORDS	Number of records that are indexed for search requests.
SEARCH_INDEX_UPSERT_SUCCESS	Number of records for which the search indexes are added or updated.
SEARCH_INDEX_UPSERT_FAILURE	Number of records that weren't indexed for search.
SEARCH_INDEX_DELETE_SUCCESS	Number of records whose indexes were purged.
SEARCH_INDEX_DELETE_FAILURE	Number of records whose indexes failed to be purged.

Purge business entity activity report index

The purge BE activity report index step purges report indexes for all business entity records.

The following table describes the metrics that you can view for the purge BE activity report index step:

Metric ID	Description
TOTAL_COUNT	Total number of report indexes that the step processed.
SUCCESS_COUNT	Number of report indexes that were purged successfully.
FAILURE_COUNT	Number of report indexes that weren't purged.

Store cleanup

The store cleanup step removes intermediate data and backend files related to match pair details and the job. This step ensures a fresh start of processes after purging data.

Monitoring purge history jobs

A purge history job purges all the historical data from business entity records, hierarchies, and relationships.

A purge history job includes the following steps, and you can view the data processing analytics for each step:

- "Data purge" on page 69
- "Physical validation" on page 69

Data purge

The data purge step deletes all the historical data from business entity records, hierarchies, and relationships.

The following table lists the metrics that you can view for the data purge step:

Metric ID	Description
TenantId	Unique identifier of the organization that contains the assets to purge.
Environment	Name of the user environment.
User	Number of users in the organization in which you are about to purge data.
Business Entity Records Purged	Total number of business entity records purged.
Master Records	Number of master records of the business entity that were purged.
Source Records	Number of source records of the business entity that were purged.
History Records	Number of historical records of the business entity that were purged.
Relationship Records Purged	Total number of relationship records purged.
Master Records	Number of master records of the relationship that were purged.
Source Records	Number of source records of the relationship that were purged.
History Records	Number of historical records of the relationship that were purged.

Physical validation

The physical validation step validates whether MDM SaaS successfully re-creates data collections after purging data.

Monitoring purge entity jobs

A purge entity job permanently deletes records that belong to a specific business entity or code values of a specific code list, along with their dependencies.

A purge entity job includes the following steps, and you can view the data processing analytics for each step:

- “Purge records” on page 70
- “Index for search” on page 70
- “Purge business entity activity report index” on page 71
- “Store cleanup” on page 71

Purge records

The purge record step permanently deletes records that belong to a specific business entity or code values of a specific code list, along with their dependencies. This step deletes all the data that includes historical data, and data from source systems and relationships.

The following table describes the metrics that you can view for the purge records step:

Metric ID	Description
relationships	Number of relationship records purged.
potential_group	Number of potential match pair groups purged.
xref	Number of source records purged.
indexDeleteFailures	Number of records whose search indexes weren't purged.
matchPairs	Number of match record pairs purged.
changelist	Number of records with changes that were part of approval workflows that were purged.
match-rel	Number of record pairs with relationships purged.
orphanedXrefs	Number of source records that weren't purged.
indexDeletes	Number of records whose search indexes were purged.
businessEntity	Number of master records in the specific business entity that were purged.
indexDeleteNotFound	Number of records with no search indexes that were purged.
potential_group_snapshot	Number of consolidated potential match pair groups purged.

Index for search

The index for search step purges search indexes for the specific business entity records and reindexes the available business entity records based on the search configuration.

The following table describes the metrics that you can view for the index for search step:

Metric ID	Description
SEARCH_INDEX_TOTAL_RECORDS	Total number of records that the step processed.
SEARCH_INDEX_FAILED_RECORDS	Number of records that weren't indexed.
SEARCH_INDEX_SUCCESS_RECORDS	Number of records that are indexed for search requests.
SEARCH_INDEX_UPSERT_SUCCESS	Number of records for which the search indexes are added or updated.
SEARCH_INDEX_UPSERT_FAILURE	Number of records that weren't indexed for search.

Metric ID	Description
SEARCH_INDEX_DELETE_SUCCESS	Number of records whose indexes were purged.
SEARCH_INDEX_DELETE_FAILURE	Number of records whose indexes failed to be purged.

Note: When you purge code values of code lists, the index for search step displays the metrics as `0` because the purge records step deletes the index.

Purge business entity activity report index

The purge BE activity report index step purges report indexes for the specific business entity records.

The following table describes the metrics that you can view for the purge BE activity report index step:

Metric ID	Description
TOTAL_COUNT	Total number of report indexes that the step processed.
SUCCESS_COUNT	Number of report indexes that were purged successfully.
FAILURE_COUNT	Number of report indexes that weren't purged.

Store cleanup

The store cleanup step removes intermediate data and backend files related to match pair details and the job. This step ensures a fresh start of processes after purging data.

Monitoring purge source record jobs

A purge source record job permanently deletes only the deleted source records of the specified business entity or code values of a code list, along with their dependencies.

A purge source record job includes the following steps, and you can view the data processing analytics for each step:

- “Purge records” on page 72
- “Index for search” on page 72

Purge records

The purge record step permanently deletes only the deleted source records that belong to a specific business entity or code values of a specific code list, along with their dependencies.

The following table describes the metrics that you can view for the purge records step:

Metric ID	Description
relationships	Number of relationship records purged.
potential_group	Number of potential match pair groups purged.
xref	Number of source records purged.
indexDeleteFailures	Number of records whose search indexes weren't purged.
matchPairs	Number of match record pairs purged.
changelist	Number of records with changes that were part of approval workflows that were purged.
match-rel	Number of record pairs with relationships purged.
orphanedXrefs	Number of source records that weren't purged.
indexDeletes	Number of records whose search indexes were purged.
businessEntity	Number of master records in the specific business entity that were purged.
indexDeleteNotFound	Number of records with no search indexes that were purged.
potential_group_snapshot	Number of consolidated potential match pair groups purged.

Index for search

The index for search step purges search indexes for the deleted source records of the specific business entity and reindexes the available business entity records based on the search configuration.

The following table describes the metrics that you can view for the index for search step:

Metric ID	Description
SEARCH_INDEX_TOTAL_RECORDS	Total number of records that the step processed.
SEARCH_INDEX_FAILED_RECORDS	Number of records that weren't indexed.
SEARCH_INDEX_SUCCESS_RECORDS	Number of records that are indexed for search requests.
SEARCH_INDEX_UPSERT_SUCCESS	Number of records for which the search indexes are added or updated.
SEARCH_INDEX_UPSERT_FAILURE	Number of records that weren't indexed for search.

Metric ID	Description
SEARCH_INDEX_DELETE_SUCCESS	Number of records whose indexes were purged.
SEARCH_INDEX_DELETE_FAILURE	Number of records whose indexes failed to be purged.

CHAPTER 19

Monitoring assign population jobs

When you submit a Migrate API request, the API triggers the assign population job. The job assigns populations to master records that existed before the April 2026 release.

The API returns the job instance identifier as the response. Use the job instance ID to locate the job on the **My Jobs** page and review its step-level metrics.

An assign population job includes the following steps, and you can view the data processing analytics for each step:

- "Lock the job" on page 74
- "Assign population" on page 74
- "Release the job" on page 75

Lock the job

The lock the job step locks the job instance so that you can run only one instance at a time for a business entity.

If the job fails at this step, check whether a similar job is already running.

Assign population

The assign population step assigns populations to master records that existed before the April 2026 release.

The following table describes the metrics of the assign population step:

Metric	Description
MATCH_TOTAL_RECORDS	Total number of master records that are missing a population name.
MATCH_FAILED_RECORDS	Total number of records for which processing failed..

Release the job

The release the job step releases the locked job instance.

CHAPTER 20

Monitoring reset organization jobs

A reset organization job permanently deletes all data, assets, configurations, jobs, and job schedules from an organization.

After a reset organization job starts, you can monitor and view the job details on the **My Jobs** page.

A reset job includes the following steps, and you can view the data processing analytics for each step:

- "Lock the job" on page 76
- "Validate dependencies " on page 76
- "Delete data and configurations" on page 77
- "Reset to default" on page 77
- "Release the job" on page 77

Lock the job

The lock the job step locks the job instance so that you can run only a single job instance at a time in your organization.

If the job fails at this step, check whether a similar job is already running.

Validate dependencies

The validate dependencies step checks if the assets have dependencies on the MDM SaaS assets in the organization.

Resolve all the dependencies to reset an organization.

Delete data and configurations

The delete data and configurations step permanently deletes all data, assets, configurations, jobs, and job schedules in MDM SaaS.

The following table describes the metrics that you can view for the delete data and configurations step:

Metric	Description
Total Assets	Total number of assets present in the organization.
Processed Assets	Total number of assets that the step processed.
Deleted Assets	Total number of assets that were deleted.
Failed Assets	Total number of assets that the step didn't delete.

Reset to default

The reset to default step resets the organization to its default, newly provisioned state.

If you have an active license, this step reprovisions the organization so that you can start over with a clean environment.

Release the job

The release the job step releases the locked job instance.

INDEX

D

data access rules 53, 63

I

Informatica Global Customer Support
  contact information 8
Informatica Intelligent Data Management Cloud
  web site 7

M

maintenance outages 8

R

row level filtering 53, 63

S

status
  IDMC 8
system status 8

T

trust site
  description 8

U

upgrade notifications 8

W

web site 7