How-To Library

Informatica

Configure Adaptive AI matching

© Copyright Informatica LLC 2026. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html

Abstract

This article explains how to configure and train an Adaptive AI match model to predict whether record pairs match.

Supported Versions

- MDM SaaS April 2026 or later

Table of Contents

Overview. . . . 2
Steps to configure Adaptive AI matching. . . . 2
Step 1. Assign user roles and access privileges. . . . 3
Step 2. Enable the Match Analysis and Explainability dashboard. . . . 3
Step 3. Assign data access privileges. . . . 3
Step 4. Import training data. . . . 4
Step 5. Configure match fields. . . . 4
Step 6. Start training. . . . 4
Step 7. Label record pairs. . . . 5
Step 8. Evaluate training metrics and publish match model. . . . 5
Step 9. Run a match job. . . . 7
Step 10. Review match results. . . . 7
Step 11. Migrate assets. . . . 8

Overview

An Adaptive AI match model is part of a match model that uses machine learning to predict whether record pairs match. A trained Adaptive AI match model can analyze data and make match predictions based on its learning.

Before you train an Adaptive AI match model, identify a data set for training that truly represents the data in your organization. The results produced by the Adaptive AI match model are only as good as the data set the model is trained on.

During the training process, you can label record pairs in batches. The labels indicate whether the record pairs are a match. The labeled record pairs serve as examples that the model learns from to make future match predictions.

Note: To train an Adaptive AI match model, use a custom match model that suits your business needs. You can create a custom model from a copy of a predefined match model or from scratch.

Steps to configure Adaptive AI matching

To configure Adaptive AI matching within a match model, perform the following steps:

1. Assign user roles and access privileges.
2. Enable the Match Analysis and Explainability dashboard.
3. Assign data access privileges.
4. Import training data.

5. Configure match fields.
6. Start training.
7. Label record pairs.
8. Evaluate training metrics and publish the match model.
9. Run a match job.
10. Review match results.
11. Migrate assets.

Step 1. Assign user roles and access privileges

Configure privileges for custom user roles to train Adaptive AI match models. For users with predefined user roles, you can assign a custom user role that includes the privilege to train Adaptive AI match models.

1. Log in to Business 360 Console.
2. On the **Security** page, click the custom user role for which you want to configure the privilege.
3. On the **Features** tab of the user role details page, select **Adaptive AI Match Model**.

   Note: If you don't enable the **Adaptive AI Match Model** privilege, users can't view the Adaptive AI Match Model tab on the match model configuration page.
4. Click **Save**.

Step 2. Enable the Match Analysis and Explainability dashboard

You can use the Match Analysis and Explainability dashboard to explore match results, gain insights into the match process, and understand how record pairs are generated. You can analyze the match results on the dashboard and fine-tune the match model and gain trust in the quality of the match results. After you enable the dashboard for the organization, you can view it in business applications.

1. In Business 360 Console, click **Global Settings** > **Reports & Dashboards**.
2. In the Dashboards section, select **Match Analysis and Explainability**.
3. Select the business entities for which you want to view the match data.
4. Click **Save**.

Step 3. Assign data access privileges

Configure privileges for custom user roles to access match data on the Match Analysis and Explainability dashboard for specific business entities.

For more information about allowing users with custom user roles to access data on the dashboard, see Match Analysis and Explainability Dashboard.

1. On the **Security** page, click the custom user role for which you want to configure the privilege.
2. On the **Assets** tab of the user role details page, select the business entity for which you want to configure the privilege.
3. On the **Records** tab, assign the read privileges for the records and attributes related to the selected business entity.
4. In the Components section, select **Match Analysis and Explainability Dashboard**.

Note: If you don't select the **Match Analysis and Explainability Dashboard** component, users can't view any data on the Match Analysis and Explainability dashboard.

5. Click **Save**.

Step 4. Import training data

You can import a training data set from a CSV file or through an ingress job. An Adaptive AI match model requires at least 1,000 records to train. To improve the match model accuracy, use between 10,000 and 100,000 records.

For more information about selecting training data sets, see Recommendations for selecting training data sets.
To import training data from a CSV file, see Import all data.

To import training data through an ingress job, see Ingress data.

Step 5. Configure match fields

You can configure any of the business entity fields based on which you want to perform matching as match fields. Optionally, you can use match fields that are configured in the Directed AI match rules, candidate selection criteria, or both to train the Adaptive AI match model.

For more information about match fields, see Configure match fields.

1. On the **Explore** page, navigate to a business entity, and click the **Match** tab.
2. Select the match model you want to train, and click the **Adaptive AI Match Model** tab.
3. In the **Match Fields** section, review the match fields.
4. To add the recommended match fields, perform the following tasks:
   a. Click the recommended match fields that appear as hyperlinks.
   b. In the **Add Recommended Match Fields** dialog box, select the match fields to add, and click **Add**.
5. To remove any match field, select the field that you want to remove, and click **Actions** > **Remove**.
6. Add additional match fields, click **Manage Fields.**
   a. Click **Manage Fields**.
   b. In the **Manage Fields** dialog box, select the fields that you want to add, and click **OK**.

Step 6. Start training

Before you can use a match model that contains an Adaptive AI match model for match predictions, you must train the Adaptive AI match model. To train it, you must label the record pairs from the training data set that the match process identifies.

For more information about training the model, see Training the Adaptive AI match model.

1. After you review and add the match fields to an Adaptive AI match model, click **Start Training**.
2. After the training data preparation completes, click **Start Labeling**.

Step 7. Label record pairs

To complete training an Adaptive AI match model, you must label record pairs in multiple batches. You can label up to 30 batches. To complete a batch, you must select conclusive labels for 30 record pairs.

For more information about labeling record pairs, see Label record pairs for training an Adaptive AI match model.

1. On the **Label Record Pairs in Batch** page, expand a section that contains the record pairs to label.
2. Select a record pair and label it with one of the following labels:
   - Match
   - Not a Match
   - Requires Manual Review
   - Skip
3. Optionally, select multiple record pairs within a section and label them in bulk by clicking **Actions** and selecting a label.
4. To reset the label assigned to a record pair, select the record pair, and click **Actions** > **Reset**.
5. To view the details of a record pair, select the record pair and click **Actions** > **View Details**.
6. Continue labeling until you have provided conclusive labels for at least 30 record pairs.
7. To complete labeling the batch, click **Finish Batch**.
8. To label the next batch of record pairs, click **Next Batch** and repeat the labeling process.
9. To pause labeling, click **Save and Close.**
10. To resume labeling, on the **Match Training** page, click **Continue Labeling.**

Step 8. Evaluate training metrics and publish match model

You can analyze the training metrics to evaluate the effectiveness of the model. After the model achieves the effectiveness that your business requires, you can complete the training and publish the model.


For more information about training metrics, see Training metrics.

1. After labeling the required number of record pairs, review the following training metrics to evaluate the effectiveness of the Adaptive AI match model:
   - Error matrix. Summarizes the performance of an Adaptive AI match model based on the training data set. The following 3 × 3 matrix explains what each cell in an Adaptive AI match model error matrix represents:

-	**Predicted as Match**	**Predicted as Manual Review**	**Predicted as Not a Match**
Labeled as Match	**True positive (TP):** An outcome where the model correctly predicts a record pair as a match.	**False positive (FP):** An outcome where the model incorrectly predicts that a matching record pair requires manual review.	**False negative (FN):** An outcome where the model incorrectly predicts a record pair as not a match.

Labeled as Manual Review	**False positive (FP):** An outcome where the model predicts a record pair that requires manual review as a match.	**True positive (TP):** An outcome where the model correctly predicts that a record pair requires manual review.	**False positive (FP):** An outcome where the model predicts a record pair that requires manual review as not a match.
Labeled as Not a Match	**False positive (FP):** An outcome where the model incorrectly predicts a record pair that's not a match as a match.	**False positive (FP):** An outcome where the model incorrectly predicts a record pair that's not a match requires manual review.	**True negative (TN):** An outcome where the model correctly predicts a record pair as not a match.

The following image shows an error matrix with record pairs predicted as matches, non-matches, and requiring manual review:



Error Matrix

	Predicted as Match	Predicted as Manual Review	Predicted as Not a Match	Total
Labeled as Match	40% (120)	6.7% (20)	3.3% (10)	50% (150)
Labeled as Manual Review	3.3% (10)	20% (60)	1.7% (5)	25% (75)
Labeled as Not a Match	1.7% (5)	5% (15)	8.3% (25)	25% (75)
Total	45% (135)	31.7% (95)	13.3% (40)	100% (300)

- Accuracy. Measures how well an Adaptive AI match model correctly classifies records as a match, not a match, or requiring manual review.
  Accuracy = (Total TPs + TN) / (Total TPs + TN + Total FPs + FN)

  Where TP indicates true positives, TN indicates true negatives, FP indicates false positives, and FN indicates false negatives.
- Precision. Measures how many of the matches that the Adaptive AI match model predicts are actually correct matches.
  Precision = Total TPs / (Total TPs + Total FPs)

  Where TP indicates true positives and FP indicates false positives.
- Recall. Measures how well an Adaptive AI match model can find all the correct matches.
  Recall = Total TPs / (Total TPs + FN)

  Where TP indicates true positives and FN indicates false negatives.
- Learning curve. Displays a visual representation of the match training metrics, such as precision, recall, and accuracy.

If the metrics are satisfactory, you can finish the training.

2. To finish the training, click **Finish Training**.

   The training process completes and saves the Adaptive AI match model as part of the match model. If the training fails to produce desired results, you can reset the training. For more information about resetting training, see Reset an Adaptive AI match model training.
3. Navigate back to the **Match** tab and select the match model.
4. Click **Publish**.

Step 9. Run a match job

Run a match and merge job using a match model that contains a published Adaptive AI match model. You can either run a single job that matches and merges records, or run separate jobs for matching and merging.

For more information about running match and merge jobs, see Defining match and merge jobs.

1. In Business 360 Console, click **New** > **Jobs** > **Match and Merge** > **Create**.
2. Specify the job properties, and click **OK**.
3. Select the **MDMMatchMerge** process.
4. Select one of the following process types:
   - Match and Merge
   - Match Only
5. Select the business entity.
6. Select a match model and the model version to use for the job.
7. To skip the group potential matches step of the job, select **Skip grouping potential matches**.
8. Save the job.
9. To run the job, click **Run**.

   Note: You can monitor the status of the job on the **My Jobs** page.

Step 10. Review match results

Use the Match Analysis and Explainability dashboard to analyze match results. You can then fine-tune the match model to improve prediction accuracy.

For more information about analyzing match results, see Match Analysis and Explainability dashboard.

1. Log in to a business application, such as Customer 360 SaaS and Multidomain MDM SaaS.
2. Add the Match Analysis and Explainability dashboard to the **Home** page.
3. On the **Home** page, navigate to the Match Analysis and Explainability dashboard.
4. Select the business entity for which you want to view the match results.
5. To view the key metrics of the match process, click the **Overview** tab.

   The **Overview** tab displays a visual summary of match trends, an analysis of the match and merge jobs, a list of job instances that ran for a business entity, and key metrics related to match process. For more information about the key metrics of the match process, see Key metrics.
6. To view record pairs identified by Adaptive AI match models, click the **Match Model** tab.

   The **Match Model** tab displays a summary of record pairs identified by Adaptive AI match models and Directed AI match rules. You can review record pairs and understand how Adaptive AI match models and Directed AI match rules identified them as matches. For more information about record pairs identified by Adaptive AI match models, see Record pairs from Adaptive AI match model.
7. To view match and merge outcomes, click the **Outcome** tab.

   The **Outcome** tab displays interactive pie charts of the match and merge outcomes with drill-down capabilities. For more information about record pairs generated by match and merge strategies, see Record Pairs.
8. To view record pairs categorized by source systems, click the **Source Systems** tab.

   The **Source System** tab displays a graphical summary of record pairs categorized by source systems. For more information about record pairs categorized by source systems analysis, see Record Pairs.

9. To identify match key hotspots, click the **Match Keys Hotspot** tab.

   You can identify hotspots in the data by analyzing the distribution of match keys generated for each field used in the candidate selection criteria of match models. For more information about identifying hotspots in the data, see Match Keys Hotspot tab.

Step 11. Migrate assets

After you validate your match results, migrate the match models from development to production environments by exporting and importing the associated business entities. Both Adaptive AI models and Directed AI rules within your match models are included in the migration.

For more information about exporting and importing business entities, see Exporting assets and Importing assets.

When the import process completes, you can run a match job in the production environment and review the match results on the Match Analysis and Explainability dashboard.
For more information about configuring Adaptive AI match models, contact Informatica Global Customer Support.

Author

Informatica Documentation Team