Informatica® Reference 360
April 2026

Reference 360 Extension for SAP Finance

Informatica Reference 360 Reference 360 Extension for SAP Finance
April 2026

© Copyright Informatica LLC 2022, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-05-19

Table of Contents

Preface 5

Informatica Resources 5

- Informatica Documentation 5
- IDMC web site 5
- Intelligent Data Management Cloud Communities 5
- IDMC Marketplace 5
- Informatica Knowledge Base 6
- IDMC Trust Center 6
- Informatica Global Customer Support 6

Chapter 1: Introducing Reference 360 Extension for SAP Finance 7

Guidelines to use the extension 7

Prerequisites for extension deployment 7

Chapter 2: Reference 360 and SAP integration 9

Import data 9

Export data 10

Chapter 3: Predefined assets of Reference 360 Extension for SAP Finance . . . 11

Reference data sets 11

- R360: GL COA Master reference data set for GL Account 11
- R360: GL CompanyCode Master reference data set for GL Account 16
- R360: Cost Center reference data set for Cost Center 21

Cloud Data Integration assets 29

- Cloud Data Integration assets of GL Accounts for SAP ECC 29
- Cloud Data Integration assets of GL Accounts for SAP S/4HANA 30
- Cloud Data Integration assets of Cost Center for SAP ECC 32
- Cloud Data Integration assets of Cost Center for SAP S/4HANA 33

Field mapping 34

- Inbound mapping of GL Account object fields and Reference 360 attributes 35
- Inbound mapping of Cost Center object fields and Reference 360 attributes 39
- Outbound mapping of Reference 360 attributes and GL Account object fields 45
- Outbound mapping of Reference 360 attributes and Cost Center object fields 46

Data quality assets 48

Parameter files 49

Chapter 4: Deploying Reference 360 Extension for SAP Finance 50

Downloading and extracting the Reference 360 Extension for SAP Finance package 50

Creating custom tables in SAP 51

Assigning user roles 51

Configuring Reference 360 Extension for SAP Finance assets. 51
Importing the Cloud Data Quality assets. 51
Importing reference data assets and code lists. 52
Importing Cloud Data Integration assets. 52
Configuring a dictionary. 52
Adding code values to the reference data assets. 53
Adding a Secure Agent to the Secure Agent group. 54
Importing parameter files. 54
Configuring the flat file connection. 55
Configuring the SAP connection. 55
Configuring the Reference 360 connection. 57

Index. 58

Preface

Use Reference 360 Extension for SAP Finance to learn how to create, manage, and govern financial reference data in Reference 360. Learn how to deploy the extension.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the IDMC Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Data Management Cloud Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all IDMC components. Subscribing to all components is the best way to be certain you never miss an update.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introducing Reference 360 Extension for SAP Finance

Reference 360 Extension for SAP Finance is a ready-to-use package that extends the capability of Reference 360. The package includes predefined reference data sets and hierarchies, code lists, Cloud Data Integration assets, and data quality rule associations. You can use this extension as a template to get started with Reference 360 for financial data management.

Use Reference 360 Extension for SAP Finance to integrate SAP and Reference 360. The supported SAP financial master data sets are General Ledger (GL) Accounts, such as GL Chart of Account Master (GL COA Master) and GL Company Code Master, and Cost Center.

You can import the SAP financial data into Reference 360, and then create, define, manage, and govern the financial data in Reference 360. You can export the reference data from Reference 360 to SAP S/4HANA.

You can configure SAP ECC and SAP S/4HANA to synchronize data with Reference 360 in batches. You can also use Reference 360 Extension for SAP Finance to migrate financial data from SAP ECC to SAP S/4HANA.

To deploy Reference 360 Extension for SAP Finance, download and extract the extension package. Import the Reference 360 Extension for SAP Finance assets into Reference 360 and configure the SAP and Business 360 Connector connection.

Guidelines to use the extension

To use Reference 360 Extension for SAP Finance, you need to consider some rules and guidelines.

Use the extension as a template and customize it for your requirements. After you deploy the extension, you can't upgrade to a new version of the extension when it is available.

Prerequisites for extension deployment

Before you deploy Reference 360 Extension for SAP Finance, perform the following prerequisites:

- Ensure that you have the license for Reference Data Management.
- **Note:** The use of the extension doesn't confer any additional license or entitlement to license consumption beyond the terms specified in the applicable licensing agreements.

- Ensure that the version of the package matches the current MDM SaaS version where you import the extension assets.
  To view the MDM SaaS version, in Business 360 Console, click **About** in the IDMC Help menu and verify the build version.

  To view the MDM version of the extension, navigate to the readme text file in the extracted extension package and verify the platform version.

  If the version of the extension bundle doesn't match the current MDM SaaS version, contact Informatica Global Customer Support to use the current version of the extension.

CHAPTER 2

Reference 360 and SAP integration

Use Reference 360 Extension for SAP Finance to integrate Reference 360 and SAP.

You can use Reference 360 Extension for SAP Finance to import financial master and its dependent data from SAP ECC and SAP S/4HANA to Reference 360 in batches. You can create, define, manage, and govern the financial data in Reference 360, and then export the master reference data from Reference 360 to SAP S/4HANA in batches.

Import data


You can import data from SAP ECC and SAP S/4HANA to Reference 360 in batches using Reference 360 Extension for SAP Finance.

To import data from SAP ECC and SAP S/4HANA to Reference 360, you must create import jobs using the predefined Cloud Data Integration assets of Reference 360 Extension for SAP Finance. For more information about creating import jobs for reference data, see *Import reference data*. For more information about the predefined Cloud Data Integration assets, see "Cloud Data Integration assets" on page 29.


After you create import jobs, run the jobs. The import jobs use SAP Table Connector to read data from SAP tables and Business 360 Connector to write data into Reference 360. When you run import jobs, the associated mappings access the ECC and S/4HANA financial master and its dependent data from SAP tables and then import it into the ECC and S4H code lists of master and lookup reference data sets in Reference 360.

For hierarchy objects, the associated mappings access the ECC and S/4HANA hierarchical data from SAP tables and then import it into a hierarchical reference data set, in Reference 360.

The following image shows the process to import SAP ECC data in batches:



The following image shows the process to import SAP S/4HANA data in batches:



Note: After you import data, configure crosswalks from the ECC and S4H code lists to the Enterprise code list in Reference 360. Reference 360 Extension for SAP Finance doesn't include predefined crosswalks. For more information about crosswalks, see *Manage crosswalks*.

Export data

You can export reference data from Reference 360 to custom tables in SAP in batches.

To export data from Reference 360 to SAP S/4HANA, you must create export jobs using the Cloud Data Integration assets of Reference 360 Extension for SAP Finance. For more information about creating export jobs for reference data, see *Export reference data*. For more information about Cloud Data Integration assets, see "Cloud Data Integration assets" on page 29.

Before you export data, ensure that you have configured crosswalks from the ECC and S4H code lists to the Enterprise code list in Reference 360. For more information about crosswalks, see *Manage crosswalks*.

After you create export jobs, run the jobs. The export jobs use Business 360 Connector to read data from Reference 360 and SAP Table Connector to write data into custom tables in SAP. When you run export jobs, the associated mappings access the S4H code lists of master reference data sets in Reference 360 and then export it into the custom tables in SAP. Every reference data set in Reference 360 is mapped to a corresponding custom table in SAP for SAP objects, such as General Ledger Chart of Account Master (GL COA Master), General Ledger Company Code Master (GL CompanyCode Master), and Cost Center.

Reference 360 Extension for SAP Finance provides outbound field mappings for custom SAP tables that are structured to align with the object schemas for Legacy Transfer Migration Cockpit (LTMC). For more information about the outbound mappings, see "Outbound mapping of Reference 360 attributes and GL Account object fields " on page 45 and "Outbound mapping of Reference 360 attributes and Cost Center object fields " on page 46.

For more information about LTMC, see *the SAP documentation*. You can migrate data from the custom tables in SAP to the SAP object tables using any migration approach.

The following image shows the process to export data from Reference 360 to custom tables in SAP in batches:



CHAPTER 3

Predefined assets of Reference 360 Extension for SAP Finance

Reference 360 Extension for SAP Finance is available as a package for installation on request.

The package includes the following predefined assets:

- Reference data sets
- Cloud Data Integration assets
- Data quality rule associations

Reference data sets

Reference 360 Extension for SAP Finance includes reference data sets, code lists, and validation rules for General Ledger (GL) Accounts and Cost Centers master data sets.

You can use GL Accounts and Cost Center reference data sets to manage the SAP financial master data. Every reference data set includes code lists for SAP ECC and SAP S/4HANA.

Reference 360 Extension for SAP Finance provides master and lookup reference data sets. Evaluate dependencies before you make any changes to the predefined lookup reference data sets provided in the extension.

R360: GL COA Master reference data set for GL Account

The R360: GL COA Master reference data set stores information about a general ledger chart of account. The R360: GL COA Master reference data set is a master data that refers to lookup values, such as R360: Functional Area and R360: Account Type reference data sets.

The R360: GL COA Master reference data set contains the following code lists:

- Enterprise R360: GL COA Master
- ECC GL COA Master
- S4H GL COA Master

The following table lists the attributes that the code lists in the R360: GL COA Master reference data set contain:

Attribute Name	Field Type	Description
Balance Sheet Account	Boolean	Indicates whether the account is a balance sheet account.
Blocked for Creation	Boolean	Indicates whether the account is blocked for creation in the chart of accounts and in the company code-specific area.
Blocked for Planning	Boolean	Indicates whether the account is blocked for planning in the chart of accounts and in the company code-specific area.
Blocked for Posting	Boolean	Indicates whether the account is blocked for posting in the chart of accounts and in the company code-specific area.
Code	String	Code for the financial transactions for a general ledger.
Description	String	Description of a general ledger account.
GL Account	String	Code for the financial transactions for a general ledger.
Long Description	String	Long description of a general ledger account.
Name	String	Code for the financial transactions for a general ledger.
Profit and Loss Account Type	String	Type of profit and loss statement account.
Search Term	String	Input value for a search field to provide the possible match results.
Account Group	Reference Data	Reference data of criteria based on which the GL accounts in the account group are created.
Chart of Account	Reference Data	Reference data of the accounting transactions of a GL account, such as name and number of the GL account.
Functional Area	Reference Data	Reference data of an account characteristic to sort the transactions according to the function.
Account Type	Reference Data	Reference data of the accounting area to which an account belongs.

The following table lists the reference data type attributes of R360: GL COA Master reference data set that refers to reference data set with their code lists and display attributes:

Attribute Name	Reference Data Set	Code List	Display Attributes
Account Group	R360: Account Group	- Enterprise R360: Account Group - ECC Account Group - S4H Account Group	AccountGroupCode1
Account Type	R360: Account Type	- Enterprise R360: Account Type - ECC Account Type - S4H Account Type	AccountType1
Chart of Account	R360: Chart of Account	- Enterprise R360: Chart of Account - ECC Chart of Account - S4H Chart of Account	ChartOfAccounts1
Functional Area	R360: Functional Area	- Enterprise R360: Functional Area - ECC Functional Area - S4H Functional Area	FunctionalArea1

R360: Account Group reference data set for GL Account

The R360: Account Group reference data set stores reference data of criteria based on which the GL accounts in the account group are created. The R360: GL COA Master reference data set refers to the R360: Account Group reference data as a lookup value.

The R360: Account Group reference data set contains the following code lists:

- Enterprise R360: Account Group
- ECC Account Group
- S4H Account Group

The following table lists the attributes that the code lists in the R360: Account Group reference data set contain:

Attribute Name	Field Type	Description
Account Group Code	String	Code value of the account group.
Account Group Description	String	Description about the account group.
Account Range	String	Account number range to group similar accounts.
Code	String	Code value of the account group.
Description	String	Description about the account group.
Lower Limit	String	The lower range of the account number to include in the account group.
Name	String	Code value of the account group.
Upper Limit	String	The upper range of the account number to include in the account group.

R360: Account Type reference data set for GL Account

The R360: Account Type reference data set stores reference data of how the general ledger account can be used in Accounting and Financial Close and Financial Planning and Analysis. The R360: GL COA Master reference data set refers to the R360: Account Type reference data as a lookup value.

The R360: Account Type reference data set contains the following code lists:

- Enterprise R360: Account Type
- ECC Account Type
- S4H Account Type

The following table lists the attributes that the code lists in the R360: Account Type reference data set contain:

Attribute Name	Field Type	Description
Account Type	String	Type of account to which an account belongs. For example, balance sheet account, non-operating expense or income, primary costs or revenue, secondary costs, and cash account.
Code	String	Type of account to which an account belongs. For example, balance sheet account, non-operating expense or income, primary costs or revenue, secondary costs, and cash account.
Description	String	Description of the type of account.
Name	String	Type of account to which an account belongs. For example, balance sheet account, non-operating expense or income, primary costs or revenue, secondary costs, and cash account.

R360: Chart of Account reference data set for GL Account

The R360: Chart of Account reference data set stores reference data of the accounting transactions of a GL account, such as name and number of the GL account. The R360: GL COA Master reference data set refers to the R360: Chart of Account reference data as a lookup value.

The R360: Chart of Account reference data set contains the following code lists:

- Enterprise R360: Chart of Account
- ECC Chart of Account
- S4H Chart of Account

The following table lists the attributes that the code lists in the R360: Chart of Account reference data set contain:

Attribute Name	Field Type	Description
Chart of Accounts	String	Code value of a group of GL accounts with accounting transactions.
Chart of Accounts Description	String	Description about the chart of accounts.
Code	String	Code value of a group of GL accounts with accounting transactions.
Description	String	Description about the chart of accounts.
Length of GL Account Number	String	Length of the GL account numbers for the chart of accounts.
Maintenance Language	String	Language to use to describe the GL accounts for the chart of accounts.
Name	String	Code value of a group of GL accounts with accounting transactions.

R360: Functional Area reference data set for GL Account

The R360: Functional Area reference data set stores reference data of an account assignment characteristic to sort the transactions according to the function. The R360: GL COA Master reference data set refers to the R360: Functional Area reference data as a lookup value.

The R360: Functional Area reference data set contains the following code lists:

- Enterprise R360: Functional Area
- ECC Functional Area
- S4H Functional Area

The following table lists the attributes that the code lists in the R360: Functional Area reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code of a functional area. For example, administrative functions or production processes.
Description	String	Description of a functional area.
Functional Area	String	Code of a functional area. For example, administrative functions or production processes.
Name	String	Code of a functional area. For example, administrative functions or production processes.

R360: GL CompanyCode Master reference data set for GL Account

The R360: GL CompanyCode Master reference data set stores data that is valid for one company code such as currency in which the account is to be maintained. The R360: GL CompanyCode Master reference data set is a master data that refers to the R360: GL COA Master reference data set as a lookup value.

The GL Company Code Master reference data set contains the following code lists:

- Enterprise R360: GL CompanyCode Master
- ECC GL CompanyCode Master
- S4H GL CompanyCode Master

The following table lists the attributes that the code lists in the R360: GL Company Code Master reference data set contain:

Attribute Name	Field Type	Description
Account Blocked For Posting	Boolean	Indicates whether the account is blocked for posting in the chart of accounts and in the company code-specific area.
Balance In Local Currency	Boolean	Indicates whether the local currency is used to maintain the balance transaction figures.
Mark for Delete	Boolean	Flag to indicate whether the record is marked for deletion.
Open Item Management	Boolean	Indicates whether the account manages incomplete transactions.
Post Automatically	Boolean	Indicates whether the account is blocked for manual posting.
Posting Without Tax Allowed	Boolean	Indicates whether no tax code needs to be entered when posting to the account.
Reconciliation Account	Boolean	Indicates whether the reconciliation account is ready for input at the time of posting.
Account Currency	Reference Data	Reference data of a currency used for postings made to an account.
Company Code	Reference Data	Reference data of company codes to generate financial statements.
Field Status Group	Reference Data	Reference data of the status of a field.
Reconciliation Account Indicator	Reference Data	Reference data of a reconciliation account that receives postings from subsidiary ledgers.
Sort Key	Reference Data	Reference data to populate the assignment number in the line items of a GL account.
Tax Code	Reference Data	Reference data of a tax component that defines the tax rates.

Attribute Name	Field Type	Description
Code	String	Company code to generate financial statements.
Cost Element Category	String	Category type to classify primary and secondary cost elements.
Description	String	Description of a company code.
Name	String	Company code to generate financial statements.

The following table lists the reference data type attributes of R360: GL Company Code Master reference data set that refers to reference data set with their code lists and display attributes:

Attribute Name	Reference Data Set	Code List	Display Attributes
Company Code	R360: Company Code	- Enterprise R360: Company Code - ECC Company Code - S4H Company Code	Company Code
Account Currency	R360: Currency	- Enterprise R360: Currency - ECC Currency - S4H Currency	Currency
Field Status Group	R360: Field Status	- Enterprise R360: Field Status - ECC Field Status - S4H Field Status	Field Status Group
Reconciliation Account type	R360: Reconciliation Account Type	- Enterprise R360: Reconciliation Account Type - ECC Reconciliation Account Type - S4H Reconciliation Account Type	Reconciliation Account Type
Sort Key	R360: Sort Key	- Enterprise R360: Sort Key - ECC Sort Key - S4H Sort Key	Sort Key
Tax Code	R360: Tax Code	- Enterprise R360: Tax Code - ECC Tax Code - S4H Tax Code	Jurisdiction For Tax Calculation

R360: Company Code reference data set for GL Account

The R360: Company Code reference data set stores reference data of company codes to generate financial statements. The R360: GL Company Code Master reference data set refers to the R360: Company Code reference data as a lookup value.

The R360: Company Code reference data set contains the following code lists:

- Enterprise R360: Company Code
- ECC Company Code
- S4H Company Code

The following table lists the attributes that the code lists in the R360: Company Code reference data set contain:

Attribute Name	Field Type	Description
Code	String	Company code to generate financial statements.
Company Code	String	Company code to generate financial statements.
Description	String	Description of the company code.
Name	String	Company code to generate financial statements.

R360: Currency reference data set for GL Account

The R360: Currency reference data set stores reference data of a currency used for postings made to an account. The R360: GL Company Code Master reference data set refers to the R360: Currency reference data as a lookup value.

The R360: Currency reference data set contains the following code lists:

- Enterprise R360: Currency
- ECC Currency
- S4H Currency

The following table lists the attributes that the code lists in the R360: Currency reference data set contain:

Attribute Name	Field Type	Description
Code	String	Currency code to maintain the transaction figures and to display the account balance.
Currency	String	Currency code to maintain the transaction figures and to display the account balance.
Description	String	Description of a currency.
ISO Code	String	ISO currency code.
Name	String	Currency code to maintain the transaction figures and to display the account balance.

R360: Field Status reference data set for GL Account

The R360: Field Status reference data set stores reference data for the status of a field. The R360: GL Company Code Master reference data set refers to the R360: Field Status reference data as a lookup value.

The R360: Field Status reference data set contains the following code lists:

- Enterprise R360: Field Status
- ECC Field Status
- S4H Field Status

The following table lists the attributes that the code lists in the R360: Field Status reference data set contain:

Attribute Name	Field Type	Description
Code	String	Status code of a field for posting transactional data to the GL account. For example, optional or suppressed.
Description	String	Description of a field status.
Field Status Group	String	Status code of a field for posting transactional data to the GL account. For example, optional or suppressed.
Name	String	Status code of a field for posting transactional data to the GL account. For example, optional or suppressed.

R360: Tax Code reference data set for GL Account

The R360: Tax Code reference data set stores reference data of a tax component that defines the tax rates. The R360: GL Company Code Master reference data set refers to the R360: Tax Code reference data as a lookup value.

The R360: Tax Code reference data set contains the following code lists:

- Enterprise R360: Tax Code
- ECC Tax Code
- S4H Tax Code

The following table lists the attributes that the code lists in the R360: Tax Code reference data set contain:

Attribute Name	Field Type	Description
Code	String	Tax component specification to calculate tax.
Description	String	Description of the tax component.
Name	String	Tax component specification to calculate tax.
Tax Code	String	Tax component specification code to calculate tax.

R360: Reconciliation Account Type reference data set for GL Account

The R360: Reconciliation Account Type reference data set stores reference data of a reconciliation account that receives postings from subsidiary ledgers. The R360: GL Company Code Master reference data set refers to the R360: Reconciliation Account reference data as a lookup value.

The R360: Reconciliation Account Type reference data set contains the following code lists:

- Enterprise R360: Reconciliation Account Type
- ECC Reconciliation Account Type
- S4H Reconciliation Account Type

The following table lists the attributes that the code lists in the R360: Reconciliation Account Type reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code for a GL account to characterize the GL account as a reconciliation account. For example, assets, customers, vendors, or contract accounts receivable.
Description	String	Description of the type of a reconciliation account.
Name	String	Code for a GL account to characterize the GL account as a reconciliation account. For example, assets, customers, vendors, or contract accounts receivable.
Reconciliation Account Type	String	Code for a GL account to characterize the GL account as a reconciliation account. For example, assets, customers, vendors, or contract accounts receivable.

R360: Sort Key reference data set for GL Account

The R360: Sort Key reference data set stores reference data to populate the assignment number in the line items of a GL account. The R360: GL Company Code Master reference data set refers to the R360: Sort Key reference data as a lookup value.

The R360: Sort Key reference data set contains the following code lists:

- Enterprise R360: Sort Key
- ECC Sort Key
- S4H Sort Key

The following table lists the attributes that the code lists in the R360: Sort Key reference data set contain:

Attribute Name	Field Type	Description
Code	String	Assignment number in the line items of a GL account.
Description	String	Description of the sort key.

Attribute Name	Field Type	Description
Name	String	Assignment number in the line items of a GL account.
Sort Key	String	Assignment number in the line items of a GL account.

R360: Cost Center reference data set for Cost Center

The R360: Cost Center reference data set stores reference data for cost center for financial reporting. The R360: Cost Center reference data set is a master data that refers to lookup values, such as R360: Business Area and R360: Controlling Area reference data sets.

The R360: Cost Center reference data set contains the following code lists:

- Enterprise R360: Cost Center
- ECC Cost Center
- S4H Cost Center

The following table lists the attributes that the code lists in the R360: Cost Center reference data set contain:

Attribute Name	Field Type	Description
Lock Indicator for Commitment Update	Boolean	Indicates whether a cost center is locked for commitment update.
Lock Indicator for Planning Primary Costs	Boolean	Indicates whether a cost center is locked for posting with primary costs in the plan.
Lock Indicator for Planning Revenue	Boolean	Indicates whether a cost center is locked for posting with planning revenues.
Lock Indicator for Planning Secondary Costs	Boolean	Indicates whether a cost center is locked for posting with secondary costs in the plan.
Business Area	Reference Data	Reference data of a specific business segment.
Company Code	Reference Data	Reference data of company codes to generate financial statements.
Controlling Area	Reference Data	Reference data of controlling areas to perform cost accounting.
Cost Center Category	Reference Data	Reference data of the components that add to the cost.
Country Key	Reference Data	Reference data of countries.
Functional Area	Reference Data	Reference data of an account characteristic to sort the transactions according to the function.

Attribute Name	Field Type	Description
Language Key	Reference Data	Reference data of languages to maintain a GL account.
Profit Center	Reference Data	Reference data of an area for which profit is determined.
Tax Jurisdiction	Reference Data	Reference data of the tax jurisdiction codes.
Standard Hierarchy Area	Reference Data	Reference data of cost center groups in a cost center standard hierarchy.
City	String	Regions and transport zones of a cost center.
Code	String	Code for a cost center.
Cost Center	String	Type of cost center.
Created On	String	Date on which the cost center creation was created.
Currency Key	String	Code of the currencies for a transaction.
Department	String	Department of a cost center that adds to a cost.
Description	String	Description of a cost center.
Effective End Date	String	Date till when the cost center is valid.
Effective Start Date	String	Date from when a cost center is valid.
General Name	String	Name of a cost center.
House Number and Street	String	House number and street of a cost center address.
Name	String	Code for a cost center.
PO Box	String	Postal address of a cost center.
PO Box Postal Code	String	PO box postal code of a cost center.
Person Responsible	String	Person responsible for a cost center.
Postal Code	String	Postal code of a cost center.
Tax Jurisdiction	String	Tax jurisdiction code.
User Responsible	String	User responsible for a cost center.

The following table lists the reference data type attributes of R360: Cost Center reference data set that refers to reference data set with their code lists and display attributes:

Attribute Name	Reference Data Set	Code List	Display Attributes
Business Area	R360: Business Area	- Enterprise R360: Business Area - ECC Business Area - S4H Business Area	BusinessArea1
Company Code	R360: Company Code	- Enterprise R360: Company Code - ECC Company Code - S4H Company Code	CompanyCode1
Controlling Area	R360:Controlling Area	- Enterprise R360: Controlling Area - ECC Controlling Area - S4H Controlling Area	COArea1
Cost Center Category	R360: Cost Center Type	- Enterprise R360: Cost Center Type - ECC Cost Center Type - S4H Cost Center Type	CostCenterCategory1
Country Key	R360: Country	- Enterprise R360: Country - ECC Country - S4H Country	Country
Currency	R360: Currency	- Enterprise R360: Currency - ECC Currency - S4H Currency	Currency
Functional Area	R360: Functional Area	- Enterprise R360: Functional Area - ECC Functional Area - S4H Functional Area	FunctionalArea1
Language Key	R360: Language	- Enterprise R360: Language - ECC Language - S4H Language	LanguageCode1
Profit Center	R360: Profit Center	- Enterprise R360: Profit Center - ECC Profit Center - S4H Profit Center	ProfitCenter1
Tax Jurisdiction	R360: Tax Jurisdiction	- Enterprise R360: Currency - ECC Currency - S4H Currency	JurisdictionForTaxCalculation1
Standard Hierarchy Area	R360: Standard Hierarchy	- Enterprise R360: Currency - ECC Currency - S4H Currency	CostCenterGroup

R360: Business Area reference data set for Cost Center

The R360: Business Area reference data set stores reference data of a specific business segment. The R360: Cost Center reference data set refers to the R360: Business Area reference data as a lookup values.

The R360: Business Area reference data set contains the following code lists:

- Enterprise R360: Business Areas

- ECC Business Areas
- S4H Business Areas

The following table lists the attributes that the code lists in the R360: Business Area reference data set contain:

Attribute Name	Field Type	Description
Business Area	String	Code for a business segment of an operation.
Code	String	Code for a business segment of an operation.
Description	String	Description of a business area.
Name	String	Code for a business segment of an operation.

R360: Company Code reference data set for Cost Center

The R360: Company Code reference data set stores reference data of company codes to generate financial statements. The R360: Cost Center reference data set refers to the R360: Company Code reference data as a lookup value.

The R360: Company Code reference data set contains the following code lists:

- Enterprise R360: Company Code
- ECC Company Code
- S4H Company Code

The following table lists the attributes that the code lists in the R360: Company Code reference data set contain:

Attribute Name	Field Type	Description
Code	String	Company code to generate financial statements.
Company Code	String	Company code to generate financial statements.
Description	String	Description of the company code.
Name	String	Company code to generate financial statements.

R360: Controlling Area reference data set for Cost Center

The R360: Controlling Area reference data set stores reference data for controlling area to perform cost accounting. The R360: Cost Center and R360: Cost Center Text reference data sets refer to the R360: Controlling Area reference data as a lookup value.

The R360: Controlling Area reference data set contains the following code lists:

- Enterprise R360: Controlling Area
- ECC Controlling Area
- S4H Controlling Area

The following table lists the attributes that the code lists in the R360: Controlling Area reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code of a controlling area.
Controlling Area	String	Code of a controlling area.
Description	String	Description of a controlling area.
Name	String	Code of a controlling area.

R360: Cost Center Type reference data set for Cost Center

The R360: Cost Center Type reference data set stores reference data of the components that add to the cost. The R360: Cost Center reference data set refers to the R360: Cost Center Type reference data as a lookup value.

The R360: Cost Center Type reference data set contains the following code lists:

- Enterprise R360: Cost Center Type
- ECC Cost Center Type
- S4H Cost Center Type

The following table lists the attributes that the code lists in the R360: Cost Center Type reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code for a type of a cost center.
Cost Center Category	String	Code for a type of a cost center.
Description	String	Description of the type of a cost center.
Name	String	Code for a type of a cost center.

R360: Country reference data set for Cost Center

The R360: Country reference data set stores reference data of countries. The R360: Cost Center reference data set refers to the R360: Country reference data as a lookup value.

The R360: Country reference data set contains the following code lists:

- Enterprise R360: Country
- ECC Country
- S4H Country

The following table lists the attributes that the code lists in the R360: Country reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code of a country.
Country	String	Code of a country.
Description	String	Description of the code of a country.
Name	String	Code of a country.

R360: Currency reference data set for Cost Center

The R360: Currency reference data set stores reference data of a currency used for postings made to an account. The R360: Cost Center reference data set refers to the R360: Currency reference data as a lookup value.

The R360: Currency reference data set contains the following code lists:

- Enterprise R360: Currency
- ECC Currency
- S4H Currency

The following table lists the attributes that the code lists in the R360: Currency reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code of a currency to maintain the transaction figures and to display the account balance.
Currency	String	Code of a currency to maintain the transaction figures and to display the account balance.
Description	String	Description of a currency.
ISO Code	String	ISO currency code.
Name	String	Code of a currency to maintain the transaction figures and to display the account balance.

R360: Functional Area reference data set for Cost Center

The R360: Functional Area reference data set stores reference data of an account characteristic to sort the transactions according to the function. The R360: Cost Center reference data set refers to the R360: Functional Area reference data as a lookup value.

The R360: Functional Area reference data set contains the following code lists:

- Enterprise R360: Functional Area
- ECC Functional Area
- S4H Functional Area

The following table lists the attributes that the code lists in the R360: Functional Area reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code of a functional area. For example, administrative functions or production processes.
Description	String	Description of a functional area.
Functional Area	String	Code of a functional area. For example, administrative functions or production processes.
Name	String	Code of a functional area. For example, administrative functions or production processes.

R360: Language reference data set for GL Account

The R360: Language reference data set stores reference data of languages to maintain a GL account.

The R360: Language reference data set contains the following code lists:

- Enterprise R360: Language
- ECC Language
- S4H Language

The following table lists the attributes that the code lists in the R360: Language reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code for the language key format.
Description	String	Description of the language key format.
Language Code	String	Code for the language key format.
Name	String	Code for the language key format.

R360: Profit Center reference data set for Cost Center

The R360: Profit Center reference data set stores reference data of an area for which profit is determined. The R360: Cost Center reference data set refers to the R360: Profit Center reference data as a lookup value.

The R360: Profit Center reference data set contains the following code lists:

- Enterprise R360: Profit Center
- ECC Profit Center
- S4H Profit Center

The following table lists the attributes that the code lists in the R360: Profit Center reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code of a profit center.
Description	String	Description of a profit center.
Name	String	Code of a profit center.
Profit Center	String	Code of a profit center.

R360: Tax Jurisdiction reference data set for Cost Center

The R360: Tax Jurisdiction reference data set stores reference data of the tax jurisdiction codes. The R360: Cost Center reference data set refers to the R360: Tax Jurisdiction reference data as a lookup value.

The R360: Tax Jurisdiction reference data set contains the following code lists:

- Enterprise R360: Tax Jurisdiction
- ECC Tax Jurisdiction
- S4H Tax Jurisdiction

The following table lists the attributes that the code lists in the R360: Tax Jurisdiction reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code of a jurisdiction for tax calculation.
Description	String	Description of the jurisdiction for tax calculation
Jurisdiction For Tax Calculation	String	Code of a jurisdiction for tax calculation.
Name	String	Code of a jurisdiction for tax calculation.
Procedure	String	Tax calculation procedure.

R360: Standard Cost Center Hierarchy reference data set

The R360: Standard Cost Center Hierarchy reference data set stores reference data of a cost center within an organizational hierarchy. The R360: Standard Cost Center Hierarchy reference data set is a master data that refers to the R360: Cost Center reference data set as a lookup value.

The R360: Standard Cost Center Hierarchy reference data set contains the following code lists:

- Enterprise R360: Standard Cost Center Hierarchy
- ECC Standard Cost Center Hierarchy
- S4H Standard Cost Center Hierarchy

The following table lists the attributes that the code lists in the R360: Standard Cost Center Hierarchy reference data set contain:

Attribute Name	Field Type	Description
Code	String	Code value of an account group.
Controlling Area	Reference Data	Reference data of a controlling area to which the accounts in the standard hierarchy belong.
Cost Center Group	String	Group that a cost center is part of.
Description	String	Description of a standard hierarchy.
Name	String	Code value of an account group.

Note: Reference 360 Extension for SAP Finance supports descriptions only in English. To use descriptions in other languages, specify the language code of the SAP system when you configure the application connection to connect to the SAP system.

For more information about the SAP language codes, see *the SAP documentation*.

Cloud Data Integration assets

Reference 360 Extension for SAP Finance includes Cloud Data Integration assets, such as predefined taskflows, mapping tasks, and mappings. Create import and export jobs based on the predefined taskflows.

Use import batch jobs to import the ECC and S/4HANA financial master and its dependent data from SAP into Reference 360. You can process the imported SAP data in Reference 360. Use export jobs to export the reference data from Reference 360 to SAP S/4HANA.

Cloud Data Integration assets of GL Accounts for SAP ECC

To import the GL Accounts data from SAP ECC to Reference 360, create batch jobs based on the predefined Cloud Data Integration assets.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps the GL Accounts financial master and its dependent data in SAP ECC with the ECC code lists of the GL Accounts master and lookup reference data sets in Reference 360. Reference 360 Extension for SAP Finance includes the predefined Cloud Data Integration assets.

The following table describes taskflows and lists their related mapping tasks and mappings that import the GL Accounts data from SAP ECC:

Taskflow	Mapping Task	Mapping	Description
infac360sap_tf_ecc_lkp_r360_inbound	- infar360sap_mt_ecc_r360_batch_inbound_accountgroup - infar360sap_mt_ecc_r360_batch_inbound_accounttype - infar360sap_mt_ecc_r360_batch_inbound_chartofaccount - infar360sap_mt_ecc_r360_batch_inbound_compcode - infar360sap_mt_ecc_r360_batch_inbound_currency - infar360sap_mt_ecc_r360_batch_inbound_fieldstatus - infar360sap_mt_ecc_r360_batch_inbound_functionalarea - infar360sap_mt_ecc_r360_batch_inbound_language - infar360sap_mt_ecc_r360_batch_inbound_reconciliationaccounttype - infar360sap_mt_ecc_r360_batch_inbound_sortkey - infar360sap_mt_ecc_r360_batch_inbound_taxcode - infar360sap_mt_ecc_r360_batch_inbound_taxjurisdiction	- infar360sap_m_ecc_r360_batch_inbound_accountgroup - infar360sap_m_ecc_r360_batch_inbound_accounttype - infar360sap_m_ecc_r360_batch_inbound_chartofaccount - infar360sap_m_ecc_r360_batch_inbound_compcode - infar360sap_m_ecc_r360_batch_inbound_currency - infar360sap_m_ecc_r360_batch_inbound_fieldstatus - infar360sap_m_ecc_r360_batch_inbound_functionalarea - infar360sap_m_ecc_r360_batch_inbound_language - infar360sap_m_ecc_r360_batch_inbound_reconciliationaccounttype - infar360sap_m_ecc_r360_batch_inbound_sortkey - infar360sap_m_ecc_r360_batch_inbound_taxcode - infar360sap_m_ecc_r360_batch_inbound_taxjurisdiction	Imports GL Accounts dependent data from SAP ECC to the GL Accounts lookup reference data sets in Reference 360. **Note:** To import the dependent data of GL Accounts and Cost Center from SAP ECC, use the `infac360sap_tf_ecc_lkp_r360_inbound` taskflow. You don't have to run this taskflow twice.
infar360sap_tf_ecc_r360_glaccount_batch_inbound	- infar360sap_mt_ecc_r360_glacc_batch_inbound_coamaster - infar360sap_mt_ecc_r360_glacc_batch_inbound_compcodemaster	- infar360sap_m_ecc_r360_glacc_batch_inbound_coamaster - infar360sap_m_ecc_r360_glacc_batch_inbound_compcodemaster	Imports GL Accounts financial master data from SAP ECC to the GL Accounts master reference data set in Reference 360.

Cloud Data Integration assets of GL Accounts for SAP S/4HANA

To import the GL Accounts data from SAP S/4HANA to Reference 360 and export reference data sets from Reference 360 to custom tables in SAP, create batch jobs based on the predefined Cloud Data Integration assets.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps the GL Accounts financial master and its dependent data in SAP S/4HANA with the S4H code lists of the GL Accounts master and lookup reference data sets in Reference 360. Reference 360 Extension for SAP Finance includes the predefined Cloud Data Integration assets.

The following table describes taskflows and lists their related mapping tasks and mappings that import the GL Accounts data from SAP S/4HANA:

Taskflow	Mapping Task	Mapping	Description
infac360sap_tf_s4h_lkp_r360_inbound	- infar360sap_mt_s4h_r360_batch_inbound_accountgroup - infar360sap_mt_s4h_r360_batch_inbound_accounttype - infar360sap_mt_s4h_r360_batch_inbound_chartofaccount - infar360sap_mt_s4h_r360_batch_inbound_compcode - infar360sap_mt_s4h_r360_batch_inbound_currency - infar360sap_mt_s4h_r360_batch_inbound_fieldstatus - infar360sap_mt_s4h_r360_batch_inbound_functionalarea - infar360sap_mt_s4h_r360_batch_inbound_language - infar360sap_mt_s4h_r360_batch_inbound_reconciliationaccounttype - infar360sap_mt_s4h_r360_batch_inbound_sortkey - infar360sap_mt_s4h_r360_batch_inbound_taxcode - infar360sap_mt_s4h_r360_batch_inbound_taxjurisdiction	- infar360sap_m_s4h_r360_batch_inbound_accountgroup - infar360sap_m_s4h_r360_batch_inbound_accounttype - infar360sap_m_s4h_r360_batch_inbound_chartofaccount - infar360sap_m_s4h_r360_batch_inbound_compcode - infar360sap_m_s4h_r360_batch_inbound_currency - infar360sap_m_s4h_r360_batch_inbound_fieldstatus - infar360sap_m_s4h_r360_batch_inbound_functionalarea - infar360sap_m_s4h_r360_batch_inbound_language - infar360sap_m_s4h_r360_batch_inbound_reconciliationaccounttype - infar360sap_m_s4h_r360_batch_inbound_sortkey - infar360sap_m_s4h_r360_batch_inbound_taxcode - infar360sap_m_s4h_r360_batch_inbound_taxjurisdiction	Imports the GL Accounts dependent data from SAP S/4HANA to the GL Accounts lookup reference data sets in Reference 360. **Note:** To import the dependent data of GL Accounts and Cost Center from SAP S/4HANA, use the `infac360sap_tf_s4h_lkp_r360_inbound` taskflow. You don't have to run this taskflow twice.
infar360sap_tf_s4h_r360_glaccount_batch_inbound	- infar360sap_mt_s4h_r360_glacc_batch_inbound_coamaster - infar360sap_mt_s4h_r360_glac	- infar360sap_m_s4h_r360_glacc_batch_inbound_coamaster - infar360sap_m_s4h_r360_glacc_batch_inbound_compcodemaster	Imports GL Accounts financial master data from SAP S/4HANA to the GL Accounts master reference data sets in Reference 360.

Taskflow	Mapping Task	Mapping	Description
	c_batch_inbound_compcodemaster		

The following table describes the taskflow and its related mapping tasks and mappings that exports data from Reference 360 to custom tables in SAP:

Taskflow	Mapping Task	Mapping	Description
infar360sap_tf_s4h_r360_glaccount_batch_outbound	- infar360sap_mt_s4h_r360_batch_outbound_glcoadesc - infar360sap_mt_s4h_r360_batch_outbound_glcoamaster	- infar360sap_m_s4h_r360_batch_outbound_glcoadesc - infar360sap_m_s4h_r360_batch_outbound_glcoamaster	Exports the GL Accounts financial master reference data sets from Reference 360 to custom tables in SAP.

Cloud Data Integration assets of Cost Center for SAP ECC

To import the Cost Center data from SAP ECC to Reference 360, create batch jobs based on the predefined Cloud Data Integration assets.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps the Cost Center financial master and its dependent data in SAP ECC with the ECC code lists of Cost Center master and lookup reference data sets in Reference 360. Reference 360 Extension for SAP Finance includes the predefined Cloud Data Integration assets.

The following table describes the taskflows and their related mapping tasks and mappings that import the Cost Center data from SAP ECC:

Taskflow	Mapping Task	Mapping	Description
infac360sap_tf_ecc_lkp_r360_inbound	- infar360sap_mt_s4h_r360_batch_inbound_businessarea - infar360sap_mt_s4h_r360_batch_inbound_controllingarea - infar360sap_mt_s4h_r360_batch_inbound_costcentertype - infar360sap_mt_s4h_r360_batch_inbound_country - infar360sap_mt_s4h_r360_batch_inbound_profitcenter	- infar360sap_m_s4h_r360_batch_inbound_businessarea - infar360sap_m_s4h_r360_batch_inbound_controllingarea - infar360sap_m_s4h_r360_batch_inbound_costcentertype - infar360sap_m_s4h_r360_batch_inbound_country - infar360sap_m_s4h_r360_batch_inbound_profitcenter	Imports dependent data for Cost Center from SAP ECC to the Cost Center lookup reference data sets in Reference 360. **Note:** To import the deoendent data of GL Accounts and Cost Center from SAP ECC, use the `infac360sap_tf_ecc_lkp_r360_inbound` taskflow. You don't have to run this taskflow twice.
infar360sap_tf_ecc_r360_costcenter_batch_inbound_costcenter	- infar360sap_m_ecc_r360_cc_batch_inbound_costcenter	- infar360sap_m_ecc_r360_cc_batch_inbound_costcenter	Imports Cost Center financial master data from SAP ECC to the Cost Center master reference data set in Reference 360.
infar360sap_tf_ecc_r360_standardcchierarchy_batch_inbound	- infar360sap_mt_ecc_r360_batch_inbound_standardcchierarchyroot - infar360sap_mt_ecc_r360_batch_inbound_standardcchierarchynode - infar360sap_mt_ecc_r360_batch_inbound_standardcchierarchyleaf	- infar360sap_m_ecc_r360_batch_inbound_standardcchierarchyroot - infar360sap_m_ecc_r360_batch_inbound_standardcchierarchynode - infar360sap_m_ecc_r360_batch_inbound_standardcchierarchyleaf	Imports Standard Hierarchy master data for Cost Center from SAP ECC to the Standard Hierarchy master reference data set for Cost Center in Reference 360.

Cloud Data Integration assets of Cost Center for SAP S/4HANA

To import the Cost Center data from SAP S/4HANA to Reference 360 and export reference data sets from Reference 360 to SAP S/4HANA, create batch jobs based on the predefined Cloud Data Integration assets.

Each job uses a taskflow to run a mapping task. Each mapping task includes a mapping that maps the Cost Center financial master and its dependent data in SAP S/4HANA with the S4H code lists of the Cost Center master and lookup reference data sets in Reference 360. Reference 360 Extension for SAP Finance includes the predefined Cloud Data Integration assets.

The following table describes the taskflows and their related mapping tasks and mappings that import the Cost Center data from SAP S/4HANA:

Taskflow	Mapping Task	Mapping	Description
infac360sap_tf_s4h_lkp_r360_inbound	- infar360sap_mt_s4h_r360_batch_inbound_businessarea - infar360sap_mt_s4h_r360_batch_inbound_controllingarea - infar360sap_mt_s4h_r360_batch_inbound_costcentertype - infar360sap_mt_s4h_r360_batch_inbound_country - infar360sap_mt_s4h_r360_batch_inbound_profitcenter	- infar360sap_m_s4h_r360_batch_inbound_businessarea - infar360sap_m_s4h_r360_batch_inbound_controllingarea - infar360sap_m_s4h_r360_batch_inbound_costcentertype - infar360sap_m_s4h_r360_batch_inbound_country - infar360sap_m_s4h_r360_batch_inbound_profitcenter	Imports the Cost Center dependent data from SAP S/4HANA to the lookup reference data sets of Cost Center in Reference 360. **Note:** To import the dependent data of GL Accounts and Cost Center from SAP S/4HANA, use the `infac360sap_tf_s4h_lkp_r360_inbound` taskflow. You don't have to run this taskflow twice.
infar360sap_tf_s4h_r360_costcenter_batch_inbound	- infar360sap_mt_s4h_r360_cc_batch_inbound_costcenter	- infar360sap_m_s4h_r360_cc_batch_inbound_costcenter	Imports the Cost Center financial master data from SAP S/4HANA to the master reference data set for Cost Center in Reference 360.
infar360sap_tf_s4h_r360_batch_inbound_standardcchierarchy	- infar360sap_mt_s4h_r360_batch_inbound_standardcchierarchyroot - infar360sap_mt_s4h_r360_batch_inbound_standardcchierarchynode - infar360sap_mt_s4h_r360_batch_inbound_standardcchierarchyleaf	- infar360sap_m_s4h_r360_batch_inbound_standardcchierarchyroot - infar360sap_m_s4h_r360_batch_inbound_standardcchierarchynode - infar360sap_m_s4h_r360_batch_inbound_standardcchierarchyleaf	Imports the Standard Hierarchy master data for Cost Center from SAP S/4HANA to the Standard Hierarchy master reference data set for Cost center in Reference 360.

The following table describes the taskflows and their related mapping tasks, and mappings that export the reference data sets from Reference 360 to custom table in SAP:

Taskflow	Mapping Task	Mapping	Description
infar360sap_tf_s4h_r360_costcenter_batch_outbound	- infar360sap_mt_s4h_r360_batch_outbound_costcenter - infar360sap_mt_s4h_r360_batch_outbound_companycode	- infar360sap_m_s4h_r360_batch_outbound_costcenter - infar360sap_m_s4h_r360_batch_outbound_companycode	Exports the master reference data set for Cost Center from Reference 360 to custom tables in SAP.

Field mapping

The Cloud Data Integration mappings map the fields of Reference 360 and SAP. Based on the inbound mappings, you can import the SAP data to Reference 360. You can use the outbound mappings to store Reference 360 reference data sets in SAP S/4HANA.

Inbound mapping of GL Account object fields and Reference 360 attributes

The fields from SAP ECC and SAP S/4HANA are mapped to the attributes of the R360: GL COA Description reference data set code list.

R360: Account Group reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Account Type code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Account Group Code	T077S-KTOKS	- Name - Code
Account Group Description	T077S-TXT30	Account Group Description
Account Range	NA	Account Range
Number of G/L account (upper area limit)--Range	T077S-BISNR	Lower Limit
Number of G/L account (lower area limit)--Range	T077S-VONNR	Upper Limit

R360: Account Type reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Account Type code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Account Type	NA	- Name - Code

R360: Chart of Account reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Chart of Account code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Chart of Accounts	T004-KTOPL	- Name - Code
Significant length of the GL account number	T004-SAKLN	Length of GL Account Number
Maintenance language for the chart of accounts	T004-DSPRA	Maintenance Language
Description	T004-KTPLT	COA Description

R360: Company Code reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Company Code code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Company Code	T001-BUKRS	Code
Company Name	T001-BUTXT	Name

R360: Currency reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Currency code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Currency	TCURC-WAERS	- Name - Code
Iso Code	TCURC-ISOCD	Iso Code

R360: Field Status reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of theR360: Field Status code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Field status group	T004F-FSTAG	- Name - Code

R360: GL Company Code Master reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: GL Company Code Master code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
GL Account	SKB1-SAKNR	GL Account
Company Code	SKB1-BUKRS	- Name - Code
Field Status Group	SKB1-FSTAG	Field Status Group
Reconciliation Account Indicator/type	SKB1-MITKZ	Reconciliation Account Indicator
Tax Code/ category	SKB1-MWSKZ	Tax Code

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Account Currency	SKB1-WAERS	Account Currency
Post Automatically Only	SKB1-XINTB	Post Automatically Only
Open Item Management	SKB1-XOPVW	Open Item Management
Indicator: Reconcil.acct ready for input at time of posting?	SKB1-XMITK	Indicator
Posting Without Tax Allowed	SKB1-XMITK	Posting Without Tax Allowed
Balance in Local Currency Only	SKB1-XSALH	Balance In Local Currency Only
Sort Key	SKB1-ZUAWA	Sort Key
Mark for Delete	SKB1-XLOEB	Mark For Delete
Blocked for posting	SKB1-XSPEB	Blocked For Posting
Cost Element Category	NA	Cost Element Category

R360: GL COA Master reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: GL COA Master code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Account Group	SKA1-KTOKS	Account Group
Account type	SKA1-GLACCOUNT_TYPE	Account Type
Blocked for creation	SKA1-XSPEA	Blocked for Creation
Chart of Accounts	SKA1-KTOPL	Chart of Accounts
Functional Area	SKA1-FUNC_AREA	Functional Area
GL Account	SKA1-SAKNR	- Name - Code
Search term for match code search	SKA1-MCOD1	Search Term
Blocked for posting	SKA1-XSPEB	Blocked for Posting
Blocked for planning	SKA1-XSPEP	Blocked for Planning

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Indicator: Account Is a Balance Sheet Account?	SKA1-XBILK	Indicator
P&L Statement Account Type	SKA1-GVTYP	PL Statement Account Type

R360: Functional Area reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Functional Area code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Functional Area	TFKB-FKBER	- Name - Code

R360: GL COA Description reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: GL COA Description code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
GL Account	SKAT-SAKNR	GL Account
Language Key	SKAT-SPRAS	- Name - Code
Long Description	SKAT-TXT50	Long Description
Short Description	SKAT-TXT20	Short Description

R360: Language reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Language code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Language Key	T002-SPRAS	- Name - Code

R360: Reconciliation Account Type reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Recon. Account Type code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Recon Account Type	NA	- Name - Code

R360: Sort Key reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Sort Key code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Name	TZUN-NAME1	Name
Sort Key	TZUN-ZUAWA	Code

R360: Tax Code reference data set for GL Account

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Tax Code code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Tax Code	NA	- Name - Code

Inbound mapping of Cost Center object fields and Reference 360 attributes

The fields from the SAP ECC and SAP S/4HANA Cost Center object are mapped to the Reference 360 attributes.

R360: Business Area reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Business Area code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Business Area	TGSB-GSBER	- Name - Code

R360: Controlling Area reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Controlling Area code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Name	TKA01-BEZEI	Name
CO Area	TKA01-KOKRS	Code

R360: Cost Center reference data set

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Cost Center code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Business Area	CSKS-GSBER	Business Area
City	CSKS-ORT01	City
Company Code	CSKS-BUKRS	Company Code
Controlling Area	CSKS-KOKRS	Controlling Area
Cost Center	CSKS-KOSTL	Code
Cost Center Category	CSKS-KOSAR	Cost Center Category
Country Key	CSKS-LAND1	Country Key
Created On	CSKS-ERSDA	Created On
Currency Key	CSKS-WAERS	Currency Key
Department	CSKS-ABTEI	Department
Description	CSKS-LTEXT	Description
Functional Area	CSKS-FUNC_AREA	Functional Area
House number and street	CSKS-STRAS	House Number and Street
Language Key	CSKS-SPRAS	Language Key
Lock Indicator for Actual Primary Postings	CSKS-BKZKP	Lock Indicator For Actual Primary Postings
Lock Indicator for Actual Revenue Postings	CSKS-BKZER	Lock Indicator For Actual Revenue Postings
Lock Indicator for Actual Secondary Costs	CSKS-BKZKS	Lock Indicator For Actual Secondary Costs
Lock Indicator for Commitment Update	CSKS-BKZOB	Lock Indicator

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Lock Indicator for Planning Revenues	CSKS-PKZER	Lock Indicator For Planning Revenues
Lock Indicator for Plan Primary Costs	CSKS-PKZKP	Lock Indicator For Plan Primary Costs
Lock Indicator for Plan Secondary Costs	CSKS-PKZKS	Lock Indicator For Plan Secondary Costs
Name	CSKS-NAME1	Name
Person responsible	CSKS-VERAK	Person Responsible
PO Box	CSKS-PFACH	PO Box
P.O. Box Postal Code	CSKS-PSTL2	PO Box Postal Code
Postal Code	CSKS-PSTLZ	Postal Code
Profit Center	CSKS-PRCTR	Profit Center
Standard Hierarchy Area	CSKS-KHINR	Standard Hierarchy Area
Tax Jurisdiction	CSKS-TXJCD	Tax Jurisdiction
User Responsible	CSKS-VERAK_USER	User Responsible
Valid From Date	CSKS-DATAB	Valid From Date
Valid To Date	CSKS-DATBI	Valid To Date

R360: Company Code reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Company Code code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Company Code	T001-BUKRS	- Name - Code

R360: Cost Center Category reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Cost Center Category code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Category Code	NA	Category Code
Category desc	NA	Category Description
Parent Category code	NA	Parent Category Code

R360: Cost Center Text reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Cost Center Text code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Language Key	CSKT-SPRAS	- Name - Code
Description	CSKT-LTEXT	Description
General Name	CSKT-KTEXT	General Name
Valid To Date	CSKT-DATBI	Valid To Date
Controlling Area	CSKT-KOKRS	Controlling Area
Cost Center	CSKT-KOSTL	Cost Center

R360: Currency reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Currency code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Currency	TCURC-WAERS	- Name - Code

R360: Country reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Country code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Country	T005-LAND1	- Name - Code

R360: Functional Area reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Functional Area code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Functional Area	TFKB-FKBER	- Name - Code

R360: Language reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Language code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Language Key	T002-SPRAS	- Name - Code

R360: Profit Center reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Profit Center code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Profit Center	CEPC-PRCTR	- Name - Code

R360: Tax Jurisdiction reference data set for Cost Center

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Tax Jurisdiction code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Jurisdiction for Tax Calculation - Tax Jurisdiction Code	TTXJ-TXJCD	- Code - Name

R360: Standard Cost Center Hierarchy reference data set

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Standard Cost Center Hierarchy root code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Subset Subclass (Ultimate Parent)	SETNODE.SUBSETSUBCLASS + SETNODE.SUBCLASS (ROOT)	- Code - Name
Description	SETHEADERT.DESC	Description
Sub Class (Controlling Area)	SETNODE.SUBCLASS	Controlling Area
Subset Subclass (Cost Center Group)	SETNODE.SUBSETSUBCLASS	Cost Center Group

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Standard Cost Center Hierarchy node code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Subset ID (Nodes)	SETNODE.SUBCLASS + SETNODE.SUBSETNAME (NODE)	- Code - Name
Description	SETHEADERT.DESC	Description
Sub Class (Controlling Area)	SETNODE.SUBCLASS	Controlling Area
Subset Name (Cost Center Group)	SETNODE.SUBSETNAME	Cost Center Group
Set Name (Parent Hierarchy Area Code)	SETNODE.SUBCLASS + SETNODE.SETNAME	Parent ID

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Standard Cost Center Hierarchy leaf code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Valid From (Leaf)	SETLEAF.SUBCLASS + SETLEAF.VALFROM (LEAF)	- Code - Name
Valid From (Cost Center Group)	SETLEAF.VALFROM	Cost Center Group
Sub Class (Controlling Area)	SETLEAF.SUBCLASS	Controlling Area
Set Name (Parent Hierarchy Area Code)	SETLEAF.SUBCLASS + SETLEAF.SETNAME	Parent ID

R360: Profit Center reference data set

The following table lists the SAP ECC and SAP S/4HANA fields that are mapped to the attributes of the R360: Profit Center code lists:

SAP Field Name	SAP Table Name	Reference 360 Attribute Name
Profit Center	CEPC.PRCTR	- Code - Name
Controlling Area	CEPC.KOKRS	Controlling Area
Company Code	CEPC.BUKRS	Company Code
Valid To	CEPC.DATBI	Valid To

Outbound mapping of Reference 360 attributes and GL Account object fields

The attributes of the Reference 360 GL Account reference data set code lists are mapped to the SAP S/4HANA fields.

R360: GL COA Master reference data set for GL Account

The attributes of the R360: GL COA Master reference data set are mapped to the SAP S/4HANA fields of the ZINFA360_SKA1 table.

The following table lists the attributes of the R360: GL COA Master reference data set that are mapped to the SAP S/4HANA fields of the ZINFA360_SKA1 table:

Reference 360 Attribute Name	SAP Field Name	SAP Data Type	Length
Code	GLACCOUNTNO	CHAR	10
Chart of Accounts	CHARTOFACCOUNT	CHAR	4
Account Type	ACCOUNTGROUP	CHAR	4
Account Group	FUNCTIONALAREA	CHAR	16
Search	SEARCHTERM	CHAR	25
Short Description	SHORTDESCRIPTION	CHAR	20
Long Description	LONGDESCRIPTION	CHAR	100

R360: GL Company Code Master reference data set for GL Account

The attributes of the R360: GL Company Code Master reference data set are mapped to the SAP S/4HANA fields of the ZINFA360_SKB1 SAP table.

The following table lists the attributes of the R360: GL Company Code Master reference data set that are mapped to the SAP S/4HANA fields of the ZINFA360_SKB1 SAP table:

Reference 360 Attribute Name	SAP Field Name	SAP Data Type	Length
GL Account	GLACCOUNTNO	CHAR	10
Code	COMPANYCODE	CHAR	4
Reconciliation Account Indicator	RECONCACCTINDTYP	CHAR	1
Tax Code	TAXCD	CHAR	2
Account Currency	ACTCURR	CUKY	5

Reference 360 Attribute Name	SAP Field Name	SAP Data Type	Length
Post Automatically Only	POSTAUTONLY	CHAR	1
Open Item Management	OPENITMMNGMNT	CHAR	1
Posting Without Tax Allowed	PSTNDTAXWITHOUTALLOWEDD	CHAR	1
Balance In Local Currency Only	BALINLCLACCTCURRENCY	CHAR	1
Sort Key	SORTKEY	CHAR	3
Blocked For Posting	ACOUNTBLCKDPSTIND	CHAR	1
Chart of Account	CHARTOFACCOUNT		

Outbound mapping of Reference 360 attributes and Cost Center object fields

The attributes of the Reference 360 Cost Center reference data sets are mapped to the SAP S/4HANA fields.

R360: Cost Center reference data set for Cost Center

The attributes of the R360: Cost Center reference data set are mapped to the SAP S/4HANA fields of the ZINFA360_CSKS table.

The following table lists the attributes of the R360: Cost Center reference data set that are mapped to the SAP S/4HANA fields of the ZINFA360_CSKS table:

Reference 360 Attribute Name	SAP Field Name	SAP Data Type	Length
Business Area	BUSINESSAREA	CHAR	4
City	CITY	CHAR	10
Company Code	COMPANYCODE	CHAR	4
Controlling Area	CONTROLLINGAREA	CHAR	4
Country Key	COUNTRYKEY	CHAR	10
Created On	CREATEDON	STRING	256
Currency Key	CURRENCYKEY	CUKY	5
Cost Center Category	COSTCENTERCATEGORY	CHAR	1
Code	COSTCENTER	CHAR	10

Reference 360 Attribute Name	SAP Field Name	SAP Data Type	Length
Department	DEPARTMENT	CHAR	12
Description	DESCRIPTION	CHAR	16
Functional Area	FUNCTIONALAREA	CHAR	16
House Number and Street	HOUSENO&STRT	CHAR	35
Language Key	LANGUAGEKEY	LANG	1
Lock Indicator For Actual Primary Postings	LOCKINDACTPRIMPOST	CHAR	1
Lock Indicator For Actual Secondary Postings	LOCKINDACTSCNDPOST	CHAR	1
Lock Indicator for Commitment Update	LOCKINDFORCOMMUPD	CHAR	1
Lock Indicator For Planning Revenues	LOCKINDFORPLNGREV	CHAR	1
Lock Indicator For Plan Secondary Costs	LOCKINDFORPLANSECCOSTS	CHAR	1
Lock Indicator For Plan Primary Costs	LOCKINDFORPRIMCSTS	CHAR	1
Lock Indicator For Actual Revenue Postings	LOCKINDICATORFORACTUAL REVENUEPOSTINGS	CHAR	1
Name	NAME	CHAR	35
Person Responsible	PERSONRESPONSIBLE	CHAR	20
PO Box	POBOX	CHAR	10
PO Box Postal Code	POBOXPSTLCD	CHAR	10
Postal Code	POSTALCODE	CHAR	10
Profit Center	PROFITCENTER	CHAR	10
Standard Hierarchy Area	STANDARDHERARCHYARE	CHAR	12
Tax Jurisdiction	TAXJURISDICTION	CHAR	15
User Responsible	USERRESPONSIBLE	CHAR	12
Valid From Date	VALIDFROMDATE	STRING	256
Valid To Date	VALIDTODATE	STRING	256

Data quality assets

You can associate data quality rules with reference data set attribute values. Use the basic and advanced rule associations to cleanse, standardize, and validate the attribute values. When you import the source records, the rule associations validate and transform the records in Reference 360.

The following table lists the rule associations for the reference data set attributes:

Rule Association Name	Rule Association Type	Asset Type	Description
Concat_GLAccount_COA	Basic	NA	Populates values in the Name and Code fields of the GL COA Master reference data set by concatinating the values in the GL account and Chart of Account fields.
Acct_lower_limit	Advanced	Cleanse	Replaces input values with dictionary values from the Chart of Account attribute.
GL Account Short Text	Basic	NA	Validates whether the length of a General Ledger (GL) account number is less than or equal 20 characters.
Acct_upper_limit	Advanced	Cleanse	Replaces input values with dictionary values from the Account Group attribute.
GL Account Long Text	Advanced	Rule Specification	Validates whether the length of a General Ledger (GL) account number is less than or equal to the specified length.
Mpt_Range_Individual	Advanced	Mapplet	Concatenates the Account Group and Chart of Account attributes and returns the upper and lower limit of the concatenated value.
Range_Dictionary	Advanced	Dictionary	Includes upper limit and lower limit of attributes. You can configure the dictionary to concatenate the Chart of Account and Account Group columns. For more information about configuring a dictionary, see "Configuring a dictionary" on page 52.
Range_Individual	Advanced	Rule Specification	Validates whether a GL account number is between the upper and the lower limits of attributes.

Parameter files

A parameter file contains a list of user-defined parameters and their associated values. In the parameter file, to define values that you want to update without editing the mapping task. The parameter values are applied when the task runs.

Reference 360 Extension for SAP Finance contains the infar360sap_Inbound parameter file in the Secure Agent files directory for the Data Integration mappings.

For more information about importing parameter files, see “Importing parameter files” on page 54.

CHAPTER 4

Deploying Reference 360 Extension for SAP Finance

Before you deploy Reference 360 Extension for SAP Finance, ensure that you have the license for Reference Data Management.

To deploy Reference 360 Extension for SAP Finance, download the extension package, import the reference data assets into MDM - Reference 360, update the predefined connections, create batch jobs using the predefined Cloud Data Integration assets, and then run the jobs.

Downloading and extracting the Reference 360 Extension for SAP Finance package

To get the Reference 360 Extension for SAP Finance package, contact Informatica Global Customer Support.

After you download Reference 360 Extension for SAP Finance, extract the package on your computer. The package contains the reference data sets and hierarchies, code lists, Cloud Data Integration assets, and data quality rule associations for Reference 360.

The extracted package contains the following files and folders:

File or Folder Name	Description
`1_Reference_Dataset`	Contains the following files: - JSON files to create reference data sets and code lists. - CSV files that store code lists and values related to SAP.
`2_DQ_Assets.zip`	Contains the following assets: - Data quality rule associations to validate SAP ECC and SAP S/4HANA financial data. - Dictionaries - Mapplets - Source system for SAP ECC and SAP S/4HANA.
`3_DI_Assets.zip`	Contains the Cloud Data Integration assets to import the financial master data from SAP ECC and SAP S/4HANA to Reference 360 and export the reference data sets from Reference 360 to SAP S/4HANA.
`Secure Agent Files`	Contains the parameter values for the Cloud Data Integration mappings.

Creating custom tables in SAP

Create custom tables in SAP as staging tables to store the reference data sets exported from Reference 360 to SAP S/4HANA. For more information about creating a custom table in SAP, see *the SAP documentation*.

After you create custom tables in SAP, you can then use the Cloud Data Integration assets that are included in Reference 360 Extension for SAP Finance to export reference data sets from Reference 360 to SAP S/4HANA.

Reference 360 Extension for SAP Finance provides outbound field mappings for custom SAP tables that are structured to align with the object schemas for Legacy Transfer Migration Cockpit (LTMC). For more information about the outbound mappings, see "Outbound mapping of Reference 360 attributes and GL Account object fields " on page 45 and "Outbound mapping of Reference 360 attributes and Cost Center object fields " on page 46.

For more information about LTMC, see *the SAP documentation*. You can migrate data from the custom tables in SAP to the SAP object tables using any migration approach.

Assigning user roles

To provide privileges for Reference 360, assign user roles to users.

The Reference 360 Extension for SAP Finance user roles control read and write privileges to create, update, import, and export reference data sets.

For more information, see *Reference 360 roles*.

Configuring Reference 360 Extension for SAP Finance assets

After you extract the extension package, import the extension assets to MDM - Reference 360.

Note: Before importing the data model, pages, and reference data assets, ensure that you are assigned to the Designer, MDM Designer, Reference 360 User, and Reference 360 Business Steward user roles, and not to the Admin user role.

Importing the extension assets overwrites your customization and the existing Reference 360 assets.

Importing the Cloud Data Quality assets

Import the predefined rule specifications, dictionaries, and mapplets for Reference 360 Extension for SAP Finance to validate SAP ECC and SAP S/4HANA data.

1. In Data Quality, click **Explore** > **Import**.
2. Navigate to the following file:

   ```
   <Extracted extension package>/2_DQ_Assets.zip
   ```
3. Click **Open**.
4. On the **Import Assets** page, ensure that all the assets are selected, and click **Import**.

5. On the **My Import/Export Logs** page, verify whether the import job is successful.

Importing reference data assets and code lists

Import the reference data sets and code lists in your environment through API calls using the reference data JSON files.

To import to the reference data sets included in the Reference 360 Extension for SAP Finance package, use the JSON files in the following location:

```
<Extracted extension package>/1_Reference_Dataset/Create/Master Entities
```

Import the reference data sets in the following order:

1. R360 GL COA Master.json
2. R360 GL CompanyCode Master.json
3. R360 Cost Center.json

For more information about importing reference data assets, see *model version 3* in the Reference 360 REST API chapter.

Importing Cloud Data Integration assets

You must import the Cloud Data integration assets to integrate SAP ECC and SAP S/4HANA.

To import the Cloud Data Integration assets, perform the following steps:

1. In Data Integration, click **Explore** > **Import**.
2. Navigate to the following file:

   ```
   <Extracted extension package>/3_DI_Assets.zip
   ```
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected and then click **Test**.

   In the **Select Assets** section, you can see the potential outcome of import for each asset.
5. In the **Review Locations** section, select the target project to which you want to import the assets.
6. Click **Import**.
7. On the **My Import/Export Logs** page, verify that the import job is successful.

Configuring a dictionary

Configure the Range_Dictionary dictionary to concatenate the Chart of Account and Account Group columns. Add the reference data in the dictionary manually.

1. In Data Quality, click **Explore** > **Reference 360** > **SAP Extension**.
2. Select **Range_Dictionary**.
3. Click the **Configuration** tab.

   A design workspace for the dictionary appears.
4. Add the dictionary data.

   Note: Column 1 concatenates the Chart of Account and Account Group attributes. Column 2 defines the lower limit, and Column 3 defines the upper limit.

For more information about adding data to a dictionary, see *Adding data to a dictionary* in the Data Quality help.

5. Save the dictionary.

Adding code values to the reference data assets

You can import the code values to the reference data assets by using Reference 360. Add the reference data code values to the R360: Account Type and R360: Reconciliation Account reference data assets.

1. To access the Administrator service, assign the **Reference 360 Business Steward** role to the user.
   a. In Administrator, click **Users**.
   b. Select the user name to assign the role.
   c. In the **Assigned User Groups and Roles** section, enable the Reference 360 Business Steward role.
   d. Click **Save**.
2. To import data into Reference 360, upload the CSV file with code values.
   a. In Reference 360, from the **Explore** page, select the reference data to which you want to add the code values.
   b. Click the **Import Values** icon.

      The **Upload File** page of the **Import Values** wizard appears.
   c. To select a file to upload, drag a CSV source file, or click **Browse** and select the source file.

      The first 10 rows of records appear in the preview section.
      The following table lists the code values and the location:

Reference Data Asset	Code Value File Location
ECC Account Type	`<Extracted extension package>/Reference Data/Load/ECCAccountType`
ECC Reconciliation Account	`<Extracted extension package>/Reference Data/Load/ECCReconciliationAccount`
ECC Tax Code	`<Extracted extension package>/Reference Data/Load/ECCTaxCode`
S4H Account Type	`<Extracted extension package>/Reference Data/Load/S4HAccountType`
S4H Reconciliation Account	`<Extracted extension package>/Reference Data/Load/S4HReconciliationAccount`
S4H Tax Code	`<Extracted extension package>/Reference Data/Load/S4HTaxCode`

   d. Click **Next**.

      The **Map Fields** page appears.

3. After you select the file to import, the import process automatically maps the possible columns to the suitable target fields. You can either use the system suggested mapping or modify the mapping as required.
    a. On the **Map Fields** page of the **Import Values** wizard, verify the system suggested mapping of fields.
    b. To manually map any field, perform one of the following tasks:
        - Drag a source column to a target field.
        - Select a source column and a corresponding target field, and click **Map Selected**.

        The import process maps the field accordingly.
    c. Verify the mapping of all fields and ensure that all the required fields are mapped.
    d. Click **Next**.

        The **Preview and Import File** page appears.
4. After you map the fields, use the preview section to review and verify the mapping, and then import the data.
    a. On the **Preview and Import File** page of the **Import Values** wizard, verify the mapping.

        If the preview does not return desired results, you can go back to the **Map Fields** page to map the fields again.
    b. To import the file, click **Import**.

        The import process starts. You get a notification after the import process is complete.

    Note: For more information about importing code values, see Import data.

Adding a Secure Agent to the Secure Agent group

You can add a Secure Agent to the predefined Secure Agent group.

1. In Administrator, click **Runtime Environments**.
2. Expand the **Actions** menu for the `infa_extension_runtime` Secure Agent group, and select **Add or Remove Secure Agents**.
3. In the **Available Agents** list, select the Secure Agent that you want to add to the group, and click **Select**.
4. Expand the **Actions** menu for the `infa_extension_runtime` Secure Agent group, and select **Enable or Disable Services, Connectors**.
5. From the **Services** tab, select the services to enable for the Secure Agent group.
6. From the **Connectors** tab, select the connectors to enable for the Secure Agent group.
7. Click **Save**.

Importing parameter files

To import parameter files, save the parameter files in the Secure Agent Installation directory.

1. Copy all the parameter files from the following directory:

    `<Extracted extension package>\Secure Agent Files\Parameter Files`
2. Copy the parameter files into the following directory:

    `<Secure Agent Installation Directory>\apps\Data_Integration_Server\data\userparameters`

    Optionally, if you want to use a configured path for the target location, see *Parameter file location* in the Mappings documentation of the Data Integration help.

Configuring the flat file connection

After you import the Reference 360 Extension for SAP Finance assets, configure the flat file connection to access the flat files from the Secure Agent.

To configure the flat file connection, perform the following steps:

1. In Administrator, click **Connections**.
2. Click `infar360sap_conn_flatfile`.
3. Configure the directory to store the flat file.

   Default is `C:\ReferenceData`.

Configuring the SAP connection

You can use SAP Table connection to integrate SAP ECC and SAP S/4HANA with MDM - Reference 360 in batches.

1. To configure a SAP Table connection, perform the following steps:
   a. Verify if the required licences are available for SAP Table Connector to create an SAP table connection and process SAP table data.
   b. Download and install the Microsoft Visual C++ Redistributable package on the Windows machine that hosts the Secure Agent.
   c. Download and configure the SAP libraries on the Secure Agent machine to read from and write to SAP tables.
   d. To enable the Secure Agent to connect to the SAP system as a Remote Function Call (RFC) client, create and configure the `sapnwrfc.ini` file on the machines that host the Secure Agent.
   e. Configure the SAP user account to process SAP table data.
   f. Install the SAP Table connection transport files on the SAP machines that you want to access.
   g. To connect to SAP through HTTPS and read SAP table sources, configure the machine that hosts the Secure Agent and the machine that hosts the SAP system.

   For more information about the SAP Table Connector, see *SAP Table Connector* in the SAP Table Connector documentation.
2. Configure the following connections:
   - `infar360sap_conn_table_ecc`
   - `infar360sap_conn_table_s4h`

   The following table describes the SAP Table connection properties:

Connection property	Description
Runtime Environment	Required. Runtime environment that contains the Secure Agent that you want to use to access SAP tables.
Username	Required. SAP user name with the appropriate user authorization.
Password	Required. SAP password.

Connection property	Description
Client	Required. SAP client number.
Language	Language code that corresponds to the SAP language.
Saprfc.ini Path	Required. Local directory to the `sapnwrfc.ini` file. To write to SAP tables, use the following directory: `<Informatica Secure Agent installation directory>/main/bin/rdtm`
Destination	Required. DEST entry that you specified in the `sapnwrfc.ini` file for the SAP application server. Destination is case sensitive. **Note:** Use all uppercase letters for the destination.
Port Range	HTTP port range. The SAP Table connection uses the specified port numbers to connect to SAP tables using the HTTP protocol. Ensure that you specify valid numbers to prevent connection errors. Default: 10000-65535. Enter a range in the default range, for example, 10000-20000. When a range is outside the default range, the connection uses the default range.
Test Streaming	Tests the connection. When selected, tests the connection using both RFC and HTTP protocol. When not selected, tests connection using HTTP protocol.
Https Connection	When selected, connects to SAP through HTTPS protocol. To successfully connect to SAP through HTTPS, verify that an administrator has configured the machines that host the Secure Agent and the SAP system.
Keystore Location	The absolute path to the JKS keystore file.
Keystore Password	The destination password specified for the .JKS file.
Private Key Password	The export password specified for the .P12 file.

3. Test the connections, and ensure that the connections are successful.
4. If the SAP instance and the Secure Agent are installed in the same Virtual Private Cloud (VPC) network, perform the following steps:
   a. Configure the Secure Agent host to use the private IP address to access the SAP instance.
      1. Open the following file on the Secure Agent:
         - On Windows. `\Windows\System32\drivers\etc\hosts`
         - On Linux. `/etc/hosts`
      2. Add an entry for the SAP instance in the following format:
         `<SAP Hostname> <Private IP address of SAP Host>`
      3. Repeat steps 1 through 2 for all the SAP instances available in VPC as Secure Agent host.

b. For communication between SAP instance and Secure Agent, add a custom DTM configuration property to use the private IP address of the Secure Agent host.

1. In Administrator, click **Runtime Environments**.
2. Expand the **Actions** menu for the Secure Agent, and select **Edit Secure Agent**.
3. In the **Custom Configuration Details** section, enter the following details:

Field Name	Value
Services	Data Integration Server
Type	DTM
Name	SapTableReaderNatIpAddress
Value	<Private IP address of Secure Agent host>

4. Click **Save**.
   The Secure Agent restarts automatically within 10 minutes. To apply the properties immediately, you can restart manually. Ensure that no tasks run to avoid failure of any running task.

c. Test the connection to verify the connectivity between SAP and the Secure Agent host.

   If the connection test is unsuccessful, disable the firewall to resolve the issue.

Configuring the Reference 360 connection

After you configure the SAP connection, configure the Reference 360 connection.

1. In Administrator, click **Connections**.
2. Click `infar360sap_conn_Finance360`.
3. Test the connection, and ensure that the connection is successful.

INDEX

I

Informatica Global Customer Support
  contact information 6
Informatica Intelligent Data Management Cloud
  web site 5

M

maintenance outages 6

S

status
  IDMC 6
  system status 6

T

trust site
  description 6

U

upgrade notifications 6

W

web site 5