MDM - Product 360 10.5 HotFix 5 Release Notes

December 2025

© Copyright Informatica LLC 1993, 2025

Contents

Preface. . . . 1
Binaries Download. . . . 1
Download Software. . . . 1
New Features. . . . 2
Important Notices. . . . 2
System Requirements and Compatibility. . . . 3
Product 360. . . . 3
Supplier Portal. . . . 8
Media Manager. . . . 11
Accelerators. . . . 11
Fixed Limitations. . . . 13
Product 360 Main - Fixed Issues. . . . 13
Supplier Portal - Fixed Issues. . . . 16
Media Manager - Fixed Issues. . . . 17

Preface

Refer to the *Informatica® MDM - Product 360 Release Notes* to learn about new features and enhancements, behavior changes between versions, and support changes in this version.

Binaries Download

Download Software

The installation packages of Product 360 10.5 HotFix 5 are available within the Informatica shipping portal.

Partners will need to request software through the partner portal.

If they have not registered, they can do it here: https://partners.informatica.com/

The following table lists the available packages and software development kits (SDK) to develop extensions for the current software version:

Content	File Name	Description
Product 360 SDK target	PIM_10.5.05.00_SDK_target.zip	Contains the target platform for the development of Product 360 extensions.
Product 360 SDK complete	PIM_10.5.05.00_SDK_complete.zip	Contains the target platform for the development of Product 360 extensions plus samples.
Java REST client	PIM_10.5.05.00_SDK_RESTclient.zip	Contains the Java client implementation encapsulating the REST-based Services API.
Product 360 Supplier Portal SDK	PIM_10.5.05.00_SupplierPortal_SDK.zip	Contains the complete Supplier Portal SDK including binaries, Tomcat application server and samples.

New Features

10.5 HotFix 5 primarily includes the following updates:

Compatability Changes with Elastic Version 8.18

Effective in version 10.5 HotFix 5, MDM Product 360 deprecates Elastic Version 7.x. Informatica encourages users to upgrade to Elastic Version 8.18 to maintain support and benefit from newer Elastic features.

Security Vulnerabilities

Provides enhanced user experience that protects your systems against potential threats.

Bug Fixes

Improves the overall functionality and stability that offers a seamless and a more efficient experience.

Important Notices

Deprecation Notice

Effective in version 10.5 HotFix 5, MDM Product 360 deprecates Elastic Version 7.x.

The deprecated third-party version is supported in 10.5 HotFix 5, but Informatica intends to drop support in a future release. Informatica encourages users to upgrade to Elastic Version 8.18 to maintain support and benefit from newer Elastic features.

System Requirements and Compatibility

Compatibility with Elastic Version 8.18

Effective in version 10.5 HotFix 5, MDM Product 360 is compatible with Elastic Version 8.18 to support the stack upgrade path.

The foundational update includes optimized index mappings and API adaptations to ensure compatibility with Elastic's versioning schema. The implementation facilitates a seamless migration pathway to Elastic 9.x, to enable you to leverage upcoming features, such as enhanced search relevancy algorithms, improved cluster resilience, and advanced security protocols.

Product 360

The following topics cover the latest Product 360 enhancements, highlighting new features, security changes, and key configuration changes.

OAuth2 Authentication Integration for the Microsoft Outlook Mail Server

Effective in version 10.5 HotFix 5, Product 360 introduces OAuth2 authentication for the Microsoft Outlook mail server integration.

The update addresses Microsoft's planned deprecation of basic authentication. The OAuth2 authentication ensures uninterrupted access to the Outlook mail services with enhanced security.

To enable OAuth2 authentication, configure the following properties in the `server.properties` file:

Parameter	Value
`mail.authMode`	`OAuth2`
`mail.serverProvider`	`outlook`
`mail.oauth2ClientId`	Refers to the client ID assigned to the application when you register the application in the Microsoft Azure portal. To obtain the client ID, see the Microsoft documentation.
`mail.oauth2ClientSecret`	Refers to the client secret assigned to the application when you register the application in the Microsoft Azure portal. To obtain the client secret, see the Microsoft documentation.

Parameter	Value
mail.oauth2TenantId	Refers to the tenant ID assigned to the application when you register the application in the Microsoft Azure portal. To obtain your tenant ID, see the Microsoft documentation.
mail.oauth2Scope	Defines the scope of user permissions that the application requires. The scope determines the level of access granted, such as reading emails, sending messages, or managing calendars. Set the value to https://graph.microsoft.com/.default to request all permissions granted to the application in the Microsoft Graph API.

For more information about OAuth2 authentication, see the *Informatica MDM Product 360 Version 10.5 HotFix 5 Configuration Manual*.

OAuth2 Authentication Integration in REST API

Effective in version 10.5 HotFix 5, you can authenticate REST API requests with OAuth2. OAuth2 authentication provides secure, token-based authentication that protects user credentials and simplifies authorization for applications and services. OAuth2 authentication strengthens API access control and enhances data security.

For more information about OAuth2 authentication integration in REST API, see the *Informatica® MDM Product 360 Version 10.5 HotFix5 REST Service API Guide*.

Configure Locale for SAML SAML Web Client Login

Effective in version 10.5 HotFix 5, Product 360 allows you to use the web.client.default.sso.locale property to control the web client's language local during SAML login.

Consider the following details to understand how the property behaves in various scenarios:

- **Default behavior**: Locale selection remains unchanged when you disable the property.
- **When enabled**: If you set a valid locale, such as en-US, the web client interface opens in the specified language for all SAML web login sessions.
- **Scope**: Applies to the web client during SAML login and overrides all other locale settings for the web client.
- **Important:** The property sets a fixed locale and does not act as a fallback to other locale settings. It is not a fallback mechanism.


To enable the locale control for web client, set the following property in the default.properties file.

Parameter	Value
web.client.default.sso.locale	Locale code for SAML web client. For example, en-US and fr-FR to define the UI language.

Enhanced Task Assignment Options

Effective in version 10.5 HotFix 5, you can assign tasks to specific users within selected groups.

You can also use the existing functionality to assign tasks to individual users or entire user groups.




For more information about how to assign tasks, see the *Informatica MDM Product 360 Version 10.5 HF5 Web UI User Manual*.

Additional Fields in Digital Assets Area

Effective in version 10.5 HotFix 5, Digital Assets Area adds four fields for enhanced asset tracking:

- File Created On (Date)
- Media Asset Created By
- Media Asset Changed On
- Media Asset Changed By

The following image displays the fields in the Digital Asset Area:



Remove or Disable the Assign Button for Workflow Objects

Effective in version 10.5 HotFix 5, you can remove or disable the Assign button under the Actions menu, and the Comment and Assign button for workflow objects based on user permissions.

P360 applies the following permission rules to control button availability:

- **Assign workflow task objects permission**: Required to enable the Assign button for workflow task owners or unaccepted tasks.
- **Change assignee of workflow task objects accepted by other users permission**: Required to enable the Assign button for accepted workflow tasks .
- Assign Task Content button: Follows the same permission rules as the Assign button.
- Additionally, the Assign Task Content button for workflow objects follow the same permission rules.

Select All Items or Products in the List View

Effective in version 10.5 HotFix 5, you can use the Select All check box to select or deselect all items or products in the List View.

To improve performance when you select multiple records, Product 360 removes the History tab for multi-selection.

For more information about working with items in the List View, see the *Informatica® MDM Product 360 Version 10.5 HotFix5 Web UI User Manual*.

New Supplier Permission to Control Supplier Portal Admin Access for PIM Users

Effective in version 10.5 HotFix 5, a permission **Supplier Admin** enables you to control Supplier Portal Admin access for PIM users.

You can now assign Supplier Portal Admin privileges to specific users, instead of granting them automatically to all PIM users.

Previously, all PIM users had Supplier Portal Admin access in the Supplier Portal.

Important: Explicitly grant the Supplier Admin permission to retain admin access.

Removal of Classification for Structure Groups of the Same Structure

Effective in version 10.5 HotFix 5, Product 360 automatically removes subordinate entities' classifications when you remove a parent entity's classification from structure groups within the same structure.

The following key points summarize the new capability:

- Removing a product's classification from a structure group cascades to its variants and items within the same structure.
- Applies to both 2ppd and 3ppd models.
- Variant classification removal cascades to associated items.
- Variants or items assigned to different structure groups remain unaffected.


Article Publication and Confirmation Details Tab in Web UI

Effective in version 10.5 HotFix 5, two tabs display Publication Status and Confirmation Status entries in the web UI.


You can find the corresponding table definitions in the following files:

- `article.publication.status.listmodel.xml`
- `article.confirmation.status.listmodel.xml`

The following image displays the enabled Publication Status tab:




The following image displays the enabled Confirmation Status tab:



To view deleted records, click the menu control in the upper-right corner of the table.

Product 360 displays the deleted records in italics.

The following image illustrates how to access deleted records from the Publication Status tab:



Supplier Portal

Supplier Portal includes the following update:

Third-Party Upgrades for Supplier Portal

Effective in version 10.5 HotFix 5, the following table depicts the third-party library upgrades for Supplier Portal:

TPL Name	Upgrade Version
Apache Tomcat	9.0.112
Spring Framework	5.3.49-INFA
Spring Security	5.8.21-INFA

OAuth2 Authentication Integration for the Microsoft Outlook Mail Server

Effective in version 10.5 HotFix 5, Product 360 introduces OAuth2 authentication for the Microsoft Outlook mail server integration.

The update addresses Microsoft's planned deprecation of basic authentication. The OAuth2 authentication ensures uninterrupted access to the Outlook mail services with enhanced security.

To enable OAuth2 authentication, configure the properties in the configuration properties file located at:`<INSTALLATION ROOT>/configuration/configuration.properties`.

Parameter	Value
`mail.authMode`	`OAuth2`
`mail.serverProvider`	`outlook`
`mail.oauth2ClientId`	Refers to the client ID assigned to the application when you register the application in the Microsoft Azure portal. To obtain the client ID, see the Microsoft documentation.
`mail.oauth2ClientSecret`	Refers to the client secret assigned to the application when you register the application in the Microsoft Azure portal. To obtain the client secret, see the Microsoft documentation.
`mail.oauth2TenantId`	Refers to the tenant ID assigned to the application when you register the application in the Microsoft Azure portal. To obtain your tenant ID, see the Microsoft documentation.
`mail.oauth2Scope`	Defines the scope of user permissions that the application requires. The scope determines the level of access granted, such as reading emails, sending messages, or managing calendars. Set the value to `https://graph.microsoft.com/.default` to request all permissions granted to the application in the Microsoft Graph API.

For more information about OAuth2 authentication, see the *Informatica MDM Product 360 Version 10.5 HotFix 5 Configuration Manual*.

Enhanced Monitoring with Micrometer Integration for Supplier Portal

Effective in version 10.5 HotFix 5, the integration of Micrometer with the Supplier Portal enables comprehensive monitoring.

Micrometer’s robust and flexible metrics collection framework enhances the application’s observability and performance management.

The integration collects application metrics through Micrometer's flexible framework, exports them to Elasticsearch for efficient indexing, and visualizes performance data through Kibana dashboards. The end-to-end monitoring solution supports proactive detection of performance bottlenecks and potential failures, ultimately improving system stability and operational efficiency.

Ensure that the Elasticsearch instance is running and accessible at the configured host before enabling integration.

To enable the Micrometer setup, configure the following properties in the configuration properties file located at: `<INSTALLATION ROOT>/configuration/configuration.properties`

Parameter	Description	Default Value
`elastic.enabled`	Enables or disables Elasticsearch integration. Set the value to true to activate metrics collection.	`false`
`elastic.host`	Specifies the URL of the Elasticsearch server where Product 360 sends metrics.	http://localhost:9200
`elastic.index`	Defines the Elasticsearch index name to store metrics. **Note:** Change of the value requires update of the Kibana dashboards.	`sp_metrics`
`elastic.indexDateFormat`	Sets the date format appended to the index name to create time-based index.	`yyyy-MM-dd`
`elastic.timestampFieldName`	Species the field name used for metric timestamps in the index documents.	`@timestamp`
`elastic.enableSource`	When enabled, stores the original JSON source document for easier debugging and queries.	`true`
`elastic.autoCreateIndex`	Creates the Elasticsearch index if it doesn't exist.	`true`
`elastic.step`	Defines the interval at which P360 pushes the metrics to Elasticsearch.	`PT30S`
`elastic.userName`	Sets the username for Elasticsearch authentication.	Not set by default
`elastic.password`	Sets the password for Elasticsearch authentication.	Not set by default
`elastic.pipeline`	Specifies the Elasticsearch ingest pipeline name to process metrics before indexing.	Not set by default
`elastic.indexDateSeparator`	Defines the separator between index name and date string.	Not set by default

Parameter	Description	Default Value
`elastic.connectTimeout`	Sets the connection timeout duration with Elasticsearch.	`PT10S`
`elastic.readTimeout`	Sets the read timeout duration for responses from Elasticsearch.	`PT30S`

For more information about OAuth2 authentication, see the *Informatica® MDM Product 360 Version 10.5 HotFix 5 Configuration Manual*.

Media Manager

The Media Manager includes the following enhancement:

Preview Generation for Cloud Edition

Effective in version 10.5 HotFix 5, Preview generation supports the .webp and .jfif image formats.

Consider the following information to enable preview generation:

- Generating previews for these formats may take several minutes due to their complexity
- Preview generation may not succeed for all files of these types

The feature is applicable only to the Product 360 Cloud Edition (hosted) installation and not available for on-premise installations.

If you are using the on-premise version and need to utilize the Process Engine module for preview generation, submit a request through Informatica Global Customer Support.

Third Party Upgrades - Media Manager

Effective in version 10.5 HotFix 5, the following table depicts the third-party library upgrades for Media Manager:

TPL Name	Upgrade Version
Apache Tomcat	9.0.112
Spring Framework	5.3.48-INFA

Accelerators

Accelerators includes the following update:

Third-Party Upgrades for Accelerator

Effective in version 10.5 HotFix 5, the following table depicts the third-party library upgrades for Accelerator:

TPL Name	Upgrade Version
Apache Tomcat	9.0.112

Revamped CLAIRE Classification Server

Effective in version 10.5 HotFix 5, Product 360 introduces a reimplementation of the CLAIRE Classification Server with the RoBERTa Large Language Model (LLM). The integration significantly boosts the quality and reliability of classification predictions.

Leveraging RoBERTa's advanced contextual understanding and language representation, the server achieves higher accuracy in text classification across diverse use cases.

Performance enhancements with reduced inference latency and increase throughput and enabling better scalability to handle growing data volumes and user demands.

The rebuilt server features improved resource management and supports parallel processing. The advancements equip the CLAIRE Classification Server to meet the evolving needs of complex NLP applications, providing a more robust, scalable, and accurate classification service.


Integration of Data Sheet Generation through priint.cloud into the StepWorkflow Framework

Effective in version 10.5 HotFix 5, the StepWorkflow Framework integrates data sheet generation through the cloud-based service, priint.cloud.

The integration provides the following key features:

- Centralized document creation and management
- Advanced layout and design features
- Seamless automation within existing workflows
- Enhanced efficiency and document quality for complex production processes

By embedding priint.cloud, data sheet generation is seamlessly automated within existing workflows, enhancing efficiency, improving document quality, and supporting the automation of complex document production processes. The following image shows the Priint:cloud integration overview



Fixed Limitations

Product 360 Main - Fixed Issues

This release delivers a number of bug fixes. If you encounter difficulties or have further questions regarding one of these issues, contact Informatica Global Customer Support and reference the identifier.

The following table describes the fixed issues for Product 360 main:

Reference Number	Description
HPM-62928	Modifying a delta field, such as ShortDescription in delta export configurations causes export failures.
HPM-62906	When you import XML files from the SAP ERP system, some processes in the customized Digital Asset Management (DAM) HotFolder data processing fail with errors.
HPM-62902	When you create a record for a table definition, the rich text field appears incorrectly formatted in the Web UI.
HPM-62898	When you try to delete lookup values in the rich client or WebUI, the following error appears: `class java.lang.String cannot be cast to class java.util.List (java.lang.String and java.util.List are in module java.base of loader 'bootstrap'`
HPM-62889	REST queries may experience slow response time and impacts the Product 360 performance.
HPM-62874	When you set the Payload to Object and Change Summary, the payload in the message queue incorrectly formats the change summary in XML instead of JSON.

Reference Number	Description
HPM-62859	After you assign a higher-level reference to a product in the References tab, the parent product link is not visible in the WebUI of Product Information Management.
HPM-62852	Large batch imports incorrectly assigns a partial subset of items to workflow tasks instead of the entire batch.
HPM-62842	When you create a new record in the Web UI of Product Information Management, the fields in the table definition dialog box appear incorrectly formatted.
HPM-62841	When you use the Filter button to search for import mappings in the Web UI, the catalog list incorrectly resets to the master catalog.
HPM-62840	Numerical calculations in import mappings fail to process the characteristic value field.
HPM-62805	Importing string data into a new Language Specific field under Structure Feature sub-entity field displays the following error: `UnexpectedCoreException! java.lang.IllegalArgumentException: Invalid use of null for parameter "externalIdentifier"`
HPM-62804	During a manual import operations in the WebUI, the files may become unresponsive during the upload process.
HPM-62791	After you log in to the Product Information Management (PIM) client, the PIM web client or desktop client incorrectly updates the Last Changed On timestamp to match the Last Login On timestamp.
HPM-62787	Workflows intermittently fail due to missing workflow status in the `workflow xml` file with the following error: `java.lang.NullPointerException: Cannot read the array length because the return value of "com.heiler.pim.webservice.client.manage.workflow.Workflow.getStatus()" is null`
HPM-62769	When you import using Hotfolder, the `intervalFileTrigger` logger incorrectly captures all the triggers and the log files overflow.
HPM-62768	When you switch from multiple to single item selection in the Web UI, the Export Preview tab fails to display the content.
HPM-62765	When you modify characteristics and change the record key in the supplier catalog item, the merge operation with the master catalog fails.
HPM-62755	User ID and Name parameter fails to properly transmit from specific locations within the Stepworkflow instances that initiate from the batch processes.
HPM-62754	When you comment out the display order field in the web definitions XML file, the reference creation fails.
HPM-62738	The Product 360 server installation fails due to unresolved modules.
HPM-62713	SAML user permissions expire after re-login, which leads to import job failures and security errors.
HPM-62677	HTTP 404 errors appear in the console log during web login.

Reference Number	Description
HPM-62676	Selecting a characteristic with over 38,000 entries and a validation expression causes the transaction to time out in both rich client and WebUI.
HPM-62675	When you assign an item and get details through the Object Read API, the <StructureGroupMap> tag format differs between product versions.
HPM-62642	When you enable DEBUG in log4j with Product 360 and ActiveVOS integration, the ActiveVOS workflow returns variable data with extra new lines unexpectedly and an error occurs.
HPM-62619	The Product Information Management WebUI and Supplier Portal incorrectly truncates multi-value attribute values to 15 characters without showing a tooltip.
HPM-62609	Media asset searches in PIM WebUI experience 20-second delays per asset causing slow performance.
HPM-62599	When you select product items in the 360-degree view of the Web UI, the columns fail to display correctly.
HPM-62587	After upgrade, Product 360 "Characteristics" displays incorrect names and identifiers.
HPM-62584	During simultaneous server startup, the server information fails to record in eventinfo.txt.
HPM-62553	Search limitation functionality fails to work as expected.
HPM-62473	When you quickly scroll multiple times in the Master Catalog, the P360 WebClient continuously loads all items instead of the next results.
HPM-62471	After an upgrade ,the PIM server fails to start because the internal ReportID exceeds the 10-digit number range.
HPM-62461	When you merge multiple supplier catalogs into the same master catalog concurrently, the items result in a deadlock.
HPM-62378	When the file upload from the Product Information Management client fails, the client incorrectly allows file import and generates the following exception: `java.lang.RuntimeException: file '<UploadedFileName>' does not exist`
HPM-62268	When you delete a multimedia attachment document in the Media tab of an item or product, the Usage list tab displays columns with error messages.
HPM-62127	The StatusEntry table fails to delete entries in batches.
HPM-61716	When you remove the Use Replace permission and click the Set tab, the system Product 360 mistakenly enables the find and replace functionality instead of setting a new value.
HPM-61149	Reset of the custom perspective loads the template with missing selection dialogs in the view.
HPM-60926	The job history fails to clean up at regular intervals and the following error occurs: `readFromDom: Unexpected error while reading field from document object model -> Re-throw as ParseException`

Reference Number	Description
HPM-60814	When you run an import mapping job in Product Information Management to import data from the excel file, the job partially completes with the following error in the log file: java.io.NotSerializableException: com.heiler.ppm.directimport.excel.openXml.NumberFormatNotSerializableException
HPM-60237	When moving columns that contain special characters in the WebUI of Product Information Management, columns disappear in French and German locales.
HPM-60003	When you run a Cleanup job in Product 360, the following error appears in the log file: `Exception in the thread "ServerJob-CleanupMIMEValues-series*******" java.lang.RuntimeException: The user 'Guest' does not have the necessary object permission 'Write' for object of data type 'Server side jobs'.`
HPM-59945	When the editable property of the logical key attribute is set to false in the repository, the WebUI of Product Information Management incorrectly changes the attribute value in the Web definition configuration.
HPM-58166	After you restart the Product Information Management client, the qualified fields in the Preset values for group features view are lost.
HPM-58127	When you clone or copy an existing rule configuration and select a new source field, the configuration triggers a duplicate key error.
HPM-57906	When you remove a product assigned to multiple structure groups, Product 360 fails to remove the product variants or items.
HPM-57867	After you remove the search filter, the facets fail to revert to their default ascending sort order.
HPM-56903	Incorrect audit trail entries appear in the help section for German locale.
HPM-55643	The import of an XML file ignores the `<emptyContentDeletes>false</emptyContentDeletes>` setting and incorrectly clears the field content.

Supplier Portal - Fixed Issues

The following table describes the fixed issues for the Supplier Portal:

Reference Number	Description
HSP-4564	The Supplier Portal, the Supplier Portal fails to remove the user and displays an error message.
HSP-4560	Changing a user's role from Broker to Administrator before activation invalidates the original invite link.
HSP-4541	When you create a new user, the Supplier Portal fails to accept names with & and converts the character to &amp.

Reference Number	Description
HSP-4540	When you reassign a catalog to another supplier and view broker in the Supplier Portal, the following error occurs: `Organization of Catalog entity must not be null`
HSP-4532	When you upload files with Content Filter Settings, the Supplier Portal fails to v validate the files based on allowed file type extension.
HSP-4516	When you log into Supplier Portal and select a locale, the portal initially displays in selected locale but switches to the default PIM locale when editing the catalog items.

Media Manager - Fixed Issues

The following table describes the fixed issues for the Media Manager:

Reference Number	Description
HMM-8779	Media Manager shuts down unexpectedly.
HMM-8778	The Media Manager web client fails to display asset assignments to items.
HMM-8756	The P360 deletion service fails to start after you configure HTTPS in HPMConfig.xml and import certificates into Media Manager.