How-To Library

Informatica

Address Verification Best Practices for Greece

© Copyright Informatica LLC 2018, 2021. Informatica, Informatica Cloud, and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

This document tells you how to connect the elements in a Greece address to the appropriate address elements in Informatica® Address Verification. This document also describes best practices that you can implement when you verify addresses in Greece.

Supported Versions

- Informatica Address Verification 3.0 and later
- Informatica Address Verification (On-Premises) 5.x

Table of Contents

Introduction. . . . 2
Process Modes. . . . 2
Character Set. . . . 3
Address Format and Address Structure. . . . 3
Key Address Elements. . . . 3
Mapping Input Address Data to Address Elements. . . . 3
Input and Result XML in Address Verification (On-Premises). . . . 4
Input and Result XML in Address Verification. . . . 4
Address Enrichments. . . . 6
Address Verification Tips and Best Practices. . . . 7
Reference Address Databases. . . . 7
Additional Documentation Resources. . . . 8

Introduction

Informatica Address Verification can validate and enhance addresses in Greece. This how-to article provides you with configuration information and best practices that you can follow to get the most from the addresses. The best practices include advice on how to select the appropriate XML elements for Greece address data.

To verify the quality of an input address, Address Verification compares the address information to the data in one or more reference data files. You can configure Address Verification to identify the different types of address information in the input data. You map each item of input address information to an appropriate element in Address Verification.

When you select the input address elements, you must ensure that the elements are correct for the different types of input information. The country that the address identifies determines the elements that you need.

Process Modes

Informatica Address Verification supports the following process modes for Greece addresses:

- BATCH
- COUNTRY RECOGNITION
- FAST COMPLETION
- INTERACTIVE

- PARSE

Character Set

Greece reference address databases store complete address data in the Greek script and street and locality data in Latin and ASCII scripts. By default, Informatica Address Verification returns the verified Greece addresses in the Greek script.

Address Format and Address Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

The Greece postal service recognizes the following structure for a postal address:

```
Line 1: RECIPIENT OR CONTACT NAME
Line 2: STREET HOUSE NUMBER
Line 3: POSTAL CODE CITY
Line 4: COUNTRY
```

The following sample address illustrates the address in the Greek script:

```
Κωνσταντινουπόλεως 51
546 42 Θεσσαλονίκη
GRC
```

The following sample address illustrates the address in the Latin script:

```
KONSTANDINUPOLEOS 51
546 42 THESSALONIKI
GRC
```

Key Address Elements

Address Verification is unlikely to verify an address successfully if one of the following items is absent from the address:

- Locality
- Postal Code
- Street

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

The following table shows how you can map the input address to the address elements:

Information Type	Address Information	Address Elements
Street Name	KONSTANDINUPOLEOS	Street
House Number	51	HouseNumber
Postal Code	546 42	PostalCode
City	THESSALONIKI	Locality

Input and Result XML in Address Verification (On-Premises)

The following example shows how you can map the address information to the XML address elements in Address Verification (On-Premises).

You enter the following input address:

```
<InputData>
    <AddressElements>
        <Country Item="1" Type="NAME">GRC</Country>
        <Locality Item="1" Type="COMPLETE">THESSALONIKI</Locality>
        <PostalCode Item="1" Type="UNFORMATTED">546 42</PostalCode>
        <Street Item="1" Type="COMPLETE">KONSTANDINUPOLEOS</Street>
        <Number Item="1" Type="COMPLETE">51</Number>
    </AddressElements>
</InputData>
```

Informatica Address Verification (On-Premises) returns the following result:

```
<?xml version="1.0" encoding="UTF-16"?>

<!-- EngineVersion="5.13.1.45876" -->

<Result     ProcessStatus="V3"
     ModeUsed="BATCH"
     Count="1"
     CountOverflow="NO"
     CountryISO3="GRC"
     PreferredScript="DATABASE"
     PreferredLanguage="DATABASE">

<ResultData ResultNumber="1"
     MailabilityScore="5"
     ResultPercentage="100.00"
     ElementResultStatus="F0E000E0F000000000E0"
     ElementInputStatus="60500050600000000060"
     AddressResolutionCode="00000000000000000000"
     ExtElementStatus="00500050000000000000"
     ElementRelevance="10100010100000000010"
     AddressType="S"
     LanguageISO3="GRC">
    <AddressElements>
        <Country Type="NAME_EN" Item="1">Greece</Country>
        <Locality Item="1">Θεσσαλονίκη</Locality>
        <PostalCode Item="1">546 42</PostalCode>
        <Street Item="1">Κωνσταντινουπόλεως</Street>
        <Number Item="1">51</Number>
    </AddressElements>
    <AddressLines>
        <DeliveryAddressLine Line="1">Κωνσταντινουπόλεως 51</DeliveryAddressLine>
        <CountrySpecificLocalityLine Line="1">546 42 Θεσσαλονίκη</CountrySpecificLocalityLine>
        <FormattedAddressLine Line="1">Κωνσταντινουπόλεως 51</FormattedAddressLine>
        <FormattedAddressLine Line="2">546 42 Θεσσαλονίκη</FormattedAddressLine>
        <FormattedAddressLine Line="3">Greece</FormattedAddressLine>
    </AddressLines>
    <AddressComplete>Κωνσταντινουπόλεως 51
546 42 Θεσσαλονίκη
Greece</AddressComplete>
</ResultData>
</Result>
```

Input and Result XML in Address Verification

The following example shows how you can verify a Greece address in a SOAP call to Address Verification.

You submit the following request:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:v4="http://
validator5.AddressDoctor.com/Webservice5/v4">
   <soapenv:Header/>
```

```
   <soapenv:Body>
      <v4:Process>
         <v4:login>****</v4:login>
         <v4:password>****</v4:password>
         <v4:parameters>
            <v4:ProcessMode>BATCH</v4:ProcessMode>
            <v4:ValidationParameters>
            </v4:ValidationParameters>
         </v4:parameters>
         <v4:addresses>
            <v4:Address>
               <v4:Street>
                 <v4:string>KONSTANDINUPOLEOS</v4:string>
               </v4:Street>
               <v4:HouseNumber>
                 <v4:string>51</v4:string>
               </v4:HouseNumber>
               <v4:Locality>
                 <v4:string>THESSALONIKI</v4:string>
               </v4:Locality>
               <v4:PostalCode>
                 <v4:string>546 42</v4:string>
               </v4:PostalCode>
                <v4:Country>
                 <v4:string>GRC</v4:string>
                </v4:Country>
            </v4:Address>
         </v4:addresses>
         <v4:enrichments>
         </v4:enrichments>
      </v4:Process>
   </soapenv:Body>
</soapenv:Envelope>
```

Informatica Address Verification returns the following response:

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://
www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
   <soap:Body>
      <ProcessResponse xmlns="http://validator5.AddressDoctor.com/Webservice5/v4">
         <ProcessResult>
            <StatusCode>100</StatusCode>
            <StatusMessage>OK</StatusMessage>
            <Results>
               <Result>
                  <ProcessStatus>V3</ProcessStatus>
                  <CountryISO3>GRC</CountryISO3>
                  <ResultDataSet>
                     <ResultData>
                        <ResultNumber>1</ResultNumber>
                        <MailabilityScore>5</MailabilityScore>
                        <ResultPercentage>100.00</ResultPercentage>
                        <ElementInputStatus>6050005060000000060</ElementInputStatus>
                        <ElementResultStatus>F0E000E0F000000000E0</ElementResultStatus>
                        <ElementRelevance>10100010100000000010</ElementRelevance>
                        <ExtElementStatus>00500050000000000000</ExtElementStatus>
                        <AddressResolutionCode>00000000000000000000</AddressResolutionCode>
                        <AddressType>S</AddressType>
                        <LanguageISO3>GRC</LanguageISO3>
                        <Address>
                           <Street>
                              <string>Κωνσταντινουπόλεως</string>
                           </Street>
                           <HouseNumber>
                              <string>51</string>
                           </HouseNumber>
                           <Locality>
                              <string>Θεσσαλονίκη</string>
                           </Locality>
                           <PostalCode>
                              <string>546 42</string>
```

```
                              </PostalCode>
                              <Country>
                                 <string>GREECE</string>
                              </Country>
                              <DeliveryAddressLines>
                                 <string>Κωνσταντινουπόλεως 51</string>
                              </DeliveryAddressLines>
                              <CountrySpecificLocalityLine>
                                 <string>546 42 Θεσσαλονίκη</string>
                              </CountrySpecificLocalityLine>
                              <FormattedAddress>
                                 <string>Κωνσταντινουπόλεως 51</string>
                                 <string>546 42 Θεσσαλονίκη</string>
                                 <string>GREECE</string>
                              </FormattedAddress>
                              <AddressComplete>Κωνσταντινουπόλεως 51;546 42 Θεσσαλονίκη;GREECE</
AddressComplete>
                           </Address>
                        </ResultData>
                     </ResultDataSet>
                  </Result>
               </Results>
            </ProcessResult>
         </ProcessResponse>
      </soap:Body>
   </soap:Envelope>
```

Note: If you set the `PreferredLanguage` attribute to ENGLISH, Address Verification returns the address in Latin script.

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified Greece addresses.

The following table lists the types of enrichment that you can add to a Greece address:

Enrichment Type	Description
CAMEO	You can retrieve CAMEO profiles as enrichments for valid Greece addresses. CAMEO profiles are consumer classification systems that provide socio-economic and demographic indicators about the residents at the address.
Standard Geocoding	You can retrieve the standard, interpolated geocoordinates for valid Greece addresses.
Arrival Point Geocoding	You can retrieve arrival point geocoordinates for valid Greece addresses.

Address Verification Tips and Best Practices

Note the following points when you verify Greece addresses:

- Address Verification is configured to return valid address information in the Greek script by default. The `PreferredScript` attribute determines the character set in which Address Verification returns the address data.

  The reference databases contain all address data in the Greek script. The reference databases contain street and locality data in Latin and ASCII scripts in addition to the Greek script.

  Address Verification can verify and correct street and locality data that you enter in a Latin or an ASCII script and return the valid street and locality data in a LATIN, ASCII, or Greek script. If Address Verification cannot verify or correct street or locality input data in Latin or ASCII, it copies the Latin or ASCII values to the output address. If you submit other address data values in Latin or ASCII, Address Verification copies the input values to the output address.

  Note: Address Verification can copy the Latin and ASCII values unchanged for all preferred script options except ASCII. If your input address contains characters that do not have ASCII equivalents, and if you select LATIN _ALT or LATIN _1 as the preferred script, Address Verification copies the ASCII equivalents of the input values to the output address.
- Address Verification uses the following standards to transliterate street and locality data into a Latin or ASCII script:

  - BGN/PCGN (1947). Transliterates to ASCII.

  - ISO 9 (1995). Transliterates to Latin-1.

  If you set the `PreferredScript` attribute to LATIN, Address Verification uses the ISO 9 transliteration standard.

  If you set the `PreferredScript` attribute to LATIN_ALT, Address Verification uses the BGN/PCGN transliteration standard.

  The following table shows how Address Verification returns address data for different `PreferredScript` settings in Greece:

Country	DATABASE	POSTAL _ADMIN _PREF	POSTAL _ADMIN _ALT	LATIN	LATIN _ALT	LATIN _1
GRC	Greek	Greek	Greek	Latin-1, transliterated to the ISO standard	ASCII, transliterated to the BGN standard	ASCII

Reference Address Databases

Informatica updates the reference databases for Greece twice a year. You can download the latest database packages from the Informatica Database Download portal. For news about reference address databases and software updates for Address Verification, subscribe to the newsletter from Informatica.

Informatica Address Verification provides the following reference databases for Greece addresses:

- `GRC5BI.MD`. Batch and interactive modes.
- `GRC5FC.MD`. Fast completion mode.
- `GRC5GC.MD`. Standard geocoding.
- `GRC5GCAP.MD`. Arrival point geocoding.

Note: You download databases for Informatica Address Verification (On-Premises). You do not need to download databases for Informatica Address Verification, as Informatica Address Verification runs on Informatica Cloud®.

Additional Documentation Resources

To view the latest documentation for Informatica Address Verification, click the following links:

https://network.informatica.com/community/informatica-network/products/data_quality/data-as-a-service/address-doctor

https://network.informatica.com/community/informatica-network/products/data_quality/data-as-a-service/address-doctor-cloud

Author

Shahani Natalia Mendonca

Acknowledgements

The author would like to thank Amarpal Kaur Sohi, David Handy, Farhan Ashraf, and Matthew Hall for their assistance.