
Informatica

Address Verification Primer

October 2024

Where data & AI come to LIFE

Informatica® Address Verification can parse, analyze, verify, and correct address records according to local postal standards. Explore this document to learn the best practices for the product in different countries. To learn more about Address Verification and how it works, see the overview.



Other Countries

Address Verification Overview

Informatica Address Verification can validate and enhance addresses in over 240 countries and territories.

To verify the quality of an input address, Address Verification compares the address information to the data in one or more reference data files. You specify the different types of input information in Address Verification. When you select the input address elements, you must ensure that that the element types match the different types of input information. Address Verification then ensures that the elements are verified and parsed to the correct positions in the output addresses.

Address Verification supports 40 character sets and transliterates addresses into Latin characters from seven different writing systems: Greek, Cyrillic, Japanese, Chinese Pinyin, Korean, Thai, and Hebrew. The reference data also supports special characters and in many countries contains address information in multiple languages.

Additionally, Address Verification can use reference data to enrich your addresses with geocodes and with demographic, lifestyle, or socio-economic data.

China


Overview

Informatica Address Verification can validate and enhance addresses in China to the house number level.

Postal services in China are provided by China Post Network.



Character Set




Mapping Input Data



Address Enrichments



Address Format



Reference Databases

China

Character Set

Informatica Address Verification verifies China addresses in the simplified Chinese and Latin-1 scripts. China Post specifies simplified Chinese as the default script and traditional Chinese as the alternative script. Address Verification uses the Latin script for transliteration.

Address Format and Structure

The format of a China address is based on the script in which the address is written.


An address in the simplified Chinese script lists all elements on a single line in the following order, from the largest geographical element to the smallest element:

POSTAL_CODE PROVINCE_1 LOCALITY_1 LOCALITY_2 LOCALITY_3 STREET HOUSE_NUMBER BUILDING SUBBUILDING

The following sample address shows the simplified Chinese address format:

353099 福建省南平市文体路 338 号塔园外交公寓

An address in the Latin-1 script reverses the simplified Chinese address format. The following sample address shows the Latin-1 address format:




China

Mapping Input Address Data to Address Elements

Chinese addresses in simplified Chinese begin with the largest division of the country and continue in smaller divisions. China has a street-based address structure.

The following image shows the address elements of a Chinese address and how the elements are parsed to the Address Verification fields:



Simplified Chinese | Latin

China

Reference Address Databases

Informatica updates the China reference address databases **yearly**. On-premises users can download the latest database packages from the Informatica Database Download portal.

Informatica Address Verification provides the following reference databases for China:

CHN5BI.MD	Batch and interactive mode.
CHN5FC.MD	Fast completion mode.
CHN5GC.MD	Standard geocoding.

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified China addresses.

Enrichment	Description
Geocoding	As arrival point geocoding is not supported with China addresses, standard interpolated geocoding is used. Standard geocoding interpolates a point close to an address based on the geocoordinates of surrounding addresses. Geocoding for China addresses is accurate to the locality level.

Germany


Overview

Informatica Address Verification can validate and enhance addresses in Germany to the house number level.

National postal services in Germany are provided by Deutsche Post.



Character Set




Mapping Input Data



Address Enrichments



Address Format



Reference Databases

Germany

Character Set

By default, Informatica Address Verification returns the verified Germany addresses in Latin-1, which includes ü, ä, ö, and ß characters. The reference address databases for Germany store address data in Latin-1.


Address Format and Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

Deutsche Post recognizes the following structure for a postal address:

Line 1: RECIPIENT
Line 2: [BUILDING_INFORMATION] [SUB-BUILDING_INFORMATION]
Line 3: STREET HOUSE_NUMBER
Line 4: POSTAL_CODE CITY
Line 5: GERMANY

The following sample address shows the structure:



Germany

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

Input Address Data (Example)	Address Elements
Street (**Röntgenstr.**)	Street
House Number (**9**)	HouseNumber
Postal Code (**67133**)	PostalCode
Locality (**MAXDORF**)	Locality

Reference Address Databases

Informatica updates the Germany reference address databases **monthly**. On-premises users can download the latest database packages from the Informatica Database Download portal.

Informatica Address Verification provides the following reference databases for Germany:

DEU5BI.MD	Batch and interactive modes.
DEU5FC.MD	Fast completion mode.
DEU5AC.MD	Address code lookup mode.
DEU5GC.MD	Standard geocoding.
DEU5GCAP.MD	Arrival point geocoding.
DEU5E1.MD	Enrichment data.
DEU5CA.MD	CAMEO customer segmentation.

Germany

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified Germany addresses.

Enrichment	Description
CAMEO	You can retrieve CAMEO profiles as enrichments for valid Germany addresses. CAMEO profiles are consumer classification systems that provide socio-economic and demographic indicators about the residents at the address.
Geocoding	You can retrieve the arrival point geocoordinates for valid Germany addresses. These geocoordinates map to a point in the center of the street segment in front of a house or building. Arrival point is the default geocoding type. When arrival point geocoding is not supported, standard interpolated geocoding is used. Standard geocoding interpolates a point close to an address based on the geocoordinates of surrounding addresses. Geocoding for Germany addresses is accurate to the address point level.
Country-Specific Address Enrichments	You can retrieve the following enrichments for valid Germany addresses: • DEU_LOCALITY_ID. Identifies a German locality. • DEU_STREET_ID. Identifies a German street address. • DEU_AGS. Identifies a municipality in Germany. • DEU_STREET_CODE. Identifies a street in Germany. The DEU_LOCALITY_ID, DEU_STREET_ID, and DEU_AGS are variable-length codes and the DEU_STREET_CODE is a three-digit code.

Japan


Overview

Informatica Address Verification can validate and enhance addresses in Japan to the street level.

Postal services in Japan are provided by Japan Post Network.



Character Set




Mapping Input Data



Address Enrichments



Address Format



Reference Databases

Japan

Character Set

Informatica Address Verification verifies Japan addresses in the Kanji, Katakana, and atin-7 scripts. Japan Post specifies Kanji as the default script and Katakana as an alternative script. Address Verification uses the Latin-7 script for transliteration. Address Verification can also return addresses in the Latin-7 and ASCII scripts.

Address Format and Structure

The format of a Japan address is based on the script in which the address is written.


An address in the Kanji script lists all elements on a single line in the following order, from the largest geographical element to the smallest element:

POSTALCODE PROVINCE LOCALITY_1 LOCALITY_2 LOCALITY_3 STREET_1 STREET_2 NUMBER BUILDING SUBBUILDING

The following sample address shows the Kanji address format:

〒 105-6226 東京都港区愛宕 2 丁目 5 番 1 号愛宕グリーンヒルズ MORI タワー 26 階

An address in the Latin-7 script reverses the Kanji address format. The following sample address shows the Latin-7 address format:




Japan

Mapping Input Address Data to Address Elements

Japanese addresses in Kanji begin with the largest division of the country and continue in smaller divisions. Japan has a block-based address structure. Blocks are separated by streets. Streets in Japan have numbers but not names.

The following image shows the address elements of a Japanese address and how the elements are parsed to the Address Verification fields.



Japan

Reference Address Databases

Informatica updates the Japan reference address databases **monthly**. On-premises users can download the latest database packages from the Informatica Database Download portal.

Informatica Address Verification provides the following reference databases for Japan:

JPN5AC.MD	Address code lookup mode.
JPN5BI.MD	Batch and interactive mode.
JPN5CA.MD	CAMEO customer segmentation.
JPN5E1.MD	Country-specific enrichments.
JPN5FC.MD	Fast completion mode.
JPN5GC.MD	Standard geocoding.

Japan

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified Japan addresses.

Enrichment	Description
CAMEO	Retrieves the CAMEO profiles from the Callcredit Information Group as enrichment to valid Japan addresses. CAMEO profiles provide consumer classification systems that indicate the socio-economic and demographic profiles of neighborhoods across the world.
Geocoding	Retrieve the standard, interpolated geocoordinates for valid Japan addresses. When a valid address contains information to the Ban level, Address Verification returns Ban-level geocoordinates. When a valid address contains information to the Chome level, Address Verification returns Chome-level geocoordinates. If an address does not contain Ban or Chome information, Address Verification returns locality-level geocoordinates.
Country-Specific Enrichments	Retrieve the following country-specific enrichments for valid Japan addresses: • CHOUMEI_AZA_CODE • NEW_CHOUMEI_AZA_CODE • CURRENT_CHOUMEI_AZA_CODE • GAIKU_CODE Note: The Choumei Aza code is an 11-digit code that defines a unique delivery point for Japan addresses. The Gaiku code is a four-digit code that identifies a city block in Japan.

Mexico


Overview

Informatica Address Verification can validate and enhance addresses in Mexico to the house number level.

Postal services in Mexico are provided by Correos de México.



Character Set




Mapping Input Data



Address Enrichments



Address Format



Reference Databases

Mexico

Character Set

Informatica Address Verification verifies Mexico address in the Spanish language. The default character set for Mexico addresses is Latin 1 - Western European.


Address Format and Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

Correos de México recognizes the following structure for a postal address:

Line 1: RECIPIENT
Line 2: [STREETTYPE] STREETNAME HOUSENUMBER [FLOOR]
Line 3: [APARTMENT]
Line 4: [COLONIA][,][VILLAGE]
Line 5: POSTALCODE, LOCALITY, PROVINCEABBREVIATION
Line 6: MEXICO

The following sample address shows the structure:



Mexico

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

Input Address Data (Example)	Address Elements
Street Type and Street Name (PRIVADA UNIÓN)	Street
House Number (10)	HouseNumber
Neighborhood, Quarter, or Settlement (COL AGRÍCOLA PANTITLÁN)	Locality_2
Municipality (IZTACALO)	Province_2
Postal Code (08100)	PostalCode
City (CIUDAD DE MÉXICO)	Locality_1
State (CDMEX)	Province_Abbreviation
Country (MEXICO)	Country

Mexico

Reference Address Databases

Informatica updates the Mexico reference address databases **quarterly**. On-premises users can download the latest database packages from the Informatica Database Download portal.

Informatica Address Verification provides the following reference databases for Mexico:

MEX5GCAP.MD	Arrival point geocoding.
MEX5BI.MD	Batch and interactive mode.
MEX5CA.MD	CAMEO customer segmentation.
MEX5FC.MD	Fast completion mode.
MEX5GC.MD	Standard geocoding.

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified Mexico addresses.

Enrichment	Description
CAMEO	Retrieves the CAMEO profiles from the Callcredit Information Group as enrichment to valid Mexico addresses. CAMEO profiles provide consumer classification systems that indicate the socio-economic and demographic profiles of neighborhoods across the world.
Geocoding	You can retrieve the arrival point geocoordinates for valid Mexico addresses. These geocoordinates map to a point in the center of the street segment in front of a house or building. Arrival point is the default geocoding type. When arrival point geocoding is not supported, standard interpolated geocoding is used. Standard geocoding interpolates a point close to an address based on the geocoordinates of surrounding addresses. Geocoding for Mexico addresses is accurate to the address point level.

Russian Federation


Overview

Informatica Address Verification can validate and enhance addresses in the Russian Federation to the house number level.

Postal services in the Russian Federation are provided by Russian Post.



Character Set




Mapping Input Data



Address Enrichments



Address Format



Reference Databases

Russian Federation

Character Set

By default, Informatica Address Verification returns verified Russian Federation addresses in the Cyrillic script. Russian Federation reference address databases store address data in Cyrillic and Latin scripts.


Address Format and Structure


You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

Russian Post recognizes the following structure for a postal address:

Line 1: RECIPIENT
Line 2: STREETTYPE STREETNAME HOUSENUMBER[, [FLOOR][APARTMENT]]
Line 3: LOCALITY
Line 4: [RAYON]
Line 5: [OBLAST, KRAY, OR RESPUBLIKA]
Line 6: POSTALCODE
LINE 7: RUSSIAN FEDERATION

The following samples show the structure in Cyrillic and Latin scripts:





Russian Federation

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

Input Address Data (Cyrillic Example | Latin Example)	Address Elements
Street Name (**ул. Кирова** | UL. KIROVA)	Street
House Number (**94** | **94**)	HouseNumber
City, Town, Village (**Геленджик** | GELENDZHIK)	Locality
Admin Region (**Краснодарский край** | KRASNODARSKIY KRAY)	Province
Postal Code (**353465** | **353465**)	PostalCode

Reference Address Databases

Informatica updates the Russian Federation reference address databases **monthly**. On-premises users can download the latest database packages from the Informatica Database Download portal.

Informatica Address Verification provides the following reference databases for the Russian Federation:

RUS5BI.MD	Batch and interactive modes.
RUS5FC.MD	Fast completion mode.
RUS5GC.MD	Standard geocoding.
RUS5E1.MD	Enrichment data.
RUS5CA.MD	CAMEO customer segmentation.

Russian Federation

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified Russian Federation addresses.

Enrichment	Description
CAMEO	You can retrieve CAMEO profiles as enrichments to valid Russian Federation addresses. CAMEO profiles are consumer classification systems that provide socio-economic and demographic indicators about the residents at the address.
Country-Specific Address Enrichments	You can include the Federal Information Addressing System (FIAS) ID in the validated output for Russian Federation addresses. The FIAS ID is an alphanumeric string that identifies the building that contains the address.
Geocoding	You can retrieve the arrival point geocoordinates for valid Russian Federation addresses. These geocoordinates map to a point in the center of the street segment in front of a house or building. Arrival point is the default geocoding type. When arrival point geocoding is not supported, standard interpolated geocoding is used. Standard geocoding interpolates a point close to an address based on the geocoordinates of surrounding addresses. Geocoding for Russian Federation addresses is accurate to the address point level.

Taiwan


Overview

Informatica Address Verification can validate and enhance addresses in Taiwan to the house number level.

Postal services in Taiwan are provided by Chunghwa POST.



Character Set




Mapping Input Data



Address Enrichments



Address Format



Reference Databases

Taiwan

Character Set

Informatica Address Verification can verify Taiwan addresses in traditional Chinese and Latin scripts.

By default, Address Verification returns the verified Taiwan addresses in the traditional Chinese script. Address Verification returns a transliterated version of the Chinese address in the Latin script. The Taiwan postal authorities recognize different structures for an address in each script.

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

Input Address Data (Chinese Example | Latin Example)	Address Elements
Postal Code (10603 | 10603)	PostalCode
City (臺北市 | TAIPEI CITY)	Locality_1
District (大安區 | DA'AN DIST.)	Locality_2
Village and Neighborhood (Not used in this example)	Locality_3
Street Direction, Road, Section (金山南路2段 | Jinshan S. Rd., Sec. 2)	Street_1
Dependent Street (Not used in this example)	Street_2
Double-Dependent Street (Not used in this example)	Street_3
House or Building Number (55 號 | 55)	HouseNumber
Sub-Building Information (Not used in this example)	Sub-Building

Taiwan

Address Format and Structure


You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

The address structure that you define depends on the character set that you use. As a rule, a Taiwan address in the Latin script presents the address elements in the opposite order to a Taiwan address in the traditional Chinese script.

To create an address in Latin characters, use the following structure:

Line 1: RECIPIENT
Line 2: [BUILDING]
Line 3: [SUBBUILDING]
Line 4: [DEPENDENTSTREETINFORMATION]
Line 5: [HOUSE/BUILDINGNUMBER] STREET
Line 6: [DEPENDENTLOCALITY]
Line 7: LOCALITY POSTALCODE
Line 8: TAIWAN

The following sample shows the structure in Latin script:



A Taiwan address in the native script lists all address elements on a single line. When you format an input address, enter the elements in the address in the following order:

Postal Code, Locality, Dependent Locality, Street, Dependent Street, House/Building Number, Building Name, Sub-Building Name

The following sample address illustrates the address in traditional script:

10603 臺北市大安區金山南路2段 55 號

Taiwan

Reference Address Databases

Informatica updates the Taiwan reference address databases **twice a year**. On-premises users can download the latest database packages from the Informatica Database Download portal.

Informatica Address Verification provides the following reference databases for Taiwan:

TWN5BI.MD	Batch and interactive modes.
TWN5FC.MD	Fast completion mode.
TWN5GC.MD	Standard geocoding.
TWN5GCAP.MD	Arrival point geocoding.

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified Taiwan addresses.

Enrichment	Description
Geocoding	You can retrieve the arrival point geocoordinates for valid Taiwan addresses. These geocoordinates map to a point in the center of the street segment in front of a house or building. Arrival point is the default geocoding type. When arrival point geocoding is not supported, standard interpolated geocoding is used. Standard geocoding interpolates a point close to an address based on the geocoordinates of surrounding addresses. Geocoding for Taiwan addresses is accurate to the address point level.

Turkey


Overview

Informatica Address Verification can validate and enhance addresses in Turkey to the street level.

Postal services in Turkey are provided by Turkish Post.



Character Set



Mapping Input Data



Address Enrichments



Address Format



Reference Databases

Turkey

Character Set

Turkey reference address databases store address data in a Latin script. Informatica Address Verification returns the verified Turkey addresses in a Latin script.


Address Format and Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

Turkish POST recognizes the following structure for a postal address:

Line 1: RECIPIENT
Line 2: MAHALLE
Line 3: STREETNAME STREETTYPE [DEPENDENTSTREET STREETTYPE] [BUILDING] [BUILDINGNUMBER] HOUSENUMBER [/APARTMENT]
Line 4: POSTALCODE [ADMINISTRATIVEDISTRICT /] LOCALITY / PROVINCE
Line 5: TURKEY

The following sample address shows the structure:



Turkey

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

Input Address Data (Example)	Address Elements
Recipient (MEHMET DEMIR)	Recipient
Street Name and Street Type (GÖKHAN SOK.)	Street
House Number (NO. 1)	HouseNumber
City or Major Town (SİNCAN)	Locality_1
Town or Administrative District (Not used in this example)	Locality_2
Mahalle, District, or Village (AKŞEMSETTİN MAH.)	Locality_3
Postal Code (06934)	PostalCode
Province (ANKARA)	Province

Turkey

Reference Address Databases

Informatica updates the Turkey reference address databases **annually**. On-premises users can download the latest database packages from the Informatica Database Download portal.

Informatica Address Verification provides the following reference databases for Turkey:

MEX5GCAP.MD	Arrival point geocoding.
MEX5BI.MD	Batch and interactive mode.
MEX5CA.MD	CAMEO customer segmentation.
MEX5FC.MD	Fast completion mode.
MEX5GC.MD	Standard geocoding.

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified Mexico addresses.

Enrichment	Description
Geocoding	As arrival point geocoding is not supported with Turkey addresses, standard interpolated geocoding is used. Standard geocoding interpolates a point close to an address based on the geocoordinates of surrounding addresses. Geocoding for Turkey addresses is accurate to the interpolated house number level.

United Kingdom


Overview

Informatica Address Verification can validate and enhance addresses in the United Kingdom to the sub-building level.

Most postal services in the United Kindom are provided by the Royal Mail or Post Office Ltd.



Character Set



Mapping Input Data



Address Enrichments



Address Format



Reference Databases

United Kingdom

Character Set

United Kingdom addresses are in English. The default character set for United Kingdom addresses is Latin 1 - Western European.


Address Format and Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

A typical United Kingdom address contains the following elements in the following order:

Line 1: RECIPIENT
Line 2: [FLOOR][APARTMENT]
Line 3: [BUILDING]
Line 4: [HOUSENUMBER] STREETNAME
Line 5: [DEPENDENTLOCALITY]
Line 6: LOCALITY
Line 7: POSTALCODE
Line 8: UNITED KINGDOM

The following sample address shows the structure:



United Kingdom

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

Input Address Data (Example)	Address Elements
Organization, Department, Contact (**PINK DAY LTD**)	Recipient
Street Name, Street Type (**HAMMERSMITH BRIDGE ROAD**)	Street
Building (**LANDMARK HOUSE**)	Building
Apartment, Floor (Not used in this example)	SubBuilding
House Number (Not used in this example)	HouseNumber
City (**LONDON**)	Locality
Postal Code (**W6 9EJ**)	PostalCode
Country (**UNITED KINGDOM**)	Country

Reference Address Databases

Informatica updates the United Kingdom reference address databases **monthly**. On-premises users can download the latest database packages from the Informatica Database Download portal.

Informatica Address Verification provides the following reference databases for the United Kingdom:

GBR5AC.MD	Address code lookup mode.
GBR5GCAP.MD	Arrival point geocoding.
GBR5BI.MD	Batch and interactive mode.
GBR5CA.MD	CAMEO customer segmentation.
GBR5E1.MD	Country-specific enrichments.
GBR5FC.MD	Fast completion mode.
GBR5GC.MD	Standard geocoding.

United Kingdom

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified United Kingdom addresses.

Enrichment	Description
CAMEO	Retrieve the CAMEO profiles from the Callcredit Information Group as enrichment to valid United Kingdom addresses. CAMEO profiles provide consumer classification systems that indicate the socio-economic and demographic profiles of neighborhoods across the world.
Geocoding	You can retrieve the arrival point geocoordinates for valid United Kingdom addresses. These geocoordinates map to a point in the center of the street segment in front of a house or building. Arrival point is the default geocoding type. When arrival point geocoding is not supported, standard interpolated geocoding is used. Standard geocoding interpolates a point close to an address based on the geocoordinates of surrounding addresses. Geocoding for United Kingdom addresses is accurate to the address point level.
Country-Specific Enrichments	Retrieve the following country-specific enrichments for valid United Kingdom addresses: • ADDRESS_KEY • DELIVERY_POINT_SUFFIX • UDPRN • UPRN • DPS

United States


Overview

Informatica Address Verification can validate and enhance addresses in the United States to the sub-building level.

Postal services in the United States are provided by the United States Postal Service.



Character Set



Mapping Input Data



Address Enrichments



Address Format



Reference Databases

United States

Character Set

The reference address databases for the United States store address data in the Latin-1 script. By default, Informatica Address Verification returns the verified United States addresses in the Latin-1 script.


Address Format and Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

The United States Postal Service recognizes the following structure for a postal address:

Line 1: RECIPIENT
Line 2: HOUSENUMBER STREETNAME [STREETTYPE][STREETDIRECTIO]
[BUILDING][FLOOR][APARTMENT]
Line 3: LOCALITY PROVINCEABBREVIATION POSTALCODE
Line 4: UNITED STATES

The following sample address shows the structure:



United States

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

Input Address Data (Example)	Address Elements
Street Name, Street Directional (**MAIN STREET NW**)	Street
House Number (**460**)	HouseNumber
City (**REDWOOD CITY**)	Locality
State (**CA**)	ProvinceAbbreviation
ZIP Code (**94062**)	PostalCode

Reference Address Databases

Informatica updates the United States reference address databases **monthly**. On-premises users can download the latest database packages from the Informatica Database Download portal.

Informatica Address Verification provides the following reference databases for United States addresses:

USA5BI.MD	Batch and interactive modes.
USA5FC.MD	Fast completion mode.
USA5C101.MD - USA5C132.MD	Certified mode.
USA5GC.MD	Standard geocoding.
USA5GCAP.MD	Arrival point geocoding.
USA5E1.MD	Enrichment data.
USA5CA.MD	CAMEO data.

United States

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified United States Addresses.

Enrichment	Description
CAMEO	You can retrieve CAMEO profiles as enrichments for valid United States addresses. CAMEO profiles are consumer classification systems that provide socio-economic and demographic indicators about the residents at the address.
Geocoding	You can retrieve the arrival point geocoordinates for valid United States addresses. These geocoordinates map to a point in the center of the street segment in front of a house or building. Arrival point is the default geocoding type. When arrival point geocoding is not supported, standard interpolated geocoding is used. Standard geocoding interpolates a point close to an address based on the geocoordinates of surrounding addresses. Geocoding for United States addresses is accurate to the address point level.
Country-Specific Adress Enrichments	You can retrieve the following enrichments for valid United States addresses: • CBSA_ID • CENSUS_BLOCK_GROUP • CENSUS_BLOCK_NO • CENSUS_TRACT_NO • CMSA_ID • COUNTY_FIPS_CODE • FINANCE_NUMBER • MCD_ID • MSA_ID • PLACE_FIPS_CODE • PMSA_ID • RECORD_TYPE • STATE_FIPS_CODE • TIME_ZONE_CODE • TIME_ZONE_NAME

Countries by Region

If you are looking for more information about one of the countries included in the Address Verification Primer or one that wasn't mentioned, please visit the How-To Library articles linked below.



Europe

- Austria
- Belgium
- Czech Republic
- Denmark
- Finland
- France
- Germany
- Greece
- Iceland
- Ireland
- Italy
- The Netherlands
- Russian Federation
- Slovakia
- Spain
- Switzerland
- Turkey
- United Kingdom



Asia Pacific

- Australia
- China
- Hong Kong
- India
- Japan
- Singapore
- South Korea
- Taiwan
- Thailand




The Americas

- Argentina
- Brazil
- Canada
- Mexico
- United States

About Us

Informatica (NYSE: INFA) brings data and AI to life by empowering businesses to realize the transformative power of their most critical assets. When properly unlocked, data becomes a living and trusted resource that is democratized across your organization, turning chaos into clarity. Through the Informatica Intelligent Data Management Cloud™, companies are breathing life into their data to drive bigger ideas, create improved processes, and reduce costs. Powered by CLAIRE®, our AI engine, it's the only cloud dedicated to managing data of any type, pattern, complexity, or workload across any location — all on a single platform.



© Copyright Informatica LLC 2023. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and other countries. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners. The information in this documentation is subject to change without notice and provided "AS IS" without warranty of any kind, express or implied.

informatica.com