How-To Library

Informatica

Address Verification Best Practices for Ireland

© Copyright Informatica LLC 2020, 2021. Informatica, Informatica Cloud, and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

This document tells you how to connect the elements in an Ireland address to the appropriate address elements in Informatica® Address Verification. This document also describes best practices that you can implement when you verify addresses in Ireland.

Supported Versions

- Informatica Address Verification 3.0 and later
- Informatica Address Verification (On-Premises) 5.x

Table of Contents

Introduction. . . . 2
Process Modes. . . . 2
Character Set. . . . 3
Address Format and Address Structure. . . . 3
Key Address Elements. . . . 3
Mapping Input Address Data to Address Elements. . . . 3
Input and Result XML in Address Verification (On-Premises). . . . 4
Input and Result XML in Address Verification. . . . 5
Address Enrichments. . . . 6
Frequently Asked Questions. . . . 6
Reference Address Databases. . . . 8
Additional Documentation Resources. . . . 8

Introduction

Informatica Address Verification can validate and enhance addresses in Ireland. This how-to article provides you with configuration information and best practices that you can follow to get the most from the addresses. The best practices include advice on how to select the appropriate XML elements for Ireland address data.

To verify the quality of an input address, Address Verification compares the address information to the data in one or more reference data files. You can configure Address Verification to identify the different types of address information in the input data. You must map each item of address information to an appropriate element in Address Verification.

When you select the input address elements, you must ensure that the elements are correct for the different types of input information. The country that the address identifies determines the elements that you need.

Process Modes

Informatica Address Verification supports the following process modes for Ireland addresses:

- BATCH
- COUNTRY RECOGNITION
- FAST COMPLETION
- INTERACTIVE

- PARSE

Character Set

Ireland reference address databases store address data in the Latin-1 script. By default, Informatica Address Verification returns the verified Ireland addresses in the Latin-1 script.

Address Format and Address Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

The Ireland postal service recognizes the following structure for a postal address:

```
Line 1: RECIPIENT OR CONTACT NAME
Line 2: [SUB-BUILDING INFORMATION]
Line 3: [BUILDING INFORMATION]
Line 4: [HOUSE NUMBER] [STREET NAME]
Line 5: [DOUBLE DEPENDENT LOCALITY]
Line 6: [DEPENDENT LOCALITY]
Line 7: CITY OR TOWN
Line 8: [COUNTY]
Line 9: [EIRCODE]
Line 10: COUNTRY
```

The following sample address illustrates the structure:

```
18 BROOMFIELD RIDGE
MIDLETON
CO. CORK
P25 KN66
IRELAND
```

Key Address Elements

Address Verification is unlikely to verify an address successfully if one of the following items is absent from the address:

- Locality
- Street

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

The following table shows how you can map the input address to the address elements:

Information Type	Address Information	Address Elements
Street Name	BROOMFIELD RIDGE	Street
House Number	18	HouseNumber
Eircode	P25 KN66	PostalCode
Town	MIDLETON	Locality

Information Type	Address Information	Address Elements
County	CO. CORK	Province
Country	IRELAND	Country

Input and Result XML in Address Verification (On-Premises)

The following example shows how you can map the address information to the XML address elements in Address Verification (On-Premises).

You enter the following input address:

```
<InputData>
    <AddressLines>
        <FormattedAddressLine Line="1">18 BROOMFIELD RIDGE</FormattedAddressLine>
        <FormattedAddressLine Line="2">MIDLETON</FormattedAddressLine>
        <FormattedAddressLine Line="3">CO. CORK</FormattedAddressLine>
        <FormattedAddressLine Line="4">P25 KN66</FormattedAddressLine>
        <FormattedAddressLine Line="5">IRELAND</FormattedAddressLine>
    </AddressLines>
</InputData>
```

Informatica Address Verification (On-Premises) returns the following result:

```
<Result ProcessStatus="V4"
               ModeUsed="INTERACTIVE"
               Count="1"
               CountOverflow="NO"
               CountryISO3="IRL"
               PreferredScript="DATABASE"
               PreferredLanguage="DATABASE">

<ResultData ResultNumber="1"
               MailabilityScore="5"
               ResultPercentage="100.00"
               ElementResultStatus="F0F0F0F0F000000000E0"
               ElementInputStatus="60606060600000000060"
               AddressResolutionCode="00000000000000000000"
               ExtElementStatus="00505000000000000000"
               ElementRelevance="10101010100000000010"
               AddressType="S"
               LanguageISO3="ENG">
               <AddressElements>
                              <Country Type="NAME_EN" Item="1">IRELAND</Country>
                              <Locality Item="1">MIDLETON</Locality>
                              <PostalCode Item="1">P25 KN66</PostalCode>
                              <Province Item="1">CO. CORK</Province>
                              <Street Item="1">BROOMFIELD RIDGE</Street>
                              <Number Item="1">18</Number>
               </AddressElements>
               <AddressLines>
                    <DeliveryAddressLine Line="1">18 BROOMFIELD RIDGE</DeliveryAddressLine>
                    <CountrySpecificLocalityLine Line="1">MIDLETON</CountrySpecificLocalityLine>
                    <FormattedAddressLine Line="1">18 BROOMFIELD RIDGE</FormattedAddressLine>
                    <FormattedAddressLine Line="2">MIDLETON</FormattedAddressLine>
                    <FormattedAddressLine Line="3">CO. CORK</FormattedAddressLine>
                    <FormattedAddressLine Line="4">P25 KN66</FormattedAddressLine>
               </AddressLines>
               <AddressComplete>18 Broomfield Ridge
Midleton
Co. Cork
P25 KN66</AddressComplete>
</ResultData>
</Result>
```

Input and Result XML in Address Verification

The following example shows how you can verify an Ireland address in a SOAP call to Address Verification.

You submit the following request:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:v4="http://
validator5.AddressDoctor.com/Webservice5/v4">
   <soapenv:Header/>
   <soapenv:Body>
      <v4:Process>
         <v4:login>****</v4:login>
         <v4:password>****</v4:password>
         <v4:parameters>
            <v4:ProcessMode>Batch</v4:ProcessMode>
            <v4:ValidationParameters>
            </v4:ValidationParameters>
         </v4:parameters>
         <v4:addresses>
            <v4:Address>
               <v4:FormattedAddress>
                  <v4:string>18 BROOMFIELD RIDGE</v4:string>
                  <v4:string>MIDLETON</v4:string>
                  <v4:string>CO. CORK</v4:string>
                  <v4:string>P25 KN66</v4:string>
                  <v4:string>IRELAND</v4:string>
               </v4:FormattedAddress>
            </v4:Address>
         </v4:addresses>
         <v4:enrichments>
         </v4:enrichments>
      </v4:Process>
   </soapenv:Body>
</soapenv:Envelope>
```

Informatica Address Verification returns the following response:

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://
www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
   <soap:Body>
      <ProcessResponse xmlns="http://validator5.AddressDoctor.com/Webservice5/v4">
         <ProcessResult>
            <StatusCode>100</StatusCode>
            <StatusMessage>OK</StatusMessage>
            <Results>
               <Result>
                  <ProcessStatus>V4</ProcessStatus>
                  <CountryISO3>IRL</CountryISO3>
                  <ResultDataSet>
                     <ResultData>
                        <ResultNumber>1</ResultNumber>
                        <MailabilityScore>5</MailabilityScore>
                        <ResultPercentage>100.00</ResultPercentage>
                        <ElementInputStatus>6060606060000000060</ElementInputStatus>
                        <ElementResultStatus>F0F0F0F0F000000000E0</ElementResultStatus>
                        <ElementRelevance>1010101010000000010</ElementRelevance>
                        <ExtElementStatus>00505000000000000000</ExtElementStatus>
                        <AddressResolutionCode>00000000000000000000</AddressResolutionCode>
                        <AddressType>S</AddressType>
                        <LanguageISO3>ENG</LanguageISO3>
                        <Address>
                           <Street>
                              <string>BROOMFIELD RIDGE</string>
                           </Street>
                           <HouseNumber>
                              <string>18</string>
                           </HouseNumber>
                           <Locality>
                              <string>MIDLETON</string>
                           </Locality>
                           <PostalCode>
```

```
                              <string>P25 KN66</string>
                           </PostalCode>
                           <Province>
                              <string>CO. CORK</string>
                           </Province>
                           <Country>
                              <string>IRELAND</string>
                           </Country>
                           <DeliveryAddressLines>
                              <string>18 BROOMFIELD RIDGE</string>
                           </DeliveryAddressLines>
                           <CountrySpecificLocalityLine>
                              <string>MIDLETON</string>
                           </CountrySpecificLocalityLine>
                           <FormattedAddress>
                              <string>18 BROOMFIELD RIDGE</string>
                              <string>MIDLETON</string>
                              <string>CO. CORK</string>
                              <string>P25 KN66</string>
                              <string>IRELAND</string>
                           </FormattedAddress>
                           <AddressComplete>18 Broomfield Ridge;Midleton;Co. Cork;P25
KN66;IRELAND</AddressComplete>
                        </Address>
                     </ResultData>
                  </ResultDataSet>
               </Result>
            </Results>
         </ProcessResult>
      </ProcessResponse>
   </soap:Body>
</soap:Envelope>
```

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified Ireland addresses.

The following table lists the types of enrichment that you can add to an Ireland address:

Enrichment Type	Description
CAMEO	You can retrieve CAMEO profiles as enrichments for valid Ireland addresses. CAMEO profiles are consumer classification systems that provide socio-economic and demographic indicators about the residents at the address.
Standard Geocoding	You can retrieve standard, interpolated geocoordinates for valid Ireland addresses.
Arrival Point Geocoding	You can retrieve arrival point geocoordinates for valid Ireland addresses.

Frequently Asked Questions

Can Address Verification return address information in multiple languages for Ireland?

Address Verification can return address information in the English language or the Irish language. The default language is English. Address Verification can return all address information in the English language and return street, locality, and country information in Irish.

To set the preferred language, configure the `PreferredLanguage` attribute of the `Result` element in `Parameters.xml`.

The following table describes the `PreferredLanguage` values that you can set for Ireland addresses:

Option	Description
DATABASE	Default value. Returns all address information in English
ENGLISH	Returns all address information in English.
ALTERNATIVE_1	Returns all address information in English.
ALTERNATIVE_2	Returns the street, locality, and county information in Irish. Returns all other address information in English.
PRESERVE_INPUT	Returns the address in the input language.

What are eircodes?

An eircode is a seven-character code that uniquely identifies an Ireland address.

Eircodes are particularly useful in the identification of rural addresses. Whereas duplicate valid rural addresses are not unknown in Ireland, all eircodes are unique.

Does Address Verification support the eircode system in Ireland?

Yes. Address Verification is an accredited eircode encoder in Ireland.

The eircode system covers all residences, public buildings, and business premises and includes apartment addresses and addresses in rural townlands.

How does Address Verification handle eircode information?

Address Verification returns the eircode information in the PostalCode field.

How does Address Verification handle addresses that contain a sorting code?

Ireland addresses in large cities, such as Dublin, might add a one-digit or two-digit sorting code to the city name. Address Verification adds the sorting code to the Locality field that contains the city name.

Note: If an address includes a sorting code, do not include the county name in the address.

How does Address Verification handle county information in Ireland?

Address Verification returns the county information in the Province field.

In Ireland, a city or post town and the county in which it is located can share the same name. In such cases, if the Locality field includes the city or post town name, you can omit the county name from the address.

Note: The highest-level geographical designation in Ireland is a province. A province name does not appear in a valid address. Do not confuse the geographical designation of province with the Province field in Address Verification.

Can a valid Ireland address omit street information?

Yes. A rural address in Ireland can comprise the dependent locality, post town, and county name only. In such cases, the eircode adds significantly to the deliverability of the address.

Reference Address Databases

Informatica updates the Ireland reference address databases quarterly. You can download the latest database packages from the Informatica Database Download portal. For news about reference address databases and software updates for Address Verification, subscribe to the newsletter from Informatica.

Informatica Address Verification provides the following reference databases for Ireland addresses:

- `IRL5BI.MD`. Batch and interactive data.
- `IRL5CA.MD`. CAMEO data.
- `IRL5FC.MD`. Fast completion data.
- `IRL5GC.MD`. Standard geocoding data.
- `IRL5GCAP.MD`. Arrival point geocoding data.

Note: You download databases for Informatica Address Verification (On-Premises). You do not need to download databases for Informatica Address Verification, as Informatica Address Verification runs on Informatica Cloud®.

Additional Documentation Resources

To view the latest documentation for Informatica Address Verification, click the following links:

https://network.informatica.com/community/informatica-network/products/data_quality/data-as-a-service/address-doctor

https://network.informatica.com/community/informatica-network/products/data_quality/data-as-a-service/address-doctor-cloud

Author

Shahani Natalia Mendonca

Acknowledgements

The author would like to thank Amarpal Kaur Sohi, David Handy, Farhan Ashraf, and Pawan Nadig for their assistance.