How-To Library

Informatica

Address Verification Best Practices for Thailand

© Copyright Informatica LLC 2020, 2021. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

This document tells you how to connect the elements in a Thailand address to the appropriate address elements in Informatica® Address Verification. This document also describes best practices that you can implement when you verify addresses in Thailand.

Supported Versions

- Informatica Address Verification 3.0 and later
- Informatica Address Verification (On-Premises) 5.x

Table of Contents

Introduction. . . . 2
Process Modes. . . . 2
Character Set. . . . 3
Address Format and Address Structure. . . . 3
Key Address Elements. . . . 3
Mapping Input Address Data to Address Elements. . . . 3
Input and Result XML in Address Verification (On-Premises). . . . 4
Input and Result XML in Address Verification. . . . 5
Address Enrichments. . . . 6
Frequently Asked Questions. . . . 6
Reference Address Databases. . . . 7
Additional Documentation Resources. . . . 7

Introduction

Informatica Address Verification can validate and enhance addresses in Thailand. This how-to article provides you with configuration information and best practices that you can follow to get the most from the addresses. The best practices include advice on how to select the appropriate XML elements for Thailand address data.

To verify the quality of an input address, Address Verification compares the address information to the data in one or more reference data files. You can configure Address Verification to identify the different types of address information in the input data. You must map each item of address information to an appropriate element in Address Verification.

When you select the input address elements, you must ensure that the elements are correct for the different types of input information. The country that the address identifies determines the elements that you need.

Process Modes

Informatica Address Verification supports the following process modes for Thailand addresses:

- BATCH
- COUNTRY RECOGNITION
- FAST COMPLETION
- INTERACTIVE

- PARSE

Character Set

Thailand reference address databases store address data in native Thai and Latin-1 scripts. The character set in which Informatica Address Verification returns the verified Thailand addresses depends on the database files that you install. For more information, see "Reference Address Databases" on page 7.

Address Format and Address Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

The Thailand postal service recognizes the following structure for a postal address:

```
Line 1: HOUSE NUMBER STREET NAME
Line 2: CITY
Line 3: PROVINCE POSTAL CODE
Line 4: COUNTRY
```

The following sample address illustrates the address in the Latin script:

```
119 RURAL ROAD 3009
SONG PHI NONG
SUPHAN BURI 72110
THAILAND
```

The following sample address illustrates the address in the native Thai script:

```
119 ชนบท 3009
สองพี่น้อง
สุพรรณบุรี 72110
THAILAND
```

Key Address Elements

Address Verification is unlikely to verify an address successfully if one of the following items is absent from the address:

- Locality
- Postal Code
- Street

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

The following table shows how you can map the input address to the address elements:

Information Type	Address Information	Address Elements
Street Name	RURAL ROAD 3009	Street
House Number	119	HouseNumber
Postal Code	72110	PostalCode

Information Type	Address Information	Address Elements
City	SONG PHI NONG	Locality
Administrative Region	SUPHAN BURI	Province
Country	THAILAND	Country

Input and Result XML in Address Verification (On-Premises)

The following example shows how you can map the address information to the XML address elements in Address Verification (On-Premises).

You enter the following input address:

```
<InputData>
<AddressElements>
<Country Item="1" Type="NAME">THA</Country>
</AddressElements>
<AddressLines>
<FormattedAddressLine Line="1">119 RURAL ROAD 3009</FormattedAddressLine>
<FormattedAddressLine Line="2">SONG PHI NONG</FormattedAddressLine>
<FormattedAddressLine Line="3">SUPHAN BURI 72110</FormattedAddressLine>
</AddressLines>
</InputData>
```

Informatica Address Verification (On-Premises) returns the following result:

```
<?xml version="1.0" encoding="UTF-16"?>

<!-- EngineVersion="5.16.0.55045" -->

<Result     ProcessStatus="V4"
     ModeUsed="BATCH"
     Count="1"
     CountOverflow="NO"
     CountryISO3="THA"
     PreferredScript="DATABASE"
     PreferredLanguage="ENGLISH">

<ResultData ResultNumber="1"
     MailabilityScore="5"
     ResultPercentage="100.00"
     ElementResultStatus="F0F8F0F040000000000E0"
     ElementInputStatus="60606060200000000060"
     AddressResolutionCode="00000000000000000000"
     ExtElementStatus="00550000B00000000000"
     ElementRelevance="10100000000000000010"
     AddressType="S"
     LanguageISO3="ENG">
    <AddressElements>
        <Country Type="NAME_EN" Item="1">THAILAND</Country>
        <Locality Item="1">Song Phi Nong</Locality>
        <Locality Item="2">Si Samran</Locality>
        <PostalCode Item="1">72110</PostalCode>
        <Province Item="1">Suphan Buri</Province>
        <Street Item="1">Rural Road 3009</Street>
        <Number Item="1">119</Number>
    </AddressElements>
    <AddressLines>
        <DeliveryAddressLine Line="1">119 RURAL ROAD 3009</DeliveryAddressLine>
        <CountrySpecificLocalityLine Line="1">SUPHAN BURI 72110</CountrySpecificLocalityLine>
        <FormattedAddressLine Line="1">119 RURAL ROAD 3009</FormattedAddressLine>
        <FormattedAddressLine Line="2">SI SAMRAN SONG PHI NONG</FormattedAddressLine>
        <FormattedAddressLine Line="3">SUPHAN BURI 72110</FormattedAddressLine>
    </AddressLines>
```

```
    <AddressComplete>119 Rural Road 3009
Si Samran Song Phi Nong
Suphan Buri 72110</AddressComplete>
</ResultData>
</Result>
```

Note: Informatica provides separate reference databases for Thailand addresses in each script. To verify addresses in the native script, install the native databases. To verify addresses in a Latin script, install the Latin databases.

Input and Result XML in Address Verification

The following example shows how you can verify a Thailand address in a SOAP call to Address Verification.

You submit the following request:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:v4="http://
validator5.AddressDoctor.com/Webservice5/v4">
   <soapenv:Header/>
   <soapenv:Body>
      <v4:Process>
         <v4:login>*****</v4:login>
         <v4:password>*****</v4:password>
         <v4:parameters>
            <v4:ProcessMode>Batch</v4:ProcessMode>
            <v4:ValidationParameters>
            </v4:ValidationParameters>
         </v4:parameters>
         <v4:addresses>
            <v4:Address>
               <v4:FormattedAddress>
                   <v4:string>119 RURAL ROAD 3009</v4:string>
                   <v4:string>SONG PHI NONG</v4:string>
                   <v4:string>SUPHAN BURI 72110</v4:string>
                   <v4:string>THA</v4:string>
               </v4:FormattedAddress>
            </v4:Address>
         </v4:addresses>
         <v4:enrichments>
         </v4:enrichments>
      </v4:Process>
   </soapenv:Body>
</soapenv:Envelope>
```

Informatica Address Verification returns the following response:

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://
www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
   <soap:Body>
      <ProcessResponse xmlns="http://validator5.AddressDoctor.com/Webservice5/v4">
         <ProcessResult>
            <StatusCode>100</StatusCode>
            <StatusMessage>OK</StatusMessage>
            <Results>
               <Result>
                  <ProcessStatus>V4</ProcessStatus>
                  <CountryISO3>THA</CountryISO3>
                  <ResultDataSet>
                     <ResultData>
                        <ResultNumber>1</ResultNumber>
                        <MailabilityScore>5</MailabilityScore>
                        <ResultPercentage>100.00</ResultPercentage>
                        <ElementInputStatus>6060606020000000060</ElementInputStatus>
                        <ElementResultStatus>F0F8F0F04000000000E0</ElementResultStatus>
                        <ElementRelevance>10100000000000000010</ElementRelevance>
                        <ExtElementStatus>00000000B00000000000</ExtElementStatus>
                        <AddressResolutionCode>00000000000000000000</AddressResolutionCode>
                        <AddressType>S</AddressType>
                        <LanguageISO3>ENG</LanguageISO3>
                        <Address>
                           <Street>
```

```
                              <string>Rural Road 3009</string>
                           </Street>
                           <HouseNumber>
                              <string>119</string>
                           </HouseNumber>
                           <Locality>
                              <string>Song Phi Nong</string>
                              <string>Si Samran</string>
                           </Locality>
                           <PostalCode>
                              <string>72110</string>
                           </PostalCode>
                           <Province>
                              <string>Suphan Buri</string>
                           </Province>
                           <Country>
                              <string>THAILAND</string>
                           </Country>
                           <DeliveryAddressLines>
                              <string>119 Rural Road 3009</string>
                           </DeliveryAddressLines>
                           <CountrySpecificLocalityLine>
                              <string>Suphan Buri 72110</string>
                           </CountrySpecificLocalityLine>
                           <FormattedAddress>
                              <string>119 Rural Road 3009</string>
                              <string>Si Samran Song Phi Nong</string>
                              <string>Suphan Buri 72110</string>
                              <string>THAILAND</string>
                           </FormattedAddress>
                           <AddressComplete>119 Rural Road 3009;Si Samran Song Phi Nong;Suphan
Buri 72110;THAILAND</AddressComplete>
                        </Address>
                     </ResultData>
                  </ResultDataSet>
               </Result>
            </Results>
         </ProcessResult>
      </ProcessResponse>
   </soap:Body>
</soap:Envelope>
```

Address Enrichments

You can configure Informatica Address Verification to add the following enrichments to verified Thailand addresses:

Enrichment Type	Description
Standard Geocoding	You can retrieve standard, interpolated geocoordinates for valid Thailand addresses.

Frequently Asked Questions

What is the recommended address format for an address that includes Locality 2 information in Thailand?

When you include Locality 2 information in an input address, place the Locality 2 information alone on a line below the Locality 1 information.

For example, consider the following input address, which includes `Si Samran` as the Locality 2 information:

```
119 RURAL ROAD 3009
Song Phi Nong
Si Samran
Suphan Buri 72110
THA
```

Note: The Locality 2 information is not a postally relevant element according to the local postal guidelines for a Thailand address.

Reference Address Databases

Informatica updates the Thailand reference address databases quarterly. You can download the latest database packages from the Informatica Database Download portal. For news about reference address databases and software updates for Address Verification, subscribe to the Informatica DaaS Newsletter from Informatica.

Informatica Address Verification provides the following reference databases for Thailand addresses:

- `THA5BI.MD`. Batch and interactive data.
- `THA5FC.MD`. Fast completion data.
- `THA5GC.MD`. Standard geocoding data.

Selecting the Batch and Interactive Files for Your Installation

Informatica delivers the current versions of the `THA5BI.MD` and `THA5FC.MD` files in the following zip files:

- `THA5BI_01.zip` and `THA5FC_01.zip`. Contain the batch and interactive data and the fast completion data in the Latin script.
- `THA5BI_02.zip` and `THA5FC_02.zip`. Contain the batch and interactive data and the fast completion data in the Thai script.

You cannot install database files from both zip files concurrently. Accept the default `PreferredScript` attribute on the Result element in `Parameters.xml`. The default value on the attribute is DATABASE.

Note: You download databases for Informatica Address Verification (On-Premises). You do not need to download databases for Informatica Address Verification, as Informatica Address Verification uses a cloud interface.

Additional Documentation Resources

To view the latest documentation for Informatica Address Verification, click the following links:

https://network.informatica.com/community/informatica-network/products/data_quality/data-as-a-service/address-doctor

https://network.informatica.com/community/informatica-network/products/data_quality/data-as-a-service/address-doctor-cloud

Author

Shahani Natalia Mendonca

Acknowledgements

The author would like to thank Amarpal Kaur Sohi, David Handy, Farhan Ashraf, and Xiayi Zhang for their assistance.