How-To Library

Informatica

Updating South Korea Addresses

© Copyright Informatica LLC 1993, 2021. Informatica LLC. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. All other company and product names may be trade names or trademarks of their respective owners and/or copyrighted materials of such owners.

Abstract

Korea Post recognizes addresses in the current, street-based format and in the older, land lot-based format. Korea Post also recognizes current, five-digit post codes and older, six-digit post codes. You can verify and update all types of South Korea address and post code data in Informatica Address Verification. You can retrieve any combination of current and non-current street addresses and post codes as output. This article tells you how to do so.

Supported Versions

- Informatica Address Verification 5.8.0
- Informatica Address Verification (On-Premises) 5.8.1

Table of Contents

Overview. 2
Old and New Information in South Korea Addresses. 2
Final Characters in the Address ID Value. 3
Prerequisites. 3
Updating the Information in a South Korea Address. 4
Rules and Guidelines for South Korea Address Updates. 4
Example: Old Address to Current Address. 4

Overview

A current South Korea address uses street-based information to identify a mailbox. An older South Korea address uses land lot-based information to identify a mailbox. Additionally, current post codes in South Korea contain five digits. Older post codes in South Korea contain six digits.

You can configure Informatica Address Verification to read land lot-based address data and six-digit post code and to return the current versions of the data. You can also configure Address Verification to read a current address and to return the corresponding land lot-based address and six-digit post code.

Address Verification can verify and enrich South Korea addresses that contain information in the current format, the older format, or a combination of current and older formats.

Old and New Information in South Korea Addresses

South Korea addresses can combine old and current post codes with street-based and lot-based address information. A lot-based address can use an older post code or a current post code. Likewise, a street-based address can use an

older post code or a current post code. You can use Informatica Address Verification to read and write different combinations of the address and the post code.

The following table shows the different types of address that you can verify:

Address Type	Address Information
Lot-based, old post code	경기도 의왕시 삼동 559 437-848
Lot-based, current post code	경기도 의왕시 삼동 559 16100
Street-based, old post code	경기도 의왕시 까치골1길 36 437-848
Street-based, current post code	경기도 의왕시 까치골1길 36 16100

To obtain a different combination of address data, replace the final character in the address ID value that Address Verification returns in batch or interactive mode. Replace the final character with the character that represents the combination that you require. Then, enter the modified address ID value in address code lookup mode.

Final Characters in the Address ID Value

When you verify an address in batch or interactive mode, Informatica Address Verification returns an address ID value that ends in the character A, B, C, or D. The final character identifies the types of information that the address contains.

The final character identifies the following combinations of address information:

- A: Five-digit post code, street-based address
- B: Five-digit post code, lot-based address
- C: Six-digit post code, street-based address
- D: Six-digit post code, lot-based address

Prerequisites

Before you use Informatica Address Verification to retrieve the address information, verify the following prerequisites:

- Install the batch/interactive database for South Korea. The database name is KOR5BI.MD.
- Install the address code lookup database for South Korea. The database name is KOR5AC.MD.
- Install the supplementary enrichment database for South Korea. The database name is KOR5E1.MD.
- In the `InputData.xml` file, set the `Type` attribute of the `AddressCode` element to KOR_ADDRESS_ID.
- In the `Parameters.xml` file, set the following attributes of the `Process` element to ON:

  `EnrichmentSupplementaryKR`

  `MatchingExtendedArchive`

Updating the Information in a South Korea Address

To update the information in a South Korea address, first verify the address in batch or interactive mode. The verified output address includes an address ID value. Enter the address ID value in address code lookup mode to retrieve the address information that you need.

1. Enter a South Korea address in batch or interactive mode. You can enter a street address or a lot-based address with a five-digit post code or a six-digit post code.

   Informatica Address Verification returns the verified address data and an address ID value.
2. Review the address ID value in the batch or interactive mode output.

   The final character of the value identifies the type of information in the verified address.
3. Update the final character in the address ID value.
4. Configure Address Verification to run in address code lookup mode.
5. Enter the address ID value that you modified.

   Address Verification returns the address information that corresponds to the address ID value.
6. If the address that you entered in step 1 contains building or sub-building information, add the information to the output address from step 5.

Rules and Guidelines for South Korea Address Updates

When you update a South Korea address, consider the following rules and guidelines:

- Informatica Address Verification does not verify building or sub-building data in a South Korea address. If you enter an address that contains building or sub-building data in batch or interactive mode, Address Verification copies the data to the output address.
- Address Verification does not return building or sub-building data for a South Korea address in address code lookup mode. If you enter an address ID value for a South Korea address that contains building or sub-building data, you must add the relevant information to the output address. The building or sub-building data that you add to the output address must match the output address format.
- If you set the `MatchingExtendedArchive` attribute to ON, Address Verification verifies and enriches lot-based address data and six-digit post code data. Address Verification returns an Extended Element Result status of F for the lot-based address elements and the six-digit post code elements.
- If you set the `MatchingExtendedArchive` attribute to OFF, Address Verification considers only the current, street-based address and the current, five-digit post code to be valid. In such cases, Address Verification rejects or corrects an older, lot-based address.

Example: Old Address to Current Address

The example uses address information in the Latin script and the Hangul script.

The following address contains lot-based information and a non-current, six-digit post code:

```
247 Dangjeong-dong
Gunpo-si, Gyeonggi-do 435-713
Korea
```

Informatica Address Verification returns the following address ID value for the address:

9899900BE6A56708D9D663275D

To return the current, street-based information and the current post code for the address, change the D in the address ID value to A. By default, Address Verification returns the address in the Hangul script.

The `PreferredScript` attribute determines the script for the output address. To return the address in the Latin script, select an ASCII or Latin option on the `PreferredScript` attribute. Find the `PreferredScript` attribute in the `Result` element of the `Parameters.xml` file.

The following table shows the output address in the Hangul and Latin scripts when you change the address ID character to A:

Output Address in the Hangul Script	Output Address in the Latin Script
경기도 군포시 농심로 35 15842	35 Nongsim-ro Gunpo-si, Gyeonggi-do 15842

Author

David Handy