How-To Library

Informatica

Address Verification Best Practices for Iceland

© Copyright Informatica LLC 2018, 2021. Informatica, Informatica Cloud, and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

This document tells you how to connect the elements in an Iceland address to the appropriate address elements in Informatica Address Verification.

Supported Versions

- Informatica Address Verification 3.0 and later
- Informatica Address Verification (On-Premises) 5.x

Table of Contents

Introduction. . . . 2
Process Modes. . . . 2
Character Set. . . . 3
Address Format and Address Structure. . . . 3
Key Address Elements. . . . 3
Mapping Input Address Data to Address Elements. . . . 3
Input and Result XML in Address Verification (On-Premises). . . . 4
Input and Result XML in Address Verification. . . . 5
Address Enrichments. . . . 6
Reference Address Databases. . . . 6
Additional Documentation Resources. . . . 7

Introduction

Informatica Address Verification can validate and enhance addresses in Iceland. This how-to article provides you with configuration information and best practices that you can follow to get the most from the addresses. The best practices include advice on how to select the appropriate XML elements for Iceland address data.

To verify the quality of an input address, Address Verification compares the address information to the data in one or more reference data files. You can configure Address Verification to identify the different types of address information in the input data. You must map each item of address information to an appropriate element in Address Verification.

When you select the input address elements, you must ensure that the elements are correct for the different types of input information. The country that the address identifies determines the elements that you need.

Process Modes

Informatica Address Verification supports the following process modes for Iceland addresses:

- BATCH
- COUNTRY RECOGNITION
- FAST COMPLETION
- INTERACTIVE
- PARSE

Character Set

Iceland reference address databases store address data in the Latin-1 and ASCII scripts. By default, Informatica Address Verification returns the verified Iceland addresses in the Latin-1 script. The `PreferredScript` attribute determines the character set in which Address Verification returns the address data.

The following table shows how Address Verification returns address data for different PreferredScript settings in Iceland:

DATABASE	POSTAL _ADMIN _PREF	POSTAL _ADMIN _ALT	LATIN	LATIN _ALT	LATIN _1
Latin-1	Latin-1	Latin-1	ASCII	Latin-1	Latin-1

Address Format and Address Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

The Iceland postal service recognizes the following structure for a postal address:

```
Line 1: RECIPIENT OR CONTACT NAME
Line 2: STREET NAME HOUSE NUMBER
Line 3: POSTAL CODE CITY
Line 4: COUNTRY
```

The following sample address illustrates the structure:

```
ÞRÚÐVANGI 5
220 HAFNARFJÖRÐUR
ISL
```

Key Address Elements

Address Verification is unlikely to verify an address successfully if one of the following items is absent from the address:

- Locality
- Postal Code
- Street

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

The following table shows how you can map the input address to the address elements:

Information Type	Address Information	Address Elements
Street Name	ÞRÚÐVANGI	Street
House Number	5	HouseNumber
Postal Code	220	PostalCode

Information Type	Address Information	Address Elements
City	HAFNARFJÖRÐUR	Locality
Country	ICELAND	Country

Input and Result XML in Address Verification (On-Premises)

The following example shows how you can map the address information to the XML address elements in Address Verification (On-Premises).

You enter the following input address:

```
<InputData>
    <AddressElements>
        <Country Item="1" Type="NAME">ICELAND</Country>
    </AddressElements>
    <AddressLines>
        <FormattedAddressLine Line="1">ÞRÚÐVANGI 5</FormattedAddressLine>
        <FormattedAddressLine Line="2">220 HAFNARFJÖRÐUR</FormattedAddressLine>
    </AddressLines>
</InputData>
```

Informatica Address Verification (On-Premises) returns the following result:

```
<?xml version="1.0" encoding="UTF-16"?>

<!-- EngineVersion="5.14.1.47633" -->

<Result     ProcessStatus="V4"
     ModeUsed="BATCH"
     Count="1"
     CountOverflow="NO"
     CountryISO3="ISL"
     PreferredScript="DATABASE"
     PreferredLanguage="DATABASE">

<ResultData ResultNumber="1"
     MailabilityScore="5"
     ResultPercentage="100.00"
     ElementResultStatus="F0F000F0F000000000E0"
     ElementInputStatus="60600060600000000060"
     AddressResolutionCode="00000000000000000000"
     ExtElementStatus="00000000000000000000"
     ElementRelevance="10100010100000000010"
     AddressType="S"
     LanguageISO3="XXX">
    <AddressElements>
        <Country Type="NAME_EN" Item="1">Iceland</Country>
        <Locality Item="1">Hafnarfjörður</Locality>
        <PostalCode Item="1">220</PostalCode>
        <Street Item="1">Þrúðvangi</Street>
        <Number Item="1">5</Number>
    </AddressElements>
    <AddressLines>
        <DeliveryAddressLine Line="1">Þrúðvangi 5</DeliveryAddressLine>
        <CountrySpecificLocalityLine Line="1">220 Hafnarfjörður</CountrySpecificLocalityLine>
        <FormattedAddressLine Line="1">Þrúðvangi 5</FormattedAddressLine>
        <FormattedAddressLine Line="2">220 Hafnarfjörður</FormattedAddressLine>
        <FormattedAddressLine Line="3">Iceland</FormattedAddressLine>
    </AddressLines>
    <AddressComplete>Þrúðvangi 5
220 Hafnarfjörður
Iceland</AddressComplete>
</ResultData>
</Result>
```

Input and Result XML in Address Verification

The following example shows how you can verify an Iceland address in a SOAP call to Address Verification.

You submit the following request:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:v4="http://
validator5.AddressDoctor.com/Webservice5/v4">
    <soapenv:Header/>
    <soapenv:Body>
        <v4:Process>
            <v4:login>****</v4:login>
            <v4:password>****</v4:password>
            <v4:parameters>
                <v4:ProcessMode>BATCH</v4:ProcessMode>
                <v4:ValidationParameters>
                </v4:ValidationParameters>
            </v4:parameters>
            <v4:addresses>
                <v4:Address>
                    <v4:HouseNumber>
                        <v4:string>5</v4:string>
                    </v4:HouseNumber>
                    <v4:Street>
                        <v4:string>Þrúðvangi</v4:string>
                    </v4:Street>
                    <v4:Locality>
                        <v4:string>Hafnarfjörður </v4:string>
                    </v4:Locality>
                    <v4:PostalCode>
                        <v4:string>220</v4:string>
                    </v4:PostalCode>
                    <v4:Country>
                        <v4:string>Iceland</v4:string>
                    </v4:Country>
                </v4:Address>
            </v4:addresses>
            <v4:enrichments>
            </v4:enrichments>
        </v4:Process>
    </soapenv:Body>
</soapenv:Envelope>
```

Informatica Address Verification returns the following response:

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://
www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
   <soap:Body>
      <ProcessResponse xmlns="http://validator5.AddressDoctor.com/Webservice5/v4">
         <ProcessResult>
            <StatusCode>100</StatusCode>
            <StatusMessage>OK</StatusMessage>
            <Results>
               <Result>
                  <ProcessStatus>V4</ProcessStatus>
                  <CountryISO3>ISL</CountryISO3>
                  <ResultDataSet>
                     <ResultData>
                        <ResultNumber>1</ResultNumber>
                        <MailabilityScore>5</MailabilityScore>
                        <ResultPercentage>100.00</ResultPercentage>
                        <ElementInputStatus>6060006060000000060</ElementInputStatus>
                        <ElementResultStatus>F0F000F0F000000000E0</ElementResultStatus>
                        <ElementRelevance>10100010100000000010</ElementRelevance>
                        <ExtElementStatus>00000000000000000000</ExtElementStatus>
                        <AddressResolutionCode>00000000000000000000</AddressResolutionCode>
                        <AddressType>S</AddressType>
                        <LanguageISO3>XXX</LanguageISO3>
                        <Address>
                           <Street>
                              <string>Þrúðvangi</string>
```

```
                                    </Street>
                                    <HouseNumber>
                                       <string>5</string>
                                    </HouseNumber>
                                    <Locality>
                                       <string>Hafnarfjörður</string>
                                    </Locality>
                                    <PostalCode>
                                       <string>220</string>
                                    </PostalCode>
                                    <Country>
                                       <string>ICELAND</string>
                                    </Country>
                                    <DeliveryAddressLines>
                                       <string>Þrúðvangi 5</string>
                                    </DeliveryAddressLines>
                                    <CountrySpecificLocalityLine>
                                      <string>220 Hafnarfjörður</string>
                                    </CountrySpecificLocalityLine>
                                    <FormattedAddress>
                                       <string>Þrúðvangi 5</string>
                                       <string>220 Hafnarfjörður</string>
                                       <string>ICELAND</string>
                                    </FormattedAddress>
                                    <AddressComplete>Þrúðvangi 5;220 Hafnarfjörður;ICELAND</
AddressComplete>
                                 </Address>
                              </ResultData>
                           </ResultDataSet>
                        </Result>
                     </Results>
                  </ProcessResult>
               </ProcessResponse>
            </soap:Body>
         </soap:Envelope>
```

Address Enrichments

You can configure Informatica Address Verification to add enrichments to verified Iceland addresses.

The following table lists the types of enrichment that you can add to an Iceland address:

Enrichment Type	Description
Standard Geocoding	You can retrieve standard, interpolated geocoordinates for valid Iceland addresses.
Arrival Point Geocoding	You can retrieve arrival point geocoordinates for valid Iceland addresses.

Reference Address Databases

Informatica updates the Iceland reference address databases annually. You can download the latest database packages from the Informatica Database Download portal. For news about reference address databases and software updates for Address Verification, subscribe to the Informatica DaaS Newsletter from Informatica.

Informatica Address Verification provides the following reference databases for Iceland addresses:

- `ISL5BI.MD`. Batch and interactive data.
- `ISL5FC.MD`. Fast completion data.
- `ISL5GC.MD`. Standard geocoding data.
- `ISL5GCAP.MD`. Arrival point geocoding data.

Note: You download databases for Informatica Address Verification (On-Premises). You do not need to download databases for Informatica Address Verification, as Informatica Address Verification runs on Informatica Cloud®.

Additional Documentation Resources

To view the latest documentation for Informatica Address Verification, click the following links:

https://network.informatica.com/community/informatica-network/products/data_quality/data-as-a-service/address-doctor

https://network.informatica.com/community/informatica-network/products/data_quality/data-as-a-service/address-doctor-cloud

Author

Shahani Natalia Mendonca

Acknowledgements

The author would like to thank Amarpal Kaur Sohi, David Handy, Farhan Ashraf, and Ulrich Mueller for their assistance.