How-To Library

Informatica

Address Verification 5.x Status Codes

© Copyright Informatica LLC 2020, 2023. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

Informatica Address Verification can return status codes for an address as part of the address output. This article describes the types of status codes that Address Verification can return and the possible values for each code.

Supported Versions

- Informatica Address Verification 3.0 and later
- Informatica Address Verification (On-Premises) 5.16.1

Table of Contents

Introduction. . . . 3
Validation Status Codes. . . . 3
Process Status. . . . 3
Element Positions. . . . 5
Element Input Status. . . . 6
Element Relevance. . . . 7
Element Result Status. . . . 7
Address Resolution Code. . . . 8
Extended Element Result Status. . . . 8
Result Percentage. . . . 9
Mailability Score. . . . 9
General Enrichment Status Codes. . . . 10
CAMEO Status. . . . 10
Geocoding Status. . . . 11
Country-Specific Status Codes. . . . 11
Status Codes for Australia Address Enrichments. . . . 12
Status Codes for Austria Address Enrichments. . . . 12
Status Codes for Belgium Address Enrichments. . . . 12
Status Codes for Brazil Address Enrichments. . . . 13
Status Codes for Czech Republic Address Enrichments. . . . 13
Status Codes for France Address Enrichments. . . . 13
Status Codes for Germany Address Enrichments. . . . 14
Status Codes for Italy Address Enrichments. . . . 14
Status Codes for Japan Address Enrichments. . . . 15
Status Codes for Poland Address Enrichments. . . . 15
Status Codes for Russia Address Enrichments. . . . 15
Status Codes for Serbia Address Enrichments. . . . 16
Status Codes for South Africa Address Enrichments. . . . 16
Status Codes for South Korea Address Enrichments. . . . 16
Status Codes for Spain Address Enrichments. . . . 17

Status Codes for Switzerland Address Enrichments. 17
Status Codes for United Kingdom Enrichments. 18
Status Codes for United States Address Enrichments. 18

Introduction

Informatica Address Verification returns status codes to help you understand the results of the validation and enrichment operations. Status codes are strings that indicate the actions that Address Verification performed for each address and the outcome of each action.

The status codes provide information about the overall validation result as well as the result of the validation process for each address element. You can use the status codes to determine the quality and deliverability of an address.

Validation Status Codes

The validation status codes provide both a high-level summary of the address verification process and detailed, element-by-element information about the validation operations for each address.

Process Status

The process status values provide a high-level description of the outcome of the validation process for each address. You can use additional codes such as Element Input Status, Element Result Status, and Extended Element Result Status to obtain more specific information on address elements.

Status Code	Description
V4	Verified. The input data is correct. Address Verification checked all postally relevant elements, and inputs matched perfectly.
V3	Verified. The input data is correct, but Address Verification standardized some or all elements, or the input contains outdated names or exonyms.
V2	Verified. The input data is correct, but Address Verification could not verify some elements because of incomplete reference data.
V1	Verified. The input data is correct, but user standardization has adversely affected deliverability. For example, the post code length is too short.
C4	Corrected. Address Verification has checked all postally relevant elements.
C3	Corrected. Address Verification could not check some elements.
C2	Corrected, but the delivery status is unclear because of absent reference data.
C1	Corrected, but the delivery status is unclear because user standardization introduced errors.
I4	Address Verification could not correct the data completely, but there is a single match with an address in the reference data.
I3	Address Verification could not correct the data completely, and there are multiple matches with addresses in the reference data.

Status Code	Description
I2	Address Verification could not correct the data. Interactive mode returns partial suggested addresses.
I1	Address Verification could not correct the data completely. Batch mode cannot suggest an address.
N7	Verification error. Verification did not take place because single-line verification is not unlocked.
N6	Verification error. Verification did not take place because single-line verification is not supported for the destination country.
N5	Verification error. Verification did not take place because the reference database is out of date.
N4	Verification error. Verification did not take place because the reference data is corrupt or badly formatted.
N3	Verification error. Verification did not take place because the country data cannot be unlocked.
N2	Verification error. Verification did not take place because the required reference database is not available.
N1	Verification error. Verification did not take place because the country is not recognized or not supported.
Q3	Fast Completion mode. Address Verification can retrieve one or more complete addresses from the address reference data that correspond to the input address.
Q2	Fast Completion mode. Address Verification can combine the input address elements and elements from the address reference data to create a complete address.
Q1	Fast Completion mode. Address Verification cannot suggest a complete address. To generate a complete address suggestion, add data to the input address.
Q0	Fast Completion mode. There is insufficient input data to generate a suggestion.
S4	Parse mode. The address was parsed perfectly.
S3	Parse mode. The address was parsed with multiple results.
S2	Parse mode. Address Verification parsed the address with errors because of the changed element positions.
S1	Parse mode. There was a parsing error due to an input format mismatch.
RB	Country recognized from abbreviation. Recognizes ISO two-character and ISO three-character country codes. Can also recognize common abbreviations such as "GER" for Germany.
RA	Country assigned by the ForceCountryISO3 setting.
R9	Country recognized from the Default CountryISO3 setting.
R8	Country recognized from the country name.
R7	Country recognized from the country name, but Address Verification identified errors in the country data.
R6	Country recognized from territory data.
R5	Country recognized from province data.

Status Code	Description
R4	Country recognized from major town data.
R3	Country recognized from the address format.
R2	Country recognized from the script.
R1	Country not recognized because multiple matches are available.
R0	Country not recognized.
A1	Address code lookup found a partial address or a complete address for the input code.
A0	Address code lookup found no address for the input code.

Address Verification returns the Vx, Cx, and Ix process status codes for BATCH, INTERACTIVE, or CERTIFIED process calls. Address Verification returns Qx for FASTCOMPLETION mode requests, Sx for PARSE mode requests, Rx for COUNTRYRECOGNITION, and Ax for ADDRESSCODELOOKUP.

Address Verification returns Nx process status codes in the case of an error. Typically, batch and interactive modes return the same process status for the same input address. However, in case of an incorrect numeric entry, Address Verification returns different codes in batch (I4) and interactive (I3).

In batch, interactive, and certified modes, Address Verification returns parsed output for Ix records. However, ensure that you manually review the Ix results before using the results for any database update.

In Country Recognition mode, Address Verification returns a process status code of R0 when an address specifies a country that is not supported or recognized. Address Verification returns a process status code of N1 for such addresses during validation. For example, the Soviet Union (SUN) and the Netherlands Antilles (ANT) are no longer supported or recognized.

The CountryISO3 field remains empty if Address Verification does not recognize a country in any mode.

Element Positions

The following fields return a 20-character code in which each character refers to a different address data element:

- Address Resolution Code
- Element Input Status
- Element Relevance
- Element Result Status
- Extended Element Result Status

When you read the output codes on one of the fields, you must know the element that each character refers to. The 20 characters represent the status of ten elements. Each element has two code values.

For each element, level 1 indicates the status of the first item and level 2 summarizes the status of any additional item. For example, if the input address contains 3 levels of locality, the value at position 3 points to locality 1, whereas the value at position 4 summarizes the assessment of locality 2 and locality 3.

1. PostalCode level 1
2. PostalCode level n (for example, ZIP+4 – Plus 4 addition)

3. Locality level 1
4. Locality level n (for example, Urbanisation, Dependent Locality)
5. Province level 1
6. Province level n (for example, Sub Province)
7. Street level 1
8. Street level n (for example, Dependent Street)
9. Number level 1
10. Number level n
11. Delivery service level 1 (for example, PO Box, GPO, Packstation, Private Bags)
12. Delivery service level n
13. Building level 1
14. Building level n
15. SubBuilding level 1
16. SubBuilding level n
17. Organization level 1
18. Organization level n
19. Country level 1 (Mother country)
20. Country level n (for example, Territory)

Element Input Status

The following values are possible for Element Input Status (`ElementInputStatus`, EIS):

0. The input address contains no data at this position.

1. The data at this position is not available in the reference data.

2. The data at this position cannot be checked because reference data is missing.

3. The data is incorrect. The reference database suggests that the Number or DeliveryService value is outside the range expected by the reference data. In batch and certified modes, Informatica Address Verification returns the input data at this position without making any correction. In the suggestion list modes such as fast completion and interactive, Address Verification returns suggestions to choose from.

4. The data at this position matches the reference data, but with errors.

5. The data at this position matches the reference data, but the data element was corrected or standardized. For example:

- Parsing: Splitting of house number for “MainSt 1”
- Verification: Replacing an input that is an exonym, or dropping superfluous fielded input that is not valid according to the country reference database

6. The data at this position matches the reference data without any error.

In the Parse mode, Address Verification returns the following values:

0. The input address contains no data at this position.

1. The element at this location was moved to another position.

2. The element at this position matched the reference data value but needed to be normalized.

3. The data at this position has not been changed.

Element Relevance

You can use the Element Relevance value to understand which of the address elements are relevant for an address according to the local postal guidelines. Informatica Address Verification returns a value of 1 for address elements that are relevant, and 0 for elements that are not relevant.

All address elements with an Element Relevance value of 1 must be present for the local postal authority to consider an address valid. Element Relevance might vary from address to address for countries with different address types, such as rural address and metropolitan addressing. Furthermore, address elements that have actually been validated against reference data might override the default Element Relevance value defined for that address element.

Note: Element Relevance values are available only for addresses with a process status value of Cx or Vx in batch and interactive modes or I3 or I4 values in the interactive mode. Other assessment codes such as Element Input Status, Element Result Status, Extended Element Result Status, and Address Resolution Code always return a value regardless of the process status.

Element Result Status

Informatica Address Verification sets the Element Result Status (`ElementResultStatus`, ERS) value after verification to indicate whether verification (“verified”) or correction (“changed”) was possible.

The following values are possible for the address elements in positions 1 through 18:

0. The output address contains no data at this position.

1. The data at this position cannot be found in the reference data. The input data is copied to the output data.

2. Data at this position is not checked but is standardized.

3. Data at this position is checked but does not match the expected reference data. The reference data suggests that the number data is not in the valid range. The input data is copied to the output. The status value applies in batch mode only.

4. Data at this position is copied from the input because the corresponding reference data is not available.

5. Data at this position is valid but not changed because multiple matches exist in the reference data. The status value applies in batch mode only.

6. Verification deleted the input value at this position.

7. Data at this position is valid but contained a spelling error. Verification corrected the error by copying the value from the reference data.

8. Data at this position is valid and updated by adding a value from the reference data. It can also mean that the reference database contains additional data for the input element. For example, verification can add a building or sub-building number if a perfect match is found for the street name or building name.

9. Data at this position is valid but not changed, and the delivery status is not clear. For example, the DPV value is wrong.

C. Data at this position is valid and verified, but the name data is out of date. Verification changed the name data.

D. Data at this position is valid and verified but changed from an exonym to an official name.

E. Data at this position is valid and verified. However, verification standardized the character case or the language. Verification can change the language if the value fully matches a language alternative. For example, verification can change "Brussels" to "Bruxelles" in a Belgium address.

F. Data at this position is valid, verified, and not changed, due to a perfect match against the reference data

Positions 19 and 20 in the output string relate to country data. The country data values apply to the COUNTRYRECOGNITION process mode also.

The following values are possible for the address elements in positions 19 through 20:

0. The output address contains no data at this position.

1. The country is not recognized.

4. The country is recognized from the DefaultCountryISO3 setting.

5. The country is not recognized because multiple matches are available.

6. The country is recognized from a script.

7. The country is recognized from the address format.

8. The country is recognized from major town data.

9. The country is recognized from province data.

C. The country is recognized from territory data.

D. The country is recognized from the country name, but the name contains errors.

E. The country is recognized from the country name without errors.

F. The country is recognized from the ForceCountryISO3 setting.

Address Resolution Code

Address resolution code (`AddressResolutionCode`, ARC) is a 20-character output string similar to the element status fields. Informatica Address Verification returns ARC values for nonvalid addresses with Ix process status code. ARC describes why Address Verification rejected an address and directs you to possible resolutions. Address Verification generates the following ARC values:

2. Missing element in address.

3. Numeric provided inside element is outside permissible range – for example, wrong numeric inside street name or house number; 100 Main St when house numbers range from 400-800 on Main St.

4. Multiple inputs for the element.

5. Input element ambiguous / multiple matches.

6. Element contradicts other elements. For example, the postal code information and locality information do not match.

7. Address is rejected because Address Verification corrected multiple elements or copied multiple elements from the input address to the output address.

8. General Postal Authority Rule.

In all other scenarios, Address Verification returns the default ARC value, 0.

Extended Element Result Status

You can use the Extended element result status (`ExtElementStatus`, EERS) code to understand a result and to see whether more information is available in the database. The EERS code is a 20-character output string similar to the Element Status fields for valid or corrected addresses.

Informatica Address Verification returns the following values for EERS:

1. Data available for the element in the database, but not used in the output.

2. Element unchecked, but changed because of wrong syntax/format.

3. Numeric in element correct, but element changed because of wrong syntax/descriptor.

4. Element correct or unchecked, but moved because of wrong format.

5. Alternative available in database – for example, language, preferred locality name, alias name.

6. Unvalidated parts inside element like additional information.

7. Level change like moving HNO1 to HNO2 or swapping Locality2 with Locality1.
8. Type changed for fielded input only; for example, moving SubBuilding to Building Level 2.
9. General Postal Authority Rule.
A. Dominant match for dual address processing.
B. Relevance is only a country-wide default and cannot be trusted.
C. Fast Completion Overflow.
D. Numeric for range expansion (interpolated).
E. Language not available for the country, database language returned.
F. Output address is outdated.

In all other scenarios, Address Verification returns the default EERS value, 0.

Result Percentage

Informatica Address Verification returns a result percentage (`ResultPercentage`) value that represents the degree to which the input address matches the information in the reference data. A value close to 100% indicates a high degree of similarity.

If your data requirements are stringent, you can use the result percentage values to filter out results with extensive corrections. Similarly, you can use the result percentage values to identify Interactive mode suggestions that have the least deviation from the input address.

Informatica discourages using the result percentage values for other use case scenarios.

Mailability Score

The Mailability Score is a general indicator of the likelihood that a mail carrier can deliver mail to an address. Use the mailability score to obtain a high-level summary of the deliverability of the addresses in an address set.

Note: Do not rely on the mailability score alone for business decisions. The Process Status code and the more granular Element Input Status, Element Result Status, and Extended Element Result Status codes are collectively more reliable sources for informed decision-making about address quality and deliverability.

The following table describes the Mailability Score values:

Value	Summary	Description
5	Completely Confident	Indicates that address validation checked and verified all relevant elements of the input address.
4	Almost Certain	Indicates either of the following scenarios: - One or more relevant address elements cannot be checked due to absent reference data. Other address elements are verified. - Address validation corrected one or more relevant elements with a very high degree of confidence. This occurs when address validation finds a single match between the input address and the reference data and the degree of variation is very low.
3	Should Be Fine	Indicates that address validation corrected one or more relevant elements in the input address. Address validation found a single match between the input address and the reference data, and the degree of variation is acceptable.

Value	Summary	Description
2	Fair Chance	Indicates that address validation cannot correct or verify the address for one of the following reasons: - Address validation cannot identify a candidate match in the reference data with sufficient confidence. - Address validation found multiple candidate matches with similar confidence levels. The mail carrier might be able to deliver to the address.
1	Risky	Indicates that address validation can find partial reference data matches only for the input address.
0	Undeliverable	Indicates that address validation cannot find a match for the address in the reference data. The input address is missing too many elements, or address validation cannot verify a majority of the elements in the address.

Note: The table provides a general definition of the mailability score values and that the values can have different meanings in different countries.

For more information about the Mailability Score values, see Chapter 8 of the *Informatica Address Verification (On-Premises) Developer Guide*.

General Enrichment Status Codes

Address Verification returns status codes that describe the status of the enrichments such as CAMEO demographic profile and geocoding information in the result output.

The CAMEO profiles contain the latest socio-demographic and lifestyle data at microcell level based on parameters such as age, education, income, and general interests. Geocoding finds the physical location of an address. The geocoding status codes EGC4 through EGC8 indicate the level of accuracy for the interpolated geocoordinates.

CAMEO Status

If you enable CAMEO enrichment, Informatica Address Verification returns the following status codes in the validated output to help you interpret or analyze the CAMEO information.

ECON

The validated address does not contain any CAMEO code because the CAMEO database is not available for the selected country

ECOI

The validated address does not contain any CAMEO code because no CAMEO lookup was done for the address because Address Verification could not correct the address and returned an Ix process status.

ECO0

The validated address does not contain any CAMEO code because Address Verification could not find a CAMEO code for the input address.

ECO1

The validated address contains CAMEO code.

Geocoding Status

Informatica Address Verification returns the following geocoding status values to help you understand the status of a geocoding request.

EGCN

Address Verification cannot find the geocoding database.

EGCU

The geocoding database is not unlocked.

EGCC

The geocoding database is corrupted.

EGC0

Address Verification cannot append geocoordinates to the input address because no geocoordinates are available for the address.

EGC4

Geocoordinates are only partially accurate to the postal code level. For example, 795xx.

EGC5

Geocoordinates are accurate to the postal code level.

EGC6

Geocoordinates are accurate to the locality level.

EGC7

Geocoordinates are accurate to the street level.

EGC8

Geocoordinates are accurate to the house number level. (Estimated location of the parcel of land with street-side offset.)

EGC9

High-precision arrival point geocoordinates. (Measured entryway to the parcel of land.)

EGCA

High-precision parcel centroid geocoordinates. (Measured center of the parcel of land.)

EGCB

High-precision rooftop geocoordinates.

Note: Informatica has ceased support for Parcel Centroid and Rooftop geocoding databases.

Country-Specific Status Codes

Address Verification returns status codes that describe the status of the enrichment data in the output address.

The status codes contain four characters in the following format:

- The letter E indicates enrichment.
- The two-letter country code for the country.
- A single character that indicates whether Address Verification returns the supplementary data that you requested.

For example, the value EAT1 indicates that Address Verification returns enrichment data for Austria.

Note: The status code does not indicate that the result contains all available enrichments for the country.

Status Codes for Australia Address Enrichments

When you validate Australia addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EAU0

Country-specific enrichment is not available for the input address.

EAU1

The output address contains country-specific enrichment data.

EAUC

The country-specific database is corrupted.

EAUN

Address Verification cannot find the country-specific database.

EAUU

The country-specific database is locked.

Status Codes for Austria Address Enrichments

When you validate Austria addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EAT0

Country-specific enrichment is not available for the input address.

EAT1

The output address contains country-specific enrichment data.

EATC

The country-specific database is corrupted.

EATN

Address Verification cannot find the country-specific database.

EATU

The country-specific database is locked.

Status Codes for Belgium Address Enrichments

When you validate Belgium addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output.

EBE0

Country-specific enrichment is not available for the input address.

EBE1

The output address contains country-specific enrichment data.

EBEC

The country-specific database is corrupted.

EBEN

Address Verification cannot find the country-specific database.

EBEU

The country-specific database is locked.

Status Codes for Brazil Address Enrichments

When you validate Brazil addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EBR0

Country-specific enrichment is not available for the input address.

EBR1

The output address contains country-specific enrichment data.

EBRC

The country-specific database is corrupted.

EBRN

Address Verification cannot find the country-specific database.

EBRU

The country-specific database is locked.

Status Codes for Czech Republic Address Enrichments

When you validate Czech Republic addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

ECZ0

Country-specific enrichment is not available for the input address.

ECZ1

The output address contains country-specific enrichment data.

ECZC

The country-specific database is corrupted.

ECZN

Address Verification cannot find the country-specific database.

ECZU

The country-specific database is locked.

Status Codes for France Address Enrichments

When you validate France addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EFR0

Country-specific enrichment is not available for the input address.

EFR1

The output address contains country-specific enrichment data.

EFRC

The country-specific database is corrupted.

EFRN

Address Verification cannot find the country-specific database.

EFRU

The country-specific database is locked.

Status Codes for Germany Address Enrichments

When you validate Germany addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EDE0

Country-specific enrichment is not available for the input address.

EDE1

The output address contains country-specific enrichment data.

EDEC

The country-specific database is corrupted.

EDEN

Address Verification cannot find the country-specific database.

EDEU

The country-specific database is locked.

Status Codes for Italy Address Enrichments

When you validate Italy addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EIT0

Country-specific enrichment is not available for the input address.

EIT1

The output address contains country-specific enrichment data.

EITC

The country-specific database is corrupted.

EITN

Address Verification cannot find the country-specific database.

EITU

The country-specific database is locked.

Status Codes for Japan Address Enrichments

When you validate Japan addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EJP0

Country-specific enrichment is not available for the input address.

EJP1

The output address contains country-specific enrichment data.

EJPC

The country-specific database is corrupted.

EJPN

Address Verification cannot find the country-specific database.

EJPU

The country-specific database is locked.

Status Codes for Poland Address Enrichments

When you validate Poland addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EPL0

Country-specific enrichment is not available for the input address.

EPL1

The output address contains country-specific enrichment data.

EPLC

The country-specific database is corrupted.

EPLN

Address Verification cannot find the country-specific database.

EPLU

The country-specific database is locked.

Status Codes for Russia Address Enrichments

When you validate Russia addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

ERU0

Country-specific enrichment is not available for the input address.

ERU1

The output address contains country-specific enrichment data.

ERUC

The country-specific database is corrupted.

ERUN

Address Verification cannot find the country-specific database.

ERUU

The country-specific database is locked.

Status Codes for Serbia Address Enrichments

When you validate Serbia addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

ERS0

Country-specific enrichment is not available for the input address.

ERS1

The output address contains country-specific enrichment data.

ERSC

The country-specific database is corrupted.

ERSN

Address Verification cannot find the country-specific database.

ERSU

The country-specific database is locked.

Status Codes for South Africa Address Enrichments

When you validate South Africa addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EZA0

Country-specific enrichment is not available for the input address.

EZA1

The output address contains country-specific enrichment data.

EZAC

The country-specific database is corrupted.

EZAN

Address Verification cannot find the country-specific database.

EZAU

The country-specific database is locked.

Status Codes for South Korea Address Enrichments

When you validate South Korea addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EKR0

Country-specific enrichment is not available for the input address.

EKR1

The output address contains country-specific enrichment data.

EKRC

The country-specific database is corrupted.

EKRN

Address Verification cannot find the country-specific database.

EKRU

The country-specific database is locked.

Status Codes for Spain Address Enrichments

When you validate Spain addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EES0

Country-specific enrichment is not available for the input address.

EES1

The output address contains country-specific enrichment data.

EESC

The country-specific database is corrupted.

EESN

Address Verification cannot find the country-specific database.

EESU

The country-specific database is locked.

Status Codes for Switzerland Address Enrichments

When you validate Switzerland addresses with the country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

ECH0

Country-specific enrichment is not available for the input address.

ECH1

The output address contains country-specific enrichment data.

ECHC

The country-specific database is corrupted.

ECHN

Address Verification cannot find the country-specific database.

ECHU

The country-specific database is locked.

Status Codes for United Kingdom Enrichments

When you validate United Kingdom addresses with country-specific enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EGB0

Country-specific enrichment is not available for the input address.

EGB1

The output address contains country-specific enrichment data.

EGBC

The country-specific database is corrupted.

EGBN

Address Verification cannot find the country-specific database.

EGBU

The country-specific database is locked.

Status Codes for United States Address Enrichments

When you validate United States addresses with the address enrichments enabled, Informatica Address Verification returns the following status codes along with the address output:

EUS0

Country-specific enrichment is not available for the input address.

EUS1

The output address contains country-specific enrichment data.

EUSC

The country-specific database is corrupted.

EUSN

Address Verification cannot find the country-specific database.

EUSU

The country-specific database is locked.

Author

Dishari Dutta