How-To Library

Informatica

Address Verification 6.x Best Practices for the United Kingdom

© Copyright Informatica LLC 2022, 2023. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

This document tells you how to connect the elements in the United Kingdom address to the appropriate address elements in Informatica Address Verification. This document also describes best practices that you can implement when you verify addresses in the United Kingdom.

Supported Versions

- Informatica Address Verification 6.4
- Informatica Address Verification (On-Premises) 6.4

Table of Contents

Introduction. . . . 2
Process Modes. . . . 2
Language and Character Set. . . . 3
Address Format and Address Structure. . . . 3
Key Address Elements. . . . 3
Mapping Input Address Data to Address Elements. . . . 3
Input and Result JSON in Address Verification (On-Premises). . . . 4
Input and Result JSON in Address Verification. . . . 9
Enrichments for the United Kingdom Addresses. . . . 13
Reference Address Databases. . . . 14
Additional Documentation Resources. . . . 14

Introduction

Informatica Address Verification can validate and enhance addresses in the United Kingdom. This how-to article provides you with configuration information and best practices that you can implement when you verify addresses in the United Kingdom. The best practices include advice on how to select the appropriate JSON elements for the United Kingdom address data.

To verify the quality of an input address, Address Verification compares the address information to the data in one or more reference data files. You can configure Address Verification to analyze the different types of address information in the input data. You must map each item of address information to an appropriate element in Address Verification.

When you select the input address elements, you must ensure that the elements are correct for the different types of input information. The country that the address identifies determines the elements that you need.

Process Modes

Informatica Address Verification supports the following process modes for validating United Kingdom addresses:

- ADDRESSCODELOOKUP
- BATCH
- INTERACTIVE
- GEOCODETOADDRESS

- QUICKCAPTURE

Language and Character Set

The United Kingdom reference address databases are available in English.

The default character set for the United Kingdom addresses is Latin 1 - Western European.

Address Format and Address Structure

You improve the performance of Address Verification when you define the input address in the format that the postal service expects.

A United Kingdom address contains address elements in the following order:

```
Recipient
Sub-Building Name or Number
Building Name
Dependent Thouroughfare
House Number and Thoroughfare
Dependent Locality
Locality (Post Town)
County
Postcode
Country
```

Some elements are optional. A valid address must have a building name or house number or both.

Key Address Elements

The following elements in United Kingdom addresses are keys for address verification:

House number or building

Street

Locality

Post code

Mapping Input Address Data to Address Elements

To verify an address, map the input address information to appropriate elements in Address Verification.

The following table shows how you can map the input address to the address elements:

Information Type	Address Information Example	Address Elements
Contact	Mr. Walter Brown	Recipient
House Number and Street	49 Featherstone Street	HouseNumber
Postal Code	EC1Y 8SY	PostalCode
City	London	Locality
Country	United Kingdom	Country

Note: The address situates the post code on its own line below the locality name. The locality, post code, and country name are capitalized.

Input and Result JSON in Address Verification (On-Premises)

The following example shows how you can map United Kingdom address information to the JSON address elements in Address Verification (On-Premises).

You enter the following input address:

```
{
        "Parameters": {
            "Mode": "Batch",
            "CountryDetermination": {},
            "DataSetDetermination": {},
            "CountrySets": [{
                    "Process": {
                        "AlternativeHandling": {},
                        "VerificationLevel": {
                            "PreferredVerificationLevel": "All",
                            "MinimumVerificationLevel": "All"
                        },
                        "Geocode": {
                            "SearchRadius": "50"
                        },
                        "Enrichments": {
                            "Geocoding": {
                                "Rooftop": false,
                                "ArrivalPoint": false,
                                "StreetCenter": false,
                                "PostalCodeCenter": false,
                                "LocalityCenter": false
                            },
                            "Global": false,
                            "CountrySpecific": false,
                            "CAMEO": false
                        }
                    },
                    "Input": {
                        "SingleAddressLineDataType": "UndelimitedSingleLine",
                        "SingleAddressLineDelimiter": "Comma"
                    },
                    "Result": {
                        "DeliverAdditionalSuggestions": "ForPostalRelevantElements",
                        "NumericRangeExpansion": {
                            "RangesToExpand": "None",
                            "RangeExpansionType": "Flexible"
                        }
                    },
                    "OutputDetail": {
                        "PreformattedData": {
                            "PostalFormattedAddressLines": true,
                            "PostalDeliveryAddressLines": true,
                            "PostalRecipientLines": true,
                            "PostalLocalityLine": true,
                            "StreetWithNumber": false,
                            "NumberAndSubBuilding": false,
                            "SingleAddressLine": true,
                            "SingleAddressLineDelimiter": "Semicolon"
                        },
                        "SubItems": true,
                        "ElementStatus": true,
                        "OutputStatusForEmptyElements": true
                    },
                    "Standardizations": [{
                            "Default": {
                                "PreferredScript": {
                                    "Script": "NativePrimary",
                                    "TransliterationType": "Default",
```

```
                                    "LimitLatinCharacters": "NoLimit"
                                },
                                "StandardizeInvalidAddresses": false,
                                "FormatWithCountry": false,
                                "CountryNameLanguage": "ENG",
                                "CountryCodeType": "ISO2",
                                "MaxItemLength": 255,
                                "Casing": "PostalAdmin",
                                "DescriptorLength": "Database",
                                "AliasHandling": "PostalAdmin"
                            }
                        }
                    ]
                }
            ]
        },
        "IO": {
            "Inputs": [{
                    "AddressElements": {
                        "Building": [{
                                "Value": "THE MOORINGS"
                            }
                        ],
                        "Street": [{
                                "Value": "MILL HOO"
                            }
                        ],
                        "Locality": [{
                                "Value": "WOODBRIDGE"
                            }, {
                                "Value": "ALDERTON"
                            }
                        ],
                        "PostalCode": [{
                                "Value": "IP123DA"
                            }
                        ],
                        "AdministrativeDivision": [{
                                "Value": "SUFFOLK"
                            }, {
                                "Value": "SUFFOLK"
                            }, {
                                "Value": "SUFFOLK"
                            }
                        ],
                        "Country": "GBR"
                    }
                }
            ]
        }
    }
```

Informatica Address Verification (On-Premises) returns the following result:

```
{
  "Parameters": {
    "Mode": "Batch",
    "CountryDetermination": {},
    "DataSetDetermination": {},
    "CountrySets": [
      {
        "Process": {
          "AlternativeHandling": {},
          "VerificationLevel": {
            "PreferredVerificationLevel": "All",
            "MinimumVerificationLevel": "All"
          },
          "Geocode": { "SearchRadius": "50" },
          "Enrichments": {
            "Geocoding": {
              "Rooftop": false,
```

```
            "ArrivalPoint": false,
            "StreetCenter": false,
            "PostalCodeCenter": false,
            "LocalityCenter": false
          },
          "Global": false,
          "CountrySpecific": false,
          "CAMEO": false
        }
      },
      "Input": {
        "SingleAddressLineDataType": "UndelimitedSingleLine",
        "SingleAddressLineDelimiter": "Comma"
      },
      "Result": {
        "DeliverAdditionalSuggestions": "ForPostalRelevantElements",
        "NumericRangeExpansion": {
          "RangesToExpand": "None",
          "RangeExpansionType": "Flexible"
        }
      },
      "OutputDetail": {
        "PreformattedData": {
          "PostalFormattedAddressLines": true,
          "PostalDeliveryAddressLines": true,
          "PostalRecipientLines": true,
          "PostalLocalityLine": true,
          "StreetWithNumber": false,
          "NumberAndSubBuilding": false,
          "SingleAddressLine": true,
          "SingleAddressLineDelimiter": "Semicolon"
        },
        "SubItems": true,
        "ElementStatus": true,
        "OutputStatusForEmptyElements": true
      },
      "Standardizations": [
        {
          "Default": {
            "PreferredScript": {
              "Script": "NativePrimary",
              "TransliterationType": "Default",
              "LimitLatinCharacters": "NoLimit"
            },
            "StandardizeInvalidAddresses": false,
            "FormatWithCountry": false,
            "CountryNameLanguage": "ENG",
            "CountryCodeType": "ISO2",
            "MaxItemLength": 255,
            "Casing": "PostalAdmin",
            "DescriptorLength": "Database",
            "AliasHandling": "PostalAdmin"
          }
        }
      ]
    }
  ]
},
"IO": {
  "Inputs": [
    {
      "AddressElements": {
        "Building": [ { "Value": "THE MOORINGS" } ],
        "Street": [ { "Value": "MILL HOO" } ],
        "Locality": [ { "Value": "WOODBRIDGE" }, { "Value": "ALDERTON" } ],
        "PostalCode": [ { "Value": "IP123DA" } ],
        "AdministrativeDivision": [
          { "Value": "SUFFOLK" }, { "Value": "SUFFOLK" }, { "Value": "SUFFOLK" }
        ],
        "Country": "GBR"
      }
```

```
  }
],
"Outputs": [
  {
    "ResultInfo": {
      "ProcessStatus": "V",
      "ProcessModeUsed": "Batch",
      "DeliverAdditionalSuggestions": "No",
      "ResultCount": 1,
      "ResultCountOverflow": false,
      "ResultCountries": [ "GBR" ]
    },
    "Results": [
      {
        "Variants": [
          {
            "StatusValues": {
              "AddressType": "B",
              "LanguageISO3": "ENG",
              "UsedVerificationLevel": "All",
              "MatchPercentage": "100.00",
              "Script": "Native Primary",
              "AddressCount": "",
              "ResultQuality": 6
            },
            "AddressElements": {
              "Building": [
                {
                  "Value": "THE MOORINGS",
                  "SubItems": { "Name": "THE MOORINGS" },
                  "Status": {
                    "MatchStatus": "8",
                    "ResultStatus": "1",
                    "PostalRelevance": "2"
                  }
                }
              ],
              "Street": [
                {
                  "Value": "MILL HOO",
                  "SubItems": { "Name": "MILL HOO" },
                  "Status": {
                    "MatchStatus": "8",
                    "ResultStatus": "1",
                    "PostalRelevance": "2"
                  }
                }
              ],
              "Locality": [
                {
                  "Value": "WOODBRIDGE",
                  "SubItems": { "Name": "WOODBRIDGE" },
                  "Status": {
                    "MatchStatus": "8",
                    "ResultStatus": "1",
                    "PostalRelevance": "2"
                  }
                },
                {
                  "Value": "ALDERTON",
                  "SubItems": { "Name": "ALDERTON" },
                  "Status": {
                    "MatchStatus": "8",
                    "ResultStatus": "1",
                    "PostalRelevance": "2"
                  }
                }
              ],
              "PostalCode": [
                {
                  "Value": "IP12 3DA",
```

```
                    "SubItems": { "Base": "IP123DA" },
                    "Status": {
                      "MatchStatus": "7",
                      "ResultStatus": "2",
                      "PostalRelevance": "2"
                    }
                  }
                ],
                "AdministrativeDivision": [
                  {
                    "Value": "SUFFOLK",
                    "Variants": { "Extended": "SUFFOLK" },
                    "Status": {
                      "MatchStatus": "8",
                      "ResultStatus": "1",
                      "PostalRelevance": "0"
                    }
                  },
                  {
                    "Value": "SUFFOLK",
                    "Variants": { "Extended": "SUFFOLK", "ISO": "SFK" },
                    "Status": {
                      "MatchStatus": "8",
                      "ResultStatus": "1",
                      "PostalRelevance": "0"
                    }
                  },
                  {
                    "Value": "SUFFOLK",
                    "Variants": { "Extended": "SUFFOLK" },
                    "Status": {
                      "MatchStatus": "8",
                      "ResultStatus": "1",
                      "PostalRelevance": "0"
                    }
                  }
                ],
                "Country": [ { "Code": "GB", "Name": "UNITED KINGDOM" } ]
              },
              "PreformattedData": {
                "SingleAddressLine": {
                  "Value": "THE MOORINGS;MILL HOO;ALDERTON;WOODBRIDGE;IP12 3DA"
                },
                "PostalDeliveryAddressLines": [
                  { "Value": "THE MOORINGS" }, { "Value": "MILL HOO" }
                ],
                "PostalFormattedAddressLines": [
                  { "Value": "THE MOORINGS" }, { "Value": "MILL HOO" }, { "Value":
"ALDERTON" },
                  { "Value": "WOODBRIDGE" }, { "Value": "IP12 3DA" }
                ],
                "PostalLocalityLine": { "Value": "WOODBRIDGE" }
              }
            }
          ]
        }
      ]
    }
  }
}
```

Input and Result JSON in Address Verification

The following example shows how you can map a United Kingdom address information to the JSON address elements in Address Verification.

You submit the following request:

```
{
    "Login": "*****",
    "Password": "*****",
    "UseTransactions": "Test",
    "CampaignId": "",
    "Request": {
        "Parameters": {
            "Mode": "Batch",
            "CountryDetermination": {},
            "DataSetDetermination": {},
            "CountrySets": [{
                    "Process": {
                        "AlternativeHandling": {},
                        "VerificationLevel": {
                            "PreferredVerificationLevel": "All",
                            "MinimumVerificationLevel": "All"
                        },
                        "Geocode": {
                            "SearchRadius": "50"
                        },
                        "Enrichments": {
                            "Geocoding": {
                                "Rooftop": false,
                                "ArrivalPoint": false,
                                "StreetCenter": false,
                                "PostalCodeCenter": false,
                                "LocalityCenter": false
                            },
                            "Global": false,
                            "CountrySpecific": false,
                            "CAMEO": false
                        }
                    },
                    "Input": {
                        "SingleAddressLineDataType": "UndelimitedSingleLine",
                        "SingleAddressLineDelimiter": "Comma"
                    },
                    "Result": {
                        "DeliverAdditionalSuggestions": "ForPostalRelevantElements",
                        "NumericRangeExpansion": {
                            "RangesToExpand": "None",
                            "RangeExpansionType": "Flexible"
                        }
                    },
                    "OutputDetail": {
                        "PreformattedData": {
                            "PostalFormattedAddressLines": true,
                            "PostalDeliveryAddressLines": true,
                            "PostalRecipientLines": true,
                            "PostalLocalityLine": true,
                            "StreetWithNumber": false,
                            "NumberAndSubBuilding": false,
                            "SingleAddressLine": true,
                            "SingleAddressLineDelimiter": "Semicolon"
                        },
                        "SubItems": true,
                        "ElementStatus": true,
                        "OutputStatusForEmptyElements": true
                    },
                    "Standardizations": [{
                            "Default": {
                                "PreferredScript": {
                                    "Script": "NativePrimary",
                                    "TransliterationType": "Default",
```

```
                                    "LimitLatinCharacters": "NoLimit"
                                },
                                "StandardizeInvalidAddresses": false,
                                "FormatWithCountry": false,
                                "CountryNameLanguage": "ENG",
                                "CountryCodeType": "ISO2",
                                "MaxItemLength": 255,
                                "Casing": "PostalAdmin",
                                "DescriptorLength": "Database",
                                "AliasHandling": "PostalAdmin"
                            }
                        }
                    ]
                }
            ]
        },
        "IO": {
            "Inputs": [{
                    "AddressElements": {
                        "Building": [{
                                "Value": "THE MOORINGS"
                            }
                        ],
                        "Street": [{
                                "Value": "MILL HOO"
                            }
                        ],
                        "Locality": [{
                                "Value": "WOODBRIDGE"
                            }, {
                                "Value": "ALDERTON"
                            }
                        ],
                        "PostalCode": [{
                                "Value": "IP123DA"
                            }
                        ],
                        "AdministrativeDivision": [{
                                "Value": "SUFFOLK"
                            }, {
                                "Value": "SUFFOLK"
                            }, {
                                "Value": "SUFFOLK"
                            }
                        ],
                        "Country": "GBR"
                    }
                }
            ]
        }
    }
}
```

Informatica Address Verification returns the following response:

```
{
    "Status": "Ok",
    "StatusDescription": "No error",
    "TransactionInfo": {
        "TotalTransactionsCharged": 1,
        "TransactionPools": [
            {
                "Type": "BATCH",
                "TransactionsCharged": 1
            }
        ]
    },
    "Response": [
        {
            "ResultInfo": {
                "ProcessStatus": "V",
```

```
    "ProcessModeUsed": "Batch",
    "ResultCount": 1,
    "ResultCountOverflow": false,
    "ResultCountries": [
        "GBR"
    ]
},
"Results": [
    {
        "Variants": [
            {
                "StatusValues": {
                    "AddressType": "B",
                    "LanguageISO3": "ENG",
                    "UsedVerificationLevel": "ALL",
                    "MatchPercentage": "100.00",
                    "Script": "Database",
                    "AddressCount": "",
                    "ResultQuality": 6
                },
                "AddressElements": {
                    "Building": [
                        {
                            "Value": "THE MOORINGS",
                            "SubItems": {
                                "Name": "THE MOORINGS"
                            },
                            "Status": {
                                "MatchStatus": "8",
                                "ResultStatus": "1",
                                "PostalRelevance": "2"
                            }
                        }
                    ],
                    "Street": [
                        {
                            "Value": "MILL HOO",
                            "SubItems": {
                                "Name": "MILL HOO"
                            },
                            "Status": {
                                "MatchStatus": "8",
                                "ResultStatus": "1",
                                "PostalRelevance": "2"
                            }
                        }
                    ],
                    "Locality": [
                        {
                            "Value": "WOODBRIDGE",
                            "SubItems": {
                                "Name": "WOODBRIDGE"
                            },
                            "Status": {
                                "MatchStatus": "8",
                                "ResultStatus": "1",
                                "PostalRelevance": "2"
                            }
                        },
                        {
                            "Value": "ALDERTON",
                            "SubItems": {
                                "Name": "ALDERTON"
                            },
                            "Status": {
                                "MatchStatus": "8",
                                "ResultStatus": "1",
                                "PostalRelevance": "2"
                            }
                        }
                    ],
```

```
                "PostalCode": [
                    {
                        "Value": "IP12 3DA",
                        "SubItems": {
                            "Base": "IP123DA"
                        },
                        "Status": {
                            "MatchStatus": "7",
                            "ResultStatus": "2",
                            "PostalRelevance": "2"
                        }
                    }
                ],
                "AdministrativeDivision": [
                    {
                        "Value": "SUFFOLK",
                        "Variants": {
                            "Extended": "SUFFOLK"
                        },
                        "Status": {
                            "MatchStatus": "8",
                            "ResultStatus": "1",
                            "PostalRelevance": "0"
                        }
                    },
                    {
                        "Value": "SUFFOLK",
                        "Variants": {
                            "Extended": "SUFFOLK",
                            "ISO": "SFK"
                        },
                        "Status": {
                            "MatchStatus": "8",
                            "ResultStatus": "1",
                            "PostalRelevance": "0"
                        }
                    },
                    {
                        "Value": "SUFFOLK",
                        "Variants": {
                            "Extended": "SUFFOLK"
                        },
                        "Status": {
                            "MatchStatus": "8",
                            "ResultStatus": "1",
                            "PostalRelevance": "0"
                        }
                    }
                ],
                "Country": [
                    {
                        "Code": "GB",
                        "Name": "UNITED KINGDOM"
                    }
                ]
            },
            "PreformattedData": {
                "SingleAddressLine": {
                    "Value": "THE MOORINGS;MILL HOO;ALDERTON;WOODBRIDGE;IP12
3DA"
                },
                "PostalDeliveryAddressLines": [
                    {
                        "Value": "THE MOORINGS"
                    },
                    {
                        "Value": "MILL HOO"
                    }
                ],
                "PostalFormattedAddressLines": [
                    {
```

```
                                    "Value": "THE MOORINGS"
                                },
                                {
                                    "Value": "MILL HOO"
                                },
                                {
                                    "Value": "ALDERTON"
                                },
                                {
                                    "Value": "WOODBRIDGE"
                                },
                                {
                                    "Value": "IP12 3DA"
                                }
                            ],
                            "PostalLocalityLine": {
                                "Value": "WOODBRIDGE"
                            }
                        }
                    }
                ]
            }
        ]
    }
}
```


Enrichments for the United Kingdom Addresses

You can configure Informatica Address Verification to add enrichments to verified United Kingdom addresses.

The following table lists the types of enrichments that you can add to a United Kingdom address:

Enrichment Type	Description
CAMEO	You can retrieve CAMEO profiles as enrichments for valid United Kingdom addresses. CAMEO profiles are consumer classification systems that provide socio-economic and demographic indicators about the residents at the address.
Country-Specific Address Enrichments	You can retrieve the following enrichments for valid United Kingdom addresses: - AddressKey. An eight-digit numeric code that maps to an address in the Postcode Address File (PAF) from the Royal Mail. - DeliveryPointSuffix. A two-character suffix that the Royal Mail assigns to a mailbox in a United Kingdom post code area. - DeliveryPointType. A single-character code that indicates whether the address points to a residence (R), a small organization (O), or a large organization (L). - OrganizationKey. A unique eight-digit numeric code that Royal Mail assigns to small organizations. - UDPRN. An eight-character code that uniquely identifies each postal address in the Royal Mail PAF database. - UPRN. A numeric code that uniquely identifies a land or property unit in the United Kingdom.
Geocoding	You can retrieve StreetCenter, ArrivalPoint, and Rooftop geocoordinates for valid United Kingdom addresses.
Reverse Geocoding	You can retrieve one or more addresses that match a set of geocoordinates in the United Kingdom when you submit the geocoordinates in GEOCODETOADDRESS mode.

Reference Address Databases

Informatica updates some reference address databases for United Kingdom every month, and some every quarter. You can download the latest database packages from the Informatica Database Download portal. For news about reference address databases and software updates for Address Verification, subscribe to the newsletter from Informatica.

The following table lists the reference databases that Informatica provides for United Kingdom addresses every month:

Database Name	Database Contents
GBR_ADV_VRF_BIA_000_6_3_0.MD6	Batch/Interactive verification data
GBR_ADV_VRF_QCP_000_6_3_0.MD6	QuickCapture verification data

The following table lists the reference databases that Informatica provides for United Kingdom addresses every quarter:

Database Name	Database Contents
GBR_ADV_ENR_GAP_000_6_1_0.MD6	Geocoding data, ArrivalPoint level
GBR_ADV_ENR_GRT_000_6_1_0.MD6	Geocoding data, Rooftop level
GBR_ADV_ENR_GST_000_6_1_0.MD6	Geocoding data, Standard level
GBR_ADV_ENR_EN1_000_6_1_0.MD6	Country-specific enrichments
GBR_ADV_RLK_ACL_000_6_1_0.MD6	Address code lookup data
GBR_ADV_RLK_GTA_000_6_3_0.MD6	Reverse Lookup - Geocode to address data

Additional Documentation Resources

To view the latest documentation for Informatica Address Verification, check the following publications on the Informatica Documentation Portal:

https://docs.informatica.com/data-as-a-service/address-verification-(on-premises)/6-4-0.html

https://docs.informatica.com/data-as-a-service/address-verification/6-4-0.html

Author

Dishari Dutta