How-To Library

Informatica

Address Verification 6.x Best Practices for Taiwan

© Copyright Informatica LLC 2022, 2026. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

This document tells you how to connect the elements in a Taiwan address to the appropriate address elements in Informatica Address Verification. This document also describes best practices that you can implement when you verify addresses in Taiwan.

Supported Versions

- Informatica Address Verification (On-Premises and Cloud) 6.0.and later

Table of Contents

Input and Result JSON in Address Verification (On-Premises). 2
Input and Result JSON in Address Verification. 6

Input and Result JSON in Address Verification (On-Premises)

The following example shows how you can map the address information to the JSON address elements in Address Verification (On-Premises).

You enter the following input address:

```
{
  "Parameters": {
    "Mode": "Batch",
    "CountryDetermination": {},
    "DataSetDetermination": {},
    "CountrySets": [
      {
        "Process": {
          "AlternativeHandling": {},
          "VerificationLevel": {
            "PreferredVerificationLevel": "All",
            "MinimumVerificationLevel": "All"
          },
          "Geocode": { "SearchRadius": "50" },
          "Enrichments": {
            "Geocoding": {
              "Rooftop": true,
              "ArrivalPoint": true,
              "StreetCenter": true,
              "PostalCodeCenter": true,
              "LocalityCenter": true
            },
            "Global": true,
            "CountrySpecific": true,
            "CAMEO": true
          }
        },
        "Input": {
          "PreformattedLineDelimiter": "None",
          "SingleAddressLineDataType": "UndelimitedSingleLine",
          "SingleAddressLineDelimiter": "Comma"
        },
        "Result": {
          "MaxResultCount": 20,
          "DeliverAdditionalSuggestions": "No",
          "NumericRangeExpansion": {
            "RangesToExpand": "None",
            "RangeExpansionType": "Flexible"
          }
        },
```

```
      "OutputDetail": {
        "PreformattedData": {
          "PostalFormattedAddressLines": true,
          "PostalDeliveryAddressLines": true,
          "PostalRecipientLines": true,
          "PostalLocalityLine": true,
          "StreetWithNumber": false,
          "NumberAndSubBuilding": false,
          "SingleAddressLine": true,
          "SingleAddressLineDelimiter": "Semicolon"
        },
        "SubItems": true,
        "ElementStatus": true,
        "OutputStatusForEmptyElements": true
      },
      "Standardizations": [
        {
          "Default": {
            "PreferredScript": {
              "Script": "NativePrimary",
              "TransliterationType": "Default",
              "LimitLatinCharacters": "NoLimit"
            },
            "StandardizeInvalidAddresses": false,
            "FormatWithCountry": false,
            "CountryNameLanguage": "ENG",
            "CountryCodeType": "ISO2",
            "MaxItemLength": 255,
            "Casing": "PostalAdmin",
            "DescriptorLength": "Database",
            "AliasHandling": "PostalAdmin"
          }
        }
      ]
    }
  ]
},
"IO": {
  "Inputs": [
    {
      "SourceID": "",
      "AddressElements": {
        "Street": [ { "Value": "大福路三段 110 巷" } ],
        "HouseNumber": [ { "Value": "6" } ],
        "Locality": [ { "Value": "宜蘭縣" }, { "Value": "壯圍鄉" } ],
        "PostalCode": [ { "Value": "263" } ],
        "Country": "TWN"
      }
    }
  ]
    }
  }
```

Informatica Address Verification (On-Premises) returns the following result:

```
  "Outputs": [
    {
      "ResultInfo": {
        "SourceID": "",
        "ProcessStatus": "V",
        "ProcessModeUsed": "Batch",
        "DeliverAdditionalSuggestions": "No",
        "ResultCount": 1,
        "ResultCountOverflow": false,
        "ResultCountries": [ "TWN" ]
      },
      "Results": [
        {
          "Variants": [
            {
              "StatusValues": {
```

```
  "AddressType": "S",
  "LanguageISO3": "ZHO",
  "UsedVerificationLevel": "All",
  "MatchPercentage": "100.00",
  "Script": "Native Primary",
  "AddressCount": "",
  "ResultQuality": 6
},
"AddressElements": {
  "Street": [
    {
      "Value": "大福路三段110巷",
      "SubItems": { "Name": "大福路三段110巷" },
      "Status": {
        "MatchStatus": "8",
        "ResultStatus": "1",
        "PostalRelevance": "2",
        "ExtendedResultStatus": {
          "FromDBNotUsed": false,
          "WrongFormatMoved": false,
          "AlternativeExists": true,
          "UncheckedParts": false,
          "CertificationRule": false,
          "DominantMatch": false,
          "RangeInterpolation": false,
          "LanguageNotAvailable": false,
          "Deprecated": false,
          "RangeGuess": false,
          "RangeCovert": false
        }
      }
    }
  ],
  "HouseNumber": [
    {
      "Value": "6號",
      "SubItems": { "Number": "6號" },
      "Status": {
        "MatchStatus": "8",
        "ResultStatus": "1",
        "PostalRelevance": "2"
      }
    }
  ],
  "Locality": [
    {
      "Value": "宜蘭縣",
      "SubItems": { "Name": "宜蘭縣" },
      "Status": {
        "MatchStatus": "8",
        "ResultStatus": "1",
        "PostalRelevance": "2",
        "ExtendedResultStatus": {
          "FromDBNotUsed": false,
          "WrongFormatMoved": false,
          "AlternativeExists": true,
          "UncheckedParts": false,
          "CertificationRule": false,
          "DominantMatch": false,
          "RangeInterpolation": false,
          "LanguageNotAvailable": false,
          "Deprecated": false,
          "RangeGuess": false,
          "RangeCovert": false
        }
      }
    },
    {
      "Value": "壯圍鄉",
      "SubItems": { "Name": "壯圍鄉" },
      "Status": {
```

```
        "MatchStatus": "8",
        "ResultStatus": "1",
        "PostalRelevance": "0",
        "ExtendedResultStatus": {
          "FromDBNotUsed": false,
          "WrongFormatMoved": false,
          "AlternativeExists": true,
          "UncheckedParts": false,
          "CertificationRule": false,
          "DominantMatch": false,
          "RangeInterpolation": false,
          "LanguageNotAvailable": false,
          "Deprecated": false,
          "RangeGuess": false,
          "RangeCovert": false
        }
      }
    }
  ],
  "PostalCode": [
    {
      "Value": "263",
      "SubItems": { "Base": "263" },
      "Status": {
        "MatchStatus": "8",
        "ResultStatus": "1",
        "PostalRelevance": "2"
      }
    }
  ],
  "Country": [ { "Code": "TW", "Name": "TAIWAN" } ]
},
"PreformattedData": {
  "SingleAddressLine": { "Value": "263 宜蘭縣壯圍鄉大福路三段 110 巷 6 號" },
  "PostalDeliveryAddressLines": [ { "Value": "大福路三段 110 巷 6 號" } ],
  "PostalFormattedAddressLines": [
    { "Value": "263 宜蘭縣壯圍鄉大福路三段 110 巷 6 號" }
  ],
  "PostalLocalityLine": { "Value": "263 宜蘭縣壯圍鄉" }
},
"Enrichments": {
  "Geocodes": {
    "Rooftop": {
      "Value": "24.776560, 121.785070",
      "Latitude": "24.776560",
      "Longitude": "121.785070",
      "Accuracy": "PointRooftop"
    },
    "ArrivalPoint": {
      "Value": "24.776600, 121.784950",
      "Latitude": "24.776600",
      "Longitude": "121.784950",
      "Accuracy": "PointArrivalPoint"
    },
    "StreetCenter": {
      "Value": "24.776170, 121.784750",
      "Latitude": "24.776170",
      "Longitude": "121.784750",
      "Accuracy": "StreetCenter"
    },
    "PostalCodeCenter": {
      "Value": "24.752089, 121.801625",
      "Latitude": "24.752089",
      "Longitude": "121.801625",
      "Accuracy": "PostalCodeCenter"
    },
    "LocalityCenter": {
      "Value": "24.742221, 121.661499",
      "Latitude": "24.742221",
      "Longitude": "121.661499",
      "Accuracy": "LocalityCenter"
```

```
                    }
                  }
                }
              }
            ]
          }
        ]
      }
    ]
  }
}
```

Input and Result JSON in Address Verification

The following example shows how you can verify a Taiwan address in a REST call to Address Verification.

You submit the following request:

```
{
  "Login" : "*****",
  "Password" : "****",
  "UseTransactions" : "Test",
  "CampaignId" : "",
  "Request" : {
"Parameters": {
"Mode": "Batch",
"CountrySets": [
{
"Process": {
"AlternativeHandling": {
"OutdatedAddresses": {
"Match": "Off",
"GetNewAddress": false
},
"AliasAddresses": {
"Match": "Off"
}
},
"VerificationLevel": {
"PreferredVerificationLevel": "All",
"MinimumVerificationLevel": "All"
},
"Enrichments": {
"Global": false,
"CountrySpecific": false
}
},
"Result": {
"MaxResultCount": 20,
"NumericRangeExpansion": {
"RangesToExpand": "All",
"RangeExpansionType": "Flexible"
}
},
"OutputDetail": {
"SubItems": true,
"ElementStatus": true,
"OutputStatusForEmptyElements": false,
"PreformattedData": {
"PostalFormattedAddressLines": true,
"PostalDeliveryAddressLines": true,
"PostalRecipientLines": true,
"PostalLocalityLine": true,
"StreetWithNumber": false,
"NumberAndSubBuilding": false,
"SingleAddressLine": true,
"SingleAddressLineDelimiter": "Space"
}
```

```
},
"Standardizations": [
{
"Default": {
"PreferredScript": {
"Script": "NativePrimary",
"TransliterationType": "Default",
"LimitLatinCharacters": "NoLimit"
},
"FormatWithCountry": false,
"CountryNameLanguage": "ENG",
"MaxItemLength": 1024,
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"AliasHandling": "PostalAdmin"
},
"ElementStandardizations": {
"PostalFormattedAddressLines": {
"Casing": "PostalAdmin",
"MaxItemCount": 19,
"MaxItemLength": 255
},
"PostalDeliveryAddressLines": {
"Casing": "PostalAdmin",
"MaxItemCount": 6,
"MaxItemLength": 255
},
"PostalRecipientLines": {
"Casing": "PostalAdmin",
"MaxItemCount": 6,
"MaxItemLength": 255
},
"PostalLocalityLine": {
"Casing": "PostalAdmin",
"MaxItemCount": 3,
"MaxItemLength": 255
},
"Organization": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 3,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
},
"Contact": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 3,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
},
"Building": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 6,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
},
"SubBuilding": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 6,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
},
"Street": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 6,
"MaxItemLength": 255,
```

```
"AliasHandling": "PostalAdmin"
},
"HouseNumber": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 6,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
},
"DeliveryService": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 3,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
},
"Locality": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 6,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
},
"PostalCode": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 3,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
},
"AdministrativeDivision": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 3,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
},
"Country": {
"Casing": "PostalAdmin",
"DescriptorLength": "Database",
"MaxItemCount": 3,
"MaxItemLength": 255,
"AliasHandling": "PostalAdmin"
}
}
}
]
}
]
},
"IO": {
"Inputs": [
{
"AddressElements": {
"Street": [
{
"Value": "法治巷"
}
],
"HouseNumber": [
{
"Value": "1 號"
}
],
"Locality": [
{
"Value": "南投縣"
},
{
"Value": "仁愛鄉"
```

```
}
],
                  "PostalCode": [
                     {
                        "Value": "546"
                     }
                  ],
"AdministrativeDivision": [
{
"Value": ""
}
],
"Country": "TWN"
}
}
]
}
}
}
```

Informatica Address Verification returns the following response:

```
{
    "Status": "Ok",
    "StatusDescription": "No error",
    "TransactionInfo": {
        "TotalTransactionsCharged": 1,
        "TransactionPools": [
            {
                "Type": "BATCH",
                "TransactionsCharged": 1
            }
        ]
    },
    "Response": [
        {
            "ResultInfo": {
                "ProcessStatus": "V",
                "ProcessModeUsed": "Batch",
                "DeliverAdditionalSuggestions": "No",
                "ResultCount": 1,
                "ResultCountOverflow": false,
                "ResultCountries": [
                    "TWN"
                ]
            },
            "Results": [
                {
                    "Variants": [
                        {
                            "StatusValues": {
                                "AddressType": "S",
                                "LanguageISO3": "ZHO",
                                "UsedVerificationLevel": "All",
                                "MatchPercentage": "100.00",
                                "Script": "Native Primary",
                                "AddressCount": "",
                                "ResultQuality": 6
                            },
                            "AddressElements": {
                                "Street": [
                                    {
                                        "Value": "法治巷",
                                        "SubItems": {
                                            "Name": "法治巷"
                                        },
                                        "Status": {
                                            "MatchStatus": "8",
                                            "ResultStatus": "1",
                                            "PostalRelevance": "2",
                                            "ExtendedResultStatus": {
```

```
                    "FromDBNotUsed": false,
                    "WrongFormatMoved": false,
                    "AlternativeExists": true,
                    "UncheckedParts": false,
                    "CertificationRule": false,
                    "DominantMatch": false,
                    "RangeInterpolation": false,
                    "LanguageNotAvailable": false,
                    "Deprecated": false,
                    "RangeGuess": false,
                    "RangeCovert": false
                }
            }
        }
    ],
    "HouseNumber": [
        {
            "Value": "1 號",
            "SubItems": {
                "Number": "1 號"
            },
            "Status": {
                "MatchStatus": "8",
                "ResultStatus": "1",
                "PostalRelevance": "2"
            }
        }
    ],
    "Locality": [
        {
            "Value": "南投縣",
            "SubItems": {
                "Name": "南投縣"
            },
            "Status": {
                "MatchStatus": "8",
                "ResultStatus": "1",
                "PostalRelevance": "2",
                "ExtendedResultStatus": {
                    "FromDBNotUsed": false,
                    "WrongFormatMoved": false,
                    "AlternativeExists": true,
                    "UncheckedParts": false,
                    "CertificationRule": false,
                    "DominantMatch": false,
                    "RangeInterpolation": false,
                    "LanguageNotAvailable": false,
                    "Deprecated": false,
                    "RangeGuess": false,
                    "RangeCovert": false
                }
            }
        },
        {
            "Value": "仁愛鄉",
            "SubItems": {
                "Name": "仁愛鄉"
            },
            "Status": {
                "MatchStatus": "8",
                "ResultStatus": "1",
                "PostalRelevance": "0",
                "ExtendedResultStatus": {
                    "FromDBNotUsed": false,
                    "WrongFormatMoved": false,
                    "AlternativeExists": true,
                    "UncheckedParts": false,
                    "CertificationRule": false,
                    "DominantMatch": false,
                    "RangeInterpolation": false,
                    "LanguageNotAvailable": false,
```

```
                                "Deprecated": false,
                                "RangeGuess": false,
                                "RangeCovert": false
                            }
                        }
                    }
                ],
                "PostalCode": [
                    {
                        "Value": "546",
                        "SubItems": {
                            "Base": "546"
                        },
                        "Status": {
                            "MatchStatus": "8",
                            "ResultStatus": "1",
                            "PostalRelevance": "2"
                        }
                    }
                ],
                "Country": [
                    {
                        "Code": "TWN",
                        "Name": "TAIWAN"
                    }
                ]
            },
            "PreformattedData": {
                "SingleAddressLine": {
                    "Value": "546 南投縣仁愛鄉法治巷 1 號"
                },
                "PostalDeliveryAddressLines": [
                    {
                        "Value": "法治巷 1 號"
                    }
                ],
                "PostalFormattedAddressLines": [
                    {
                        "Value": "546 南投縣仁愛鄉法治巷 1 號"
                    }
                ],
                "PostalLocalityLine": {
                    "Value": "546 南投縣仁愛鄉"
                }
            }
        }
    ]
}
```


Author

Priyanka Bhattacharya