How-To Library

Informatica

Address Verification 6.x Best Practices for Denmark

© Copyright Informatica LLC 2022, 2026. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

This document tells you how to connect the elements in a Denmark address to the appropriate address elements in Informatica Address Verification. This document also describes best practices that you can implement when you verify addresses in Denmark.

Supported Versions

- Informatica Address Verification (On-Premises and Cloud) 6.0.and later

Table of Contents

Input and Result JSON in Address Verification (On-Premises). 2
Input and Result JSON in Address Verification. 8

Input and Result JSON in Address Verification (On-Premises)

The following example shows how you can map the address information to the JSON address elements in Address Verification (On-Premises).

You enter the following input address:

```
{
  "Parameters": {
    "Mode": "Batch",
    "CountryDetermination": {},
    "DataSetDetermination": {},
    "CountrySets": [
      {
        "Process": {
          "AlternativeHandling": {
            "OutdatedAddresses": {
              "Match": "WithFaultTolerance",
              "GetNewAddress": true
            }
          },
          "VerificationLevel": {
            "PreferredVerificationLevel": "All",
            "MinimumVerificationLevel": "Address"
          },
          "Geocode": {
            "SearchRadius": "50"
          },
          "Enrichments": {
            "Geocoding": {
              "Rooftop": true,
              "ArrivalPoint": true,
              "StreetCenter": true,
              "PostalCodeCenter": true,
              "LocalityCenter": true,
              "Preferred": [
                "ArrivalPoint",
                "Rooftop",
                "StreetCenter",
                "LocalityCenter",
                "PostalCodeCenter"
              ]
            },
            "Global": true,
            "CountrySpecific": true,
            "CAMEO": false
          }
```

```
      },
      "Input": {
        "PreformattedLineDelimiter": "None",
        "SingleAddressLineDataType": "UndelimitedSingleLine",
        "SingleAddressLineDelimiter": "Comma"
      },
      "Result": {
        "MaxResultCount": 20,
        "DeliverAdditionalSuggestions": "No",
        "NumericRangeExpansion": {
          "RangesToExpand": "None",
          "RangeExpansionType": "Flexible"
        }
      },
      "OutputDetail": {
        "PreformattedData": {
          "PostalFormattedAddressLines": true,
          "PostalDeliveryAddressLines": true,
          "PostalRecipientLines": true,
          "PostalLocalityLine": true,
          "StreetWithNumber": false,
          "NumberAndSubBuilding": false,
          "SingleAddressLine": true,
          "SingleAddressLineDelimiter": "Semicolon"
        },
        "SubItems": true,
        "ElementStatus": true,
        "OutputStatusForEmptyElements": true
      },
      "Standardizations": [
        {
          "Default": {
            "PreferredScript": {
              "Script": "NativePrimary",
              "TransliterationType": "Default",
              "LimitLatinCharacters": "NoLimit"
            },
            "StandardizeInvalidAddresses": false,
            "FormatWithCountry": false,
            "CountryNameLanguage": "ENG",
            "CountryCodeType": "ISO3",
            "MaxItemLength": 255,
            "Casing": "PostalAdmin",
            "DescriptorLength": "Database",
            "AliasHandling": "PostalAdmin"
          },
          "ElementStandardizations": {}
        }
      ]
    }
  ]
},
"IO": {
  "Inputs": [
    {
      "AddressElements": {
        "Street": [
          {
            "Value": "Bonaveddevejen"
          }
        ],
        "HouseNumber": [
          {
            "Value": "4"
          }
        ],
        "Locality": [
          {
            "Value": "Aakirkeby"
          }
        ],
```

```
            "PostalCode": [
              {
                "Value": "3720"
              }
            ],
            "AdministrativeDivision": [
              {
                "Value": "Hovedstaden"
              }
            ],
            "Country": "DNK"
          }
        }
      ]
    }
}
```

Informatica Address Verification (On-Premises) returns the following result:

```
{
   "Parameters": {
      "Mode": "Batch",
      "CountryDetermination": {},
      "DataSetDetermination": {},
      "CountrySets": [
         {
            "Process": {
               "AlternativeHandling": {
                  "OutdatedAddresses": {
                     "Match": "WithFaultTolerance",
                     "GetNewAddress": true
                  }
               },
               "VerificationLevel": {
                  "PreferredVerificationLevel": "All",
                  "MinimumVerificationLevel": "Address"
               },
               "Geocode": {
                  "SearchRadius": "50"
               },
               "Enrichments": {
                  "Geocoding": {
                     "Rooftop": true,
                     "ArrivalPoint": true,
                     "StreetCenter": true,
                     "PostalCodeCenter": true,
                     "LocalityCenter": true,
                     "Preferred": [
                        "ArrivalPoint",
                        "Rooftop",
                        "StreetCenter",
                        "LocalityCenter",
                        "PostalCodeCenter"
                     ]
                  },
                  "Global": true,
                  "CountrySpecific": true,
                  "CAMEO": false
               }
            },
            "Input": {
               "PreformattedLineDelimiter": "None",
               "SingleAddressLineDataType": "UndelimitedSingleLine",
               "SingleAddressLineDelimiter": "Comma"
            },
            "Result": {
               "MaxResultCount": 20,
               "DeliverAdditionalSuggestions": "No",
               "NumericRangeExpansion": {
                  "RangesToExpand": "None",
                  "RangeExpansionType": "Flexible"
```

```
            }
         },
         "OutputDetail": {
            "PreformattedData": {
               "PostalFormattedAddressLines": true,
               "PostalDeliveryAddressLines": true,
               "PostalRecipientLines": true,
               "PostalLocalityLine": true,
               "StreetWithNumber": false,
               "NumberAndSubBuilding": false,
               "SingleAddressLine": true,
               "SingleAddressLineDelimiter": "Semicolon"
            },
            "SubItems": true,
            "ElementStatus": true,
            "OutputStatusForEmptyElements": true
         },
         "Standardizations": [
            {
               "Default": {
                  "PreferredScript": {
                     "Script": "NativePrimary",
                     "TransliterationType": "Default",
                     "LimitLatinCharacters": "NoLimit"
                  },
                  "StandardizeInvalidAddresses": false,
                  "FormatWithCountry": false,
                  "CountryNameLanguage": "ENG",
                  "CountryCodeType": "ISO3",
                  "MaxItemLength": 255,
                  "Casing": "PostalAdmin",
                  "DescriptorLength": "Database",
                  "AliasHandling": "PostalAdmin"
               },
               "ElementStandardizations": {}
            }
         ]
      }
   ]
},
"IO": {
   "Inputs": [
      {
         "AddressElements": {
            "Street": [
               {
                  "Value": "Bonaveddevejen"
               }
            ],
            "HouseNumber": [
               {
                  "Value": "4"
               }
            ],
            "Locality": [
               {
                  "Value": "Aakirkeby"
               }
            ],
            "PostalCode": [
               {
                  "Value": "3720"
               }
            ],
            "AdministrativeDivision": [
               {
                  "Value": "Hovedstaden"
               }
            ],
            "Country": "DNK"
         }
```

```
   }
],
"Outputs": [
   {
      "ResultInfo": {
         "ProcessStatus": "V",
         "ProcessModeUsed": "Batch",
         "DeliverAdditionalSuggestions": "No",
         "ResultCount": 1,
         "ResultCountOverflow": false,
         "ResultCountries": [
            "DNK"
         ]
      },
      "Results": [
         {
            "Variants": [
               {
                  "StatusValues": {
                     "AddressType": "S",
                     "LanguageISO3": "???",
                     "UsedVerificationLevel": "All",
                     "MatchPercentage": "100.00",
                     "Script": "Native Primary",
                     "AddressCount": "",
                     "ResultQuality": 6
                  },
                  "AddressElements": {
                     "Street": [
                        {
                           "Value": "Bonaveddevejen",
                           "SubItems": {
                              "Name": "Bonaveddevejen"
                           },
                           "Status": {
                              "MatchStatus": "8",
                              "ResultStatus": "1",
                              "PostalRelevance": "2"
                           }
                        }
                     ],
                     "HouseNumber": [
                        {
                           "Value": "4",
                           "SubItems": {
                              "Number": "4"
                           },
                           "Status": {
                              "MatchStatus": "6",
                              "ResultStatus": "1",
                              "PostalRelevance": "2",
                              "ExtendedResultStatus": {
                                 "FromDBNotUsed": false,
                                 "WrongFormatMoved": false,
                                 "AlternativeExists": false,
                                 "UncheckedParts": false,
                                 "CertificationRule": false,
                                 "DominantMatch": false,
                                 "RangeInterpolation": true,
                                 "LanguageNotAvailable": false,
                                 "Deprecated": false,
                                 "RangeGuess": false,
                                 "RangeCovert": false
                              }
                           }
                        }
                     ],
                     "Locality": [
                        {
                           "Value": "Aakirkeby",
                           "SubItems": {
```

```
            "Name": "Aakirkeby"
         },
         "Status": {
            "MatchStatus": "8",
            "ResultStatus": "1",
            "PostalRelevance": "2"
         }
      }
   ],
   "PostalCode": [
      {
         "Value": "3720",
         "SubItems": {
            "Base": "3720"
         },
         "Status": {
            "MatchStatus": "8",
            "ResultStatus": "1",
            "PostalRelevance": "2"
         }
      }
   ],
   "AdministrativeDivision": [
      {
         "Value": "Hovedstaden",
         "Variants": {
            "Extended": "Hovedstaden",
            "ISO": "84"
         },
         "Status": {
            "MatchStatus": "8",
            "ResultStatus": "1",
            "PostalRelevance": "0"
         }
      }
   ],
   "Country": [
      {
         "Code": "DNK",
         "Name": "DENMARK"
      }
   ]
},
"PreformattedData": {
   "SingleAddressLine": {
      "Value": "Bonaveddevejen 4;3720 Aakirkeby"
   },
   "PostalDeliveryAddressLines": [
      {
         "Value": "Bonaveddevejen 4"
      }
   ],
   "PostalFormattedAddressLines": [
      {
         "Value": "Bonaveddevejen 4"
      },
      {
         "Value": "3720 Aakirkeby"
      }
   ],
   "PostalLocalityLine": {
      "Value": "3720 Aakirkeby"
   }
},
"Enrichments": {
   "Geocodes": {
      "Rooftop": {
         "Value": "55.008980, 14.976290",
         "Latitude": "55.008980",
         "Longitude": "14.976290",
         "Accuracy": "PointRooftop"
```

```
                                    },
                                    "ArrivalPoint": {
                                       "Value": "55.008830, 14.976220",
                                       "Latitude": "55.008830",
                                       "Longitude": "14.976220",
                                       "Accuracy": "PointArrivalPoint"
                                    },
                                    "StreetCenter": {
                                       "Value": "55.008620, 14.980920",
                                       "Latitude": "55.008620",
                                       "Longitude": "14.980920",
                                       "Accuracy": "StreetCenter"
                                    },
                                    "PostalCodeCenter": {
                                       "Value": "55.068158, 14.926065",
                                       "Latitude": "55.068158",
                                       "Longitude": "14.926065",
                                       "Accuracy": "PostalCodeCenter"
                                    },
                                    "LocalityCenter": {
                                       "Accuracy": "NothingFound"
                                    },
                                    "Preferred": {
                                       "Value": "55.008830, 14.976220",
                                       "Latitude": "55.008830",
                                       "Longitude": "14.976220",
                                       "Accuracy": "PointArrivalPoint"
                                    }
                                 }
                              }
                           }
                        ]
                     }
                  ]
               }
            ]
         }
      }
```


Input and Result JSON in Address Verification

The following example shows how you can verify a Denmark address in a REST call to Address Verification.

You submit the following request:


```
{
  "Login": "*****",
  "Password": "*****",
  "UseTransactions": "Test",
  "CampaignId": "",
  "Request": {
    "Parameters": {
      "Mode": "Batch",
      "CountrySets": [
        {
          "Process": {
            "AlternativeHandling": {
              "OutdatedAddresses": {
                "Match": "Off",
                "GetNewAddress": false
              },
              "AliasAddresses": {
                "Match": "Off"
              }
            },
            "VerificationLevel": {
              "PreferredVerificationLevel": "All",
              "MinimumVerificationLevel": "All"
            },
```

```
  "Enrichments": {
    "Global": false,
    "CountrySpecific": false
  }
},
"Result": {
  "MaxResultCount": 20,
  "NumericRangeExpansion": {
    "RangesToExpand": "All",
    "RangeExpansionType": "Flexible"
  }
},
"OutputDetail": {
  "SubItems": true,
  "ElementStatus": true,
  "OutputStatusForEmptyElements": false,
  "PreformattedData": {
    "PostalFormattedAddressLines": true,
    "PostalDeliveryAddressLines": true,
    "PostalRecipientLines": true,
    "PostalLocalityLine": true,
    "StreetWithNumber": false,
    "NumberAndSubBuilding": false,
    "SingleAddressLine": true,
    "SingleAddressLineDelimiter": "Space"
  }
},
"Standardizations": [
  {
    "Default": {
      "PreferredScript": {
        "Script": "NativePrimary",
        "TransliterationType": "Default",
        "LimitLatinCharacters": "NoLimit"
      },
      "FormatWithCountry": false,
      "CountryNameLanguage": "ENG",
      "MaxItemLength": 1024,
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "AliasHandling": "PostalAdmin"
    },
    "ElementStandardizations": {
      "PostalFormattedAddressLines": {
        "Casing": "PostalAdmin",
        "MaxItemCount": 19,
        "MaxItemLength": 255
      },
      "PostalDeliveryAddressLines": {
        "Casing": "PostalAdmin",
        "MaxItemCount": 6,
        "MaxItemLength": 255
      },
      "PostalRecipientLines": {
        "Casing": "PostalAdmin",
        "MaxItemCount": 6,
        "MaxItemLength": 255
      },
      "PostalLocalityLine": {
        "Casing": "PostalAdmin",
        "MaxItemCount": 3,
        "MaxItemLength": 255
      },
      "Organization": {
        "Casing": "PostalAdmin",
        "DescriptorLength": "Database",
        "MaxItemCount": 3,
        "MaxItemLength": 255,
        "AliasHandling": "PostalAdmin"
      },
      "Contact": {
```

```
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 3,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    },
    "Building": {
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 6,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    },
    "SubBuilding": {
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 6,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    },
    "Street": {
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 6,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    },
    "HouseNumber": {
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 6,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    },
    "DeliveryService": {
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 3,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    },
    "Locality": {
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 6,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    },
    "PostalCode": {
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 3,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    },
    "AdministrativeDivision": {
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 3,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    },
    "Country": {
      "Casing": "PostalAdmin",
      "DescriptorLength": "Database",
      "MaxItemCount": 3,
      "MaxItemLength": 255,
      "AliasHandling": "PostalAdmin"
    }
  }
}
```

```
            ]
          }
        ]
      },
      "IO": {
        "Inputs": [
          {
            "AddressElements": {
              "Street": [
                {
                  "Value": "Bonaveddevejen"
                }
              ],
              "HouseNumber": [
                {
                  "Value": "4"
                }
              ],
              "Locality": [
                {
                  "Value": "Aakirkeby"
                }
              ],
              "PostalCode": [
                {
                  "Value": "3720"
                }
              ],
              "AdministrativeDivision": [
                {
                  "Value": "Hovedstaden"
                }
              ],
              "Country": "DNK"
            }
          }
        ]
      }
    }
}
```

Informatica Address Verification returns the following response:

```
{
    "Status": "Ok",
    "StatusDescription": "No error",
    "TransactionInfo": {
        "TotalTransactionsCharged": 1,
        "TransactionPools": [
            {
                "Type": "BATCH",
                "TransactionsCharged": 1
            }
        ]
    },
    "Response": [
        {
            "ResultInfo": {
                "ProcessStatus": "V",
                "ProcessModeUsed": "Batch",
                "DeliverAdditionalSuggestions": "No",
                "ResultCount": 1,
                "ResultCountOverflow": false,
                "ResultCountries": [
                    "DNK"
                ]
            },
            "Results": [
                {
                    "Variants": [
                        {
```

```
"StatusValues": {
    "AddressType": "S",
    "LanguageISO3": "???",
    "UsedVerificationLevel": "All",
    "MatchPercentage": "100.00",
    "Script": "Native Primary",
    "AddressCount": "",
    "ResultQuality": 6
},
"AddressElements": {
    "Street": [
        {
            "Value": "Bonaveddevejen",
            "SubItems": {
                "Name": "Bonaveddevejen"
            },
            "Status": {
                "MatchStatus": "8",
                "ResultStatus": "1",
                "PostalRelevance": "2"
            }
        }
    ],
    "HouseNumber": [
        {
            "Value": "4",
            "SubItems": {
                "Number": "4"
            },
            "Status": {
                "MatchStatus": "8",
                "ResultStatus": "1",
                "PostalRelevance": "2"
            }
        }
    ],
    "Locality": [
        {
            "Value": "Aakirkeby",
            "SubItems": {
                "Name": "Aakirkeby"
            },
            "Status": {
                "MatchStatus": "8",
                "ResultStatus": "1",
                "PostalRelevance": "2"
            }
        }
    ],
    "PostalCode": [
        {
            "Value": "3720",
            "SubItems": {
                "Base": "3720"
            },
            "Status": {
                "MatchStatus": "8",
                "ResultStatus": "1",
                "PostalRelevance": "2"
            }
        }
    ],
    "AdministrativeDivision": [
        {
            "Value": "Hovedstaden",
            "Variants": {
                "Extended": "Hovedstaden",
                "ISO": "84"
            },
            "Status": {
                "MatchStatus": "8",
```

```
                                "ResultStatus": "1",
                                "PostalRelevance": "0"
                            }
                        }
                    ],
                    "Country": [
                        {
                            "Code": "DNK",
                            "Name": "DENMARK"
                        }
                    ]
                },
                "PreformattedData": {
                    "SingleAddressLine": {
                        "Value": "Bonaveddevejen 4 3720 Aakirkeby"
                    },
                    "PostalDeliveryAddressLines": [
                        {
                            "Value": "Bonaveddevejen 4"
                        }
                    ],
                    "PostalFormattedAddressLines": [
                        {
                            "Value": "Bonaveddevejen 4"
                        },
                        {
                            "Value": "3720 Aakirkeby"
                        }
                    ],
                    "PostalLocalityLine": {
                        "Value": "3720 Aakirkeby"
                    }
                }
            }
        ]
    }
]
}
```


Note: The Province item in the above address identifies Hoved staden as the province for the address. Postal delivery does not require the province information.

Author

Priyanka Bhattacharya