Informatica

Informatica® Contact Verification for Marketo

1.0

User Guide

Informatica Contact Verification for Marketo User Guide
1.0
March 2019

© Copyright Informatica LLC 2019

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, and any other Informatica-owned trademarks appearing in the document are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright (c) University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/

licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer’s Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2019-04-10

Table of Contents

Preface 5

Informatica Resources 5

- Informatica Network 5
- Informatica Knowledge Base 5
- Informatica Documentation 5
- Informatica Product Availability Matrices 6
- Informatica Velocity 6
- Informatica Marketplace 6
- Informatica Global Customer Support 6

Chapter 1: Contact Verification for Marketo 7

Setup 7

- Create Your Configuration 7
- Save Your Configuration 8

Configuration Preferences 8

- Email Verification Preferences 9
- Phone Validation Preferences 10
- Address Verification Preferences 10

Enable Email Verification in Marketo in Landing Pages 13

- Edit Page Meta Tags for the Landing Page 13
- Add the Reference to the Template 14

Enable Email Verification in Embedded Forms 15

Customizing Options for Specific Forms 15

Creating Marketo Custom Fields 16

- Email Verification Fields 16
- Phone Validation Fields 16
- Address Verification Fields 18

Preface

This guide describes the operations of the Contact Verification for Marketo application from Informatica.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Network

The Informatica Network is the gateway to many resources, including the Informatica Knowledge Base and Informatica Global Customer Support. To enter the Informatica Network, visit https://network.informatica.com.

As an Informatica Network member, you have the following options:

- Search the Knowledge Base for product resources.
- View product availability information.
- Create and review your support cases.
- Find your local Informatica User Group Network and collaborate with your peers.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica maintains documentation for many products on the Informatica Knowledge Base in addition to the Documentation Portal. If you cannot find documentation for your product or product version on the Documentation Portal, search the Knowledge Base at https://search.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Product Availability Matrices

Product Availability Matrices (PAMs) indicate the versions of the operating systems, databases, and types of data sources and targets that a product release supports. You can browse the Informatica PAMs at https://network.informatica.com/community/informatica-network/product-availability-matrices.

Informatica Velocity

Informatica Velocity is a collection of tips and best practices developed by Informatica Professional Services and based on real-world experiences from hundreds of data management projects. Informatica Velocity represents the collective knowledge of Informatica consultants who work with organizations around the world to plan, develop, deploy, and maintain successful data management solutions.

You can find Informatica Velocity resources at http://velocity.informatica.com. If you have questions, comments, or ideas about Informatica Velocity, contact Informatica Professional Services at ips@informatica.com.

Informatica Marketplace

The Informatica Marketplace is a forum where you can find solutions that extend and enhance your Informatica implementations. Leverage any of the hundreds of solutions from Informatica developers and partners on the Marketplace to improve your productivity and speed up time to implementation on your projects. You can find the Informatica Marketplace at https://marketplace.informatica.com.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:
https://www.informatica.com/services-and-training/customer-success-services/contact-us.html.

To find online support resources on the Informatica Network, visit https://network.informatica.com and select the eSupport option.

CHAPTER 1

Contact Verification for Marketo

This chapter includes the following topics:

- Setup, 7
- Configuration Preferences, 8
- Enable Email Verification in Marketo in Landing Pages, 13
- Enable Email Verification in Embedded Forms, 15
- Customizing Options for Specific Forms, 15
- Creating Marketo Custom Fields, 16

Setup

To use Informatica Contact Verification for Marketo, you must have a valid license for at least one of the following Informatica contact verification services: Address Verification, Email Verification, or Global Phone Validation. Informatica Contact Verification for Marketo will consume hits from your license any time data is checked within a form.

The license information is also required to create the Marketo configuration file.


Create Your Configuration

Before you can use Contact Verification for Marketo, you must configure the services that you want to use.

To do this, login to your DaaS portal home page. On the page, you will see all of your current DaaS licenses, with the exception of Address Verification.

If you have valid license key for Email Verification Plus Hygiene 6.0 or Global Phone Validation 2.0, you will see a **create Marketo configuration** link in the *actions* section.


Click the **create Marketo configuration** link to get to the Configuration page. Or, go to https://portal.strikeiron.com/marketo/forms#/configure .



For information about how to set preferences for the contact verification services, see "Configuration Preferences" on page 8.

Save Your Configuration

After you configure your services, save the configuration. You will need your Marketo Munchkin ID to do so. If you do not know your Munchkin ID, contact your Marketo Administrator.




You can also add multiple Munchkin IDs if you have multiple Marketo accounts. To add Munchkin IDs, click the **Add New** button.



Configuration Preferences

On the configuration page, you can set your preferences for your contact verification services. The configuration that you perform here only affects Informatica Contact Verification for Marketo. You must select a valid license key for Email or Phone Verification. To configure Address Verifications, you need your Informatica Address Verification Cloud service credentials.

Email Verification Preferences



Email Verification Timeout

Allows you to set the maximum amount of time in seconds that the Email Verification Service should wait for a response from the Mail server before aborting the verification.

Form Validation

Allows you to control if only valid email addresses should be allowed to enter your system. If this option is selected, users will be prevented from submitting a form with an invalid email address. Customers entering an incorrect email address will be prompted a message that informs them that the email address it not valid. They will be able to correct the address and resubmit the form.


When Form validation is enabled, you will also be able to select which Email Verification status return values will result in rejection of the entered email address based on your preferences. You will also be able to define a customer error message that will be prompted to your users for every status code individually. If you do not enter a custom message, the user will be prompted with "Please enter a valid email" for all flagged status codes.

If you are not experienced with Email Verification status codes, we suggest using the default settings, which will only reject email addresses that are very certainly incorrect or malicious.

Accept on resubmit

In some cases, you might want to allow a user to re-submit a form when the email address is still not valid on the form. Check the Accept on resubmit option in this case. If this option is not checked, users will not be able to submit a form with an invalid email address.


Phone Validation Preferences



Form Validation

Allows you to specify that only valid telephone numbers are allowed to enter your system. If this option is selected, users will be prevented from submitting a form with an invalid telephone number. Customers entering an incorrect number will be prompted an error message. You can customize the message in the 'Validation Message' text field. If you do not enter a custom message, the default error message will be displayed: "Enter a valid phone number"

Address Verification Preferences



Form Validation

Allows you to control the addresses that you allow to enter your system. You can specify "Accept" or "Do not accept" based on the ProcessStatus codes returned from Informatica Address Verification. You can also specify a custom error message for each ProcessStatus code. If you do not specify a custom message, the default error message will be returned.

GlobalCasing

The GlobalCasing parameter allows you to set the output casing of any address returned by the service.

You can set one of the following values for GlobalCasing:

NATIVE

Returns the result output in the same casing that the data in the reference address database uses.

UPPER

Returns the result output in uppercase letters.

LOWER

Returns the result output in lowercase letters.

MIXED

Returns the result output in mixed case and according to any country-specific casing guidelines.

NOCHANGE

Returns the output address without any case standardization.

The NOCHANGE setting does not specify that the output address preserves the casing of the input address. Rather, the NOCHANGE setting specifies that the Address Verification engine does not alter the casing style. If Address Verification corrects the address from the reference data, the output address uses the casing style that the reference data uses.

PreferredLanguage

Informatica Address Verification can return address elements in multiple languages for addresses in Belgium, Canada, China, Hong Kong, Ireland, and Switzerland. To determine the languages that Address Verification uses for the address elements, configure the `PreferredLanguage` parameter.

When the reference data includes elements in multiple languages, Address Verification can return address data in the following languages:

- The main spoken language of the region to which each address belongs. This is the default language for the address in the reference data.
- Any other language that Address Verification supports for an address. For example, the Belgium reference data contains address elements in Flemish, French, and German.

The reference data might contain data for a single address element or for a complete address in multiple languages. For example, Address Verification can return all address elements for Ireland in the English language and can return street names, locality names, and province names in the Irish language. Additionally, the reference data might specify different default languages for different parts of a country. For example, in the Switzerland reference data, the default language for addresses from Zurich is German, from Geneva is French, and from Ticino is Italian.

By default, Informatica Address Verification returns the addresses in the default language of the corresponding reference address database entry.

You can set one of the following values for the `PreferredLanguage` parameter:

DATABASE

Returns all available address elements in the default language of the address in the reference data.

DATABASE is the default value for the `PreferredLanguage` attribute.

ENGLISH

Returns province and locality information in English if the reference data contains the information. For example, Address Verification can replace München with Munich and Bayern with Bavaria in Germany addresses.

ALTERNATIVE_1, ALTERNATIVE_2, or ALTERNATIVE_3

Returns address elements in one of the alternative languages in the reference data. The alternative languages depend on the country to which the address belongs.

PRESERVE_INPUT

Returns the address information in the input language. Address Verification preserves the language if the reference data contains the address information in the input language.

If Address Verification cannot return an element in the input language, it returns the element in the database language. If Address Verification detects more than one supported language in the input address, it returns the address in the database language.

PreferredScript

`PreferredScript` is an optional parameter that you can include to specify the character set in which Informatica Address Verification returns the result. The character set can vary from country to country. For most countries, the output is in Latin 1 or ASCII irrespective of the preferred language that you set.

You can specify one of the following values for the `PreferredScript` parameter:

DATABASE

To generate the address output in the same unicode script in which the reference address database stores the corresponding address. This is the default value.

POSTAL_ADMIN_PREF

To generate the address output in the same unicode script that is the preferred script for the postal department of the country to which the address belongs. Typically, this is the same as the DATABASE script.

POSTAL_ADMIN_ALT

To generate the address output in the same unicode script that is the postal department-approved alternative script in the country to which the address belongs. For example, if you set `PreferredScript` to POSTAL_ADMIN_ALT when you validate a Japan address, you receive the result in Kana characters instead of the Kanji script. Kanji is the POSTAL_ADMIN_PREF script for Japan.

ASCII_SIMPLIFIED

To generate the address output in ASCII simplified script. Informatica Address Verification converts non-ASCII characters in the output to their basic ASCII equivalents. For example, ö is replaced with o in the output.

ASCII_EXTENDED

To generate the address output in ASCII extended script that supports the expansion of special characters. Informatica Address Verification converts non-ASCII characters in the output to their general ASCII equivalents. For example, ö is replaced with oe in the output.

LATIN

To generate the result in Latin script. If the input was in a different script, Informatica Address Verification transliterates the address data to provide the output in Latin. Note that the Latin output might contain characters from any of the 15 different Latin character sets.

LATIN_ALT

To generate the result in Latin alternate script that is used for transliteration. This setting works only for countries that support multiple Latin transliterations. For example, if you set `PreferredScript` to LATIN_ALT, Informatica Address Verification transliterates Russian addresses according to BGN rules instead of ISO rules.

LATIN_1

To generate the result in Latin-1, Western European characters.

PRESERVE_INPUT

To generate the address output in the same script that you used for the address input. You can set this value only for addresses from Belarus, China, Greece, Japan, Kazakhstan, Macedonia, Russia, and Ukraine.

For more information about the available Address Verification preferences, see the Informatica Address Verification Developer Guide.

Enable Email Verification in Marketo in Landing Pages

Now you are set up for enabling Email Verification in your Marketo web pages. Email verification can now be activated for any of your Marketo Landing pages. There is no need to make any changes to your Forms. Informatica Contact Verification for Marketo will automatically be used to verify email addresses in any form that you have created.

All that needs to be done is to add a reference to the email verification java script library in your landing page. Alternatively, you can add the reference to any landing page template, and it will automatically be active in any landing page that uses the template.

There are different ways to add the reference:


- Edit Page Meta tags for the landing page.
- Add the reference to the template.

Edit Page Meta Tags for the Landing Page

1. When in edit mode, select **Landing Page Actions**.
2. Click on **Edit Page Meta Tags**.

3. Now you can add the reference in the Custom HEAD HTML section as shown here:

```
<script src="https://marketojs.strikeiron.com/InfaMktoForms.js"></script>
```



Add the Reference to the Template

Alternatively, you can add the reference directly into a template, so that any landing page created with the template will use Informatica Contact Verification for Marketo without having to edit each individual landing page.

1. To do so, open the template in edit mode.
2. Add the reference to https://marketojs.strikeiron.com/InfaMktoForms.js to the html head section as shown here:



Please note that this will only affect new pages created with this template. Pages created formerly using this template will not automatically be updated. To update any landing pages that you previously built, republish the landing pages.

Enable Email Verification in Embedded Forms

You can also use Informatica Contact Verification for Marketo forms with forms embedded in custom webpages. To do so, you need to modify the code that is embedded in the webpage.

If you do not know how to embed forms in custom web pages, refer to the Marketo documentation.

The code snippet that you embed usually will look like this:

```
<script src="//app-sj03.marketo.com/js/forms2/js/forms2.min.js"></script>
<form id="mktoForm_FORMID"></form>
<script>InfaMktoForms.loadForm("//app-sj03.marketo.com", YOURMARKETOMUCHKINID, FORMID);</
script>
```

This needs to be modified to include email verification.

```
<script src="//app-sj03.marketo.com/js/forms2/js/forms2.min.js"></script>
<script src="https://marketojs.strikeiron.com/InfaMktoForms.js"></script>
<form id="mktoForm_FORMID"></form>
<script>InfaMktoForms.loadForm("//app-sj03.marketo.com", YOURMARKETOMUCHKINID, FORMID);</
script>
```

Now you can embed the code as usual to your custom website.

Customizing Options for Specific Forms

By default, every landing page will use the settings that you configured in your DaaS customer portal. You are able to overwrite these for landing pages that should use different settings.

To do this, you will need to add a piece of code to the HTML header. Please note that this is only recommended for advanced users.

You can change all of the settings from your configuration file, or only some of the settings. If you do not change all, the others will remain as specified in your configuration file.

This script must be entered in the HTML header of your landing page or your custom page with the embedded form:

```
<script>
        InfaMktoForms.onFormReady(function (form) {
            form.setOptions({
                statusIcons: false,
                emvOptions: {
                    emailSuggest: true,
                    emailSuggestText: "Correction?",
                    rejectStatusCodes: [
                        "300",
                        "310",
                        "260",
                        "270"
                    ],
                    formMessages: {
                        "300": "Please enter a valid email address",
                        "260": "Please enter a valid email address",
                        "270": "Please enter a valid email address",
```

```
                    "310": "Please enter a valid email address",
                }
            }
        });
    });
</script>
```

Creating Marketo Custom Fields

Informatica Contact Verification for Marketo will write additional information, such as status results and descriptions, to custom Marketo fields that you can create. If the fields are not present, the additional data will be lost.

1. To create the fields, go to the **Admin** section.
2. Click on **Field Management**.
3. Add the custom fields. All fields are of type *string*.

Email Verification Fields

The following table lists the custom fields that you need to create if you use an email verification service:

Marketo Field Name	Marketo Generated Api Name
Informatica Email Hygiene Result	informaticaEmailHygieneResult
Informatica Email Reason Code	informaticaEmailReasonCode
Informatica Email Reason Description	informaticaEmailReasonDescription
Informatica Email Status Code	informaticaEmailStatusCode
Informatica Email Status Description	informaticaEmailStatusDescription

Phone Validation Fields

The following table lists the custom fields that you need to create if you use a phone validation service:

Marketo Field Name	Marketo Generated Api Name
Informatica Phone Status Code	informaticaPhoneStatusCode
Informatica Phone Status Description	informaticaPhoneStatusDescription
Informatica Phone Number	informaticaPhoneNumber
Informatica Phone Country Code	informaticaPhoneCountryCode
Informatica Phone International Prefix	informaticaPhoneInternationalPrefix
Informatica Phone National Prefix	informaticaPhoneNationalPrefix

Marketo Field Name	Marketo Generated Api Name
Informatica Phone Cell Prefix	informaticaPhoneCellPrefix
Informatica Phone NDC	informaticaPhoneNDC
Informatica Phone SN_From	informaticaPhoneSN_From
Informatica Phone SN_To	informaticaPhoneSN_To
Informatica Phone Uses_NDC	informaticaPhoneUses_NDC
Informatica Phone Number_Type	informaticaPhoneNumber_Type
Informatica Phone Carrier Name	informaticaPhoneCarrierName
Informatica Phone Language	informaticaPhoneLanguage
Informatica Phone Country	informaticaPhoneCountry
Informatica Phone ISO	informaticaPhoneISO
Informatica Phone Region Code	informaticaPhoneRegionCode
Informatica Phone Region Name	informaticaPhoneRegionName
Informatica Phone City	informaticaPhoneCity
Informatica Phone Time Zone	informaticaPhoneTimeZone
Informatica Phone UTC	informaticaPhoneUTC
Informatica Phone DST	informaticaPhoneDST
Informatica Phone Latitude	informaticaPhoneLatitude
Informatica Phone Longitude	informaticaPhoneLongitude
Informatica Phone Error Code	informaticaPhoneErrorCode
Informatica Phone National Format	informaticaPhoneNationalFormat
Informatica Phone International Format	informaticaPhoneInternationalFormat
Informatica Phone E164 Format	informaticaPhoneE164Format
Informatica Phone Link Format	informaticaPhoneLinkFormat
Informatica Phone Ported	informaticaPhonePorted

Address Verification Fields

The following table lists the custom fields that you need to create if you use an address verification service:

Marketo Field Name	Marketo Generated Api Name
IAV Process Status	iAVProcessStatus
IAV Mailability Score	iAVMailabilityScore
IAV Result Percentage	iAVResultPercentage
IAV Delivery Address Line	iAVDeliveryAddressLine
IAV Locality	iAVLocality
IAV Postal Code	iAVPostalCode
IAV Province	iAVProvince
IAV Country	iAVCountry
IAV Process Status_Billing Address	iAVProcessStatus_BillingAddress
IAV Mailability Score_Billing Address	iAVMailabilityScore_BillingAddress
IAV Result Percentage_Billing Address	iAVResultPercentage_BillingAddress
IAV Delivery Address Line_Billing Address	iAVDeliveryAddressLine_BillingAddress
IAV Locality_Billing Address	iAVLocality_BillingAddress
IAV Postal Code_Billing Address	iAVPostalCode_BillingAddress
IAV Province_Billing Address	iAVProvince_BillingAddress
IAV Country_Billing Address	iAVCountry_BillingAddress
Informatica Email Hygiene Result	informaticaEmailHygieneResult
Informatica Email Reason Code	informaticaEmailReasonCode
Informatica Email Reason Description	informaticaEmailReasonDescription
Informatica Email Status Code	informaticaEmailStatusCode
Informatica Email Status Description	informaticaEmailStatusDescription