Informatica® B2B Data Exchange 10.5.4 Release Notes

December 2025

© Copyright Informatica LLC 2006, 2025

Contents

Installation and Upgrade. 1
New Features. 2
Fixed Limitations. 2
Cumulative Known Limitations. 4
Emergency Bug Fixes Merged into B2B Data Exchange 10.5.4. 8
Informatica Global Customer Support. 9

Use the *B2B Data Exchange Release Notes* to learn about installation and upgrade, new features, fixed limitations, known limitations, and emergency bug fixes for B2B Data Exchange 10.5.4.

Installation and Upgrade

Before you install or upgrade B2B Data Exchange, verify that your system meets the minimum requirements and follow the pre-installation steps.

For information about installing or upgrading B2B Data Exchange, see the *Informatica® B2B Data Exchange 10.5.4 Installation and Configuration Guide*. For information about installing or upgrading Managed File Transfer, see the *Informatica® Managed File Transfer 10.5.4 Installation Guide*.

Upgrade Limitations

The following table describes the known upgrade limitation:

Issue	Description
MFT-700	The Managed File Transfer Console and the File Transfer Portal reset incorrectly to default ports after you upgrade Managed File Transfer. **Workaround**: If you changed the Apache Tomcat ports in your previously installed version of Managed File Transfer, you must complete the following steps before you start the Managed File Transfer application: 1. Update the following Apache Tomcat ports in the `C:\Informatica\<Directory for the latest MFT version>\MFT\server\tomcat\conf\server.xml` file: - `<Server port="<Apache Tomcat port>" shutdown="SHUTDOWN">` - `<Connector name="default" port="<Apache Tomcat port>"/>` - `<Connector name="secured" port="<Apache Tomcat port>" protocol="HTTP/1.1` 2. Configure the default HTTPS port for the ghttps service in the `<MFT_HOME>\server\config\https.xml` file.

New Features

For a list of new features and enhancements in B2B Data Exchange, see the *Informatica® B2B Data Exchange 10.5.4 Release Guide*.

Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Issue	Description
XE-13057	During event processing, the command listener incorrectly enables the duplicate command processing when ActiveMQ runs out of space.
XE-13056	When you run the DX_TPM_Profile web services, the API fails to commit changes.
XE-13055	Managed File Transfer fails to remove the completed jobs from the Active Jobs table and retains the jobs with an incorrect running status.
XE-13054	MFT Endpoints section in the Data Exchange Console displays an indefinitely hanging loading spinner on Chrome despite successful API responses.
XE-13052	In an MFT pgpDecrypt project, when you set Verify Signature=false for a PGPOnePassSignature file, P360 incorrectly still verifies the PGP signature and throws an error.
XE-13049	Unsynchronized access to IICSSessionHolder in multi-threaded scenarios results in NullPointerException and flow failures.
XE-13047 XE-13042	RunMITaskV2 component has critical defects in design-time and runtime configurations: - Design-time issues: Basic attributes missing from Project Designer UI, getter naming convention mismatches, and inconsistent mandatory field validation. - Runtime issues: Multiple runs within the same project fail with password decryption errors. Underlying MI task error messages are not propagated to MFT exceptions.
XE-13046	Data Exchange incorrectly updates event status twice during outbound processing for MFT hosted remote SFTP send operation.
XE-13041	Concurrent file deletion during the MFT SFTP directory listing causes the job to stop responding due to missing SSH_FXP_EOF response.
XE-13035	When you connect to or authenticate with an Office 365 (O365) mailbox resource, Managed File Transfer (MFT) Retrieve Email task intermittently enters an unresponsive state.
XE-13034	The Data Exchange Console incorrectly displays event blobs with non-ascii characters.
XE-13032	When you send an API request with the Post Raw Data method, the requests intermittently stops responding.
XE-13031	DX Console fails to load due to an Oracle error when the dashboard queries exceed the maximum number of expressions in a Microsoft SQL list.
XE-13028	When trying to sync using the `repoutil.sh` command, LDAP users receive an invalid authentication parameters error.

Issue	Description
XE-13027	After you upgrade, the following error occurs for some users: `incoming request has too many parameters`.
XE-13025	DX Console default dashboard fails to load due to a Microsoft SQL Server error.
XE-13024 XE-13029	After you upgrade, Server Message Block version 2 (SMBV2) resource listing fails with the following error: `ERROR [FileChooserForm] {https-jsse-nio-8002-exec-2} SMB access failure 0xC000003a - The system cannot find the path specified.`
XE-13020	The B2B Data Exchange console lacks a multi-factor authentication login support for Admin and privileged accounts, which might prevent security compliance.
XE-13014	Informatica Security Platform (ISP) authentication lacks automated or command-line user synchronization for LDAP groups, and requires manual synchronization from the Data Exchange console for user changes.
XE-13012	After you configure the Pretty Good Privacy (PGP) key with Secure Hash Algorithm 256-bit (SHA-26) algorithm, the PGP key fails to honor the setting and uses SHA1 algorithm when you run it with a third-party decoder.
XE-13005	Server Message Block (SMB) test connection fails with the following error: `SmbDirectory cannot be cast to ch.swaechter.smbjwrapper.SmbFile`
XE-13002	When the Data Exchange Server renames a file, the following error occurs intermittently in a multi-node environment: `java.nio.file.FileSystemException: Stale file handle`
XE-13001	When you manually upload a file during event reprocessing, the following error occurs: `DXServiceException: The file 'test' does not exist`
XE-12999	Managed File Transfer file downloads cause the Data Exchange Server to enter an unresponsive state on b2bDxNewFileCommandListener thread and stop event creation.
XE-12995	Failed to refresh Informatica Cloud workflows from the Data Exchange Console.
XE-12994	User synchronization does not delete the unsynchronized users from MFT metadata and causes the admin users UI page to display inconsistent data.
XE-12993	When you run the Minimal Lower Layer Protocol, client connections intermittently drop during process stage and displays Null Pointer Exceptions on connection retrieval.
XE-12992	When you access projects and resources from the Managed File Transfer (MFT) console, the MFT console takes time to load.
XE-12991	During a file event, B2B Data Exchange incorrectly generates duplicate messages in the external AMQ queue and creates multiple file events instead of one.
XE-12990	B2B Data Exchange or Managed File Transfer lacks integration with IDMC File Mass Ingestion, and requires duplicate connection configuration in both Managed File Transfer and Informatica Intelligent Cloud Service (IICS). The issue prevents centralized inventory management for Amazon S3, Advanced FTP/FTPS/SFTP, Google Cloud, and HDFS connections.

Issue	Description
XE-12988	When the B2B Data Exchange Scheduler run times out due to a deadlock, updateNextExecutionDirectly() function displays the following lock acquisition exception: `javax.persistence.OptimisticLockException: org.hibernate.exception.LockAcquisitionException: could not execute statement`
XE-12987	After you upgrade to Server Message Block version 2 (SMBV2), Copy to SMB share fails with the following error: `ERROR SMB access failure 0xC000003a - The system cannot find the path specified.`
XE-12986	Managed File Transfer fails to rotate logs and the log size incorrectly exceeds the configured maximum value.
XE-12985	After you upgrade to 10.5.3 or Server Message Block version 3 (SMBV3), SMB monitor fails to detect file locks.
XE-12984	After you upgrade, the ActiveMQ Web Console fails to show the client ID for active consumers.
XE-12982	After you upgrade, Server Message Block version 2 (SMB2) shares might fail with a Null Pointer Exception.
XE-12981	If the coordinator process terminates abnormally in the Informatica MFT cluster, login to all nodes fail.

Cumulative Known Limitations

This section contains known limitations that are carried forward from previous releases.

Issue	Description
MFT-495	If you set a timeout value or set the input and output connection ID value, importing an MLLP project from version 10.5.3 to MFT versions 10.5.0 or 10.4.0 fails. Also, if you set a timeout value for a project, importing the project from version 10.5.3 to version 10.5.0 or 10.4.0 fails. Workaround: Set the **Ignore Compile Errors** property to **true** when you import a project.
MFT-490	After you upgrade MFT from version 10.2.2 to any later version, MFT doesn't connect to PowerCenter. Workaround: After Managed File Transfer upgrade from version 10.2.2 to any later version, you must manually place pcsf* files from the following location to `MFThome/server/lib` location: `<MFT_Installation_Location>/server/powercenter/lib/<pwc_version>`
MFT-488	An internal error appears when you provide the category as part of the request body while listing projects using a Project List REST API.
MFT-487	After you upgrade MFT to version 10.5.3, the following log4j files are available in the `MFT/server/config` location: - log4j.xml - log4j2.xml Workaround: Manually delete the log4j.xml file because they aren't required.
MFT-486	When you run the **Notify Consumer Task** from Managed File Transfer, the MFT **Completed Jobs** grid doesn't display the endpoint name.

Issue	Description
MFT-485	After you upgrade MFT to version 10.5.3, the OEM projects are added to the following folder: `MFT\server\userdata\projects\OEM_MFT_PROJECTS` You can ignore these projects because it doesn't cause any functionality loss.
MFT-484	When you run a Password-Protected Excel project in Managed File Transfer, the project might fail. Workaround: Copy the `xmlbeans.jar` file to the `MFT\server\lib` location before you run the project in MFT.
MFT-471	When you update the web user password using the update web user REST API, a success message appears. However, the password isn't updated.
MFT-414	Managed File Transfer doesn't log an HTTP request in the debug logs with OKTA login.
XE-12786	B2B Data Exchange displays an internal server error message when you access the Managed File Transfer dashboard from the B2B Data Exchange dashboard and then log out and log in from the same login page. Workaround: Use the same protocol (HTTP or HTTPS) for both Data Exchange and MFT. If you use the https protocol, you must change the MFT URL to https and set the port number to 8002 in the system properties.
XE-12758	B2B Data Exchange displays an error message when you unzip .jar files during startup. You can ignore this issue because it doesn't cause any functionality loss.
XE-12693	In the B2B Data Exchange dashboard, select a partner and an associated account as the filter and apply it as the default setting. If you navigate to other pages and back to the dashboard, the reports don't reflect the default settings. Workaround: Click **Apply Filters** after navigating back to the dashboard.
XE-12692	In the B2B Data Exchange dashboard, when you click a hyperlink in a panel, the hyperlink works as expected and navigates to the Event List page or the Authorization page. However, when you navigate back to the dashboard, the console does not display the blue color for the hyperlink, but the hyperlink works as expected.
XE-12691	In the B2B Data Exchange console, when you click the **Set as default** button after selecting the filters, a confirmation message is not displayed and the **Set as default** button is not disabled.
XE-12690	B2B Data Exchange generates a system error event when you process more than 100 files in a Windows High Availability environment. You can ignore this issue because it doesn't cause any functionality loss.
XE-12689	If you start B2B Data Exchange and Informatica Managed File Transfer using Windows services with TLS version 1.3, the HTTPS pages for B2B Data Exchange and Informatica MFT fail to load. However, the HTTPS pages load when you start B2B Data Exchange and Informatica MFT from a command prompt.
XE-12688	Managed File Transfer doesn't consider the files in the subdirectories and folders for an SCP MGet task even if the **Recursive** option is set to `true`.
XE-12687	Users who don't have the View Events privilege can view the total number of events on the report displayed in the dashboard.
XE-12685	When you stop the B2B Data Exchange application on some Linux or AIX environments, the Active MQ service fails to stop and displays an error message.

Issue	Description
XE-12634	When you run a scheduled MFT endpoint and import or export schedules simultaneously, Data Exchange fails to respond.
XE-12629	When you place a file which has the Informatica Intelligent Cloud Service profile associated with File receive endpointst, a IICS connection appears. If you replace the file in IICS after moving the docstore, the job fails.
XE-12626	During silent installation or upgrade, if you select to use a new metadata repository, you might receive the following message: "A B2B Data Exchange meta data repository was found in the database account provided." Dismiss the message to continue with the installation.
XE-12587	B2B Data Exchange generates a system error event when you process more than 1000 files in Windows environment. This issue doesn't cause any functionality loss.
XE-12527	For an Informatica Intelligent Cloud Services mapping that is created to integrate with a B2B Data Exchange endpoint, the tab delimiter formatting option does not work.
XE-12526	For an Informatica Intelligent Cloud Services mapping that is created to integrate with a B2B Data Exchange endpoint, the fixed width formatting option does not work.
XE-12525	For an Informatica Intelligent Cloud Services mapping that is created to integrate with a B2B Data Exchange endpoint, the escape character formatting option does not work.
XE-12522	When you try to test an SMTP test connection in B2B Data Exchange, the test fails when the **From Name** field contains spaces.
XE-12520	If you change the value of the system property `dx.iics.runtime.environment` during runtime, the change does not apply as B2B Data Exchange creates connection with the previous runtime environment value. Workaround: Manually delete the connections that B2B Data Exchange previously created.
XE-12461	The B2B Data Exchange migration tool cannot retrieve a Local Listener Certificate when the **Override Local Listener Certificate** property is not configured. Workaround: After the migration tool creates endpoints, manually select a certificate for each relevant endpoint.
XE-12394	For an MFT Receive endpoint with a regular expression pattern, if you select the **Regular Expression Partial Match** option, clear the regular expression, and then try to save the endpoint, you receive an error message.
XE-12366	When you try to download a large directory (20 GB and up) with the Informatica File Transfer Portal Secure Folder download, it might fail.
XE-12307	You cannot delete an MFT Connection in the B2B Data Exchange Operation Console if you are not assigned the Edit Endpoint privilege.
XE-12300	If you create two portal parameters and one is dependent on the other, both might display as disabled in a profile, rather than just the dependent parameter.
XE-12292	When you open the B2B Data Exchange Operation Console in the Edge browser, you cannot scroll to the last line of the **Details** section of the **Event List** page.

Issue	Description
XE-11193	When you apply an endpoint file pattern regular expression in Windows with "/" in the file path, files for that endpoint will not be taken. Workaround: Use "\\" instead of "/"
XE-11168	If you create a File Event event type rather than a File Level Event event type, you cannot reprocess the resulting File Event events.
XE-11095	When you create a new portal user and click **Save and Send Invitation** and then **Save**, the link in the invitation email displays an error. Workaround: Click **Cancel** to close the form after **Save and Send Invitation.**
XE-10881	If you exported all DX entities and then imported them after upgrade to this release, the obsolete SFE scheduler is added and displayed with DX schedules. Workaround: You can manually delete the schedule.
XE-10786	When you delete a partner or account with the B2B Data Exchange Operation Console and then import a partner or account which has same name, the Operational Data Store Event Loader might fail.
XE-10007	When you define an Managed File Transfer endpoint with the B2B Data Exchange Operation Console in a Chrome browser, the Managed File Transfer browser might not work correctly. Workaround: Close the Chrome browser, clear the cache, and reopen the Chrome browser.
XE-7655	The B2B Data Exchange Operation Console lists event-types that are relevant for Data Integration Hub.
XE-7161	When you import a partner to the Operation Console and choose not to import profiles, the import process imports associated schedules for the profiles.
XE-7153	B2B Data Exchange stores operational data store JDBC connection properties in the dx-configuration.properties file in addition to B2B Data Exchange system properties. Workaround: If you change the JDBC connection properties in the dx-configuration.properties file, change the system properties.
XE-7129	You cannot change the category management mode for a partner or a profile with the Web Service API. Workaround: In the Operation Console, manually change the category management mode for the partner or profile.
XE-7048	You cannot use an opening parenthesis character in the file name pattern for Managed File Transfer endpoints.
XE-6695	If you create a delayed processing rule for a profile that contains event properties with incorrect or incomplete default values, B2B Data Exchange might enable the **Delay All Events** processing rule. Workaround: Discard the event and define correct event attribute values for the profile.
XE-6657	If you use Managed File Transfer and you move the B2B Data Exchange repository to a different machine, Managed File Transfer does not replace the database connection. Workaround: Manually delete the previous database connection in the Databases section of the Managed File Transfer administrator console.
XE-6403	You cannot use the DX_Aggregate transformation in a PowerCenter session with multiple partitions.

Issue	Description
XE-5958	When you install B2B Data Exchange with Managed File Transfer on a Linux or UNIX platform and you select HTTPS as the protocol, the Managed File Transfer process does not terminate when the installer terminates. Workaround: Shut down the Managed File Transfer process before you start B2B Data Exchange to register the license.
XE-5909	When the developer uses the Profile Parameters custom transformation to define a workflow parameter that starts with "DX", the output port for this parameter is always null and the transformations fail. Workaround: Do not start parameter names with "DX". This prefix is reserved for internal system use only.
XE-5822	When you install B2B Data Exchange with SQL server and use both the instance name and the port, B2B Data Exchange fails and the following error message appears in the log: `FATAL [com.informatica.b2b.dx.bootstrap.DXRuntimeControlImpl] {main} Fatal error in starting the servicesorg.springframework.beans.factory.BeanInitializationException: DX Repository not found.` Workaround: Enter a connection string without a port number or without the instance name.
XE-5131	In you search for a monitor for a specific partner using the advanced search, in the next search you will not see all the existing partners.
XE-5021	If you attempt to reprocess or resend an empty file, you receive an unclear error message.
XE-5017	If a document is passed by reference to an outbound endpoint, selecting a different file to resend fails.
XE-5000	When you preform an advanced search on an on-boarding checklist, if you select a Status and select OR as the operation, the search does not work.
XE-4820	When configuring the file endpoint to wait for file stabilization, if a file with the same name and size is added with a long time to wait, B2B Data Exchange might not wait for the file to finish.
XE-4805	If a file cannot be read and the option to wait for the file size to stabilize is on, there is no error event.
XE-4035	B2B Data Exchange fails to route files if two endpoints use the same account but only one is enabled.

Emergency Bug Fixes Merged into B2B Data Exchange 10.5.4

Informatica merged Emergency Bug Fixes (EBFs) from previous releases of B2B Data Exchange into version 10.5.4. These EBFs provide fixes for issues that were found in previous releases.

For a list of EBFs that were merged into version 10.5.4, see the following Informatica Knowledge Base article:

https://knowledge.informatica.com/s/article/FAQ-What-are-the-Emergency-Bug-Fixes-EBFs-merged-into-B2B-Data-Exchange-10-5-4

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:
https://www.informatica.com/services-and-training/customer-success-services/contact-us.html.

To find online support resources on the Informatica Network, visit https://network.informatica.com and select the Support option.