Informatica® Corporation Data Integration Hub 10.5 Release Notes

April 2021

© Copyright Informatica LLC 2013, 2021

Contents

Upgrade Changes. 1
Installation and Upgrade. 1
Fixed Limitations 2
Known Limitations. 3
Informatica Global Customer Support. 4

Use the *Data Integration Hub Release Notes* to learn about installation and upgrade, new features, fixed limitations, and known limitations for Data Integration Hub.

Upgrade Changes

For a list of behavior and functionality changes after you upgrade Data Integration Hub, see the *Data Integration Hub Release Guide*.

Installation and Upgrade

Before you install or upgrade Data Integration Hub, verify that your system meets the minimum requirements and follow the pre-installation steps. For information about installing or upgrading Data Integration Hub, see the *Data Integration Hub Installation and Configuration Guide*.

Installation and Upgrade Limitations

The following table describes known installation and upgrade limitations:

Issue	Description
DIHD-1040	When you install Data Integration Hub on a Windows Operating system, if you install the Data Integration Hub client plugin for PowerCenter component and define a custom ODBC connection string, the string, user name, and password that you define during the installation are not saved to the plugin. When you create custom workflows, event status names are not loaded into PowerCenter Designer. Workaround: Take one of the following steps: - Enter the string, user name, and password in the following file: `<Data Integration Hub installation directory>/powercenter/plugin version/dxplugin.`, where *Data Integration Hub installation directory* is the directory in which you have installed Data Integration Hub and *version* is the version number of the Data Integration Hub server plugin. - Manually enter event status names in PowerCenter Designer.
DIHD-871	On an existing installation where HTTPS is enabled, if you add the Dashboard and Reports component, the dashboard does not open in the Operation Console. Workaround: After you install the Dashboard and Reports component, perform the following steps: 1. Change the value of the system property `dx.dashboard.url` to an HTTPS path and port number. By, default, 18443 instead of 18080. 2. Open the Logi Info Dashboard license file `_Settings_encrypted.lgx` from the following location: `<DIHInstallationDir>\DataIntegrationHub\tomcat\webapps\dih-dashboard\_Definitions` 3. Edit the values of the parameters `DX_CONSOLE_URL` and `LogonFailPage` to match the values that you entered in the system property `dx.dashboard.url`. 4. Restart the Data Integration Hub services.
XE-8373	On an existing Data Integration Hub installation where you changed your configuration files since the installation, when you add components to Data Integration Hub using the Data Integration Hub installer, the Data Integration Hub installer does not present the configuration data that you modified after the original installation during the component installation. Workaround: Verify that the data that the installer presents during component installation is correct, and correct it if required.

Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

CR	Description
DIHD-1419	When you upload a Data Quality workflow, the following error is displayed: " The workflow definition file exceeds the maximum size of 20 M."
DIHD-1413	When you create a monitoring rule with more than 1000 publications or subscriptions, the Data Integration Hub console displays the following error: "Unhandled SQL Exception: [informatica][Oracle JDBC Driver][Oracle] ORA-01795: maximum number of expressions in a list is 1000"
DIHD-1407	You cannot edit the physical column names in a topic.
DIHD-1404	When you edit a table that has a topic with a large number of columns (more than 800), the Data Integration Hub console might become unresponsive for a few minutes.

CR	Description
DIHD-1385	When you delete a category whose name has more than 250 characters, the confirmation message in the dialogue box is not aligned properly.
DIHD-1366	Data Integration Hub Cloud batch Publication and Subscription allows mapping names with spaces.
DIHD-1304	When you create a new topic and select the Real-time option, the strings are not externalized and the Data Integration Hub console displays the following error: "Error while creating kafka topic."
DIHD-1261	User interface layout issues on the Source page when you create a modular cloud mapping publication and in the Target page when you create an Automatic Cloud Subscription.
DIHD-1243	You cannot clear the value in the Field Mapping Expression field when you create a Publication.
DIHD-1233	Remove DIH_UPDATE_STRATEGY_FLAG from topic tables of Informatica Intelligent Cloud Services Automatic Subscription.

Known Limitations

CR	Description
DIHD-1431	When you import an Informatica Intelligent Cloud Service (IICS) Custom or Modular publication or subscription, the task doesn't overwrite successfully. Workaround: Set the conflict-resolution of workflows in the user interface settings to "Overwrite".
DIHD-1036	After you change the default file group on the Data Integration Hub publication repository, when you edit a topic that was created before the change, a message informs you that unconsumed data that was published from the topic will be discarded. Topics that existed before you changed the default file group continue to publish to the file group that was the default group when the topic was created. Changing the default file group does not discard unconsumed data that was published before the change.
DIHD-1032	For publications with a publication pre-process, the Event Average Processing Time report does not calculate the pre-processing time.
DIHD-1020	Subscription runs fail when the subscription contains a filter for a column with a `TEXT` data type with a **Does Not Equal** operator and the option **Use pushdown optimization** is enabled for the subscription.
DIHD-1018	When you change the default data storage location on the publication repository, a warning message appears, stating that the storage location has changed and that the topic tables will be recreated. The topic metadata is changed and holds the new default storage location. Topic tables are not recreated on the new storage location, and remain on the old storage location. Workaround: Edit the topic and change the Data Storage Location to the new default data storage location on the publication repository.
XE-8752	Microsoft SQL database where partitioning is enabled: If the retention period of a topic is set to one day Data Integration Hub cannot delete the topic data from the publication repository. Only data that is older than one day is moved onto the partition. Workaround: Set topic retention period for two or more days.

CR	Description
XE-8333	When you use a database password that ends with the # character, Data Integration Hub enters the password into the PowerCenter connection without the # character.
XE-7153	Data Integration Hub stores operational data store JDBC connection properties in the dx-configuration.properties file in addition to Data Integration Hub system properties. Workaround: If you change the JDBC connection properties in the dx-configuration.properties file, change the system properties.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:
https://www.informatica.com/services-and-training/customer-success-services/contact-us.html.

To find online support resources on the Informatica Network, visit https://network.informatica.com and select the eSupport option.