How-To Library

Informatica

Assigning Privileges for Tasks in Data Privacy Management

© Copyright Informatica LLC 2020, 2021. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

This article describes the privileges required to perform various tasks in Data Privacy Management. It also includes information about exceptions or issues that you might encounter when assigning the right privileges for a task.

Supported Versions

- Data Privacy Management 10.4.1 with EBF-18904

Table of Contents

Overview. . . . 2
Example. . . . 3
Rules and Guidelines for Assigning Privileges. . . . 4
Assign Privileges for Tasks. . . . 4
Data Stores. . . . 4
Data Domains. . . . 6
Classification Policies. . . . 8
Column Sensitivity. . . . 10
Domain Discovery Scans. . . . 11
Jobs. . . . 12
Extensions for Security Tasks. . . . 13
Security Tasks. . . . 15
Dashboard Widgets. . . . 17
Privacy Dashboard Widgets. . . . 19
Settings Page Configuration. . . . 21
Assigning Data Privacy Management Service Privileges. . . . 22

Overview

You can perform a number of tasks in Data Privacy Management. You access objects and use features based on your user profile.

For example, members of a Data Governance team require access to the Privacy dashboard and the Subject Registry page, but not to the information available on the Security dashboard. Within the team, some users might run subject scans, and other users might only search for subject data and generate reports as needed.

The Data Privacy Management Service includes system-defined privileges that control access to the data and options in Data Privacy Management. A privilege determines an action that you can perform.

Each feature and option requires specific privileges to allow you to use the feature and perform tasks.

For example, the export privilege allows you to export data from Data Privacy Management. If you do not have the privilege, you cannot export data. Given the risk and cost associated with lapses in data security, it makes sense to restrict the number of users allowed to do this.

To ensure that a user can perform tasks required, assign the required privileges to the user account.

You can assign individual required privileges to a user. Alternatively, you can assign a set of privileges that a task or group of tasks require to a custom role. You can then assign the role to required users to ensure all users who perform the same tasks have the required privileges to perform the set of tasks.

Note that a complete workflow might require more than one privilege. To ensure that a user can perform all tasks in the workflow, assign all required individual privileges to the user or role.

You assign Data Privacy Management Service privileges from Informatica Administrator.

Example

Consider the following example of how you can assign privileges to ensure users have the required privileges to perform their complete task.

You manage a team that uses Data Privacy Management to analyse data security in the organization. The team performs the following tasks in Data Privacy Management:

1. Creates data stores to connect to databases.
2. Updates security settings based on requirements.
3. Manages data domains and classification policies to use in scans.
4. Runs scans to discover and classify sensitive data.

Based on their profiles, different users perform different tasks. Each user must have the minimum required privileges to use features required for the complete task set.

A user who creates and manages data stores requires the following privileges:

- Add or Modify Data Stores
- View Policies
- View Data Domains
- Import Protection Status
- Import Classification Rules
- Delete Data Stores

The set of privileges allows the user to perform required tasks related to the data stores as well as provides view access to information that might be needed to perform these tasks.

A user who creates and manages data domains requires the following privileges:

- Add or Modify Data Domains
- Import Classification Rules
- Delete Data Domains
- View Extension

The set of privileges allows the user to perform all required tasks related to data domains.

A user who creates and manages classification polices and runs scans, requires the following privileges:

- View Data Domains
- Add or Modify Policies
- Add or Modify Scans
- Execute Scans
- Import Classification Rules
- Delete Policies

- Monitor Jobs
- Export Analysis

The set of privileges allows the user to perform required tasks related to classification policies. The user has view access to data domain details, but cannot modify data domains. The user can create and run scans and monitor and troubleshoot scan jobs as required.

Rules and Guidelines for Assigning Privileges

Read the following rules and guidelines to understand how Data Privacy Management Service privileges work before you assign required privileges to users:

- When you assign an Add or Modify privilege, or a Delete privilege, the View privilege is assigned by default.
- Revoking the View privilege removes an assigned Add or Modify privilege, and a Delete privilege.
- When you revoke an Add or Modify privilege, or a Delete privilege, the View privilege that was assigned manually or by default does not get revoked.
- To ensure that a user cannot view object lists when you remove Add or Modify or Delete privileges, you must revoke the View privilege.
- Multiple privileges and privilege combinations might result in view access to object lists that might seem unrelated. For example, a combination of Export Analysis AND View Subject Registry privileges allows access to the list of data domains on the Data Domains workspace. Such access does not allow you to view the details of a data domain.

Assign Privileges for Tasks

The following sections list features with the privileges required to perform individual tasks to use the features.

Data Stores

A data store defines a connection to a data source. Create a data store for each data source that contains sensitive data that you want to discover, classify, analyze, protect, and for which you want to monitor user behavior and proliferation and ensure privacy regulation compliance.

You can create data stores manually or you can import data stores from a parent repository, such as Informatica PowerCenter, and from CSV files.

To perform the following tasks with data stores, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
View	View Data Stores	Indicates that you can view a list of data stores and the details of individual data stores. You cannot edit data stores with only this privilege. You might see the **Edit** option on the **Details** page, but an `Unauthorized` message appears if you try to save your changes.
Create	Add or Modify Data Stores	-

Task	Privilege	Note
Update	Add or Modify Data Stores	-
Duplicate	Add or Modify Data Stores	-
Auto Sync	No specific privileges required to run the job.	-
Delete	Delete Data Stores	-
Import Catalog Resources	Add or Modify Data Stores AND View Policies AND View Data Domains	-
Import Catalog Metadata	Import Data Stores	-
Import Protection CSV	One of the following combinations of privileges: - Import Protection Status AND View Policies - Import Protection Status AND Import Classification Rules	The option is visible on the page with the Import Protection Status privilege. But you cannot perform an import without the other privilege. If you do not have the View Data Stores privilege, an error appears on the page, but you can perform the task.
Import Data Stores	Import Data Stores AND Add or Modify Data Stores	The Import option appears even if you do not have the Add or Modify Data Stores privilege, but the import job fails with a message that you do not have sufficient privileges.
Import Data Store Aliases	Import Data Stores	-
Import Data Owners	Import Data Owners	-
Import Custom Lineage	Import Proliferation	-
Import Connection Assignment	Import Proliferation	-
Export Data Breach	View Subject Registry AND Export Analysis AND View Data Stores	If you do not have the View Data Stores privilege, the link appears disabled.
Export Data Store Aliases	Import Data Stores AND Export Analysis AND View Data Stores	-
Export Data Stores	Import Data Stores AND Export Analysis AND View Data Stores	-
Export Database Configurations	Import Data Stores AND Export Analysis AND View Data Stores	-

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
View Data Stores	Discovery
Add or Modify Data Stores	Discovery
View Policies	Classification
View Data Domains	Classification
Delete Data Stores	Discovery
Import Protection Status	Integration and APIs
Import Classification Rules	Integration and APIs
Import Data Stores	Integration and APIs
Import Data Owners	Integration and APIs
Import Proliferation	Integration and APIs
Export analysis	Integration and APIs

Data Domains

Data domains allow you to identify the semantics of sensitive columns based on the column name or column data.

Data Privacy Management includes predefined data domains. You can also create data domains or import data domains from a file.

To perform the following data domain tasks, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
View a list of data domains on the Data Domains workspace.	One of the following privileges or combinations of privileges: - View Data Domains - Import Classification Rules - Export Analysis AND Access the Dashboard - Export Analysis AND Add or Modify Policies - Export Analysis AND Add or Modify Scans - Export Analysis AND Add or Modify Security Policies - Export Analysis AND View Alerts - Export Analysis AND View Tasks - Export Analysis AND View Subject Registry	Indicates that you can view a list of data domains. You cannot view the details of a data domain with only this privilege or combination of privileges. **Note:** This is not an exhaustive list. There might be other similar combinations of privileges that enable you to view a list of data domains.
View	One of the following privileges: - View Data Domains - Import Classification Rules	Indicates that you can view the details of individual data domains. You cannot edit data domains with only this privilege. You might see the **Edit** option on the UI, but an `Unauthorized` message appears if you try to edit it.
Create	Add or Modify Data Domains	To update the Protection Extension in a data domain, you require the View Extensions privilege in addition to this.
Update	Add or Modify Data Domains	To update the Protection Extension in a data domain, you require the View Extensions privilege in addition to this.
Duplicate	Add or Modify Data Domains	To update the Protection Extension in a data domain, you require the View Extensions privilege in addition to this.
Delink Associations	Add or Modify Data Domains	-
Sync	Add or Modify Data Domains	-
Delete	Delete Data Domains AND Add or Modify Data Domains	-
Import	Import Classification Rules AND Add or Modify Data Domains	-
Export	Export Analysis AND View Data Domains	-

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
View Data Domains	Classification
Import Classification Rules	Integration and APIs
Export Analysis	Integration and APIs
Access the Dashboard	Dashboard
Add or Modify Policies	Classification
Add or Modify Scans	Classification
Add or Modify Security Policy	Security Policy
Add or Modify Data Domains	Classification
View Alerts	Security Policy
View Task	Data Protection
View Subject Registry	Dashboard
View Extensions	Data Protection

Classification Policies

Classification policies allow you to classify sensitive data according to industry or organizational data security standards.

Data Privacy Management includes predefined classification policies. You can also create classification policies or import classification policies.

To perform the following tasks with classification policies, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
View a list of classification policies on the Classification Policies workspace.	One of the following privileges or combinations of privileges: - View Policies AND View Data Domains - Add or Modify Scans AND Execute Scans - Import Classification Rules - Add or Modify Policies - Delete Policies AND Access the Dashboard - Delete Policies AND View Subject Registry - Export Analysis AND Access Dashboard	Indicates that you can view a list of classification policies. You cannot view the details of a classification policy with only this privilege or combination of privileges. **Note:** This is not an exhaustive list. There might be other similar combinations of privileges that enable you to view a list of classification policies.
View	View Policies AND View Data Domains AND One of the following privileges: - Add or Modify Reports - Access the Dashboard - Import Classification Rules - Add or Modify Security Policy - Add or Modify Policies - View Data Stores	Indicates that you can view a list of classification policies and view the details of classification policies.
Create	Add or Modify Policies	-
Update	Add or Modify Policies	-
Duplicate	Add or Modify Policies	-
Evaluate Classification Policy	One of the following combinations of privileges: - Execute Scans AND View Policies - Execute Scans AND Import Classification Rules	The option is visible with the Execute Scan privilege, but you cannot run the task without the other required privilege. The Execute Scans AND View Policies privilege combination might generate an `Unauthorized` error on the list page, but you can trigger an Evaluate Classification Policy job.
Delete	Delete Policies AND View Data Domains	-
Import	Import Classification Rules	-
Export	Export Analysis AND View Policies AND View Data Domains AND one of the following privileges: - Add or Modify Reports - Access the Dashboard - Import Classification Rules - Add or Modify Security Policies - Add or Modify Policies - View Data Stores	-

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
View Policies	Classification
View Data Domains	Classification
Add or Modify Scans	Classification
Execute Scans	Classification
Import Classification Rules	Integration and APIs
Add or Modify Policies	Classification
Delete Policies	Classification
Access the Dashboard	Dashboard
View Subject Registry	Dashboard
Export Analysis	Integration and APIs
Add or Modify Security Policy	Security Policy
View Data Stores	Discovery
Add or Modify Reports	Dashboard

Column Sensitivity

You can specify whether a column is always sensitive or never sensitive by placing it on an Always Sensitive list or a Never Sensitive list. An Always Sensitive list identifies columns that are always sensitive. A Never Sensitive list identifies columns that are never sensitive.

You can add a column to an Always Sensitive or Never Sensitive list for any data domain. From the **Always Sensitive/ Never Sensitive** workspace, you can view and manage Always Sensitive and Never Sensitive rules.

To perform the following tasks with column sensitivity lists, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
View the list to Mark as Always Sensitive or Never Sensitive	Add or Modify Data Domains OR Delete Data Domains	-
Delete	Delete Data Domains	-
Edit	Add or Modify Data Domains	-

Task	Privilege	Note
Export	Export Analysis AND one of the following privileges: - Add or Modify Data Domains - Delete Data Domains	-
Import	Add or Modify Data Domains	-
Mark as Active	Add or Modify Data Domains AND Delete Data Domains	If you do not have the Delete Data Domains privilege, you can mark a column as Active, but the column is not deleted from the **Suggestions** list.
Remove as Active	Add or Modify Data Domains AND Delete Data Domains	If you do not have the Delete Data Domains privilege, the column is added to the **Suggestions** list, but the column is not deleted from the **Active** list.

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
Add or Modify Data Domains	Classification
Delete Data Domains	Classification
Export Analysis	Integration and APIs

Domain Discovery Scans

You can run scans to discover sensitive data.

To perform the following tasks related to domain discovery scans, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
View a list of scans on the Scans workspace.	Add or Modify Scans	To view the status link, you require the Monitor Jobs privilege in addition.
View	Add or Modify Scans	To view the status link, you require the Monitor Jobs privilege in addition.

Task	Privilege	Note
Create	Add or Modify Scans AND View Data Domains	You can only view data stores that are in your security group in the data stores list. You can run the scan but cannot view the jobs. If you create a scan without the View Data Domains privilege, the scan job fails with a "You do not have sufficient privileges" message.
Edit or Update	Add or Modify Scans	-
Download Scan Report	Add or Modify Scans	The Download button is not enabled if you do not have the require privilege.
Run or Execute	Add or Modify Scans AND Execute Scans AND View Data Domains	If you run a scan job without the View Data Domains privilege, the scan job fails with a "You do not have sufficient privileges" message.
Delete	Add or Modify Scans AND Delete Scans	You can delete scans that are in a state that allows delete. For example, you cannot delete jobs that are in progress or failed.

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
Add or Modify Scans	Classification
View Data Domains	Classification
Execute Scans	Classification
Delete Scans	Classification

Jobs

You can create and manage jobs to perform different tasks in Data Privacy Management.

You require specific privileges to monitor and perform troubleshooting tasks on jobs, such as resuming a failed job or terminating a job.

To perform the following tasks on jobs, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
Export	Monitor Jobs AND Export Analysis	-
Resume	Monitor Jobs AND the corresponding privilege to run the job.	You can resume a job if you have the Monitor jobs privilege. But the job fails if you do not have the privilege required to run the specific job.
Delete	Monitor Jobs AND Manage Jobs	You can view the option to delete if you have the Monitor jobs privilege. But an `Unauthorized` error is generated if you try to delete a job without the Manage Jobs privilege.
All other actions including view a list of jobs, job details, stop, pause, or terminate jobs.	Monitor Jobs	-

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
Monitor Jobs	Dashboard
Manage Jobs	Dashboard
Export Analysis	Integration and APIs

Extensions for Security Tasks

You can create extensions to reuse connection properties by specifying the extension name in an action, security policy, or task.

Extensions are associated with specific types of actions. You can create and use different types of extensions based on the action or task you want to include it in.
To create and work with the Email Extension, Custom Extension, and ServiceNow extension, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
New	View Extensions AND Manage Extensions	-
Open	View Extensions	-
Edit	View Extensions AND Manage Extensions	-

Task	Privilege	Note
Delete	View Extensions AND Manage Extensions	-
Read	View Extensions	-

To create and work with the Protection extension, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
New	View Extensions AND Manage Extensions	-
Open	View Extensions	-
Edit	View Extensions AND Manage Extensions	-
Delete	View Extensions AND Manage Extensions	-
Read	View Extensions	-
Rule assignment	Manage Protection Task Configurations AND Import Classification Rules	-
Task creation	All of the following privileges: - View Task - Add or Modify Task - View Policies - View Data Domains - View Extensions - View Data Stores - View Alerts - Access the Dashboard - View Locations - View Data Stores in Dashboard	You create, save, and run tasks from the Sensitive Fields page. If you do not have privileges to view the page, you cannot perform the tasks.
Execute	Execute task AND View Task	-

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
View Extensions	Data Protection
Manage Extensions	Data Protection
Manage Protection Task Configurations	Data Protection
Import Classification Rules	Integration and APIs
View Task	Data Protection

Privilege	Privilege Group
Add or Modify Task	Data Protection
Execute Task	Data Protection
View Policies	Classification
View Data Domains	Classification
View Alerts	Security Policy
View Data Stores	Discovery
Access the Dashboard	Dashboard
View Locations	Dashboard
View Data Stores in Dashboard	Dashboard

Security Tasks

A task performs a specific function depending on the task type and how you configure the task. When a task runs, Data Privacy Management Service runs an associated job and updates the task status as the job progresses and completes or fails.

Tasks are associated with specific types of jobs. You can create and use different types of tasks based on the job that you want to run.

To create and work with ServiceNow tasks, Email tasks, and Custom tasks to run a script, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
Create	All of the following privileges: - View Task - Add or Modify Task - View Policies - View Data Domains - View Extensions - View Data Stores - View Alerts - Access the Dashboard - View Locations - View Data Stores in Dashboard	You create, save, and run tasks from the **Sensitive Fields** page. If you do not have privileges to view the page, you cannot perform the tasks.
Save and Run	All of the following privileges: - View Task - Add or Modify Task - View Policies - View Data Domains - View Extensions - View Data Stores - View Alerts - Access the Dashboard - View Locations - View Data Stores in Dashboard	You create, save, and run tasks from the **Sensitive Fields** page. If you do not have privileges to view the page, you cannot perform the tasks.

In addition to the required privileges, the corresponding extension must be available to create and work with each task type:

Task Type	Extension
ServiceNow	ServiceNow
Email	Email
Custom tasks to run a script	Custom script

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
View Task	Data Protection
Add or Modify Task	Data Protection
View Policies	Classification
View Data Domains	Classification
View Extensions	Data Protection

Privilege	Privilege Group
View Data Stores	Discovery
View Alerts	Security Policy
Access the Dashboard	Dashboard
View Locations	Dashboard
View Data Stores in Dashboard	Dashboard

Dashboard Widgets

Data Privacy Management includes a Privacy dashboard to view metrics related to subject data, and a Security dashboard to view data security information.

You can configure the dashboard and perform different tasks from widgets on the dashboard.

To perform the following tasks on the dashboards, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
Top Data Store widget	One of the following combinations of privileges: - Access the Dashboard AND View Data Stores in Dashboard AND View Heat Maps AND View Data Stores AND One of the following privileges: - Add or Modify Reports - View Task - Add or Modify Security Responses - Add or Modify Security Policy - View Alerts - View Subject Registry - Access the Dashboard AND View Data Stores in Dashboard AND View Heat Maps AND View Subject Registry AND One of the following privileges: - Add or Modify Reports - Manage Data Store Groups - Access the Dashboard AND View Data Stores in Dashboard AND View Heat Maps AND Add or Modify Scans AND One of the following privileges or pairs of privileges: - Add or Modify Reports - View task AND Manage Data Store Groups - Add or Modify Security Responses AND Manage Data Store Groups - Add or Modify Security Policy AND Manage Data Store Groups - View alerts AND Manage Data Store Groups	-
User curation from **Sensitive Fields** page	Privileges to access the Top Data Stores widget AND Modify Sensitive Field Settings AND Modify Protection Field Settings	You can view the **Sensitive Fields** page with the privileges required to view the Top Data Stores widget, but cannot perform curation tasks without the additional privileges.
Export data from the **Sensitive Fields** page	Privileges to access the Top Data Stores widget AND Export Analysis	You can view the **Sensitive Fields** page with the privileges required to view the Top Data Stores widget, but cannot export data without the additional privilege.

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
Access the Dashboard	Dashboard
View Data Stores in Dashboard	Dashboard

Privilege	Privilege Group
View Heat Maps	Dashboard
View Data Stores	Discovery
Add or modify Reports	Dashboard
View Task	Data Protection
Add or Modify Security Responses	Security Policy
Add or Modify Security Policy	Security Policy
View Alerts	Security Policy
View Subject Registry	Dashboard
Manage Data Store Groups	Discovery
Add or Modify Scans	Classification

Privacy Dashboard Widgets

Data Privacy Management includes a Privacy dashboard to view metrics related to subject data.

You can configure the Privacy dashboard and perform different tasks from widgets on the dashboard.

To access the following widgets and perform the following tasks on the Privacy dashboard, you require the corresponding Data Privacy Management Service privileges:

Widget	Privilege	Note
Subject Count and Legal Hold Count	Access the Dashboard AND View Subject Registry	If you do not have the required privileges, the widget displays a "No Access Privilege" message.
Subject Types	Access the Dashboard AND View Subject Registry AND View Task	If you do not have the required privileges, the widget displays a "No Access Privilege" message.
Subject Requests	Access the Dashboard AND View Subject Registry AND View Task	If you do not have the required privileges, the widget displays a "No Access Privilege" message.
Data Stores	Access the Dashboard AND View Subject Registry	If you do not have the required privileges, the widget displays a "No Access Privilege" message.
Subject Requests by Type	Access the Dashboard AND View Subject Registry AND View Task	If you do not have the required privileges, the widget displays a "No Access Privilege" message.

Widget	Privilege	Note
Subject Requests by Due Date	Access the Dashboard AND View Subject Registry AND View Task	If you do not have the required privileges, the widget displays a "No Access Privilege" message.
Top Data Stores by Subjects	Access the Dashboard AND View Subject Registry AND View Data Stores in Dashboard	Displays only data stores that are in the security group of the user logged in. If you do not have the required privileges, the widget displays a "No Access Privilege" message.
Subjects by Location	Access the Dashboard AND View Subject Registry AND View Locations	Displays only data stores that are in the security group of the user logged in. If you do not have the required privileges, the widget displays a "No Access Privilege" message.
Export	Access the Dashboard AND Export Analysis AND View Subject Registry	If you do not have the View Subject Registry privilege, you can view and click the option to export, but no files are exported.
Customize Dashboard	Access the Dashboard	You can customize the dashboard widgets.

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
Access the Dashboard	Dashboard
View Data Stores in Dashboard	Dashboard
View Locations	Dashboard
View Task	Data Protection
View Subject Registry	Dashboard
Export Analysis	Integration and APIs

Settings Page Configuration

Data Privacy Management includes configurable settings that you can use to change the appearance and security settings based on your requirement.

To perform the following tasks on the **Settings** page, you require the corresponding Data Privacy Management Service privileges:

Task	Privilege	Note
View	One of the following privileges or combinations of privileges: - Customize Risk Scoring - Customize Severity Level - Add or Modify Data Domains - Access Dashboard AND Customize Advanced Analytics Configuration	-
Security Settings	Customize Severity Level	You can update and save changes to the **Security Settings** tab.
Risk Score	One of the following combinations of privileges: - Customize Risk Scoring AND View Policies - Customize Risk Scoring AND Import Classification Rules - Customize Risk Scoring AND View Data Domains AND One of the following privileges: - Add or Modify Scans - Access the Dashboard - Add or Modify Reports - Add or Modify Security Policy - View Subject Registry	The Customize Risk Scoring privilege allows you to view the Security page. To update and save changes to the **Risk Score** tab, you require one of the combinations of privileges.
Risk Cost and Conformance	Add or Modify Data Domains	You can update and save changes to the **Risk Cost and Conformance** tab.
Defaults	One of the following privileges: - Add or Modify Data Domains - Customize Severity Levels - Customize Risk Scoring	If you have one of the required privileges, the Defaults tab displays the **Theme** section. To update the **Default Dashboard**, in addition to one of the privileges, a user must belong to the Administrator group.
Axon Resource	One of the following privileges: - Add or Modify Data Domains - Customize Severity Levels - Customize Risk Scoring	-

Privilege Groups

You can access the privileges from the following privilege groups:

Privilege	Privilege Group
Customize Risk Scoring	Classification
Customize Severity Level	Classification
Add or Modify Data Domains	Classification
Access the Dashboard	Dashboard
Customize Advanced Analytics Configuration	Dashboard
View Policies	Classification
Import Classification Rules	Integration and APIs
View Data Domains	Classification
Add or Modify Scans	Classification
Access the Dashboard	Dashboard
Add or Modify Reports	Dashboard
Add or Modify Security Policy	Security Policy
View Subject Registry	Dashboard

Assigning Data Privacy Management Service Privileges

Assign Data Privacy Management Service privileges from Informatica Adminstrator.

1. Log in to Informatica Administrator.
2. Click the **Security** tab.
3. Click **Users** to view a list of users.
4. Select the required user.
5. Click the **Privileges** tab.
6. Click **Edit**.

   The **Edit Roles and Privileges** dialog box appears.
7. Click the **Privileges** tab.
8. Expand the Data Privacy Management Service privileges.
9. To grant privileges, select the privileges to assign to the user.

   See "Assign Privileges for Tasks" on page 4 to identify required privileges and combinations of privileges.
10. To revoke privileges, clear the privileges assigned to the user.
11. Click **OK**.

Author

Sadhana Kamath