How-To Library

Informatica

Create a Data Set in Test Data Management

© Copyright Informatica LLC 2015, 2021. Informatica LLC. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. All other company and product names may be trade names or trademarks of their respective owners and/or copyrighted materials of such owners.

Abstract

You can create a test data warehouse to store test data in Test Data Management (TDM).

This article documents the steps to create a test data warehouse and run a TDM operation to store data in the test data warehouse. This article assumes that you have knowledge of TDM and are familiar with TDM operations.

Supported Versions

- Test Data Management 9.7.1
- Test Data Management 9.7.0

Table of Contents

Test Data Warehouse Overview. 2
Example Scenario. 2
Prerequisites. 3
Step 1. Create a Connection for the Test Data Mart. 3
Step 2. Create the Test Data Warehouse. 5
Step 3. Create a Data Set. 8
Step 4. View the Data Set. 10

Test Data Warehouse Overview

Create a test data warehouse to store multiple versions of test data in a central location. Multiple Test Data Manager services can access the same test data warehouse to create a central storage location across teams.

Create data sets to store data in the test data warehouse. A data set refers to a collection of data that consists of one or more tables from a data source. A data set generally corresponds to one or more test cases. You can create data sets based on the test cases that you want to run, and store them in the test data warehouse. Reset a data set to a test system to use when needed.

Example Scenario

An organization provides application testing services to customers. Each customer provides some production data or sample data to use in different test cases.

The organization uses TDM to create test data from the production or sample data. Test cycles across multiple product versions might use the same test data. The test data changes frequently with test cases run by different teams. The original test data and all versions of the changed test data must be stored and accessible to all teams for reuse in future versions.

The organization creates a test data warehouse in TDM. The original test data is stored in the test data warehouse. Each team also stores its changed data in the test data warehouse. The data is accessible to all teams and you can reset the data to a test system when needed.

To configure a test data warehouse and create a data set in the test data warehouse, perform the following steps:

1. Create an Oracle connection in Test Data Manager to configure as the test data mart.
2. Create the test data warehouse from the **Administrator | Repository and Data Mart** view.
3. Create and run a plan to create the data set.

4. View the data set information in Test Data Manager.

Prerequisites

Before you create a data set in a test data warehouse in TDM, perform the following tasks:

- Ensure that the Informatica services version that you installed is compatible with the TDM version installed.
- Set up a database for the test data repository. You can create a test data repository on an IBM DB2, Microsoft SQL Server, or an Oracle database.
- Set up a database for the test data mart. You can create a test data mart on an Oracle database.
- Enable the test data warehouse in the Test Data Manager Service.
- Log into Test Data Manager and create the source connections that you require.

For more information about product requirements and supported platforms, see the Product Availability Matrix on Informatica Network:
https://network.informatica.com/community/informatica-network/product-availability-matrices/overview

Step 1. Create a Connection for the Test Data Mart

Create a TDM connection to use as the test data mart.


You must have Administrator privileges to perform this task.

1. In the **Administrator** | **Connections** view, select **New Connection** from the **Actions** menu.

   A window opens to display the new connection properties.
2. Select Oracle as the connection type and define the connection name, description, and user information.


   The connection name must begin with an alphabetic character. If you enter a connection name that begins with a numeric character, a workflow that you use the connection in might fail.

The following image shows the first step in the **New Connection** wizard:



3. Click **Next**.
4. Enter the connection properties.
5. Enter the connection string.
6. To test the connection, click **Test Connection**.

The following image shows the second step in the **New Connection** wizard with the connection validation results:



7. To save the connection, click **Finish**.

   The connection is visible in the **Administrator | Connections** view.

Step 2. Create the Test Data Warehouse


Configure a test data repository and a test data mart to store test data.

You must have Administrator privileges to perform this task. Before you begin, create an Oracle connection for the test data mart in Test Data Manager.

1. From the **Actions** menu in the **Administrator | Repository and Data Mart** view, select **New Repository**.


   The **New Repository and Data Mart** dialog box opens.
2. Select **New Repository**.
3. Enter a name for the test data repository.
4. Select the database type from the list of supported databases.
5. Enter the database user name and the password.

The following image shows the first step in the **New Repository and Mart** wizard:



6. Enter the JDBC URL to connect to the database and click **Test Connection** to validate the connection. Click **Next**.


The following image shows the connection validation results in the first step of the **New Repository and Mart** wizard:



7. To add a test data mart, click **Add**.
8. Enter a name and optional description for the test data mart.
9. Select Oracle from the list of supported databases.
10. Select the target connection from the list of connections.
11. To create the test data mart, click **OK**.


    The test data mart appears in the list of test data marts.

The following image shows the second step in the **New Repository and Mart** wizard:



12. Select the test data mart from the list and click **Finish** to create the test data repository content.

    The test data repository and test data mart information appears in the **Repository and Data Mart** view. The following image shows the **Repository and Data Mart** view with the test data repository and test data mart details:



Step 3. Create a Data Set

Run a plan to create a data set. Specify the test data mart as the target in the plan.


1. Open a project and add the required data sources and the project components.

2. To create a plan, click **Execute** and then click **Actions** > **New**.
3. Enter a name and optional description for the plan. Click **Next**.
4. Add and configure the required plan components.
5. Configure the plan settings. Select the connection that contains the test data as the source connection.
6. To create a data set, select **Test Data Mart** from the list of target connections.

   The **Data Set Properties** section appears.
7. Enter a data set name. TDM enters the plan name by default. Edit the name as required.

   When you enter a data set name that does not exist in the test data mart, you create the first version of a data set. TDM enters the data set version number.

   The following image shows the **Data Set Properties** section in the plan creation wizard:



8. Enter an application name and application version to identify the data set.
9. Add tags to the data set. Use a comma to separate tags.
10. Configure the error and recovery settings and advanced settings as required and click **Next**.
11. Optional. Configure an override strategy for a data source or a table.
12. To save the plan, click **Finish**.
13. To generate and run the workflow, click **Actions** > **Generate and Execute** in the **Plan Properties** page.


    You can view the job log messages in the **Monitor** tab. When the job completes successfully, you can view the data set in the **Data Sets** view.

Step 4. View the Data Set

View the data set details from the **Data Sets** view.


1. Click **Data Sets** to open the **Data Sets** view.

   The following image shows the **Data Sets** view in the Test Data Manager home page:



2. Identify the data set that you created.
3. Click the data set to open the data set in another page.
4. View the data set information in the data set page.

   The data set page lists the tables in the data set and the metadata information in different tabs. The following image shows the data set page:



You can edit the metadata and perform tasks such as reset from the data set page.

Author

Sadhana Kamath

Acknowledgements

The author would like to acknowledge Sunag C.S., for his technical assistance.