How-To Library

Informatica

Compute and Create a Subset of a Data Pack in the Self-Service Portal in Test Data Management

© Copyright Informatica LLC 2019, 2021. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html

Abstract

You can create a subset of a data pack in the self-service portal in Test Data Management (TDM). You can run a job to view related data and compute the subset data before you create the subset. This article provides the steps to compute the results of subset criteria and run a job to create a subset of a data pack. This article assumes that you have knowledge of TDM and are familiar with TDM operations.

Supported Versions

- Test Data Management 10.2 R1
- Test Data Management 10.2.0 Hotfix 1
- Test Data Management 10.2.0 HotFix 2

Table of Contents

Overview. 2
Example. 2
Prerequisites. 3
Step 1. Create a View Related Data Job to Compute the Subset. 3
Step 2. View the Results of the Job. 4
Step 3 - Optional. Run a View Related Data Job with Updated Criteria. 5
Step 4. Create a Subset of the Data Pack. 6
Step 5. View the Subset of the Data Pack. 7

Overview

You can create a subset of a data pack in the self-service portal.

A data pack subset includes a part of the data in the original data pack. The subset is referentially intact and maintains primary and foreign key relationships. The criteria that you use to create the subset depends on the data that you want in the data pack.

Use row-level tags to tag the rows that you require in the data pack. You use row-level tags as criteria when you create the data pack subset. The data pack that you create includes the data that you tag and its related data.

You can run a job to view the subset computation before you create a subset. View the subset computation to ensure that the subset criteria that you use returns the required data.

Example

You work for a test team that uses TDM to create and manage test data in the test data warehouse. You are responsible for test data creation for specific test cases.

You access the test data from the self-service portal. A data pack that you use includes data for all customer orders. You need a data pack with data for all orders that cannot be counted as complete. You add tags to the data for different order statuses including complete, canceled, and returns. You use specific subset criteria and create a subset of the data pack. To identify the required criteria, you create and run jobs to view related data. The job computes the data for a particular criteria. You can run different jobs to identify criteria that returns data that you need. You then use the same criteria in a job to create a subset of the data pack.

To compute and create a subset of a data pack, perform the following tasks:

1. Create a View Related Data job to compute the subset.
2. View the results of the View Related Data job.
3. If the data does not return the required results, update the criteria and run another View Related Data job.
4. Create a subset that uses the criteria that returns the required data.
5. View the subset data pack.

Prerequisites

Before you compute and create a subset of a data pack, perform the following tasks:

- Verify that the Test Data Management version supports the test data warehouse and the self-service portal.
- Log in to Test Data Manager and create a data pack that contains the test data that you need to use.
- Add row-level tags to the data in the data pack. Add tags according to the subset you want to create. You use the tags as criteria when you create the subset of the data pack.

Step 1. Create a View Related Data Job to Compute the Subset


Create a job to view related data to compute the results of specific criteria.

1. Log in to Test Data Manager.
2. Click the **Self-Service Portal** tab.
3. Open the required data pack.
4. Open the **View Related Data** tab.
5. Click **Actions** > **Create Job**.

   The **Create Job** window opens.
6. Enter the row-level tags that you want to use as criteria to create the subset.

   Separate each tag with a comma. The example uses tags that indicate canceled orders and orders that are not yet complete.

The following image shows the **Create Job** dialog box:




7. Click **OK**.

Step 2. View the Results of the Job

To view the data that matches the criteria, view the results of the **View Related Data** job.

1. Click **Monitor** to open the **Monitor** tab in the self-service portal.
2. Verify that the status of the job to compute related data is successful.
3. On the **View Related Data** tab in the data pack, click the **Refresh** button.
4. Click the tag name in the list of tags to view data in the **Tables** and **View Data** sections.

   The data includes the tagged data and all data related to the tagged data.
   The following image shows the **View Related Data** tab with the results of the job visible:



5. Verify that the results include the data that you require.

   In the example, the data returns order data and related data for orders canceled or incomplete. You need to create a data pack that contains all data for orders that are not complete. The computation does not include data for orders that were returned.

6. Optional. You can choose to run the same job again if you update the data or tags in the data pack and want to view updated results. Click **Actions** > **Resubmit Job** to run the job with the same criteria.

You can change the criteria and run more jobs to ensure that the criteria returns required data before you create the subset.

Step 3 - Optional. Run a View Related Data Job with Updated Criteria


You can run a job using different criteria or combinations of criteria if the data does not meet requirements. In this example, the data computed does not include orders that were returned. Run another View Related Data job with additional criteria.

1. Open the required data pack.
2. Open the **View Related Data** tab.
3. Click **Actions** > **Create Job**.

   The **Create Job** window opens.

4. Enter the row-level tags that you want to use as criteria to create the subset.


   Separate each tag with a comma. This job uses the tags in the first job in addition to criteria for orders that were returned.
   The following image shows the **Create Job** dialog box:



5. Click **OK**.

6. Click to open the **Monitor** tab in the self-service portal.
7. Verify that the status of the job to compute related data is successful.
8. On the **View Related Data** tab in the data pack, click the **Refresh** button.
9. Click the tag name in the list of tags to view data in the **Tables** and **View Data** sections.

   The data includes the tagged data and all data related to the tagged data.
   The following image shows the **View Related Data** tab with the results of the job:



10. Verify that the criteria returns the data that you require.


    In the example, the data returns order data and related data for canceled, incomplete, and returned orders. This includes all orders that cannot be counted as complete and meets the requirement for the subset.

Step 4. Create a Subset of the Data Pack

After you identify the criteria that returns the data you require, you can use the criteria to create the subset.

1. Click the **Overview** tab on the self-service portal.
2. Identify the required data pack from the **My Data Packs** list.

   The following image shows the data pack in the **My Data Packs** list with the **Copy/Subset** button:




3. Click the **Copy/Subset** button on the data pack.

The **Create a Copy or Subset** dialog box opens.

4. Enter a name and optional description for the data pack.
5. Enter the subset criteria.

   You can select the required criteria from the list. Use the criteria that you identify from the jobs to view related data. If you do not enter subset criteria, you create a copy of the data pack.
6. Optional. Enter tags for the data pack.
7. Click **OK**.

   The following image shows the **Create Copy or Subset** dialog box:




You can view the status of the job on the **Monitor** tab. When the job completes, the data pack appears in the list of data packs.

Step 5. View the Subset of the Data Pack

You can view the subset of the data pack from the **My Data Packs** list on the **Overview** tab of the self-service portal.


1. Click the **Overview** tab on the self-service portal.
2. Identify the data pack from the **My Data Packs** list and click to open the data pack in a new page.

The following image shows the **My Data Packs** list with the data pack created in the previous step:



3. Click the **Tables** tab.

   You can view the table data on the **View Data** tab.
   The following image shows the data pack page open on the **Tables** tab:



You can use the data pack in test cases that require the specific data.

Author

Sadhana Kamath