Informatica Cloud Data Governance and Catalog October 2026 Release Notes

© Copyright Informatica LLC 2021, 2026

Contents

Abstract. 1
Fixed issues. 1
Known issues. 9
Informatica Global Customer Support. 11

Abstract

Read the *Release Notes* to learn about fixes and known issues for Data Governance and Catalog.

For information about new features and enhancements, see *What's New*.

Fixed issues

The tables in this section describe recent fixed issues in Data Governance and Catalog.

October 2026 fixed issues

Issue	Description
CDGC-104027	When the audit history that you export contains more than 100,000 rows, Data Governance and Catalog splits the export into multiple files. Some rows appear in more than one file, and other rows don't appear in any file. The export file still contains the correct total number of rows.
CDGC-103721	In Metadata Command Center, the **Created By** field of a job shows your user name with a "(Deleted)" suffix even though your account is active. This issue occurs when your user name matches a previously deleted user account in your organization.
CDGC-103579	In Data Governance and Catalog, when you export a relationship graph to the PNG or PDF format, asset names overlap the buttons and relationship labels are difficult to read.
CDGC-102418	If a network error interrupts the download of scanner packages, Metadata Command Center doesn't retry the download, and the catalog source job fails.
CDGC-102050	In Data Governance and Catalog, a bulk import of relationships skips a subdomain relationship when you do not have permission on the subdomain. The job reports that it completed successfully, and the error file is empty.
CDGC-102002	In Data Governance and Catalog, the upstream data elements were missing from the diagram because sources from different hop levels are collapsed into a single layer.

Issue	Description
CDGC-101597	In Data Governance and Catalog, when you delete a stakeholder group and create it again with the same name more than once, bulk import cannot remove the stale stakeholder entries marked Deleted. The entries remain on the asset.
CDGC-100712	In Data Governance and Catalog, when you change the stakeholders on a data quality rule occurrence and then export it from search, the file lists the inherited stakeholders instead of the assigned stakeholders shown on the rule occurrence.
CDGC-100627 CDGC-93658	When you export assets, the export file contains the previous values of an attribute instead of the updated values. The issue occurs if your administrator updated the attribute values in Metadata Command Center after you select an attribute value for an asset.
CDGC-99960	When you add the **Start Date** field in Metadata Command Center to a **Project** asset's **Browse** page custom layout, the field reduplicates multiple times on the **Policy** asset tab in Data Governance and Catalog. The layout editor shows no indication of the duplication, and the attribute doesn't reduplicate on the **Project** asset tab.
CDGC-99843	In Data Governance and Catalog, you cannot save a rule template when a custom layout places custom attributes in a section other than the **Custom Attributes** section. After you enter the values, the save action remains unavailable.
CDGC-99782	When you preview the failed rows of a data quality rule occurrence, the preview doesn't show the column headers. Instead, the first failed row appears as the header. You experience this issue only on a Microsoft Windows machine where the Secure Agent is installed.
CDGC-99362	If data flows out of a data set and back into the same data set, Data Governance and Catalog doesn't display data element lineage correctly. Some data sets appear in the wrong position, and others appear disconnected.
CDGC-98928	When you run a bulk import job that includes a data set with a colon in its name, the import fails with the error `Invalid value of: Business Dataset | Expected: To delete the association, prefix the name or Reference ID of the business dataset with DELETE: without any spaces.` For example, importing a data set with the name `Data Set:` causes an error.
CDGC-98872	On the **Relationship** tab of a MicroStrategy Metric asset, when you expand the **Report Field** node in the relationship graph, no child assets appear even though the node count shows the expected number of report fields. For the grid view of the asset's relationships, if you add a filter the grid displays no data.
CDGC-98570	In Data Governance and Catalog, if you reimport an exported file without modifying any asset, the import hangs for about 30 minutes and completes with errors.
CDGC-96844	If you change the secondary glossary of a data quality rule template before you run a data quality rule based on the template, Data Governance and Catalog doesn't remap the input port, so the rule doesn't run. Also, you can't edit the **Technical Rule Reference** field and the input port of the technical rule reference.
CDGC-96703	In Data Governance and Catalog, a bulk import content publish task fails when the change record exceeds the Kafka size limit. Some assets are not updated.

Issue	Description
CDGC-96512	When you create a ticket in Data Governance and Catalog for a Data Quality Rule Occurrence and leave it in the **Open** state, an update to the asset through bulk import fails. The page displays the error `Workflow validation failed with error: Current User not a stakeholder`. This issue occurs even when no stakeholder policy exists on the asset and the workflow configuration event type **Approval Request for Change** exists. The same update succeeds when you make the change through Data Governance and Catalog.
CDGC-96440	On the **Contains** tab of an SAP table technical asset in an SAP SuccessFactors catalog source, Data Governance and Catalog doesn't show the **Classifications** column. The column doesn't appear even if you manually add data element classifications to the table fields.
CDGC-96421	In Administrator, if you don't have **Read** permission on a **Data Profiling Task** asset type for the Data Profiling service, Data Governance and Catalog logs you out when you preview failed rows.
CDGC-96183	When you submit a ticket to start a workflow on an asset assigned with stakeholders, the ticket creation fails. The issue occurs because some stakeholders lose their roles when assigned to an asset, and Data Governance and Catalog doesn't check the stakeholder-to-role mapping. The error message does not indicate the cause.
CDGC-95700	When you export search results with the **Include Asset Details** option for assets in hierarchies, some attributes don't appear in the exported file. This issue affects asset hierarchies that include assets with more than one parent in the hierarchy.
CDGC-93745	When you export a search result to a CSV format and the exported assets include custom attributes, the export job fails. The XLSX export of the same assets completes successfully.
CDGC-93656	In Metadata Command Center, a single-select drop-down custom attribute does not appear correctly in the blank import template when the values exceed 255 characters or contain a comma. You cannot select the defined value because the cell is blank or the values are truncated.
CDGC-92839	When you export data quality search results for a search query that contains a numeric score, the export job completes but the download file option does not appear. For example, if you export the search query `dq rule related to (Data elements in schema "fsm")Less than or equal to value "99.99"`, the job page doesn't show an option to download the export file.
MDP-17443	In Metadata Command Center, you can't download an export file if the file name contains the phrase `.xlsx` in the middle of the name.
MDP-17166	Data Governance and Catalog doesn't display the stakeholders of some business terms and technical assets even though the stakeholder assignments still exist in the application.
SCAN-45607	If you use an LDAP authentication to connect a Data Integration mapping task with an Oracle catalog source, you can't connect the catalog source to Data Governance and Catalog using a JDBC authentication. The Data Integration mapping task's details do not appear in the lineage.
SCAN-41522	In Metadata Command Center, an Amazon Redshift catalog source scan logs parsing errors when the source contains Python functions. Lineage for objects that call those functions is incomplete.
SCAN-41013	Metadata Command Center extracts the incorrect path for the assets from an Azure Data Factory source system. As a result, Data Governance and Catalog shows incorrect lineage information on the **Lineage** tab of the assets in the source system.
SCAN-40780	Metadata Command Center extracts the incorrect lineage information for assets in a Microsoft Azure SQL Managed Instance database within an Azure Data Factory source system

Issue	Description
SCAN-38478	Metadata Command Center doesn't parse the DELETE and UPDATE statements in the stored procedures in a Microsoft SQL Server source system. As a result, Data Governance and Catalog shows incorrect lineage information on the **Lineage** tab of the assets in the source system. The issue occurs if a statement has an OUTPUT clause, an alias for the target table in the FROM clause, and an unqualified column.
SCAN-38402	In Metadata Command Center, a Microsoft SQL Server catalog source scan does not generate lineage for a stored procedure that uses a DELETE statement with an OUTPUT INTO clause.
SCAN-38391	When you scan a Microsoft SQL Server source that contains stored procedures with variables initialized with a hexadecimal value, the scanner fails to extract the affected procedures and shows the error `Conversion not supported from charset: DEFAULT`. For example, a variable initialized with a hexadecimal value `DECLARE @accessRightsAll INT = 0x00D0017` results in the error.
SCAN-38375	In Metadata Command Center, an IBM Db2 catalog source scan doesn't parse a view that uses successive :: casts. Therefore, the scan extracts incomplete metadata and lineage information for assets in an IBM Db2 for LUW source system.
SCAN-37609	When you scan a BigQuery stored procedure that creates a table with the `CREATE OR REPLACE TABLE AS` statement inside a `BEGIN...END` block, the output table appears as a reference data source in its Data Governance and Catalog lineage. As a result, the lineage shows an unresolved reference rather than a table asset for that stored procedure.
SCAN-37136	In Metadata Command Center, a Microsoft Power BI catalog source scan cannot create lineage for a data flow when Power Query uses Text.StartsWith with three arguments: `List.FirstN`, `Binary.ToText`, `Smartsheet.Tables`, or `CommonDataService.Database`.
SCAN-36350	In Metadata Command Center, a Microsoft Power BI catalog source scan cannot create lineage for a dataflow table when Power Query removes a column after headers are promoted from a table row. The scan log reports that the column is missing in Table.RemoveColumns.
SCAN-31523	When you scan a Microsoft SQL Server source that uses OPENROWSET to query JSON files, data element level lineage is unavailable for the JSON fields. Root-level lineage resolves correctly, but lineage for columns with JSON content does not resolve.

July 2026 fixed issues

Issue	Description
CDGC-95394	Non-administrator users cannot view or use the **Generate with CLAIRE** option for generating a business name for assets even if users have the required Read and Update permissions on the asset.
CDGC-91657	No data appears in the data preview section when the profile pattern filter is set to **Others** and filters are applied.
SCAN-36132	In Metadata Command Center, if a pipeline specifies the same output filename in both the dataset's **fileName** property and the data flow sink's **partitionFileNames** property, the target asset appears in the lineage view as both a folder and a file.
SCAN-35447	In Metadata Command Center, metadata extraction jobs for Microsoft Azure Data Factory Script Activity assets cannot parse SQL scripts that contain dynamic expressions. As a result, lineage between Microsoft Azure Data Factory and Snowflake is not captured in Data Governance and Catalog.

Issue	Description
SCAN-35365	In Metadata Command Center, metadata extraction jobs for Microsoft Azure Data Factory Copy Activity assets can't parse SQL scripts that contain dynamic expressions. As a result, lineage between Microsoft Azure Data Factory and Snowflake is not captured in Data Governance and Catalog.
SCAN-35039	When you scan a pipeline with underscore separators in its date and time expressions in Metadata Command Center, the scan doesn't capture activity lineage for the pipeline.
SCAN-34857	Metadata Command Center doesn't assign an asset group to some assets in a Databricks catalog source if the assets share the same name. The issue applies to the following asset types: is a workflow job definition, work job instance, notebook task, data source, task parameter, and data element.
SCAN-34105	In Metadata Command Center, asset groups configured with the Assign Asset Group option do not propagate to all assets when you run a metadata extraction job for an SAP BusinessObjects Data Services catalog source. This issue occurs when Cell and DimensionResult assets have the same name, which generates the same core.location identifier. As a result, the assets remain untagged even though asset groups are configured at the catalog source level.
SCAN-33338	Metadata Command Center doesn't extract calculations stored on the Marks card of a Tableau worksheet. As a result, the **Lineage** tab in Data Governance and Catalog doesn't display the calculation data.
SCAN-31939	In Metadata Command Center, a metadata extraction job for a Tableau catalog source makes redundant API calls in the following scenario: The Tableau catalog source has a nested project structure and multiple filters that target the same site. The job scans folders and projects repeatedly for each filter, leading to a longer-than-expected extraction time.
SCAN-31465	When an Azure Data Factory pipeline used linked service parameters in script activities in Data Governance and Catalog, the scanner cannot evaluate expressions that include @{linkedService().SnowflakeDatabase}. This results in missing lineage between ADF pipelines and Snowflake targets.

April 2026 fixed issues

Issue	Description
CDAM-6175	When you change the details of a connection in Administrator, the Data Access Management Agent service does not use the changed connection parameters. To work around this, you must restart the Data Access Management Agent service when you change the details of a connection. For example, if you update the password, you must restart the Data Access Management Agent service.
CDAM-5553	If you're using a connection to Databricks to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option.
CDGC-91544	In Metadata Command Center, the data quality task for a catalog source fails when you enable remediation because the system incorrectly repeats the drive letter in the file path. This creates an invalid naming syntax that prevents the results file from being created. You experience this issue only on a Microsoft Windows machine where the Secure Agent is installed.

Issue	Description
CDGC-92298	When you resize your browser window significantly or change your browser's display scale, the dashboard layout for usage analytics dashboards might shift for different screen sizes. The layout change can cause errors when editing dashboards or widgets. You must set your browser's display scale at 100% or the default scale.
CDGC-90152	Column level lineage look incomplete when the lineage tree has more nodes than the default fetch limit.
CDGC-89020	In Metadata Command Center, if you remove the value specified in the **Classification Category** field of a data element classification, the system continues to use the latest value that was selected for the field.
CDGC-88645	If you select a single-hop lineage expansion, it results in additional unintended hops being displayed.
CDGC-88592	You cannot create or view data quality widgets in the chart view. You can view the search results in a list.
CDGC-88578	Authorization checks for user roles are missing. As a result, a user role such as the data steward has the same access and privileges as the administrator. This includes unauthorized access to services such as Administrator and Metadata Command Center.
CDGC-88557	On a Domain asset's details page, the **Data Quality** tab displays an inaccurate information for the **Validity** parameter because Data Governance and Catalog only processes the first 10,000 business terms that are associated with the Domain asset.
CDGC-88448	The dashboard fails to display search-based widgets where the results are filtered by a custom attribute.
CDGC-88126	When you use the Search for Assets API to view data element details from a catalog source, some text lose their capitalization. As a result, the response body might show the asset name and the associated glossary name in lowercase for names that are uppercase on asset pages.
CDGC-87483	When you run a data profile on CDS views from an SAP ERP source system, the profiling job fails with the following error message: Unsupported metadata builder for com.infa.odin.models.application.saps4hana.CDSViews
CDGC-87481	If you add a custom business name to a technical asset in an exported file and then re-import the file, it causes the bulk import job to fail. As a result, the custom business name is not applied.
CDGC-87451	When you run a data profile with the **Less Than or Equals** or the **Greater Than or Equals** operator in the filter conditions, the profiling job fails with the following error message: No enum constant com.informatica.ccgf.components.profiling.api.scope.config.Operator.LESS_THAN_OR_EQUALS
CDGC-86293	Users authenticated through Single Sign-On (SSO) cannot be assigned a stakeholder role.
CDGC-84926	If you clear the description of a published Glossary Business Term and initiate a workflow, the description is repopulated with the original published content during subsequent workflow steps.
CDGC-82861	Data de-identification policies automatically inherit stakeholders from the associated precedence tiers. Although the user interface does not display these stakeholders, you can still initiate a workflow.

Issue	Description
CDGC-80479	For rules built in advanced mode, the **Failed Preview** rows in the Data Quality rule occurrence show all rows instead of only the failed rows.
DQC-40297	In Metadata Command Center, the data observability job fails to run on the SAP ERP catalog source.
MDP-13484 and MDP-9223	In Metadata Command Center, when you run a metadata extraction job for SAP SuccessFactors, the job fails to profile sources with multiple tables. For some tables, the job cannot identify certain fields in the source metadata. While for other tables, the job populates associated workflows with the wrong metadata. As a result, some tables do not show profiling in Data Governance and Catalog.
MDP-16110	In Data Governance and Catalog, a bulk import that uses real-time ingestion can update the elastic and lake store without updating the graph. The job does not report the graph update failure.
MDP-11856	Dates displayed with the varchar datatype in data quality preview rows are incorrectly truncated.
MDP-9869	Data Quality jobs fail when agent cache is enabled on tables with many rule occurrences.
SCAN-34586	When you create or update a catalog source and you have not yet run a metadata extraction job, Data Governance and Catalog creates a duplicate instance of the catalog source.
SCAN-32283	For Snowflake metadata extraction, if you enable data observability and metadata extraction, a dynamic table appears twice, as a view and as a table.
SCAN-29399	Metadata Command Center fails to extract description for DbtCalculation assets from a dbt source system.
SCAN-28874	There is a possible issue that when Metadata Command Center scans IDMC metadata that contains multiple Data Integration mapping tasks, it misidentifies the data protection attributes. Set filters to ensure that Metadata Command Center only scans a single mapping task.
SCAN-28779	If you make changes to a data access policy after running a Data Integration mapping task and scanning the IDMC metadata, the changes to the data access policies are only reflected when running a mapping task through a taskflow.
SCAN-28602	Lineage expressions are incorrectly extracted with single quotes.
SCAN-28539	For Microsoft Azure Data Factory assets, Data Governance and Catalog cannot parse date formats with a forward slash. For example, the date format 2025/10/03 cannot be parsed. After you run a catalog source job for Microsoft Azure Data Factory, there are unidentified assets in its lineage.
SCAN-28331	Metadata Command Center stops extracting metadata from objects of a SAS source system if the objects contain an ENDSAS conditional clause.
SCAN-27229	For Azure Data Factory metadata extraction, dependent activities without run metadata are not handled correctly, which might cause the scan to fail or show misleading errors during activity conversion in operational metadata context.

November 2025 fixed issues

Issue	Description
CDAM-5360	Attempting to change the enforcement method of a data filter policy through the data filter API with the PATCH or PUT method invalidates that data filter policy.
CDAM-4711	If you define user roles of the same name with a different case, an error occurs when Data Access Management attempts to push a data access policy to your cloud data provider. The policy is not pushed down.
CDGC-86369	When you create a search widget grouped by stakeholders, the widget does not display all the assigned stakeholders.
CDGC-85848	When you use a search query to find assets with CLAIRE-generated data classifications or assets that are associated with CLAIRE-generated classifications, the search query returns no results.
CDGC-85846	If your organization uses the Neo4j graph database, the stakeholder filters do not display all entries.
CDGC-85540	When you search columns with the `propert` or `Property` keywords in the **Contains** tab of a data element, you don't see all columns that have 'property' in their names.
CDGC-84817	When you use the Create Assets API to create a System asset, the request fails if the **System Type** attribute uses a label value instead of the corresponding code value.
CDGC-84787	You can't view the lineages that are discovered by CLAIRE for a catalog source even if your user profile is assigned the Governance Administrator role.
CDGC-84605	When you expand all of the lineage hops to load the lineage graphs, you see that the loading operation takes up to three minutes and fails with an error.
CDGC-84517	When running a bulk import to update an asset, the job fails even if you are a stakeholder of the asset. If you do not have the **Manage Access** privilege, you cannot perform any operation to the asset through a bulk import.
CDGC-84290	You cannot save a workflow event in Metadata Command Center if the workflow that you used to create the event contains a task with a name that includes the double-quote (") character.
CDGC-84103	When you try to bulk import exported assets, if you do not specify a valid origin value the ingestion fails.
CDGC-84083	When you try to import an asset that you had previously exported, Data Governance and Catalog displays an error if the asset has a custom attribute configured for it in Metadata Command Center. This issue occurs if you use the same file to import that asset together with at least one other type of asset.
CDGC-83993	After you upgrade Data Governance and Catalog, the **Data Elements** grid in the **Contains** tab of an asset displays data elements in a different order than the default sorting. This issue occurs if your administrator has configured a custom layout for the asset in Metadata Command Center and a new predefined column is added to the **Data Elements** grid during the upgrade.
CDGC-83946	When you add a stakeholder to an asset using the same name as a previously deleted stakeholder and then import that asset, the bulk import job fails with the following error message: The entered '[]' stakeholder is invalid.

Issue	Description
CDGC-83650	When multiple paths of lineage lead to a single endpoint, you see the same endpoint multiple times instead of single endpoint with multiple lineage paths.
CDGC-83644	When you tag users in comments on any technical assets, they do not receive email notifications as expected.
CDGC-83284	When you use Find to locate an asset in a search-based widget, the operation returns assets that start or end with the keyword of your find. For example, if you use the keyword "work" to locate an asset with the name "Associate Work Email", the operation returns incorrect or no results.
CDGC-82790	When you purge a catalog source, assets that were extracted from that catalog source continue to be visible in the Data Governance and Catalog interface.
CDGC-80873	When you cancel a Marketplace Propagation job, the job does not transition to the **Cancelled** state as expected, instead, it remains in its previous state.
MDP-11322	If you decline a glossary for a technical asset from the Data Governance and Catalog user interface and you later use the bulk import operation to accept that glossary, the user interface continues to display the glossary as declined for the asset.
MDP-10819	When you use a bulk import template to create an asset in the Draft lifecycle and you then modify the asset in the Data Governance and Catalog user interface, the user interface displays your changes inconsistently.
SCAN-25328	When you view the lineage for technical assets in a Databricks catalog source in Data Governance and Catalog, deleted or non-existent assets appear in the lineage.

Known issues

The tables in this section describe known issues for Data Governance and Catalog.

October 2026 known issues

Issue	Description
CDAM-7663	When you create a data filter policy that uses pushdown enforcement, if the filter includes a data classification whose data type does not match the data type in the source system, the status on the Enforcement tab will not appear correctly.
CDAM-7661	When you create a data filter policy that Data Governance and Catalog pushes down to Microsoft Power BI and Amazon Redshift, if the rule condition includes a user group that does not exist in the source system, the status on the Enforcement tab will not appear correctly. These source systems do not allow references to non-existent user groups.
CDGC-104111	When you use a bulk import template to create a data quality rule occurrence, the import job fails if you specify a manual data element as the primary or secondary data element. **Workaround:** Create the rule occurrence in the Data Governance and Catalog user interface.
CDGC-104102	When you export a data quality rule occurrence, the export file doesn't include primary or secondary data elements that are manual data elements.

Issue	Description
CDGC-104101	You can't add a manual data element as the primary data element of a scorecard rule occurrence.
ER-45599	When you attempt to connect to an Oracle Autonomous Database (ADB) through the Data Access Management Proxy service using the native Oracle connector, the connection fails with an ORA-17002 error. This occurs because the proxy service sends the initial connection request in plain text. The database's always-on encryption requirement rejects plain text requests. **Workaround:** Configure the source as a generic JDBC connection. First, create a copy of your Oracle wallet file named `cwallet.sso` for SSO, `ewallet.p12` for PKCS12 in a dedicated directory on the Data Access Management Proxy service, for example, `/shared/keys/rawmart/cwallet.sso`. Then, configure the generic JDBC connection using the full TLS connect string in the URL. For example: `jdbc:oracle:thin:@tcps://<host>:1522/<service>?wallet_location=<absoluteWalletDir>&ssl_server_dn_match=false`

July 2026 known issues

Issue	Description
MDP-14726	When you enable the CLAIRE generative AI services in Administrator, the **AI Search** option might not appear in Data Governance and Catalog immediately. You must wait up to 60 minutes for the **AI Search** option to appear.

April 2026 known issues

Issue	Description
MDP-13919	On an Oracle Cloud Infrastructure IDMC POD, when you use CLAIRE to generate a description for a glossary asset, Data Governance and Catalog displays an error.

November 2025 known issues

Issue	Description
CDAM-5816	When applying data protections to an Oracle data source, Data Marketplace treats number data type values as an integer. Data Integration treats number data type values as a decimal.
CDGC-86787	When you run a data profile, the value frequency results for columns with null values appear as empty values.
CDGC-86697	When you run a data profile, the column statistics do not display the minimum and maximum values for data elements from the following source systems: - Databricks - IBM Db2 for LUW - Amazon Redshift - SAP HANA Database
CDGC-81354	When you create a workflow ticket to track asset creation, the ticket does not go into the **Resolved** status. Even after the asset is created and you resolve the ticket, the ticket is goes back to the **Open** status and the associated asset stays in the **In review** status.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:
https://www.informatica.com/services-and-training/customer-success-services/contact-us.html.

To find online support resources on the Informatica Network, visit https://network.informatica.com and select the Support option.