# Informatica Metadata Command Center October 2026 Release Notes

© Copyright Informatica LLC 2021, 2026

## Contents


Fixed issues. . . . 2
Known issues. . . . 13
Connector and connectivity issues. . . . 14
- Amazon Redshift V2 Connector. . . . 14
- Amazon S3 V2 Connector. . . . 15
- Databricks Connector. . . . 16
- Db2 for LUW Database Ingestion Connector. . . . 18
- Denodo. . . . 19
- Google BigQuery V2 Connector. . . . 19
- Google Looker. . . . 20
- Greenplum Connector . . . . 21
- Kafka Connector. . . . 21
- Microsoft Azure Data Lake Storage Gen2 Connector. . . . 21
- Microsoft Power BI Connector. . . . 21
- Microsoft Sharepoint Online Connector. . . . 23
- Microsoft SQL Server Connector. . . . 24
- Netezza Connector. . . . 25
- Oracle Connector. . . . 25
- PostgresSQL Connector. . . . 26
- Qlik Cloud Connector. . . . 26
- Qlik Sense Connector. . . . 27
- Salesforce Connector. . . . 27
- SAP Bapi Connector. . . . 28
- SAP Datasphere Connector. . . . 28
- SAP HANA Connector. . . . 29
- SAP OData V4 Connector. . . . 30
- SAP SuccessFactors. . . . 30
- Snowflake Data Cloud Connector. . . . 31
- SQL Server Connector. . . . 33
- Strategy Cloud Connector. . . . 34

Tableau V3 Connector. . . . . 34
Teradata Connector. . . . . 37
Workday Mass Ingestion Connector. . . . . 37
Informatica Global Customer Support. . . . . 38

Read the *Release Notes* to learn about fixes and known issues for Metadata Command Center.

For information about new features and enhancements, see *What's New*.

# Fixed issues

The tables in this section describe recent fixed issues for Metadata Command Center. Not all monthly releases include fixed issues.

## October 2026 fixed issues

| Issue | Description |
|---|---|
| CDGC-104440 | When you run a catalog source job with data classifications that use a Reference 360 code list, the data classification task fails with the following error: `Model publish failed`<br>This issue occurs when the model publish job takes longer than 15 minutes to complete. |
| SCAN-44422 | When you run an IBM InfoSphere DataStage catalog source job to extract metadata from SQL scripts, the job fails with the following parsing error: `Cannot parse SQL command in stage <stage_name>: Unable to parse script.`<br>This issue occurs because the job removes tab spacing and line breaks, causing adjacent SQL keywords and tokens to merge into invalid syntax. |
| SCAN-43536 | When you run an IBM InfoSphere DataStage catalog source job, the job fails with the following error: `SQL parser failed for stage [...] and no output link columns are specified`<br>This issue occurs when a shared container parameter references a job parameter that you configured in the **Parameter Override** field. |
| SCAN-44150 | When you run a JDBC catalog source job with nonresolving schema include filters, the extracted schemas appear split across two databases. The schemas are divided between the actual database name and a generic JDBC database name.<br>This issue occurs because evaluating a nonresolving filter causes the job to misassign the connection as catalog source level for all remaining schemas. |
| CDGC-104065 | When you create or edit a data element classification rule that combines manual entry with a selected Reference 360 asset, validation fails. This issue occurs even when the rule is valid. |
| CDGC-102709 | After you delete an object from the source system, a delete-mode metadata extraction job might not remove the asset from the catalog. The asset continues to appear in Data Governance and Catalog because it isn't deleted from the catalog. |
| SCAN-43129 | When extracting metadata using Informatica Intelligent Cloud Services, workflows whose session instance uses a parameterized output directory default to the connection target directory. |

| Issue | Description |
|---|---|
| SCAN-42537 | When you run a Microsoft Azure Data Factory metadata extraction job, the job fails to extract Synapse Analytics notebook instances referenced in pipeline activities and the following error occurs: `Cannot find notebook with name <notebook_name> in catalog.` |
| SCAN-41922 | When you run an IBM InfoSphere DataStage metadata extraction job to extract metadata from DataStage jobs with Denodo SQL query hints, such as the context() clause, the job fails with the following parsing error: `Parse error (InputMismatch) on token: 'context'.` |
| CDGC-99245 | When you run data profiling on a catalog source that contains a large number of objects, the data profiling task fails with the following error:<br>`The node was low on resource: ephemeral-storage` |
| SCAN-35662 | When you perform connection assignment for an Informatica Intelligent Cloud Services catalog source, reference assets are not resolved. This issue occurs when a mapping uses an Excel source file configured with specific access settings, which alters the expected output structure. |
| SCAN-41690 | When you run an Informatica Intelligent Cloud Services metadata extraction job on a synchronization task that references a parameter file by name, the job does not resolve the file path and fails with the following error: `NoSuchFileException` |
| SCAN-42074 | When you run an Informatica Intelligent Cloud Services metadata extraction job on a mapping that has a flat file target, the job does not generate lineage for the file target. This issue occurs when the filename of the target is set to a dynamic expression that references a source field. The job drops the file target with the following warning in the debug log: `Could not evaluate dynamic target file name expression` |
| SCAN-42553 | When you run an Informatica Intelligent Cloud Services metadata extraction job on a mapping task, the job does not generate lineage for the source and fails with the following error: `Can not open file /<path>`<br>The issue occurs when the task uses a list file as the source in combination with input partitions. |
| SCAN-39894 | When you perform connection assignment for an Informatica Intelligent Cloud Services catalog source, reference assets are removed from the catalog.<br>This issue occurs when a mapping uses a custom query that references a PostgreSQL table without a schema prefix. |
| SCAN-41076 | When you run a metadata extraction job on a connection that retrieves credentials from the Secret Vault, the job fails during initialization with the following error:<br>`java.lang.NoSuchMethodError: 'void org.springframework.http.HttpEntity.<init>(java.lang.Object, org.springframework.http.HttpHeaders)'`<br>The failure is caused by an internal library version incompatibility. |
| SCAN-41385 | When you run an Informatica Intelligent Cloud Services metadata extraction job on mapping tasks that use Oracle connections configured with LDAP authentication, the job fails with the following error: `NullPointerException` |
| SCAN-38916 | When you run a Talend Data Integration catalog source job, the job fails with the following error: `Could not convert component tDBInput_1 due to: host cannot be null nor empty`<br>This issue occurs when a database input component in the job doesn't have a host name configured. |

| Issue | Description |
|---|---|
| SCAN-37152 | When you run an IBM Cognos catalog source job, the job fails with the following error: `java.lang.NullPointerException: Cannot invoke "String.endsWith(String)" because "" is null` |
| SCAN-37301 | When you run an IBM InfoSphere DataStage catalog source job, the job can't process a Snowflake stored procedure that has an input parameter of ARRAY data type. |
| SCAN-36981 | When you run an Informatica Intelligent Cloud Services catalog source job for MDM objects, the job fails with the following error:<br>`ERROR (ScannerComponent - RestSourceSystemReader:64) - Could not read job details for job.`<br>This issue occurs because the catalog source sends too many concurrent API requests to the source system, triggering the rate limiter. |
| CDGC-93091 | After you cancel a data profiling job, some mapping tasks continue to run on the Secure Agent. |
| SCAN-36682 | When you run a Microsoft Azure Data Factory catalog source job, the job fails and doesn't extract operational metadata from pipelines. The issue occurs if the job can't get activity run operational metadata from a pipeline due to a gateway timeout error. |
| SCAN-38934 | When you run an Informatica Developer catalog source job to extract metadata of mappings that contain parameters in Source Qualifier SQL overrides, data lineage is not generated and the following error appears in the job log:<br>`ERROR (ScannerComponent - CataloglessDeferredGraphProcessor:58) {/AMC/wf_AMC_denormalization/m_AMC_denormalization/m_AMC_denormalization}` |
| SCAN-39879 | When you perform connection assignment for an IBM InfoSphere DataStage catalog source, lineage is incomplete if the exported DataStage jobs contain file stage paths with wildcard characters `*` or `?`. |
| SCAN-39335 | When you run an Informatica Intelligent Cloud Services metadata extraction job on mapping tasks that use dynamic file names, the job fails to resolve the file names. As a result, lineage displays an auto-generated file name instead of the actual target file name. |
| SCAN-37993 | When you perform connection assignment for Informatica Intelligent Cloud Services mappings that connect to a Teradata Database using an ODBC connection, reference objects remain unresolved. As a result, reference objects appear in the lineage instead of resolved objects. |
| SCAN-37903 | When you run an Informatica PowerCenter catalog source job to extract metadata of mappings that contain Source Qualifier SQL overrides with SAP HANA SQL syntax, the job fails to generate lineage. |
| SCAN-37877 | When you run a Microsoft Azure Data Factory catalog source job to extract metadata of pipelines, date expressions that use non-zero-padded formats fail to parse. As a result, the target reference dataset appears as an unknown value in the lineage generated. |
| SCAN-37664 | When you run a Microsoft Azure Data Factory catalog source job, ExecuteDataFlow activities that use datasets without table information fail to parse. As a result, the job fails to extract metadata of the associated dataflows and the following error appears in the log files: `Cannot parse data flow: <dataflow_name> due to: Could not create component from dataset <dataset_name>, due to: Cannot invoke "String.toUpperCase()" because "segment" is null` |

| Issue | Description |
|---|---|
| SCAN-37665 | When you run a Microsoft Azure Data Factory catalog source job, copy activities that use datasets with paths configured using the add() or indexOf() expression functions fail to parse. As a result, the job fails to extract metadata of the associated copy activities and the following error appears in the log files: `Could not process activity <activity_name> ... due to: Could not create component from dataset <dataset_name>, due to: Cannot parse URL: <UNKNOWN_VALUE>` |
| SCAN-42621 | When you run an Informatica Intelligent Cloud Services catalog source job to extract metadata of mapping tasks with dynamic expressions in target names, a single reference data set appears in Data Governance and Catalog lineage for multiple mapping tasks. |
| SCAN-39375 | When you run an Informatica Intelligent Cloud Services catalog source job to extract metadata of mapping tasks with Snowflake source queries, the job fails to process SQL queries that contain a PIVOT clause with the ANY syntax. As a result, incomplete lineage appears in Data Governance and Catalog, and the following error appears in the log files: `Failed to process deferred SQL query [...] Resolving PIVOT with ANY clause can be scanned only when expected column names are specified in the statement source.` |
| SCAN-41844 | Running an Informatica Intelligent Cloud Services catalog source job on mapping tasks with parameterized SAP HANA queries causes calculation views to display incorrectly in the Data Governance and Catalog hierarchy. |
| CDGC-100253 | When you run an incremental metadata extraction job, you don’t receive the notification about assets updated for the catalog source even when the job extracts changed and new objects from the source system. |

## July 2026 fixed issues

| Issue | Description |
|---|---|
| SCAN-35798 | When you run a QlikSense Cloud job to extract metadata, the job takes a long time to complete when the catalog source includes a concatenation of multiple strings in the Data Load Script. |
| CDGC-94875 | Data profiling tasks on partitioned Parquet files fail with the following reason: `ProfileResultIngestionProcessor: java.lang.IllegalArgumentException: Index for header 'ZERO_COUNT' is 19 but CSVRecord only has 19 values!` This issue occurs when a column contains text values with a backslash (\). |
| CDGC-91620 | Job run logs display incorrect timestamps that can appear after the job end time. |
| SCAN-35661 | When you run a Microsoft Azure Data Factory catalog source job, the job doesn't extract metadata from some copy activities. |
| SCAN-35218 | When you run a Microsoft Azure Data Factory catalog source job to extract Azure Synapse Analytics notebooks, the notebooks don't get extracted. The job fails with the following error: `Invalid parameter value '{"type":"string","value":"[...]` |
| SCAN-32092 | When you run a Microsoft Azure Data Factory catalog source to extract metadata from pipelines that use trigger run system variables, the job fails with the following error in the log files: `Cannot determine value for: pipeline` |
| SCAN-32427 | When you run an IBM InfoSphere DataStage catalog source job and the WriteMode parameter is saved in verbose XML format, the job doesn't extract target tables. |

| Issue | Description |
|---|---|
| SCAN-32691 | When you run an IBM InfoSphere DataStage catalog source job to extract metadata from shared containers, the parameter names appear instead of the source and target object names.<br>This issue occurs if you assign multiple values to the **Parameter Override** field. |
| SCAN-34372 | When you run an IBM InfoSphere DataStage catalog source job with a Parameter Override value that assigns multiple values, the job fails to extract source and target tables. |
| SCAN-38361 | When you extract metadata from a Cloud Data Integration source system, intermittent connection errors mark all objects as failed in the catalog. The extraction job appears to complete without errors, but no metadata is available for the affected objects. |

## April 2026 fixed issues

| Issue | Description |
|---|---|
| SCAN-31765 | Incomplete lineage appears for the Informatica Intelligent Cloud Services catalog source. The issue occurs when alias names are used in the SQL Override query within the lookup object in Cloud Data Integration mapping. |
| CDGC-88577 | Users can access Metadata Command Center and IDMC Administrator despite lacking permissions. |
| MDP-12601 | When you assign more than 600 endpoints to any catalog source and run a synchronisation job, the job fails with the following error: `OutOfMemory` |
| CDGC-91279 | When you edit an access policy and modify the rules associated with the policy, the following error appears: `Something went wrong when we tried to render this page.`<br>This issue occurs when a cyclic relationship exists between parent assets and child assets. |
| SCAN-27811 | When you run a metadata extraction job on a Microsoft Azure Data Factory data source that includes a large number of pipelines, the job fails with with the following expired authentication token error: `ExpiredAuthenticationToken` |
| SCAN-26963 | When you run a Microsoft Azure Data Factory catalog source job, some activity instances don't get extracted.<br>This issue occurs if a folder path contains inconsistent file path separators. |
| SCAN-27715 | When you run a Microsoft Azure Data Factory catalog source job, the job fails to parse expressions that use the fromUTC() function in the Dataflow File Pattern. |
| SCAN-27229 | When you run a Microsoft Azure Data Factory catalog source job, the job fails with a misleading error.<br>This issue occurs if the job cannot fetch the activity runs from the source system. |
| SCAN-26191 | When you run a Microsoft Azure Data Factory catalog source job, the lineage generated doesn't split the source or target path as a hierarchy.<br>This issue occurs if the reference path includes more than one backslash (\). |
| SCAN-26195 | When you run a Microsoft Azure Data Factory catalog source job, the target file name appears as an unknown value in the lineage generated.<br>This issue occurs if the job includes a pipeline expression that contains length( ) or utcNow( ) functions. |

| Issue | Description |
|---|---|
| SCAN-30324 | When you run a Microsoft Azure Data Factory catalog source job, you can't extract flatten transformations. |
| SCAN-28397 | When you run a Microsoft Azure Data Factory catalog source job, you might see incomplete lineage and failure to extract metadata about activities, along with the following error: `Cannot invoke "String.startsWith(String)" because "this.fileExtension" is null` |
| SCAN-29049 | When you run a MicroStrategy catalog source job and perform connection assignment, duplicate reference data sets appear in Data Governance and Catalog. |
| SCAN-30923 | When you run an IBM InfoSphere DataStage catalog source job, the job fails if you assign multiple values to the **Parameter Override** field. |
| SCAN-31004 | When you run an IBM Mainframe Job Control Language (Accelerator) catalog source job, the job fails with the following error: `Parse error (InputMismatch) on token: 'CLASS'` This issue occurs due to missing dot separators in CLASS statements. |
| SCAN-27770 | When you run an SAP Sales & Service Cloud metadata extraction job on services, the results include metadata from additional services not specified in the filters. |
| MDP-13214 | When you use a JDBC catalog source to run data profiling tasks on an Apache Hive table, the job skips all columns. |
| CTP-412234 | You can't use the browse metadata extraction filters feature on the Amazon Web Services (AWS) UK POD. This issue occurs because the **CCICOREAgent** custom license is not included in the Intelligent Data Management Cloud Edition in Administrator. |
| SCAN-28283 | You can clone a catalog source even if you don’t have Read permissions on the Secure Agent group. The cloned catalog source displays a blank **Runtime Environment** field on the **Configuration** tab. |

## November 2025 fixed issues

| Issue | Description |
|---|---|
| CDGC-82731 | If you apply a catalog source filter on the **Lineage Discovery** tab of the **Configure** page, navigate to another page in Metadata Command Center, and return to the **Configure** page, the filter is removed. |
| SCAN-23588 | Microsoft Azure Data Factory catalog source jobs that include dataflows with expressions that use the unsupported `fromUTC` function inside a concat function, fail to resolve the expressions correctly. The linege appears incorrect in Data Governance and Catalog. |
| SCAN-25658 | The lineage from an Informatica PowerCenter catalog source contains the user name of the database user in the referenced object schema and the connection assignment doesn't complete as expected. This issue occurs when the connection includes Oracle as the referenced source system. |
| CDGC-72907 | When you create a workflow, the list of roles doesn't include all user roles. This issue occurs if your organization has more than 200 roles. |
| SCAN-25586 | When you enable **Refresh Lineage** for a linked lineage configuration, the lineage generation jobs start even if the metadata extraction jobs fail for the source or target catalog source. |

| Issue | Description |
| --- | --- |
| SCAN-24405 | When you run a custom catalog source job to extract metadata, the job fails with the following error:<br>`Exception occurred during initialization of scanner framework in batch mode. Error message: 'java.lang.Boolean org.springframework.core.SpringProperties.checkFlag(java.lang.String)'`<br>This issue occurs due to improper Spring dependency management. |
| SCAN-25854 | When you run a Microsoft Azure Data Factory catalog source job, the job completes with indexing and graph conversion errors. |
| SCAN-20939 | When you run a Microsoft Azure Data Factory catalog source job, the job fails with a graph conversion error. |
| SCAN-21851<br>SCAN-23691 | When you run a Microsoft Azure Data Factory catalog source job, the job fails with an `Out of memory` error. |
| SCAN-24058 | When you run a Microsoft Azure Data Factory catalog source job, the job fails with a NullPointerException error when processing control activities. |
| SCAN-24500 | When you run a Microsoft Azure Data Factory catalog source job to extract pipelines, pipeline activities for the same Run ID are split across multiple pipeline instances. |
| SCAN-25136 | When you run an IBM Mainframe Job Control Language (Accelerator) catalog source job, the job fails with the following error: `NHWEOM to graph. Message: Unable to process step S1` |
| SCAN-24437 | When you run an Informatica Intelligent Cloud Services catalog source job to extract metadata from Reference 360 assets in a sub-organization, the job fails with the following error: `Scan finished with abnormal exit status. Reason: No input was processed` |
| SCAN-24584 | When you run an SAS Base Programs (Accelerator) catalog source job, the job fails with the following error: `Parse error (InputMismatch) on token: '('`<br>This issue occurs due to an unsupported function syntax in the SAS script. |
| SCAN-23317 | When you run an SAS Base Programs (Accelerator) catalog source job that includes an APPEND clause in an SAS OPTIONS statement, the job fails with a parsing error. |
| SCAN-24785 | When you run an SAS Base Programs (Accelerator) catalog source job to extract metadata from XLSX files with headers that contain empty cells, the job fails with the following error:`NullPointerException: Cannot invoke <...> because the return value of <...> is null` |
| CDGC-83286 | When you select an asset type to create a custom attribute, the page stops responding. |

## July 2025 fixed issues

| Issue | Description |
|---|---|
| CDGC-79973 | Data profiling tasks fail with the following error: `java.lang.IllegalStateException: No inferred type found`<br>This issue occurs when the data source contains a column named Default. |
| CDGC-76045 | If data classification delete jobs fail, you can't perform actions such as delete, edit, or copy on the failed data classifications.<br>This issue occurs when you run multiple data classification delete jobs at the same time. |
| MDP-8276 | Informatica Intelligent Cloud Services catalog source job fails if the `https://dm-us.informaticacloud.com/*identity-service/home` IICS URL does not end with `/identity-service/home` and the following service error occurs: `"Can't display the code values. Try again later"` |
| CDGC-75897 | Multiple bulk ingestion subtasks run and fail for jobs with merge operations.<br>This issue occurs when there is a significant time interval between batches sent for ingestion. |
| SCAN-21247 | SAS Base Programs (Accelerator) catalog source jobs that contain input SAS code with the symbol 'G' as the last argument in a CALL SYMPUTX statement fail with the following error: `Unsupported expression of type: Unknown` |
| SCAN-22020 | The link catalog sources logic generates lineage for all schemas with the same prefix instead of linking only specific schemas configured as the source and target. |
| CDGC-79252 | The permissions to manage a custom catalog source are ignored and incorrect permissions are assigned. |
| SCAN-18674 | When Oracle Cloud Infrastructure GoldenGate catalog sources include 'DDLERROR' and 'DBOptions' functions in a mapping statement, metadata extraction jobs fail with the following error:<br>`ERROR (ScannerComponent - BaseChainExecutor:52) - Could not finish execution due to:Parse error (InputMismatch) on token: ''DEVELOPMENT''.` |
| SCAN-19989 | When you cancel a metadata extraction job, the job status moves to Failed instead of Cancelled. |
| SCAN-21107 | When you perform connection assignment at the database level for an SAP Business Objects catalog source, you can't view the lineage information between external connections and reports.<br>This issue occurs if the source system includes reports without a schema. |
| CDGC-81704 | When you run a File System catalog source job and perform data classification, the hierarchical fields in JSON files don’t get classified. |
| SCAN-7159 | When you run a Microsoft Azure Data Factory catalog source job, the job fails with the following error: `No default value for the following variable:[].`<br>This issue occurs when you use a default parameter in Dataflow. |
| SCAN-19769 | When you run a Microsoft Azure Data Factory catalog source job to extract dynamic pipelines with the JSON function, the job succeeds, but the lineage shows data sets as expressions. |

| Issue | Description |
|---|---|
| SCAN-20061 | When you run a Microsoft Azure Data Factory catalog source job to extract metadata from pipelines that contain activities with system variables, the system variables don't get extracted. |
| SCAN-16293 | When you run a Microsoft Azure Data Factory catalog source job to extract supported activities that include variables with the Array data type, Data Governance and Catalog doesn't display the lineage and generates the following error: `Could not evaluate ADF expression @variables` |
| SCAN-17082 | When you run a Microsoft SQL Server Analysis Services catalog source job, the job fails with the following error: `Parse error (InputMismatch) on token: '('.`<br>This issue occurs due to unsupported statements in the script. |
| SCAN-10927 | When you run a Microsoft SQL Server Reporting Services (SSRS) catalog source job, the job fails with the following error: `Connection property not a key=value pair`<br>This issue occurs when you use a connection property value that contains the = character. |
| SCAN-21406 | When you run a MicroStrategy catalog source job, the job fails with the following error: `Could not initialize MicroStrategy COM API. Error code=0x80040154. Message: Class not registered` |
| SCAN-20539 | When you run an IBM InfoSphere DataStage metadata extraction job, if the job includes a 'Create Table' action with a parameterized table name, the parameter is not resolved correctly. |
| SCAN-20779 | When you run an Informatica PowerCenter catalog source job on a Windows Secure Agent that uses MS Windows Latin 1 code page to read and write data, the job fails with the following error: `pmrep's code page (UTF-8 encoding of Unicode) is not one-way compatible to repository PCPROD's code page (ISO 8859-1 Western European).` |
| SCAN-20141 | When you run an Oracle Cloud Infrastructure GoldenGate metadata extraction job, the job fails with the following error: `Parse error (InputMismatch) on token: 'TARGET'`<br>The issue occurs when there is no comma before the 'TARGET' clause in a map statement. |
| SCAN-17266 | When you run an SAS Base Programs (Accelerator) or an SAS Base Libraries (Accelerator) catalog source job to extract metadata from SAS macro definitions, the job fails with the following error: `Parse error (InputMismatch) on token: '%include'` |
| SCAN-21769 | When you run a TIBCO Spotfire catalog source metadata extraction job, the Test Connection phase lasts for an extended amount of time. |
| SCAN-22071 | When you run metadata extraction jobs on SAP BusinessObjects catalog sources, the jobs fail with the following error: `Illegal Argument: The DirectoryStructureModel <...> already contains a ConnectionStoreContent with this Name` |
| CDGC-76545 | When you schedule a custom catalog source metadata extraction job to run on a recurring basis, the Type value in the Data Governance and Catalog search filter changes. |
| MDP-8669 | When you unassign connections, the reindexing operation in the connection unassignment job fails with the following error: `Column '<column name>' does not exist.` |

| Issue | Description |
|---|---|
| SCAN-20971 | You can't view data element level lineage information for an IBM InfoSphere Datastage catalog source that reads data from a data set and writes to a database table. |
| SCAN-20214 | You can't view lineage from table to view when you run an incremental metadata extraction job. |

## April 2025 fixed issues

| Issue | Description |
|---|---|
| MDP-4190 | When you run multiple jobs with merge operations that have object references across multiple source systems, the jobs complete with errors in the DEBUG log or fail with the following error: `Indexing failed` |
| SCAN-13790 | When you run a metadata extraction job on an SAP Datasphere catalog source, the job fails with the following error: `Could not execute Datasphere API`<br>This issue occurs when the access token for the client ID expires. |
| SCAN-18203 | When you run a Microsoft Azure Data Factory catalog source job that calls a Databricks notebook, the job fails with the following error: `Python code raised an exception: unsupported operand type(s) for \| : 'type' and 'PythonNone'`<br>This issue occurs when the Databricks notebook contains the PythonNone element. |
| SCAN-18072 | You can’t clone the configuration of an Informatica PowerCenter catalog source. This issue occurs due to double encryption of passwords. |
| SCAN-17887 | When you run SAS Base Programs (Accelerator) catalog source jobs on external tables in a Teradata Database, the jobs fail with the following error: `Failed to process SasProcSqlOptions` |
| SCAN-17884 | When you run metadata extraction jobs on SAS Base Programs (Accelerator) catalog sources, the jobs fail with the following message in the debug log: `com.compactsolutionsllc.cdimc.common.exceptions.ParseException : Parse error (NoViableAlt) on token: 'float'.` |
| SCAN-15867 | When you run a Microsoft Azure Data Factory catalog source job to extract metadata from pipelines that contain Switch pipeline activity, the subsequent child activities don't get extracted. |
| SCAN-15301 | Metadata extraction jobs fail for an Oracle Golden Gate catalog source and the following error message appears in the debug log file: `Parse error (NoViableAlt) on token: 'integratedparams'. Line.column: 29.15, Text: [ >integratedparams< (_logminer_parallel_read ] com.compactsolutionsllc.cdimc.common.exceptions.ParseException: Parse error (NoViableAlt) on token: 'integratedparams'. Line.column: 29.15, Text: [ >integratedparams< (_logminer_parallel_read .`<br>This issue occurs if the source system includes the `TRANLOGOPTIONS` function in an extract or replica asset. |

| Issue | Description |
|---|---|
| MDP-6272 | Data profiling tasks fail with the following error:<br>`org.springframework.web.client.HttpServerErrorException $InternalServerError: 500 Internal Server Error: "{"@class":"com.informatica.cci.client.rest.resources.OperationError","exceptionString":"error [An error occured while executing custom query: [Invalid column name 'COL1_SELECT TOP 1000 IO_REQ_IND'.]]","method":"createDataOperation","plugin":"","exceptionName":"com.informatica.adapter.sdkadapter.metadata.semantic.lwconsumer.MetadataExceptionImpl"}"`<br>This issue occurs when the column name includes the SELECT keyword and you run the task with the Top N sampling option. |
| MDP-4190 | When you run multiple jobs with merge operations that have object references across multiple source systems, the jobs complete with errors in the DEBUG log or fail with the following error: `Indexing failed` |
| CDGC-77083 | When you customize an Asset Type layout, the list of user groups displays a maximum of 20 entries. |

## February 2025 fixed issues

| Issue | Description |
|---|---|
| SCAN-12619 | Metadata Extraction jobs fail to parse Databricks Python pipeline activities for Microsoft Azure Data Factory catalog sources and the following error occurs:<br>`ERROR (DefaultPlSqlFunctionCallVisitor:248) {/prod-ara-adf/Copy_To_Information_Factory_Pipelines/PL_Incremental_Copy_Archer_TO_InformationFactory/PL_Incremental_Copy_Archer_TO_InformationFactory_23ad8e46-e97a-4e9a-9c19-dca99a41058f/ForEachSequenceLcm/TodeletedataLcm} - Cannot resolve uspDeleteIFdata neither as a PL/SQL object nor type.` |
| SCAN-16620 | When you run an Informatica PowerCenter catalog source job with a parameter file that contains spaces in a `[global]` heading, the metadata extraction job fails to parse the file content. |
| SCAN-16414 | Duplicate mapping task instances appear on the **Relationships** tab of mapping task assets in Data Governance and Catalog.<br>This issue occurs if the mapping task includes tables, and you perform connection assignment with IDMC metadata as the origin catalog source, and then run the mapping task again in Data Integration. |
| SCAN-15712 | If you run a dbt catalog source job to extract metadata from schemas, the metadata extraction job completes with the following error:<br>`Unable to process dbt node model.cci_dbt_foundation_project.psu_migration_dim. com.compactsolutionsllc.cdimc.common.exceptions.CdimcRuntimeException: Exception while executing query: show streams like '%' in "product"`<br>This error occurs if model files include SQL queries that refer to schemas with names in lowercase. |

| Issue | Description |
|---|---|
| SCAN-15175 | When you run a Microsoft Azure Data Factory job to extract metadata from ADF pipelines, the job fails to evaluate ADF expressions. This happens when the expressions cite other expressions nested two or more levels beneath the main pipeline flow. |
| SCAN-14755 | When you run an Informatica PowerCenter catalog source job to extract metadata from a workflow, the job does not extract the schema specified in the 'Transaction Environment SQL' attribute. |
| SCAN-14451 | When you run a metadata extraction job on SSRS reports that contain MDX queries with a Microsoft SQL Server Analysis Services catalog source, the job fails with the following error: `Unable to parse script` |
| SCAN-13584 | An Informatica PowerCenter catalog source job generates the following parse error if you include a curly brace (}) within a comment in an SQL query: `Cannot parse SQL: Unable to parse script` |
| SCAN-13583 | An Informatica PowerCenter catalog source job generates the following parse error if there are no output connectors for the Source Qualifier: `Cannot parse SQL: Unable to parse script` |
| SCAN-13571 | When you run an IBM InfoSphere DataStage catalog source job that uses a relational stored procedure in the target table, the job fails with the following error: `java.lang.RuntimeException: java.util.NoSuchElementException: No value present.` |
| SCAN-13539 | When you run a Microsoft Azure Data Factory catalog source job to extract metadata from pipelines, the ForEach activity links the source records to the target tables instead of linking each record processed by the activity to one target table based on the query. |
| MDP-6101 | Data Preview jobs for failed rows fail for tables that contain reference data elements. This issue occurs when you set the Cache Result property value to No Cache for the Data Quality rule occurrence. |
| CDGC-75614 | When you create a user group policy, only up to 200 user groups appear in the list to select the user group. |

# Known issues

The tables in this section describe the known issues for Metadata Command Center. Not all monthly releases include known issues.

## October 2026 known issues

| Issue | Description |
|---|---|
| SCAN-46008 | When you run a catalog source job for a catalog source whose name contains more than 240 characters, the job fails. |

### November 2025 known issues

| Issue | Description |
|---|---|
| MDP-11430 | When you perform connection assignment for Informatica Intelligent Cloud Services catalog sources that include mappings from Reference 360, the reference objects might remain unresolved. As a result, you might see reference objects in the lineage instead of resolved objects from the endpoint catalog source. This issue occurs when you assign connections to endpoint catalog sources that contain Reference 360 objects extracted prior to the November 2025 release. |

# Connector and connectivity issues

Read the following pages to learn about fixed issues, known limitations, and third-party limitations that apply to connectors that you can use in your service. Consider the following guidelines for the release notes:

- If a connector has known or fixed issues, you will find it in the release notes even if the connector is not updated in the current release.
- If a connector does not have any notable known or fixed issues, you will not find it in the release notes.
- The (month, year) value in each issue description indicates the release in which the issue was fixed or reported.

## Amazon Redshift V2 Connector

### Fixed issues

The tables in this section describe recent fixed issues for Amazon Redshift V2 connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-35241 | When you run a metadata extraction job, view column assets appear to reference themselves instead of their source table columns.<br>This issue occurs when the standard information schema in the database does not include view column metadata. |
| SCAN-42574 | When you run a metadata extraction job on a Redshift view whose definition uses a scalar function expression as the LIMIT value, the job fails with the following error: `Parse error (NoViableAlt) on token` |
| SCAN-40667 | When you run a metadata extraction job on views or stored procedures, the job fails with the following PL/SQL parsing error:<br>`Parse error(NoViableAlt) on token or Failed to process PL/SQL call. Too many arguments in call.`<br>This issue occurs due to unsupported grammar tokens and function signatures in the Redshift source scripts and views. |

**April 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-30614 | When you run a metadata extraction job on stored procedures that contain the 'WITH' keyword, the job fails with an error. |

**November 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-24111 | When you specify additional parameters in the JDBC URL to connect to the Amazon Redshift cluster and run a catalog source job, Data Governance and Catalog appends the additional parameter to the database name. |

**July 2025 fixed issues**

| Issue | Description |
|---|---|
| CDGC-79527 | Data profiling tasks on databases fail with the following error: `Workflow generation failed for object: java.lang.ClassCastException` |

# Amazon S3 V2 Connector

## Known issues

The tables in this section describe recent known issues for Amazon S3 V2 connector in Metadata Command Center. Not all monthly releases include known issues.

**July 2026 known issues**

| Issue | Description |
|---|---|
| SCAN-38100 | When you configure an Amazon S3 catalog source and click the **Search** button in the filter value field to select an object, the search fails with the following error: `An unidentified error occurred during a browse task in the Connection Management Service.` |

## Databricks Connector

### Fixed issues

The tables in this section describe recent fixed issues for Databricks connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-41866 | When you run a metadata extraction job on notebooks that contain PySpark code, the job runs for a long time and then fails with the various errors. |
| SCAN-40967 | When you run a metadata extraction job to extract a large number of volume-related assets, the job takes a long time to complete. |
| SCAN-36398 | When you run a metadata extraction job, the job fails with Python processing errors while processing notebook commands. |

**April 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-31307 | When you run a job to extract metadata from a command with the `traceback.extract_tb` attribute, the job fails with the following error: `Unknown attribute extract_tb on object of class module` |
| SCAN-28326 | The metadata extraction job completes with a parsing error if the job includes any of the following elements:<br>- `CREATE VIEW` statements with local virtual tables<br>- raw string literals starting with 'r'<br>- an alias inside a PIVOT clause<br>- INSERT keyword |
| SCAN-31342 | When you run a metadata extraction job, the job fails with the following error: `[CONFIG_NOT_AVAILABLE] Configuration INFA_BYPASS_PROXY is not available.`<br>The error occurs when you use the `INFA_BYPASS_PROXY` parameter in the **SQL Warehouse JDBC URL** connection property with a URL that starts with the prefix `jdbc:databricks://`. |
| SCAN-32091 | When you run a metadata extraction job, the job splits the streaming tables into two tables. |

**November 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-25625 | You can't view the lineage for a View.<br>This issue occurs if a `Create View` statement includes the `ILIKE` operator. |
| SCAN-26135 | When you run a metadata extraction job, the job completes with the following warning: `Unknown dataType` |
| SCAN-27104 | When you run metadata extraction jobs, the jobs fail with the following error: `Unable to import Python custom module pyspark.sql.functions.cast"`<br>This occurs if the module is not included in the supported list of PySpark functions and is not available in the Databricks Python environment. |

**July 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-21280 | When you run a catalog source job, the job succeeds with the following error in the debug logs:<br>`WARN Unknown dataType : timestamp`<br>`WARN Unknown dataType : date` |
| SCAN-19421 | When you run a catalog source job, the job succeeds with the following error in the debug logs: `Unknown column`<br>This issue occurs when the catalog source references a column within a temporary view and the temporary view contains the sum() and filter() aggregate functions. |
| SCAN-18675 | When you run a catalog source job to extract a view created with a CREATE VIEW statement that uses a mount point, you can't perform connection assignment. Data Governance and Catalog doesn't display the lineage or generate reference objects. |

**April 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-18686 | When you run a job to extract lineage from a Unity Catalog source, the job succeeds with the following error in the debug logs:<br>`samples.accuweather.forecast_daily_calendar_metric` |
| SCAN-17815 | Metadata extraction jobs fail with a null point exception.<br>This issue occurs when a notebook refers to another notebook with an incorrect relative path. |
| MDP-5953 | When you run a data profiling job on tables from multiple databases, the job fails.<br>This issue occurs when you do not specify the catalog source name in the connection properties. |

**February 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-14903 | When you extract metadata from a large number of views, the job fails with the following error: `Out of Memory` |
| SCAN-13823 | When you run a catalog source job with the PySpark module and you use the `net.snowflake.spark.snowflake.Utils.runQuery` method, Data Governance and Catalog doesn't display the lineage and generates the following error: `Unable to resolve sc._jvm.net` |

## Db2 for LUW Database Ingestion Connector

### Fixed issues

The tables in this section describe recent fixed issues for Db2 for LUW Database Ingestion connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-41949 | When you run a metadata extraction job on a DB2 stored procedure that declares a variable with the ANCHOR TO ROW syntax, the job fails with the following error: `Parse error (NoViableAlt) on token` |
| SCAN-41373 | When you run a metadata extraction job on a db2 stored procedure that contains a SIGNAL SQLSTATE ... SET MESSAGE_TEXT statement, the job fails with the following error: `Parse error (InputMismatch) on token: 'SQLSTATE'` |
| SCAN-41169 | When you run a metadata extraction job on db2 views that use double-dot notation with an omitted schema, the job fails with the following error: `Parse error (NoViableAlt) on token '.'` |
| SCAN-41056 | When you run a metadata extraction job on a Netezza stored procedure that uses the AS keyword before a MERGE statement alias, the job fails with the following error: `Parse error (InputMismatch) on token: 'AS'` |
| SCAN-41005 | When you run a metadata extraction job on a db2 view that references the built-in table functions MON_GET_LOCKS or MON_GET_CONNECTION, the job does not generate lineage for the view and fails with the following error: `Cannot resolve MON_GET_LOCKS neither as a PL/SQL object nor type` |
| SCAN-40690 | When you run a metadata extraction job on a DB2 view that contains a condition that compares a comparison expression to an integer literal (for example, column > 0 = 1), the job fails with the following error: `Parse error (NoViableAlt) on token: '='` |
| SCAN-38604 | When you run a metadata extraction job, the job doesn't extract stored procedures that use the LATERAL clause. |
| SCAN-38905 | When you run a job to extract metadata of scripts or views that contain an inline Common Table Expression (CTE) within a subquery, data lineage is not generated and the following error appears in the job log: `Parse error (InputMismatch) on token: 'AS'` |

| Issue | Description |
|---|---|
| SCAN-39340 | When you run a job to extract metadata of stored procedures that contain the ^= operator, the job fails with the following error: `Parse error (NoViableAlt) on token: '='` |
| SCAN-40091 | When you run a job to extract metadata of stored procedures that contain the (+) join operator, the job fails with the following error: `Parse error (NoViableAlt) on token: ')'` |

# Denodo

## Fixed issues

The tables in this section describe recent fixed issues for Denodo connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-35794 | When you run a metadata extraction job, the job fails if the source system contains a base view wrapper object defined in a database other than the base view. |

# Google BigQuery V2 Connector

## Fixed issues

The tables in this section describe recent fixed issues for Google BigQuery V2 connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-37448 | When you run a metadata extraction job, the job fails if the filter includes unlinked datasets. |
| SCAN-36248 | When you run a metadata extraction job with filter patterns that contain certain characters, the job fails with a syntax error. |
| SCAN-38195 | When you run metadata extraction for procedures that include the CURRENT_TIME() or FORMAT_TIME() functions, the job fails to generate lineage and the following error occurs: `Cannot resolve CURRENT_TIME neither as a PL/SQL object nor type`. |
| SCAN-38517 | When you configure the catalog source to include table or view names with an underscore (_) in the metadata extraction filters, the metadata extraction job fails with the following error: `Syntax error: Illegal escape sequence` |
| SCAN-38899 | When you configure the catalog source to include stored procedures in the metadata extraction filters, the metadata extraction job fails with a `404 Not Found` error.<br>This issue occurs because the job runs queries on datasets outside the location of the project specified in the connection. |

| Issue | Description |
|---|---|
| SCAN-34077 | When you run a metadata extraction job, the job can't parse views and fails with the following error: `Parse error (NoViableAlt) on token: 'FROM'`<br>This issue occurs when the view definition uses the pipe query syntax. |
| SCAN-39645 | If the source system has more than 100 projects, you cannot browse or filter objects of the catalog source. The filter browser fails to open and the following error message appears: `Browsing catalog failed for ConnectionId: <connection_id>, CatalogSourceType: Google BigQuery, Location: []. Reason: Trying to return n elements from plugin GoogleBigQueryPlugin for location while pagination allowed for only 100 elements. Please check if your plugin correctly implements pagination.` |
| SCAN-37934 | When you run a metadata extraction job to extract metadata of stored procedures that use a whole-row table alias, such as `SELECT TO_JSON_STRING(t) FROM S AS T`, the job fails to generate lineage and the following error appears: `UnsupportedOperationException`.<br>This issue occurs because whole-row aliases are not recognized as table references. |

**April 2026 fixed issues**

| Issue | Description |
|---|---|
| CDGC-89007 | Data profiling tasks fail when you run the tasks on columns with names that contain spaces or special characters.<br>This issue occurs when you choose the Limit N Rows sampling type. |

**July 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-20256 | When you run metadata extraction jobs on objects that include aggregate functions, the jobs fail with the following error: `Failed to parse statement. Unable to parse script.` |
| SCAN-20342 | If a stored procedure contains a statement such as `select (a, b) from c` , the statement returns only one value instead of two. Since the value needs to be assigned to two variables, metadata extraction jobs fail with the following error:<br>`com.compactsolutionsllc.cdimc.common.visitor.tracking.TrackedException: Excessive SELECT INTO target at index 1. Number of available sources: 1` |

# Google Looker

## Fixed issues

The tables in this section describe recent fixed issues for Google Looker connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-33114 | When you run a metadata extraction job, the job doesn't extract some models and fails with the following error: `An error occurred while importing Look. (The Model is not consistent)` |

## Greenplum Connector

### Fixed issues

The tables in this section describe recent fixed issues for Greenplum connector in Metadata Command Center. Not all monthly releases include fixed issues.

**July 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-21080 | Metadata extraction jobs fail to extract the `Source Created By` attribute value for partitioned tables. |

## Kafka Connector

### Fixed issues

The tables in this section describe recent fixed issues for Kafka connector in Metadata Command Center. Not all monthly releases include fixed issues.

**April 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-17579 | If a source system includes an invalid schema, metadata extraction jobs fail with the following error: `Invalid default for field policy_id: null not a ["string","null"` |

## Microsoft Azure Data Lake Storage Gen2 Connector

### Fixed issues

The tables in this section describe recent fixed issues for Microsoft Azure Data Lake Storage Gen2 connector in Metadata Command Center. Not all monthly releases include fixed issues.

**April 2025 fixed issues**

| Issue | Description |
|---|---|
| CDGC-74093 | Profiling tasks don't work as expected if you add only an exclude filter for data profiling. |

## Microsoft Power BI Connector

### Fixed issues

The tables in this section describe recent fixed issues for Microsoft Power BI connector in Metadata Command Center. Not all monthly releases include fixed issues.

### October 2026 fixed issues

| Issue | Description |
|---|---|
| SCAN-32473 | When you run a metadata extraction job, the external link for paginated Report Definition Language (RDL) reports in Data Governance and Catalog is incorrect.<br>This issue occurs because the connector generates the same external link format for paginated reports as for regular reports. |
| SCAN-36278 | When you run a metadata extraction job, the job doesn't extract Dataflows and Reports that use PowerQuery expressions with dynamic objects. |
| SCAN-36240 | When you run a metadata extraction job, the job doesn't extract datasets and reports that use the INTERSECT function in DAX expressions. |
| SCAN-21376 | When you run a metadata extraction job, the job doesn't parse PowerBI DAX expressions that contain non-breaking space characters. |

### July 2026 fixed issues

| Issue | Description |
|---|---|
| SCAN-25720 | When you extract metadata from a report and the dataset references a data lakehouse from another workspace, the job fails with the following error: `Unknown macro: {Could not create graph for dataset DataMart_SemanticModel due to LakeId not found in SqlAnalyticsEndpoint}` |
| SCAN-33224 | When you run a metadata extraction job, the job fails with a stack overflow error even after increasing the maximum Java stack size parameter (`-Xss`). This issue occurs due to cyclic processing when DAX tables or calculated columns reference each other. |
| SCAN-29997 | When you run a metadata extraction job, the job doesn't extract all workspace objects specified in the metadata extraction include filters. This issue occurs because source expressions of type `AzureStorage.DataLake()` are processed incorrectly, leading to an `Unable to resolve database object from power query` error. |

### November 2025 fixed issues

| Issue | Description |
|---|---|
| SCAN-21204 | When you run a metadata extraction job, the job completes with the following warning: `Cannot resolve the DAX identifier due to unavailable reference`<br>This issue occurs if the job includes reports that access data set measures without a table qualification. |

### July 2025 fixed issues

| Issue | Description |
|---|---|
| SCAN-20160 | When you extract metadata from PowerQuery expressions, the job fails if an anonymous Power Query function includes an optional argument. |
| SCAN-20360 | When you extract metadata from a Power BI report and the Data Analysis Expressions (DAX) that you use reference upstream table measures, the job fails with the following error: `Cannot resolve the following DAX expression: <...> Reason: Cannot resolve the DAX identifier: <...>` |

**April 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-17264 | If a paginated report contains IIF statements, metadata extraction jobs fail with the following error:<br>`WARN (ReportFieldAdderWithParserImpl:85) {/PowerBi_BIEVO/BI EVO - PCS/Paginated_Report_Dataset_Self_BI_Giornaliero_V39_Anagrafica_Rapporti (Report)/Paginated_Report_Dataset_Self_BI_Giornaliero_V39_Anagrafica_Rapporti#2 (Report)} - Could not parse expression:IIF` |
| SCAN-17214 | Metadata extraction jobs that include the `Table.ToColumns`, `Table.ToRecords`, `Comparer.OrdinalIgnoreCase`, `List.Accumulate`, or `List.Buffer` query functions fail with the following error:<br>`PowerQueryFailedProcessingHandler` |
| SCAN-17158 | When you edit metadata extraction filters of an existing catalog source with object references across multiple source systems, you can't save the changes and the process times out. |
| SCAN-15585 | When you run metadata extraction jobs that include PowerQuery expressions, the jobs succeed with warnings. |
| SCAN-12828 | When you perform connection assignment between Microsoft Power BI and SAP HANA Database catalog sources, the job succeeds, but the lineage shows calculation views as reference objects. |

**February 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-15626 | If you use the `Date.ToText` function in a query, metadata extraction jobs fail to parse the PowerQuery expression. This impacts the lineage information. |
| SCAN-15622 | Metadata extraction jobs that include the `MetricsDataConnector.GetMetricsDatapower` query function fail with the following error:<br>`Could not resolve expression due to following exception. Will create emergency lineage using expected columns. Could not resolve external object with name: MetricsDataConnector.GetMetricsData .` |
| SCAN-15614 | Metadata extraction jobs don't complete if the source system contains tables with the same name in datasets that reference each other. |

# Microsoft Sharepoint Online Connector

## Known issues

The tables in this section describe recent known issues for Microsoft Sharepoint Online connector in Metadata Command Center. Not all monthly releases include known issues.

**April 2026 known issues**

| Issue | Description |
|---|---|
| SCAN-8732 | If Microsoft SharePoint Online sites, subsites, or document libraries contain the \ or / special character in the name, metadata extraction fails. |

# Microsoft SQL Server Connector

## Fixed issues

The tables in this section describe recent fixed issues for Microsoft SQL Server connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| CDGC-98325 | When you run a data profiling job, the job fails with the following error: `The number of elements in the select list exceeds the maximum allowed number of 4096 elements.`<br>This issue occurs when the number of columns in a table exceeds 4096. |
| CDGC-97772 | When you choose Custom Query as the sampling type to run data profiling or data quality tasks, the **Sampling Query** field incorrectly allows you to enter multiple values. |
| SCAN-38145 | When you run a Microsoft SQL Server catalog source job, the job can't extract a stored procedure that contains an em space (U+2003) or a non-breaking space (U+00A0) character. The job fails with the following error: `Parse error (NoViableAlt) on token: ' '` |
| CDGC-93760 | When you run a data profiling job, the job fails with the following error: `Workflow generation failed for object: <object> with error: Unknown Codepage`<br>This issue occurs when the connection uses a code page other than UTF-8. |
| SCAN-38146 | When you run a metadata extraction job on stored procedures that contain 'BACKUP' statements with valued options in a 'WITH' clause, the job fails and the following error appears in the job log: `Parse error (InputMismatch) on token: '='` |
| SCAN-38357 | When you run a metadata extraction job on stored procedures that contain the 'OPTIMIZE FOR' clause with numeric values, the job fails and the following error appears in the job log: `Parse error (InputMismatch) on token: 'IF'` |

**April 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-31208 | When you run a Microsoft SQL Server catalog source job, the job fails with the following error: `Parse error (InputMismatch) on token: ';'`<br>This issue occurs if the message body is empty. |
| CDGC-88152 | For the Microsoft SQL Server Integration Services catalog source, when you try to remove a connection between two reference catalog sources, the DELETE job fails with the following errors:<br>`- Connection unassignment failed in bulk metadata delete job`<br>`- Metadata delete job failed with error: Connect timed out` |

**July 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-20787 | When you run a Microsoft SQL Server catalog source job to extract metadata from objects that contain an UNPIVOT clause and an IN clause in which the pivoted columns are qualified, the job succeeds, but the lineage is incomplete. |

## Netezza Connector

### Fixed issues

The tables in this section describe recent fixed issues for Netezza connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-42548 | When you run a metadata extraction job, the job skips stored procedures that contain a MERGE statement and fails with the following error: `Parse error (InputMismatch) on token: 'AND'`<br>This issue occurs when the MERGE statement includes a `WHEN MATCHED AND <search_condition> THEN` clause. |

## Oracle Connector

### Fixed issues

The tables in this section describe recent fixed issues for Oracle connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| CDGC-97772 | When you choose Custom Query as the sampling type to run data profiling or data quality tasks, the **Sampling Query** field incorrectly allows you to enter multiple values. |
| SCAN-38007 | When you run a metadata extraction job on an Oracle catalog source, the job skips some functions and stored procedures. This issue occurs when a procedure uses the UNKNOWN keyword in the NVL function. |
| SCAN-36290 | When you run a metadata extraction job on an Oracle catalog source that includes Oracle E-Business Suite APPS schema views, the job fails with a heap memory error. |

**July 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-32472 | When you run an Oracle catalog source job to extract stored procedures, the job fails with the following error: `Could not process event [...] due to: could not execute batch [ORA-01461: can bind a LONG value only for insert into a LONG column .`<br>This issue occurs when large amounts of data are bound during batch update operations. |

## PostgresSQL Connector

### Fixed issues

The tables in this section describe recent fixed issues for PostgresSQL connector in Metadata Command Center. Not all monthly releases include fixed issues.

**July 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-21080 | Metadata extraction jobs fail to extract the `Source Created By` attribute value for partitioned tables. |

**February 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-15186 | When you run a PostgreSQL job to extract metadata from functions, the job completes with the following message in the debug log: `Failed to parse statement. Parse error (InputMismatch) on token: 'log'.` |

## Qlik Cloud Connector

### Fixed issues

The tables in this section describe recent fixed issues for Qlik Cloud connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-40728 | When you run a metadata extraction job, some tables might not appear in the catalog.<br>This issue occurs if the script uses a multi-line LOAD statement with a NoConcatenate, Concatenate, Add, or Replace prefix. |

**July 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-35798 | When you run a metadata extraction job, the job takes very long to complete if it includes a long series of concatenation operations in script expressions. |

## Qlik Sense Connector

### Fixed issues

The tables in this section describe recent fixed issues for Qlik Sense connector in Metadata Command Center. Not all monthly releases include fixed issues.

**April 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-31723 | Asset groups assigned to a catalog source fails to associate with all extracted technical assets. |

## Salesforce Connector

### Fixed issues

The tables in this section describe recent fixed issues for Salesforce connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-41048 | When you run a Salesforce Marketing Cloud metadata extraction job, the job fails if the session connects through a child business unit. The job fails with the following error: `Root business unit id was not found.` |
| SCAN-40632 | When you run a job to extract metadata of Salesforce Data 360 calculated insights whose query definition contains the DISTINCT keyword, data lineage is not generated and the following error appears in the job log: `Parse error (NoViableAlt) on token: 'DISTINCT'` |
| SCAN-38429 | When you extract metadata from a Salesforce Data 360 source system with large or complex data transforms, the extraction job fails with an out-of-memory error. No metadata or lineage is generated for the affected objects. |
| SCAN-38303 | When you extract metadata from a Salesforce source system, the extraction fails for certain standard objects in the Salesforce CRM application. Those objects do not appear in the catalog. |

**November 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-24211 | When you run a catalog source job, the generated debug logs include sensitive information.<br>This issue occurs if the catalog source job uses a connection configured with OAuth authentication. |

## SAP Bapi Connector

### Fixed issues

The tables in this section describe recent fixed issues for SAP Bapi connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-41474 | When you run an SAP ERP metadata extraction job using an SAProuter, the job fails to connect to the source system and the following error appears: `RFC_ERROR_COMMUNICATION: partner 'XX.X.X.X:XXXX' not reached`. |

## SAP Datasphere Connector

### Fixed Issues

The tables in this section describe recent fixed issues for SAP Datasphere connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-41663 | When you run a metadata extraction job, the job doesn't extract objects from a space and fails with the following error in the debug log: `DS Execution issue JsonNull`<br>This issue occurs when the SAP Datasphere API returns a null value for an object property. |
| SCAN-42618 | When you run a metadata extraction job on SAP Datasphere SQL views that use complex view queries, the job does not extract all the code fragments. As a result, the lineage for the views is incomplete. |

**July 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-35356 | When you run a catalog source job after upgrading to the April 2026 release, the job fails for some objects with the following error:<br>`class com.google.gson.JsonObject cannot be cast to class com.google.gson.JsonArray` |

**April 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-31900 | When you run a metadata extraction job and try to view the technical description, the descriptions in the Technical Description column appear corrupted. |
| SCAN-31896 | When you run an SAP DataSphere metadata extraction job using the CLI interface in a Linux agent, the job fails with the following error: `Not a JSON Object` |

**November 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-21071 | When you run an SAP Datasphere catalog source job to extract metadata, the SAP Datasphere asset associations are not extracted. |

## SAP HANA Connector

### Fixed issues

The tables in this section describe recent fixed issues for SAP HANA connector in Metadata Command Center. Not all monthly releases include fixed issues.

**April 2026 fixed issues**

| Issue | Description |
|---|---|
| CDGC-92655 | The data profiling jobs don't skip columns with the binary data type. |
| CDGC-92042 | When you apply a data quality rule on a non-binary column and run a data quality job, the job fails with the following error: `<<PM Parse Error>> [TO_CHAR]: binary operand is not allowed` |

**November 2025 fixed issues**

| Issue | Description |
|---|---|
| CDGC-86764 | Data profiling tasks on SAP HANA Database tables fail with the following error: `Invalid column name.`<br>This issue occurs if the tables contain columns with names that start with a slash (/). |
| MDP-10153 | When you run a data profiling job with filters that include wildcards, the job ignores the filters and profiles all objects. |
| MDP-10563 | Data profiling tasks on SAP HANA Database objects fail. This issue occurs if you apply a profiling filter on calculation views with names that contain a dot. |

| Issue | Description |
|---|---|
| MDP-9818 | When you run a data profiling job on a SAP HANA Database catalog source, the job fails with the following error: `java.lang.StringIndexOutOfBoundsException: begin 0, end -1, length 26`<br>This issue occurs if you apply a profiling filter on calculation views that include wildcards. |
| SCAN-23369 | When you run a metadata extraction job, the lineage is incomplete and does not include all assets present in the calculation view.<br>The issue occurs because the extraction process does not read schema mapping information. |

**July 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-20758 | If calculation view names start with a forward slash (/) and don't include packages, metadata extraction jobs generate errors. |

**April 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-17015 | Metadata extraction jobs fail to parse RankView calculation views that don't include the ORDER BY clause. |

## SAP OData V4 Connector

### Fixed issues

The tables in this section describe recent fixed issues for SAP OData V4 connector in Metadata Command Center. Not all monthly releases include fixed issues.

**July 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-23220 | When you run metadata extraction jobs on SAP Datasphere catalog sources, the jobs fail with the following error: `DS Execution issue Cannot invoke "com.google.gson.JsonObject.get(String)" because "srcAssetObj" is null` |

## SAP SuccessFactors

### Fixed issues

The tables in this section describe recent fixed issues for SAP SuccessFactors connector in Metadata Command Center. Not all monthly releases include fixed issues.

**April 2026 fixed issues**

| Issue | Description |
|---|---|
| MDP-13136 | When you run a profiling job and use the OAuth 2.0 authentication, the job fails with the following error: `Failed to fetch data from the OData server` |
| MDP-12297 | Data profiling tasks fail with the following error when you use the OAuth 2.0 authentication type to connect to the source system:<br>`java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "com.informatica.ccgf.services.dataprofiling.profiling.impl.ctk.toolkit.IToolkitConnectionWrapper.getCloudConsumer()" because "connectionWrapper" is null` |

## Snowflake Data Cloud Connector

### Fixed issues

The tables in this section describe recent fixed issues for Snowflake Data Cloud connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-36698 | When you run a metadata extraction job, the job fails with the following error:<br>`ERROR (ScannerComponent - PlSqlQueryConverter:64) <path> - Unknown table: <table_details>`<br>This issue occurs because the table name is incorrectly encoded in the underlying SQL query. |
| SCAN-40695 | When you run a metadata extraction job, the job fails with the following error: `Parse error (InputMismatch) on token: 'COMMENT'`<br>This issue occurs when a dynamic table includes column comments. |
| SCAN-36143 | Incremental metadata extraction jobs run longer than expected.<br>This issue occurs when the job searches Table-Valued Functions and sequences for missing tables. |
| SCAN-36685 | When you run a metadata extraction job, the job can't retrieve the result set of a DESC TABLE statement. The issue occurs when the statement is used in a cursor within a stored procedure. |
| SCAN-36686 | When you run a metadata extraction job, the job fails to resolve an expression in a stored procedure that uses a JavaScript `Array.join()` method without a separator argument. As a result, lineage through that expression isn't extracted. |
| SCAN-38540 | When you run a metadata extraction job and use the OAuth authentication, the job intermittently fails with the following error:<br>`net.snowflake.client.api.exception.SnowflakeSQLException: Invalid OAuth access token` |

### July 2026 fixed issues

| Issue | Description |
|---|---|
| SCAN-36232 | When you test a connection that uses key pair authentication in the catalog source configuration, the connection test fails with the following error: `Unrecognized field "timestamp"`. |
| SCAN-32980 | When you configure the catalog source to exclude tags in the metadata extraction filters, the metadata extraction job still runs the database query to extract tags from the source system. |

### April 2026 fixed issues

| Issue | Description |
|---|---|
| SCAN-10286 | You can't run a catalog source job with the Authorization Code authentication method. |

### November 2025 fixed issues

| Issue | Description |
|---|---|
| SCAN-24398 | When you use an underscore in a metadata extraction filter, additional schemas that don't match the filter get extracted.<br>This issue occurs because in SQL the underscore (_) matches any single character. |
| SCAN-26566 | If you configure metadata extraction filters to exclude stored procedures, tasks, pipes, and dynamic tables, you cannot view the row count value in the system attributes. |
| SCAN-27006 | When you extract metadata from source systems that contain procedure parameter values that cannot be decoded, the metadata extraction jobs fail with the following error: `Caused by: java.lang.IllegalArgumentException: Cannot parse parameter: A` |

### July 2025 fixed issues

| Issue | Description |
|---|---|
| CDGC-78928 | When you perform connection assignment to reference source systems, the job succeeds but the number of matched and unmatched objects doesn't match the number of extracted objects. |

### April 2025 fixed issues

| Issue | Description |
|---|---|
| SCAN-17398 | Metadata extraction jobs don't parse the JavaScript function and the following error occurs: `com.compactsolutionsllc.cdimc.common.visitor.tracking.TrackedException: Parse error (NoViableAlt) on token: '.' . Line.column: 9.4, Text: [ >.<Array.from]` |

**February 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-13820 | When you import a session from a Snowflake.Snowpark library into a stored procedure, the metadata extraction job doesn't extract statement assets. The following error appears in the scanner debug log file:<br>`ERROR (ScannerComponent - PythonImportStatementVisitor:58) {<fqn of the stored procedure>} - Unable to import Python custom module snowflake.snowpark.Session. The module will be treated as black-box: we'll keep the lineage in places when this module is used but we'll not provide and specific behavior of this module. If you have WHL file with this module source code then you can put in the scanners Python user modules directory and run the scanning again. If unsure you can raise an issue for the Scanners team to investigate if there are other options here.` |
| SCAN-13841 | If a stored procedure uses the `snowflake.snowpark.Session.write_pandas()` function to write `pandas DataFrame` to a table in the source system, the metadata extraction job does not extract statement assets. |
| SCAN-13840 | If a stored procedure uses the `DataFrame.to_snowpark_pandas()` function to convert `Snowpark pandas DataFrame` or `Series` into `Snowpark DataFrame`, the metadata extraction job doesn't extract statement assets. The following error appears in the scanner debug log file:<br>`ERROR (ScannerComponent - PythonExpressionResolver:58) {<fqn of the procedure>} - Failed to resolve expression modin.pandas.to_snowpark()@21.32:21.63` |

# SQL Server Connector

## Fixed issues

The tables in this section describe recent fixed issues for SQL Server connector in Metadata Command Center. Not all monthly releases include fixed issues.

**October 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-38673 | When you run a job to extract metadata of stored procedures or functions that contain the DATEPART function with date or timestamp inputs, data lineage is not generated and the following error appears in the job log: `Text 'YYYY-MM-DD' could not be parsed.` |

**August 2024 fixed issues**

| Issue | Description |
|---|---|
| CDGC-64572 | Data profiling tasks on Microsoft SQL Server catalog sources fail if the source data contains table or column names with Japanese multibyte characters. |
| SCAN-8203 | When you run a Microsoft SQL Server catalog source job and extract a stored procedure that contains fullwidth digits, the metadata extraction job fails with the following error: `Parse error (NoViableAlt) on token [...].` |
| SCAN-8085 | When you run a Microsoft SQL Server catalog source job, no columns get extracted from a table if the table contains a column without a name. |

**May 2024 fixed issues**

| Issue | Description |
|---|---|
| CDGC-60068 | Data profiling tasks on Microsoft SQL Server catalog sources fail with the following error: `Invalid Object or Invalid Column`<br>This issue occurs if a column name includes a forward slash (/). |

**April 2024 fixed issues**

| Issue | Description |
|---|---|
| CDGC-60134 | If you use Azure Active Directory authentication type when you create a connection to Microsoft Azure SQL catalog source, the profile tasks fail with the following error: `Database Error: Failed to connect to database.` |
| CDGC-60550 | When you run data profiling tasks on a Microsoft SQL Server catalog source with a named instance, the first table is profiled successfully and profiling fails for the rest of the tables. |

## Strategy Cloud Connector

### Fixed issues

The tables in this section describe recent fixed issues for Strategy Cloud connector in Metadata Command Center. Not all monthly releases include fixed issues.

**April 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-28641 | You can't extract metadata from reports. |

## Tableau V3 Connector

### Fixed issues

The tables in this section describe recent fixed issues for Tableau V3 connector in Metadata Command Center. Not all monthly releases include fixed issues.

### October 2026 fixed issues

| Issue | Description |
|---|---|
| SCAN-38107 | When you run a metadata extraction job on a site that contains a large number of views, the job fails with the following error: `Unexpected response from content exploration service: expected:200 got:503` |
| SCAN-36570 | When you run a metadata extraction job, the job doesn't extract some workbooks and generates a NullPointerException for each skipped workbook. The job skips workbooks that have a data source with initial SQL that contains a temporary table. |

### July 2026 fixed issues

| Issue | Description |
|---|---|
| SCAN-34626 | When you run a metadata extraction job that includes a Redshift reference data source with mixed-case table or column names, the lineage doesn't appear. |

### April 2026 fixed issues

| Issue | Description |
|---|---|
| SCAN-26997 | When you run a catalog source job to extract metadata, the job skips workbooks that contain duplicate fields. |
| SCAN-30072 | When you run a catalog source job to extract projects with names that contain a slash (/), the job fails.<br>The issue occurs because the system treats the slash (/) as a separator in the project path. |
| SCAN-25255 | When you perform connection assignment to Snowflake reference source systems and run a connection-aware scan, you might see incomplete lineage.<br>The issue occurs if you add a Tableau parameter instead of string literals in a custom SQL query. |
| SCAN-28110 | When you run a catalog source job, the job fails with the following error: `java.lang.NullPointerException: s is null`.<br>This issues occurs when you extract an empty worksheet that contains a calculation. |
| SCAN-28075 | When you run a catalog source job on workbooks, the job fails with the following error: `"Could not process workbook VENDOR ANALYSIS REPORT in project E-Prescribing/Routing - e-Prescribing Reports because of s is null"` . This issue occurs when the workbook contains comments with `//` or `/* */` within join conditions. |

### November 2025 fixed issues

| Issue | Description |
|---|---|
| SCAN-20234 | When you run a catalog source job that uses a parameter in a custom SQL query, the job fails with the following error:<br>`com.compactsolutionsllc.cdimc.app.modules.exceptions.InvalidInputException: There is no parser capable of parsing` |
| SCAN-20965 | When you run a catalog source job, the job fails with the following error:<br>`Cannot invoke 'com.compactsolutionsllc.cdimc.tableau.bi.module.model.input.DataSource.getId()' because 'dataSource' is null`<br>This issue occurs in Tableau reports that use parameter values for sheet styling and formatting when connected to a Google BigQuery datasource. |
| SCAN-21123 | When you configure the filter to include metadata from a Tableau site name, metadata extraction jobs extract information for four site names instead of one. This issue occurs when a workbook is migrated between different sites, but the Tableau workbook still points to its old site. |
| SCAN-21261 | When you run a catalog source job, the job assigns the same `core.location` property to assets with the same name. |
| SCAN-21325 | When run a catalog source job on Tableau reports that contain empty rows and columns, the lineage tab doesn't display upstream lineage information for the Tableau report. |
| SCAN-21564 | When you run a metadata extraction job to extract workbooks and you don't add filters, the job fails with the following error: `Failed to download workbook <...> Reason: duplicate entry: <...>`<br>The issue occurs when you rename the original **Default** site to a new name and then create a new **Default** site. The system treats both the renamed site and the new **Default** site as **Default**, causing duplicate entries. |
| SCAN-21623 | Catalog source jobs to extract metadata from workbooks that contain worksheets with empty column names in their filters don't extract the dashboards that contain these worksheets. |
| SCAN-21977 | When you run a catalog source job on SAP HANA calculations under the _SYS_BIC schema, job fails with the following error: `"_SYS_BIC is not assumed to contain multiple fields with name: Deal Size"` This issue occurs because group names in the database are the same as the column names. |
| SCAN-23293 | When you run a metadata extraction job on a workbook the job succeeds but includes incorrect data sources in the results.<br>The issue occurs when multiple data sources have the same caption in a Tableau workbook. |
| SCAN-24568 | When you run a metadata extraction job on a workbook, the job doesn't extract metadata from the workbook and completes with the following warning: `Cannot invoke "java.lang.CharSequence.toString()" because "replacement" is null` |
| SCAN-25276 | When you run a catalog source job to extract metadata, the job skips workbooks that contain duplicate columns. |

**July 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-18918 | Metadata extraction jobs extract connection names with upper and lowercase. As a result, duplicate connection entries appear during connection assignment.<br>This issue occurs in the following scenarios:<br>- When you create a data source in the source system directly with database tables, the metadata extraction job generates the connection name in upper case.<br>- When you create a data source with custom SQL queries or stored procedures in the source system, the metadata extraction job generates the connection name in the case that you provide. |

**February 2025 fixed issues**

| Issue | Description |
|---|---|
| SCAN-14393 | Metadata extraction jobs fail to extract workbooks and the following error appears in the debug log files:<br>`Cannot invoke "String.replaceAll(String, String)" because the return value of "com.compactsolutionsllc.cdimc.model.Component.getName()" is null.`<br>This issue occurs if the Tableau workbook uses a published data source connection in the source system. |

# Teradata Connector

## Fixed issues

The tables in this section describe recent fixed issues for Teradata connector in Metadata Command Center. Not all monthly releases include fixed issues.

**July 2026 fixed issues**

| Issue | Description |
|---|---|
| SCAN-32882 | When you run a Teradata Database catalog source job, the job doesn't extract stored procedures and generates a NullPointerException error.<br>The issue occurs if you run the job without Execute Procedure permission. |

# Workday Mass Ingestion Connector

## Known issues

The tables in this section describe recent known issues for Workday Mass Ingestion connector in Metadata Command Center. Not all monthly releases include known issues.

**November 2025 known issues**

| Issue | Description |
|---|---|
| SCAN-22114 | The metadata extraction job retrieves all services from your Workday source system regardless of the WSDL version you specified. |

# Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.