Informatica® Metadata Command Center
October 2026

What's New

Informatica Metadata Command Center What's New
October 2026

© Copyright Informatica LLC 2021, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, Informatica Cloud, Informatica Intelligent Cloud Services, PowerCenter, PowerExchange, and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-11-02

Table of Contents

Preface. 4

Chapter 1: October 2026. 5

Changelog October 2026. 5

Important notices and upcoming changes. 6

New features and enhancements. 7

Changed behavior. 16

Chapter 2: July 2026. 18

Changelog July 2026. 18

Important notices. 19

New features and enhancements. 19

Changed behavior. 21

Chapter 3: April 2026. 23

Changelog April 2026. 23

Important notices. 24

New features and enhancements. 25

Changed behavior. 31

Documentation changes. 32

Preface

Read *What's New* to learn about new features, enhancements, and behavior changes in Metadata Command Center for the current release.

For information about fixes and known issues, see the *Release Notes*.

CHAPTER 1

October 2026

The following topics provide information about important notices, new features, enhancements, and changes in the October 2026 release of Metadata Command Center.

Changelog October 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

Publication Date	Type of Change	Section Title
October 29, 2026	Added	"Post-upgrade tasks" on page 7
October 29, 2026	Added	"Use REST APIs to manage metadata access policies" on page 16
October 29, 2026	Added	"Access control based on data classification sensitivity" on page 13
October 29, 2026	Added	"Changes to permissions to manage connections of a catalog source" on page 17
October 29, 2026	Added	"Use REST APIs to manage data classifications" on page 15
October 29, 2026	Deleted	Deleted the point about deleting workflow definitions in "Workflow enhancements" on page 12
October 29, 2026	Added	"Classify Microsoft Word documents" on page 15
October 29, 2026	Added	"SAP transports" on page 16
October 8, 2026	Deleted	Deleted task due date and AI-assisted expression generation in "Workflow enhancements" on page 12

Publication Date	Type of Change	Section Title
October 1, 2026	Deleted	Deleted the point about running data profiles on filtered data lake objects in "Enhanced catalog sources" on page 8
October 1, 2026	Added	"Enhanced catalog sources" on page 8
October 1, 2026	Added	"Post-upgrade tasks" on page 7
September 24, 2026	Updated	"Enrichment propagation based on lineage" on page 13
September 24, 2026	Updated	"Enhanced catalog sources" on page 8
September 24, 2026	Added	"Global settings for generated descriptions" on page 13
September 24, 2026	Added	"Rule-based sensitivity for Document assets" on page 13
September 10, 2026	Initial publication	

Important notices and upcoming changes

The October 2026 release of Metadata Command Center includes the following important notices and upcoming changes.

Preview initiated

Effective in the October 2026 release, periodic review of assets is available for preview when you configure workflow events in Metadata Command Center.

Note: Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

Preview lifted

Effective in the October 2026 release, the Salesforce Marketing Cloud catalog source and its functionalities are production-ready.

Previously, this catalog source was only available in preview.

Deprecated support

Effective in the October 2026 release, the Swagger API catalog source that was available for preview is deprecated. Informatica intends to drop support for the catalog source in a future release.

You can use the new API Design catalog source to extract metadata from an OpenAPI specification document provided as a JSON file or a public URL.

Post-upgrade tasks

Run a full metadata extraction job

Transformation Details information isn't available for assets whose last full extraction occurred before the upgrade. To view transformation details for an asset, the asset must be included in a full metadata extraction job run after the upgrade. After you upgrade to the October 2026 release, run a full metadata extraction job for each catalog source to view transformation details in the lineage.

If you continue running only incremental metadata extraction jobs, you won't be able to view transformation details in the lineage for those assets.

Unassign and re-run SAP ERP catalog source jobs

If you created SAP ERP catalog sources and performed connection assignment with SAP Table assets prior to the October 2026 release, perform the following tasks after you upgrade:

1. Unassign the assigned connections.
2. Run the SAP ERP catalog source job.
3. Run catalog source jobs for all previously-assigned reference catalog sources.
4. Perform connection assignment.

Lineage between source and target might not appear as expected unless you perform these tasks post upgrade.

For information about how to unassign and assign connections, see *Connections* in Administration.

New features and enhancements

The October 2026 release of Metadata Command Center includes the following new features and enhancements.

New catalog sources

This release includes the following new catalog sources:

- Amazon Bedrock
- Amazon SageMaker AI
- API Design
- dbt Cloud
- MuleSoft
- OpenLineage
- MCP Server
- Microsoft Fabric
- SAP Ariba
- SAP Cloud for Customer
- Trino

For more information about catalog sources, see the corresponding catalog source help.

Enhanced catalog sources

This release includes the following enhancements to catalog sources:

Amazon S3

You can use the IAM Roles Anywhere authentication type to connect to Amazon S3 source systems.

For more information, see the *Amazon S3* catalog source help.

Databricks

This release includes the following enhancements:

- From Databricks Unity Catalog, you can extract metadata of foreign catalogs that connect to the following source systems:
  - Amazon Redshift
  - Databricks
  - Google BigQuery
  - Microsoft Azure Synapse Data Warehouse
  - Microsoft SQL Server
  - Salesforce
  - Snowflake
- You can extract metadata of the following objects:
  - AI Search Indexes
  - AI Search Index Columns
  - Genie Spaces
  - Knowledge Assistants
  - MCP Servers
  - MCP Server Tools
  - Metric Views
  - Serving Endpoints
  - Stored Procedures
  - Supervisor Agents
  - Supervisor Agent Tools
- You can add metadata extraction filters based on the following objects:
  - AI Search Indexes
  - Genie Spaces
  - Knowledge Assistants
  - MCP Servers
  - Metric Views
  - Stored Procedures
  - Supervisor Agents

For more information, see the *Databricks* catalog source help.

dbt

This release includes the following enhancements:

- You can extract metadata and generate lineage from manifest files created with dbt version 1.11.
- You can extract metadata and generate lineage from dbt snapshots.

For more information, see the *dbt* catalog source help.

Denodo

After you run a catalog source job, you can view lineage for views that use full outer joins.

For more information, see the *Denodo* catalog source help.

Google Gemini Enterprise Agent Platform

This release includes the following enhancements:

- The Google Vertex AI catalog source is renamed to Google Gemini Enterprise Agent Platform.
- You can extract metadata from AI Agents and related assets.

For more information, see the *Google Gemini Enterprise Agent Platform* catalog source help.

Informatica Intelligent Cloud Services

This release includes the following enhancements:

- You can extract metadata from Informatica Application Integration source systems.
- You can perform connection assignment to view lineage between an SAP ERP source system and an Informatica Intelligent Cloud Services source system.
- You can perform connection assignment to view lineage between an SAP Business Warehouse source system and an Informatica Intelligent Cloud Services source system.
- You can now configure how the catalog source reads Cloud Data Integration mapping task XML files when you extract metadata. Choose one of the following input fetch modes:
  - API. Default. Fetches tasks through the Informatica Intelligent Cloud Services API.
  - Files. Reads only the files in the input files folder.
  - Both. Combines both modes, matching objects in the files and through the API.

For more information, see the *Informatica Intelligent Cloud Services* catalog source help.

JDBC

This release includes the following enhancements:

- You can use the Amazon DocumentDB JDBC driver to connect to and extract metadata from Amazon DocumentDB source systems.
- You can extract metadata from Dremio sources.
- You can run data profiling and data quality jobs on metadata extracted from Trino source systems.

For more information, see the *JDBC* catalog source help.

Kafka

You can now extract metadata from JSON Schema and Protocol Buffers messages when Schema Registry is enabled.

For more information, see the *Kafka* catalog source help.

Microsoft Fabric Data Lakehouse

You can generate accurate reference assets from Microsoft Fabric Data Lakehouse source systems to files in Microsoft Fabric OneLake source systems.

For more information, see the *Microsoft Fabric Data Lakehouse* catalog source help.

Microsoft Power BI

Metadata extraction jobs now extract descriptions of data set tables as technical descriptions in Data Governance and Catalog.

For more information, see the *Microsoft Power BI* catalog source help.

Qlik Sense Cloud

You can now extract metadata from Variable and Variables object types.

For more information, see the *Qlik Sense Cloud* catalog source help.

Salesforce

This release includes the following enhancements:

- You can extract metadata from Agentforce agents.
- You can add metadata extraction filters based on Agentforce agents.
- You can now extract metadata and add metadata extraction filters for the following Salesforce Data 360 objects:
  - Activation
  - Data Action
  - Data Graph
  - Segment
  - Semantic Model
- You can now extract metadata of filtered data lake objects located in Salesforce Data 360 data spaces.

For more information, see the *Salesforce* catalog source help.

Salesforce Marketing Cloud

This release includes the following enhancements:

- You can now extract metadata from the following activities in Automation Studio:
  - Data Copy or Import
  - Data Extract with no wildcard
  - File Transfer
  - Filter
  - SQL Query with data extension and data view sources
- You can add metadata extraction filters based on the automation object type.
- You can now extract metadata and add metadata extraction filters for the following Salesforce Data 360 and Salesforce CRM objects:
  - Activation
  - Segmentation
- You can perform connection assignment to view lineage between a Salesforce Marketing Cloud source system and the Salesforce Data 360 and Salesforce CRM applications.

For more information, see the *Salesforce Marketing Cloud* catalog source help.

SAP Business Warehouse (BW)

This release includes the following enhancements:

- You can now add metadata extraction filters based on the Open ODS View object type.
- You can extract metadata from planning sequences and planning services.

For more information, see the *SAP BW* catalog source help.

SAP Datasphere

This release includes the following enhancements:

- You can now perform connection assignment to view lineage between a Microsoft Power BI source system and an SAP Datasphere source system.
- You can now perform connection assignment to view lineage between an SAP Datasphere source system and an SAP Cloud for Customer source system.

For more information, see the *SAP Datasphere* catalog source help.

SAP BW/4HANA

You can run data profiling and data quality jobs on the following objects extracted from the SAP BW/4HANA source system:

- Advanced DataStore Object (ADSO)
- CompositeProvider

For more information, see the *SAP BW/4HANA* catalog source help.

SAP HANA Database

This release includes the following enhancements:

- You can perform connection assignment to view lineage between SAP HANA DB virtual tables and SAP Business Warehouse composite provider assets.
- You can extract metadata from column views.
- You can extract metadata from SQL Script calculation views.

For more information, see the *SAP HANA Database* catalog source help.

SAP S/4HANA Cloud

You can now extract metadata from an SAP S/4HANA Cloud source system that uses a proxy server-based connection.

For more information, see the *SAP S/4HANA Cloud* catalog source help.

SAP Sales & Service Cloud

You can now extract metadata from an SAP Sales & Service Cloud source system that uses a proxy server-based connection.

For more information, see the *SAP Sales & Service Cloud* catalog source help.

Snowflake

This release includes the following enhancements:

- You can extract metadata of semantic views.
- You can add metadata extraction filters based on semantic views.

For more information, see the *Snowflake* catalog source help.

Tableau

This release includes the following enhancements:

- You can perform connection assignment to view lineage between a Cloudera Hadoop source system and a Tableau source system.
- You can extract metadata from published data sources and Salesforce sources such as CRM, Data360, and Semantic Layer through Tableau. You can also view the real project hierarchy along with more detailed assets information and lineage in Data Governance and Catalog.

For more information, see the *Tableau* catalog source help.

Configure additional data capabilities

You can configure data observability on the IBM DB2 LUW catalog sources.

For more information about catalog sources, see the corresponding catalog source help.

Profiling enhancements

This release includes the following profiling enhancements:

Amazon Redshift

You can enter a custom SQL query to select sample rows to run data profiling and data quality jobs using the Custom Query sampling type.

For more information, see the *Amazon Redshift* catalog source help.

SAP HANA Database

You can run data profiling and data quality jobs on SQL Script calculation views.

For more information, see the *SAP HANA Database* catalog source help.

Workflow enhancements

This release includes the following workflow enhancements:

Service task to retrieve asset details in a workflow

You can add a service task to route a workflow dynamically, based on asset groups and the custom attribute values of the asset the workflow runs on. You can use these values in expressions that define the gateway conditions.

Using the asset details available in the gateway conditions, you can configure an inclusive gateway that directs the workflow based on the asset metadata. For example, you can route the workflow along a different path for an asset that belongs to a specific asset group.

Inclusive gateway

You can add an inclusive gateway to a workflow to route the flow along one or more outgoing paths based on conditions. The inclusive gateway evaluates the condition on each outgoing path independently. The workflow follows every path that has a condition that evaluates to true. If no condition is true, the workflow follows a default path. An inclusive gateway activates one or more paths based on conditions.

Periodic review of assets (Preview)

You can set up a periodic review of assets while configuring workflow events in Metadata Command Center to certify business and data access assets on a schedule. Periodic review helps you keep assets accurate, up to date, and audit ready. You can configure a workflow event that reviews the assets that

meet a condition, such as glossaries in a specific domain. When the schedule runs, the event automatically creates a review ticket for each qualifying business asset and data access asset.

Data Governance and Catalog creates review tickets automatically for the qualifying assets based on the schedule. The stakeholders defined in the workflow can review the asset, set its lifecycle to complete the review, and close the ticket. Each asset shows the last review date and the next review date. You can also search and browse assets by the last review date and the next review date.

Approval workflows for asset lifecycle changes

You can configure a workflow that runs when the lifecycle of an asset changes. Under the asset management event category, a new event type, **Approval Request for Lifecycle Change**, triggers a workflow when an asset's lifecycle state changes. The workflow runs when an asset moves from the Published state to the Obsolete state, or from the Obsolete state to the Published state. When you configure a workflow for this event type, you can select only the Obsolete or Published state.

For more information, see *Workflows* in the *Administration* help.

Rule-based sensitivity for Document assets

You can now define rules that assign a sensitivity level to Document assets. A Document asset represents an unstructured file, such as a PDF or Microsoft Word document, in the catalog. You can apply sensitivity levels to these assets based on the classification policies that you define.

For more information, see Data Classification in *Administration*.

Access control based on data classification sensitivity

When you create or modify an access policy in Metadata Command Center, you can add a sensitivity level as a predicate to a condition. The new predicate allows you to control access to assets based on the sensitivity level of their data classifications.

For more information, see *Metadata access control* in the *Administration* help.

Enrichment propagation based on lineage

You can configure catalog sources to propagate enrichments to related assets based on lineage.

Enable autonomous enrichment to propagate curation values such as classifications, descriptions, business names, and glossary associations across catalog source assets. Enable autonomous enrichment globally, and then configure each catalog source to control how it receives enrichments.

Propagation settings determine which enrichment types propagate, from how many lineage levels they propagate, and whether values are automatically accepted or recommended.

For more information about autonomous enrichment, see Autonomous Enrichment in *Administration* and the corresponding catalog source help.

Global settings for generated descriptions

You can now configure global settings that shape the descriptions Data Governance and Catalog generates for your assets. Set the industry and text length that apply to all generated descriptions. You can override these settings in Data Governance and Catalog.

For more information about configuring generated descriptions, see Autonomous Enrichment in *Administration*.

Incremental metadata extraction

You can now run incremental metadata extraction jobs on the following catalog sources:

- Microsoft Fabric OneLake

- Microsoft OneDrive

A full metadata extraction extracts all objects from the source to the catalog. An incremental metadata extraction considers only the changed and new objects since the last successful catalog source job run. Incremental metadata extraction doesn't remove deleted objects from the catalog and doesn't extract metadata of code-based objects.

For more information about catalog sources, see the corresponding catalog source help.

LIKE operators in data classification rules and lookup tables

When you build data classification rules in Cloud Data Governance and Catalog, you can use the LIKE ALL, LIKE SOME, and LIKE ANY operators to match a value against multiple patterns in a single condition. You can also reference a lookup table column as the pattern source. Use LIKE (lkp.<table>.<column>), LIKE SOME (lkp.<table>.<column>), or LIKE ANY (lkp.<table>.<column>) to match against the values in a lookup column.

For more information, see *Data classification* and *Lookup tables* in the *Administration* help.

Metadata extraction from additional file types

You can now extract metadata from additional file formats across multiple catalog sources.

Newly supported file types:

- EML
- EMLX
- MSG
- RTF
- PPT
- PPTX
- JSONL

Supported catalog sources:

- Amazon S3
- File System
- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

For more information about catalog sources, see the corresponding catalog source help.

Classify Microsoft Word documents

You can now use **Document Classification** in Metadata Command Center to classify Microsoft Word documents with the DOC and DOCX extensions. You can classify Microsoft Word documents for the following catalog sources:

- Amazon S3
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

For more information about catalog sources, see the corresponding catalog source help.

Deleting lookup tables

You can delete a lookup table that is not used in any data classification rule.

For more information, see *Lookup tables* in the *Administration* help.

Use REST APIs to manage data classifications

You can use REST APIs to perform the following tasks on data classifications:

- Retrieve data classification summary. Use the API to retrieve a list of data classification summaries.
- Delete data classifications. Use the API to delete one or more data classifications.
- Export data element classifications. Use the API to generate an export of data element classifications.
- Import data element classifications. Use the API to perform an import of data element classifications.
- Retrieve data element classification summary. Use the API to retrieve a list of data element classification summaries.
- Retrieve data element classification. Use the API to retrieve a data element classification.
- Create data element classification. Use the API to create a data element classification.
- Replace data element classification. Use the API to replace a data element classification.
- Delete data element classification. Use the API to delete a data element classification.
- Retrieve data entity classification summary. Use the API to retrieve a list of data entity classification summaries.
- Retrieve data entity classification. Use the API to retrieve a data entity classification.
- Create data entity classification. Use the API to create a data entity classification.
- Replace data entity classification. Use the API to replace a data entity classification.
- Delete data entity classification. Use the API to delete a data entity classification.

For more information about the data classification APIs, see the Informatica Developer Portal.

REST API enhancements

You can use REST APIs to perform the following tasks on catalog source jobs:

- Cancel jobs. Use the API to cancel a job based on the job ID.
- List jobs. Use the API to list jobs based on the specified filters.

- Download logs. Use the API to download log files for a job based on the job ID.

For more information about the job management APIs, see the Informatica Developer Portal.

Monitor Informatica Processing Unit (IPU) usage for catalog source jobs in Administrator

You can now monitor the catalog source job IPU usage in Administrator. IPU consumption details are available under Project **CDGC** and Folder **Scanner**.

For more information, see *IPU Meters* in the Organization Administration guide.

SAP transports

New SAP transports are available for SAP BW and SAP BW/4HANA catalog sources.

For more information about SAP transports, see
HOW TO: Import the latest transports for SAP catalog sources in Metadata Command Center.

Use REST APIs to manage metadata access policies

You can use REST APIs to perform the following tasks on metadata access policies:

- Export access policies
- Import access policies
- Enable multiple access policies
- Disable multiple access policies
- Publish multiple access policies
- Delete multiple access policies

Changed behavior

The October 2026 release of Metadata Command Center includes the following changed behavior.

Catalog source configuration options based on the selected model

When a catalog source type supports more than one model, you now view only the configuration options that apply to the model you select. Previously, you viewed all the configuration options for the catalog source type regardless of the selected model.

Microsoft Power BI connector name change

The Microsoft Power BI connector in Administrator is renamed to Microsoft Fabric. Both the Microsoft Power BI catalog source and the new Microsoft Fabric catalog source use this connector. The Microsoft Fabric connector also includes additional connection properties.

For more information, see the *Microsoft Power BI* catalog source help.

Decision gateway path conditions based on expressions

You can configure the outgoing paths from a decision gateway with an expression or with a previous user task outcome. When you use an expression, a path can use the outcome of a service task that runs earlier in the workflow.
Previously, you could configure the outgoing paths from a decision gateway only with a user task outcome.

For more information, see *Configuring a workflow* in the *Administration* help.

Changes to permissions to manage connections of a catalog source

In Metadata Command Center, you can assign, modify, and unassign the connections to a catalog source for which you aren't a stakeholder. To manage the connections of a catalog source, the organization administrator must grant you the Manage Lineage Settings and Super Admin privileges for the Metadata Command Center service in Administrator. With these privileges, you can manage connections without edit permissions on catalog source assets.

Previously, you had to be a stakeholder of the catalog source to manage its connections.

For more information, see *Connections* in the *Administration* help.

CHAPTER 2

July 2026

The following topics provide information about important notices, new features, enhancements, and changes in the July 2026 release of Metadata Command Center.

Changelog July 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

Publication Date	Type of Change	Section Title
August 7, 2026	Updated	"Enhanced catalog sources" on page 20
July 23, 2026	Added	"Post-upgrade tasks" on page 19
July 23, 2026	Added	"Metadata access policies to govern access to technical assets from IDMC metadata" on page 22
July 16, 2026	Added	"Changes to permissions to manage jobs" on page 21
June 25, 2026	Added	"Handle unrecognized files during metadata extraction" on page 20
June 25, 2026	Updated	"Unstructured data discovery and classification" on page 19
June 18, 2026	Added	"Enhanced catalog sources" on page 20
June 18, 2026	Added	"Unstructured data discovery and classification" on page 19
June 18, 2026	Modified	"Enhanced catalog sources" on page 20
June 11, 2026	Initial publication	

Important notices

The July 2026 release of Metadata Command Center includes the following important notices.

Post-upgrade tasks

Purge deprecated unstructured data assets

After you upgrade to the July 2026 release, if you have existing PDF, Text, DOC, or DOCX files in your catalog and you re-run the catalog source job, the files get catalogued as unstructured files with specific asset types.

As a result, business users might see duplicate assets in the catalog. Prior to the July 2026 release, unstructured files such as PDF, Text, DOC, and DOCX files were catalogued as structured files asset type. These assets are now deprecated and their lifecycle status is marked as **Obsolete**.

If you re-run the catalog source job after upgrading to the July 2026 release, perform the following tasks:

1. Add enrichments to the new asset. The existing enrichments for the deprecated assets are not retained for the new assets.
2. Remove deprecated assets from the catalog using the **Purge Obsolete Objects** from the Catalog Sources page of the **Explore** page.

For information about the catalog sources that enable extraction of metadata from unstructured files, see "Unstructured data discovery and classification" on page 19.

New features and enhancements

The July 2026 release of Metadata Command Center includes the following new features and enhancements.

Unstructured data discovery and classification

You can catalog, discover, and classify unstructured documents alongside your structured data assets in Data Governance and Catalog to gain complete visibility across your data landscape.

This release includes the following key capabilities:

- Extract unstructured documents, including PDFs, Word documents, and text files from the following catalog sources:
  - Amazon S3
  - Databricks
  - File System
  - Google Cloud Storage
  - Hadoop Distributed File System
  - Microsoft OneDrive
  - Microsoft SharePoint Online
  - Microsoft Azure Blob Storage
  - Microsoft Azure Data Lake Storage Gen2

  - Microsoft Fabric OneLake
  - Oracle Cloud Object Storage
  - SFTP File System
- Automatically classify PDFs and text files into categories defined by you. You can classify unstructured documents using the new **Document Classification** capability in Metadata Command Center for the following catalog sources:
  - Amazon S3
  - Hadoop Distributed File System
  - Microsoft Azure Blob Storage
  - Microsoft Azure Data Lake Storage Gen2
  - Microsoft SharePoint Online
  - Oracle Cloud Object Storage
  - SFTP File System

For information about unstructured data discovery and classification, see the corresponding catalog source help.

Handle unrecognized files during metadata extraction

You can now configure how Metadata Command Center handles files with unrecognized formats during metadata extraction from the following catalog sources:

- Amazon S3
- Databricks
- File System
- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

You can configure the catalog sources to treat all unrecognized file formats as either structured or unstructured files. Optionally, you can define specific path-level exceptions to override whether the unrecognized files should be treated as structured or unstructured files.

For information about handling unrecognized files, see the corresponding catalog source help.

Enhanced catalog sources

This release includes the following enhancements to catalog sources:

Microsoft Azure Data Factory

When you run a metadata extraction job on Microsoft Azure Data Factory pipelines, the job uses operational metadata from trigger runs to generate lineage for pipelines.

For more information, see the *Microsoft Azure Data Factory* catalog source help.

Microsoft Power BI

You can now extract PaginatedReportDataset objects that connect to Power BI datasets which use DAX and MDX queries.

For more information, see the *Microsoft Power BI* catalog source help.

SAP BW/4HANA

When you run a metadata extraction job on Composite Providers objects, you can extract all navigational attributes.

For more information, see the *SAP BW/4HANA* catalog source help.

SAP SuccessFactors

You can now extract metadata from an SAP SuccessFactors source system that uses a proxy server-based connection

For more information, see the *SAP SuccessFactors* catalog source help.

Snowflake

You can use the Programmatic Access Token authentication type to connect to source systems.

For more information, see the *Snowflake* catalog source help.

Snowflake SQL Script

You can use the Programmatic Access Token authentication type to connect to source systems.

For more information, see the *Snowflake SQL Script* catalog source help.

REST API enhancements

This release includes the following enhancements:

- You can choose the `multipart/form-data` content type header when you use REST APIs to perform the following tasks on catalog sources:
  - Create catalog source
  - Update catalog source
- You can use the catalog source management APIs to upload catalog source configuration files.

For information about the catalog source management APIs, see the Informatica Developer Portal.

Changed behavior

The July 2026 release of Metadata Command Center includes the following changed behavior.

Changes to permissions to manage jobs

To cancel a job that another user started, or to download its export file, the organization administrator must assign you the **Manage Access Control** feature privilege in Administrator. You can cancel a job that you started and download its export file without additional privileges.

Previously, you didn't need additional privileges to cancel a job that another user started or to download its export file.

For more information about managing jobs, see *Jobs* in the *Administration* help.

Metadata access policies to govern access to technical assets from IDMC metadata

As an IDMC administrator, you can use metadata access control to define policies that govern access to technical assets from IDMC metadata. You need to create a policy to grant users access to technical assets from IDMC metadata.

Previously, technical assets from IDMC metadata were visible to all users. Now, these assets will be visible to users who have been granted access.

For more information about IDMC metadata, see *IDMC metadata* in the Administration help.

CHAPTER 3

April 2026

The following topics provide information about important notices, new features, enhancements, and changes in the April 2026 release of Metadata Command Center.

Changelog April 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

Publication Date	Type of Change	Section Title
June 18, 2026	Added	"Application Integration workflow events" on page 32
June 18, 2026	Added	"Enhanced Tableau catalog source" on page 25
May 14, 2026	Modified	"Preview lifted" on page 24
May 14, 2026	Deleted	Deleted uploading of configuration files in "REST API enhancements" on page 30.
May 14, 2026	Added	"Post-upgrade tasks" on page 24
April 24, 2026	Modified	"Enhanced catalog sources" on page 25
April 22, 2026	Added	"REST API enhancements" on page 30
April 22, 2026	Added	"Preview lifted" on page 24
March 26, 2026	Added	"Documentation changes" on page 32
March 26, 2026	Added	"Enhanced catalog sources" on page 25

Publication Date	Type of Change	Section Title
March 26, 2026	Deleted	Deleted the advanced configuration setting in "Profiling enhancements" on page 28.
March 11, 2026	Initial publication	

Important notices

The April 2026 release of Metadata Command Center includes the following important notices.

Preview initiated

Catalog sources

Effective in the April 2026 release, the Salesforce Marketing Cloud catalog source is available for preview.

Note: Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

Preview lifted

Effective in the April 2026 release, the following catalog source and functionality are production-ready.

- The SAP Datasphere catalog source. Previously, this catalog source was only available in preview.
- The Command Line Interface (CLI) metadata extraction method. Previously, this functionality was only available in preview.

For more information about new features and enhancements, see "New features and enhancements" on page 25.

Post-upgrade tasks

Google Looker and Qlik Sense Cloud catalog sources

Effective in the April 2026 release, Google Looker and Qlik Sense Cloud catalog sources use a connection created in Administrator.

If your existing catalog sources use a serverless runtime environment, perform the following steps after you upgrade to the April 2026 release:

1. Create a connection for the catalog source in Administrator.
2. Update the catalog source in Metadata Command Center to use the connection you created.

For information about how to create a connection, see the corresponding catalog source help.

New features and enhancements

The April 2026 release of Metadata Command Center includes the following new features and enhancements.

Enhanced Tableau catalog source

In May 2026, we've rolled out the following enhancements as part of the April 2026 release:

- You can now extract metadata from workbooks connected to Salesforce Data 360 objects, such as Data Model Objects (DMO), Data Lake Objects (DLO), and Calculated Insight Objects (CIO).
- You can perform connection assignment to view lineage between a Salesforce Data 360 source system and a Tableau source system.

For more information, see the *Tableau* catalog source help.

New catalog sources

This release includes the following new catalog sources:

- Microsoft Azure Machine Learning
- Salesforce Marketing Cloud (Preview)

For more information about catalog sources, see the corresponding catalog source help.

Enhanced catalog sources

This release includes the following enhancements to catalog sources:

Amazon Athena

This release includes the following enhancements:

- You can use the EC2 Role to Assume Role authentication type to connect to Amazon Athena source systems.
- You can extract metadata from nested field objects.
- You can extract objects with the following complex data types and their nested fields:
  - Array
  - Map
  - Struct

For more information, see the *Amazon Athena* catalog source help.

Amazon S3

You can now configure an IAM user to assume an IAM role. You can specify the role without associating it with an EC2 role in the IAM Role ARN option.

For more information, see the *Amazon S3* catalog source help.

Databricks

This release includes the following enhancements:

- You can use OAuth Machine-to-Machine authentication to run data profiling and data quality jobs.
- When you extract metadata from Databricks Unity Catalog, you can use the **Extract Tags** property to specify whether you want to extract tags assigned to the objects you extract.

- You can now extract metadata from the following Databricks Unity Catalog objects:
  - Volume
  - Function
  - Dashboard
- You can add metadata extraction filters based on volumes and dashboard paths.

For more information, see the *Databricks* catalog source help.

Google BigQuery

You can now extract the following complex data types along with their nested fields:

- Array
- Range
- Struct

For more information, see the *Google BigQuery* catalog source help.

Informatica Intelligent Cloud Services

This release includes the following enhancements:

- You can now extract metadata from the following objects:
  - Database ingestion and replication task
  - Application ingestion and replication task
- You can extract metadata from mappings that include Salesforce connections with custom queries.

For more information, see the *Informatica Intelligent Cloud Services* catalog source help.

JDBC

You can now use the Additional Security Properties field of the JDBC V2 connection in Administrator to enter sensitive authentication information.

For more information, see the *JDBC* catalog source help.

Microsoft Azure Blob Storage

You can use the Shared Access Signature authentication type to connect to Microsoft Azure Blob Storage source systems.

For more information, see the *Microsoft Azure Blob Storage* catalog source help.

Microsoft Azure Data Factory

You can configure Microsoft Azure Synapse Analytics Parameters to extract Microsoft Azure Synapse Analytics notebooks with a Microsoft Azure Synapse Analytics connection in the Microsoft Azure Data Factory catalog source.

For more information, see the *Microsoft Azure Data Factory* catalog source help.

MicroStrategy

You can now extract metadata from ReportMetric objects.

For more information, see the *MicroStrategy* catalog source help.

Microsoft Power BI

You can view data types for metadata extracted from dataset tables.

For more information, see the *Microsoft Power BI* catalog source help.

PostgreSQL

This release includes the following enhancements:

- You can now extract metadata from foreign table objects.
- You can perform connection assignment to view lineage between the following source systems and a PostgreSQL source system:
  - Oracle
  - SQL Server

For more information, see the *PostgreSQL* catalog source help.

Salesforce

This release includes the following enhancements:

- You can extract metadata from Salesforce Flows and Salesforce Data 360 applications. (Preview)
- When you add metadata extraction filters, you can select object types based on the Salesforce application that you extract metadata from.

For more information, see the *Salesforce* catalog source help.

SAP Datasphere

This release includes the following enhancements:

- You can perform connection assignment to view lineage between the following source systems and an SAP Datasphere source system:
  - SAP SuccessFactors
  - Oracle
  - SQL Server
- You can now extract the metadata from the following objects in an SAP Datasphere source system:
  - Data Access Control
    - Data Access Control Column
  - Data Flow
    - Data Flow Operator
      - Data Flow Operator Column
  - Task Chain
    - Task Chain Node
  - Transformation Flow
    - View Transformation
      - View Transformation Column

For information, see the *SAP Datasphere* catalog source help.

SAP ERP

You can add metadata extraction filters based on the asset type.

For information, see the *SAP ERP* catalog source help.

SAP Business Warehouse

This release includes the following enhancements:

- You can connect to SAP Business Warehouse deployed on RISE with SAP.
- You can add metadata extraction filters based on the asset type.

For more information, see the *SAP Business Warehouse* catalog source help.

SAP BW/4HANA

This release includes the following enhancements:

- You can extract metadata from SAP BW/4HANA deployed on RISE with SAP.
- You can add metadata extraction filters based on the asset type.

For more information, see the *SAP BW/4HANA* catalog source help.

SFTP File Systems

You can use private key authentication to connect to the source system.

For more information, see the *SFTP File System* catalog source help.

Snowflake

This release includes the following enhancements:

- You can extract metadata from Iceberg tables.
- You can use authorization code authentication to connect to the source system.

For more information, see the *Snowflake* catalog source help.

Snowflake SQL Script

You can use authorization code authentication to connect to the source system.

For more information, see the *Snowflake SQL Script* catalog source help.

Tableau

This release includes the following enhancements:

- You can now extract calculations included in a dashboard.
- You can now extract tags from objects such as data sources, dashboards, workbooks, and worksheets.

For more information, see the *Tableau* catalog source help.

Configure additional data capabilities

You can configure glossary association and data classification capabilities on the following catalog sources:

- Oracle Business Intelligence
- TIBCO Spotfire

For more information about catalog sources, see the corresponding catalog source help.

Profiling enhancements

This release includes the following profiling enhancements:

Amazon Redshift

You can use the Redshift IAM Authentication via AssumeRole authentication type to connect to Amazon Redshift source systems and run a data profiling job.

Apache Hive

You can run data profiling and data quality jobs on metadata extracted from any schema regardless of the schema name that you specified in the connection properties.

Google BigQuery

This release includes the following enhancements:

- You can apply profiling filters based on external tables and stored procedures.
- When you choose All Rows or Limit N Rows as the sampling type, you can run data profiles on external tables.

Salesforce

This release includes the following enhancements:

- You can run data profiling and data quality jobs using the Salesforce Data 360 connection on the following objects extracted from Salesforce Data 360 applications:
  - Data Lake Object
  - Data Model Object
  - Calculated Insights
- When you apply data profiling filters, you can select object types based on the Salesforce application that you extract metadata from.

SAP Datasphere

You can run data profiling and data quality jobs on the following objects:

- Views
- Analytical Modules

Snowflake

This release includes the following enhancements:

- You can run profiling jobs on Snowflake Hybrid tables and views.
- You can run data profiling and data quality jobs on metadata extracted from any database or schema regardless of the database or schema name that you specified in the connection properties.

Microsoft Azure SQL Server

You can use the Service Principal authentication to connect to Microsoft Azure SQL Server source systems and run data profiling jobs.

Microsoft Fabric Data Lakehouse

You can run data profiling and data quality jobs on metadata extracted from any database or schema regardless of the database or schema name that you specified in the connection properties.

For more information about catalog sources, see the corresponding catalog source help.

Authenticate with an external secrets manager

You can now configure AWS Secrets Manager and Azure Key Vault authentication tools when you configure the following catalog sources:

- MySQL
- SAP HANA Database
- Teradata Database

You can use secrets manager authentication when you run data profiling and data quality jobs and to preview failed rows with and without cache.

For information about how to configure Secrets Manager in Administrator, see Organization Administration in the *Administration* help.

Incremental metadata extraction

You can now run incremental metadata extraction jobs on the following catalog sources:

- Amazon Athena
- Strategy Cloud

A full metadata extraction extracts all objects from the source to the catalog. An incremental metadata extraction considers only the changed and new objects since the last successful catalog source job run. Incremental metadata extraction doesn't remove deleted objects from the catalog and doesn't extract metadata of code-based objects.

For more information about catalog sources, see the corresponding catalog source help.

REST API enhancements

You can use the catalog source management APIs to run incremental metadata extraction jobs.

For information about the catalog source management APIs, see the Informatica Developer Portal.

Workflow enhancements

This release includes the following workflow enhancements:

Define workflow events based on conditions

You can configure workflows tailored to your organization's specific requirements, enabling different approval processes. For example, a highly sensitive glossary or related to GDPR demands a stringent multi-step approval, whereas finance and HR processes follow their own distinct approval workflows.

You can add conditions for workflows used in tickets for approval based on asset hierarchies, relationships, attributes, stakeholder roles, and asset groups. You can select asset types and add conditions in Metadata Command Center. Data Governance and Catalog evaluates workflow events by prioritizing the first matching condition and then starts the appropriate workflow.

For more information, see *Configuring a workflow event* in the *Administration* help.


Reordering workflow events

You can reorder existing workflow events to ensure that high-priority events are processed first. You can move a workflow event up, down, to the top, or to the bottom of the list of workflow events, based on your business requirement.

For more information, see *Reordering workflow events* in the *Administration* help.

Data observability enhancement

When you run a data observability job on a catalog source in Metadata Command Center, you can use a statistical volume measurement based on the earlier collection of the metadata, or you can measure the current volume when you run the job. For catalog sources that provide the data observability, you can choose **Statistic** or **Calculated** to configure how the data observability job measures metadata volume.
The following image shows a catalog source with data observability enabled:



For more information about data observability, see *Data observability* in the *Administration* help.

Changed behavior

The April 2026 release of Metadata Command Center includes the following changed behaviors.

Connection for catalog sources

You now use a connection when you configure the following catalog sources:

- Google Looker
- Qlik Sense
- Qlik Sense Cloud

Before you configure the catalog source, create the corresponding connection in Administrator.

Previously, you entered the connection properties directly in Metadata Command Center when you created the catalog source.

For more information, see the corresponding catalog source help.

Data profiling jobs in PostgreSQL catalog sources

Data profiling jobs now ignore unsupported data types and continue to run.

Previously, data profiling jobs that included unsupported data types failed on PostgreSQL catalog sources.

For more information, see the *PostgreSQL* catalog source help.

Removed default swimlane names

While designing workflows, you must now specify a name for each swimlane to proceed, as the default name has been removed.

Previously, swimlanes had default names.

For more information, see *Designing a workflow* in the *Administration* help.

Application Integration workflow events

Application Integration workflow events are no longer available in Metadata Command Center.

Previously, you could view and use Application Integration workflow events.

For more information, see *Manage workflow events* in the *Administration* help.

Documentation changes

The April 2026 release of Metadata Command Center includes the following documentation changes.

Removed Catalog Source Configuration publication and online help

The *Catalog Source Configuration* help is removed from the Metadata Command Center help and the *Catalog Service Configuration* publication is removed from the Informatica Documentation Portal. Information that was available in this publication and online help is now available in the individual catalog source publications and online help.

For more information about catalog sources, see the corresponding catalog source help or publications.

New Custom Metadata Integration Reference publication and online help

Information related to custom metadata integration that was available in the *Catalog Source Configuration* publication and online help is now available in a new publication and online help titled *Custom Metadata Integration Reference*.

For more information, see the *Custom Metadata Integration Reference* help or publication.

New Catalog Sources Quick Reference page

The source systems table that was available in the *Catalog Source Configuration* publication and online help is now available in a new page titled *Catalog Sources Quick Reference* on the Informatica Documentation Portal.

For more information, see the *Catalog Sources Quick Reference* page.