Informatica® MDM SaaS
October 2026

MDM Extension for Databricks

Informatica MDM SaaS MDM Extension for Databricks
October 2026

© Copyright Informatica LLC 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-10-23

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- IDMC web site 4
- Intelligent Data Management Cloud Communities 4
- IDMC Marketplace 4
- Informatica Knowledge Base 5
- IDMC Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introducing MDM Extension for Databricks 6

Guidelines for importing assets 7

Guidelines for migrating assets 7

Prerequisites 7

Chapter 2: MDM SaaS and Databricks integration 8

Data flow to publish master data to Databricks 8

MDM SaaS master data 9

Staging schema 9

Analytical schema 12

Chapter 3: Predefined MDM Extension for Databricks assets 15

Data Definition Language (DDL) scripts 15

Batch jobs 15

- Assets for customer data 15
- Assets for supplier data 18
- Assets for product data 22
- Assets for location data 24

Chapter 4: Deploying MDM Extension for Databricks 27

Downloading and extracting MDM Extension for Databricks 27

Setting up a catalog, schemas, and tables in Databricks 28

Importing the Data Integration assets 29

Importing the batch job assets 30

Setting up the Secure Agent parameters 30

Importing the parameter file 30

Running the batch jobs and taskflows 31

Index 32

Preface

Follow the instructions in MDM Extension for Databricks to deploy *MDM Extension for Databricks*.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security, compliance, and privacy practices.

You can access the trust center at https://trust.informatica.com/.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introducing MDM Extension for Databricks

An MDM SaaS extension is a ready-to-use package that streamlines and accelerates the implementation of MDM SaaS. MDM SaaS extensions contain pre-configured assets and integrations that extend and enhance the MDM SaaS business applications. Use an extension to reduce implementation time, enhance data quality, and achieve faster business outcomes.

Use MDM Extension for Databricks to publish master data for the customer, supplier, product, and location domains from MDM SaaS to Databricks Data + AI Platform. You can use the published data for integrated analytics, machine learning, and agentic AI applications. With trusted master data, you can improve customer segmentation, strengthen supplier and supply chain risk management, and optimize retail and product performance.

The extension includes predefined Data Integration assets and schemas for Databricks to publish master data fromMDM SaaS to Databricks.

Use MDM Extension for Databricks to achieve the following goals:

Enhance customer analytics and insights

Segment customers by behavior, region, and demographic profile to calculate accurate customer lifetime value (CLV). MDM SaaS merges duplicate customer records into a single master record before the data reaches Databricks, preventing skewed analytics and fragmented segmentation.

Strengthen supplier and supply chain risk management

Analyze the relationships between suppliers and their sub-suppliers network to assess procurement spend, vendor performance, and third-party risk. MDM SaaS merges fragmented vendor identities across enterprise resource planning (ERP) and purchasing tools to provide a single view of supplier risk metrics, such as financial vulnerabilities and environmental, social, and governance (ESG) ratings.

Optimize retail and product performance analytics

Compare year-over-year revenue across store locations and product lines. MDM SaaS applies standardized product classifications and location hierarchies for these performance comparisons.

Ground Databricks Genie and AI agents in trusted data

Publish cleansed and verified master data from MDM SaaS to Databricks. Databricks Genie and other Databricks AI agents can then use the master data as a trusted source. Databricks Genie conversational queries and programmatic AI agents run against stable schemas and validated master data. Databricks AI/BI dashboards use Delta Lake tables that contain the validated master data.

Guidelines for importing assets

Consider the following guidelines before you import the extension assets:

- Set up the prerequisite MDM SaaS business application.
- Import the extension assets before you customize the business entities. You can safely import multiple extension assets that use different business entities and in different MDM SaaS business applications. When you import the assets in an environment that already has an extension with the same business entities, the import fails.
- After you import the assets, consider them as your custom assets.
- Once you deploy an extension, upgrading to a newer version of the extension isn't supported.

Guidelines for migrating assets

Consider the following guidelines before you migrate the extension assets to another environment:

- To migrate the extension assets to higher environments, such as QA and production, export the assets from the development environment. Then, import them into the QA and production environments. For more information about migrating assets, see *Migrating projects and assets*.
- Don't import the extension assets again into a higher environment.

Prerequisites

Before you deploy MDM Extension for Databricks, perform the following prerequisites:

- Ensure that you have the license for the Integration Components for Business 360, MDM SaaS edition, and Databricks Connector.
- Ensure that your Databricks workspace uses the Databricks Enterprise edition.
- Ensure that you have the licenses required to manage connections, external data, and service rights.

  Note: The use of the extension doesn't confer any additional license or entitlement to license consumption beyond the terms specified in the applicable licensing agreements.
- Ensure that the version of the extension package matches the current MDM SaaS version where you import the extension assets.

  If the version of the extension package doesn't match the current MDM SaaS version, contact Informatica Global Customer Support to use the current version of the extension.

  To verify the MDM SaaS version, in Business 360 Console, click **About** in the Help menu and verify the build version.

  To verify the version of the extension, navigate to the readme.txt file in the extracted extension package.

CHAPTER 2

MDM SaaS and Databricks integration

Use MDM Extension for Databricks to integrate MDM SaaS with Databricks.

The extension includes the following predefined assets:

- Staging schema. Defines the tables in Databricks that store the published master data before transformation.
- Analytical schema. Defines the dimension tables in Databricks that you can query to analyze master data.
- Batch jobs. Publishes master data for the customer, supplier, product, and location domains from MDM SaaS to the staging tables in a Databricks SQL warehouse.
- Data Integration taskflows. Loads data from the staging tables into the analytical tables in the same Databricks SQL warehouse.

Data flow to publish master data to Databricks

Use egress jobs and Data Integration taskflows to publish master data from MDM SaaS to staging and analytical tables in Databricks.

When you run an egress job, Data Integration exports master data, such as customer, product, supplier, and location master data, from MDM SaaS into the staging tables in a Databricks SQL warehouse. After the master data is published to the staging tables, you can run a taskflow for Data Integration to transform and load the data into the analytical tables in the same Databricks SQL warehouse.

The following image shows the flow of data from MDM SaaS to Databricks:



MDM SaaS master data

Based on your MDM SaaS domain, MDM Extension for Databricks uses its corresponding data model.

The following table lists the MDM SaaS domains and their corresponding data dictionaries:

MDM SaaS Domain	Data Dictionary
Customer	*Customer 360 SaaS data dictionary*
Location	*Location 360 data dictionary*
Product	*Product 360 SaaS data dictionary*
Supplier	*Supplier 360 Extension for ESG data dictionary*

Staging schema

The staging schema contains the tables in Databricks that store master data published from MDM SaaS. The tables store the master data until it is transformed and loaded into the analytical schema.

To publish master data from MDM SaaS to the staging schema in Databricks, run the predefined egress jobs for the record type you manage.

The staging schema in a Databricks catalog includes the following tables for MDM SaaS record types:

MDM SaaS Record Type	Staging Tables
Customer	The staging schema includes the following tables for the customer domain: - org_address - org_alternateName - org_document - org_email - org_financial - org_identifier - org_indicator - org_insurance - org_keyexecutive - org_phone - org_customer - org_segment - org_socialhandle - org_status - org_stockexchange - org_taxdetails - org_xref - person_address - person_alt_name - person_citizenship - person_demographic - person_document - person_email - person_financial - person_identifier - person_insurance - person_lifestyle - person_loyalty - person_phone - person_professional - person_qualification - person_customer - person_segment - person_socialhandle - person_specialization - person_status - person_taxdetails - person_xref
Supplier	The staging schema includes the following tables for the supplier domain: - contact_email - contact_identifier - contact_phone - contact_postal_address - contact_root - contact_socialmedia - contact_status - contact_xref - supplier_address - supplier_alert - supplier_altname - supplier_bankdetails - supplier_contract - supplier_diversity - supplier_document - supplier_email - supplier_esg_environmental_reason

MDM SaaS Record Type	Staging Tables
	- supplier_esg_govern_reason - supplier_esg_rating_sustain_analytics - supplier_esg_ratingdnb - supplier_esg_social_reason - supplier_esg_sustainability_classification - supplier_executive_member - supplier_financial - supplier_identifier - supplier_insurance - supplier_phone - supplier_reference - supplier_risk_question - supplier_root - supplier_segment - supplier_social_media - supplier_sourcing_manager - supplier_stock - supplier_tax - supplier_xref
Product	The staging schema includes the following tables for the product domain: - category_description - category_keyword - category_root - classification - item_description - item_keyword - item_metainfo - item_highlight - item_root - item_sellprice - item_tags - item_xref
Product Relationship	The staging schema includes the following tables to store product relationships: - relation_item_to_category - relation_category_to_category - relation_category_to_classification
Location	The staging schema includes the following tables for the location domain: - location_address - location_alternatename - location_name - location_coordinates - location_email - location_geoloc - location_identifier - location_indicator - location_operating_time - location_operatingtime_exception - location_phone - location_position - location_root - location_status - location_xref

Analytical schema

The analytical schema contains the dimension tables in Databricks that store transformed master data. Use the analytical schema to analyze and gain insights into the master data.

When you run Data Integration taskflows, Data Integration transforms and loads master data from the Databricks staging tables into the dimension tables of the analytical schema in Databricks.

The analytical schema is optimized for Databricks SQL. Unity Catalog, the Databricks governance layer for data and AI assets, manages the analytical schema.


The analytical schema in a Databricks catalog includes the following dimension tables:

- tbl_address_dim
- tbl_calendar_dim
- tbl_customer_dim
- tbl_email_dim
- tbl_esg_score_dnb_dim
- tbl_esg_score_dnb_environmental_reason_dim
- tbl_esg_score_dnb_governance_reason_dim
- tbl_esg_score_dnb_social_reason_dim
- tbl_item_dim
- tbl_location_dim
- tbl_phone_dim
- tbl_supplier_dim

Based on your use case, you can create or edit the dimension tables.


Note: The extension package doesn't include transaction tables. To analyze sales and supplier orders, you must create the create the Sales Fact and Supplier Order Fact transaction tables.

The following image shows the dimension tables of the Databricks analytical schema and their relationships with the Sales Fact table:



Note: Some tables contain more fields than shown in the diagram. For the complete list, see the analytical schema in Databricks.

The following image shows the dimension tables of the Databricks analytical schema and their relationships with the Supplier Order Fact table:



Note: Some tables contain more fields than shown in the diagram. For the complete list, see the analytical schema in Databricks.

CHAPTER 3

Predefined MDM Extension for Databricks assets

The extension package includes the following predefined assets:

- Data definition language (DDL) scripts to create the catalog, staging schema, and analytical schema in Databricks
- MDM SaaS batch jobs
- Data Integration assets
- Secure Agent group parameter files

Note: When you import the MDM Extension for Databricks assets, the existing MDM SaaS assets and your customizations are overwritten. Ensure that you import the extension assets before you customize the MDM SaaS data model.

Data Definition Language (DDL) scripts

Use the DDL scripts to create a catalog in Databricks. Then use the scripts to create the staging and analytical schemas and their tables in the catalog. The schemas store master data for the customer, supplier, product, and location domains.

Batch jobs

MDM Extension for Databricks includes predefined egress batch jobs and Data Integration taskflows. Use the egress batch jobs to publish master data from MDM SaaS to the staging tables in Databricks. You can then use the taskflows to load data from the staging tables into the analytical tables in Databricks.

Assets for customer data

Use predefined egress jobs to export master data from Customer 360 SaaS to the staging tables in Databricks. Then use the predefined Data Integration taskflow to publish data from the staging tables into the analytical tables in Databricks.

The following table lists the predefined egress jobs and their dependent assets to export master data from Customer 360 SaaS to the staging tables in Databricks:

Job Name	Taskflow	Mapping Task	Mapping	Description
infa360databricks_customer_egress_org_outbound_org_stage	infa360databricks_customer_tf_org_outbound	- infa360databricks_customer_mt_org_address_outbound - infa360databricks_customer_mt_org_alternateName_outbound - infa360databricks_customer_mt_org_document_outbound - infa360databricks_customer_mt_org_email_outbound - infa360databricks_customer_mt_org_financial_outbound - infa360databricks_customer_mt_org_identifier_outbound - infa360databricks_customer_mt_org_indicator_outbound - infa360databricks_customer_mt_org_insurance_outbound - infa360databricks_customer_mt_org_keyexecutive_outbound - infa360databricks_customer_mt_org_phone_outbound - infa360databricks_customer_mt_org_root_outbound - infa360databricks_customer_mt_org_segment_outbound - infa360databricks_customer_mt_org_socialhandle_outbound - infa360databricks_customer_mt_org_status_outbound - infa360databricks_customer_mt_org_stockexchange_outbound - infa360databricks_customer_mt_org_taxdetails_outbound	- infa360databricks_customer_m_org_address_outbound - infa360databricks_customer_m_org_alternateName_outbound - infa360databricks_customer_m_org_document_outbound - infa360databricks_customer_m_org_email_outbound - infa360databricks_customer_m_org_financial_outbound - infa360databricks_customer_m_org_identifier_outbound - infa360databricks_customer_m_org_indicator_outbound - infa360databricks_customer_m_org_insurance_outbound - infa360databricks_customer_m_org_keyexecutive_outbound - infa360databricks_customer_m_org_phone_outbound - infa360databricks_customer_m_org_root_outbound - infa360databricks_customer_m_org_segment_outbound - infa360databricks_customer_m_org_socialhandle_outbound - infa360databricks_customer_m_org_status_outbound - infa360databricks_customer_m_org_stockexchange_outbound - infa360databricks_customer_m_org_taxdetails_outbound	Exports customer data from Customer 360 SaaS to the staging tables in Databricks.
infa360databricks_customer_egress_outbound_org_xref_stage	infa360databricks_customer_tf_org_xref_outbound	- infa360databricks_customer_mt_org_xref_outbound	- infa360databricks_customer_m_org_xref_outbound	Exports customer data from Customer 360 SaaS to the staging tables in Databricks.

Job Name	Taskflow	Mapping Task	Mapping	Description
infa360databricks_customer_egress_person_outbound_person_stage	infa360databricks_customer_tf_person_outbound	- infa360databricks_customer_mt_person_address_outbound - infa360databricks_customer_mt_person_alternateName_outbound - infa360databricks_customer_mt_person_citizenship_outbound - infa360databricks_customer_mt_person_demographic_outbound - infa360databricks_customer_mt_person_document_outbound - infa360databricks_customer_mt_person_email_outbound - infa360databricks_customer_mt_person_financial_outbound - infa360databricks_customer_mt_person_identifier_outbound - infa360databricks_customer_mt_person_insurance_outbound - infa360databricks_customer_mt_person_lifestyle_outbound - infa360databricks_customer_mt_person_loyalty_outbound - infa360databricks_customer_mt_person_phone_outbound - infa360databricks_customer_mt_person_professional_outbound - infa360databricks_customer_mt_person_qualification_outbound - infa360databricks_customer_mt_person_root_outbound - infa360databricks_customer_mt_Person_segment_outbound - infa360databricks_customer_mt_person_socialhandle_outbound - infa360databricks_customer_mt_person_specialization_outbound - infa360databricks_customer_mt_person_status_outbound	- infa360databricks_customer_m_person_address_outbound - infa360databricks_customer_m_person_alternateName_outbound - infa360databricks_customer_m_person_citizenship_outbound - infa360databricks_customer_m_person_demographic_outbound - infa360databricks_customer_m_person_document_outbound - infa360databricks_customer_m_person_email_outbound - infa360databricks_customer_m_person_financial_outbound - infa360databricks_customer_m_person_identifier_outbound - infa360databricks_customer_m_person_insurance_outbound - infa360databricks_customer_m_person_lifestyle_outbound - infa360databricks_customer_m_person_loyalty_outbound - infa360databricks_customer_m_person_phone_outbound - infa360databricks_customer_m_person_professional_outbound - infa360databricks_customer_m_person_qualification_outbound - infa360databricks_customer_m_person_root_outbound - infa360databricks_customer_m_Person_segment_outbound - infa360databricks_customer_m_person_socialhandle_outbound - infa360databricks_customer_m_person_specialization_outbound - infa360databricks_customer_m_person_status_outbound	Exports customer data from Customer 360 SaaS to the staging tables in Databricks.

Job Name	Taskflow	Mapping Task	Mapping	Description
		- infa360databricks_customer_mt_person_taxdetails_outbound	- infa360databricks_customer_m_person_taxdetails_outbound	
infa360databricks_customer_egress_outbound_person_xref_stage	infa360databricks_customer_tf_person_xref_outbound	- infa360databricks_customer_mt_person_XREF_outbound	- infa360databricks_customer_m_person_XREF_outbound	Exports customer data from Customer 360 SaaS to the staging tables in Databricks.

The following table lists the predefined taskflow, mapping tasks, and mappings to publish customer data from the staging tables into the analytical tables in Databricks:

Taskflow	Mapping Task	Mapping	Description
infa360databricks_tf_databricks_customer_stage_databricks_retail_analytics	- infa360databricks_mt_databricks_person_stage_databricks_tbl_address_dim - infa360databricks_mt_databricks_person_stage_databricks_tbl_email_dim - infa360databricks_mt_databricks_person_stage_databricks_tbl_phone_dim - infa360databricks_mt_databricks_stage_databricks_tbl_customer_dim	- infa360databricks_m_databricks_person_stage_databricks_tbl_address_dim - infa360databricks_m_databricks_person_stage_databricks_tbl_email_dim - infa360databricks_m_databricks_person_stage_databricks_tbl_phone_dim - infa360databricks_m_databricks_stage_databricks_tbl_customer_dim	Publishes customer data from the staging tables into the analytical tables in Databricks.

Assets for supplier data

Use predefined egress jobs to export master data from Supplier 360 SaaS to the staging schema in Databricks. Then use predefined Data Integration taskflows to publish data from the staging tables into the analytical tables in Databricks.

The following table lists the predefined egress jobs and their dependent assets to export master data from Supplier 360 SaaS to the staging tables in Databricks:

Job Name	Taskflow	Mapping Task	Mapping	Description
infa360databricks_supplier_egress_contact_outbound	infa360databricks_supplier_tf_contact_outbound	- infa360databricks_supplier_mt_contact_email_outbound - infa360databricks_supplier_mt_contact_identifier_outbound - infa360databricks_supplier_mt_contact_phone_outbound - infa360databricks_supplier_mt_contact_postal_address_outbound - infa360databricks_supplier_mt_contact_root_outbound - infa360databricks_supplier_mt_contact_socialmedia_outbound - infa360databricks_supplier_mt_contact_status_outbound	- infa360databricks_supplier_m_contact_email_outbound - infa360databricks_supplier_m_contact_identifier_outbound - infa360databricks_supplier_m_contact_phone_outbound - infa360databricks_supplier_m_contact_postal_address_outbound - infa360databricks_supplier_m_contact_root_outbound - infa360databricks_supplier_m_contact_socialmedia_outbound - infa360databricks_supplier_m_contact_status_outbound	Exports supplier data from Supplier 360 SaaS to the staging tables in Databricks.
infa360databricks_supplier_egress_contact_xref_outbound	infa360databricks_supplier_tf_contact_xref_outbound	- infa360databricks_supplier_mt_contact_xref_outbound	- infa360databricks_supplier_m_contact_xref_outbound	Exports supplier data from Supplier 360 SaaS to the staging tables in Databricks.

Job Name	Taskflow	Mapping Task	Mapping	Description
infa360databricks_supplier_egress_supplier_outbound	infa360databricks_supplier_tf_supplier_outbound	- infa360databricks_supplier_mt_supplier_address_outbound - infa360databricks_supplier_mt_supplier_alerts_outbound - infa360databricks_supplier_mt_supplier_altName_outbound - infa360databricks_supplier_mt_supplier_bankdetails_outbound - infa360databricks_supplier_mt_supplier_contract_outbound - infa360databricks_supplier_mt_supplier_diversity_outbound - infa360databricks_supplier_mt_supplier_document_outbound - infa360databricks_supplier_mt_supplier_email_outbound - infa360databricks_supplier_mt_supplier_esg_environmental_reason_outbound - infa360databricks_supplier_mt_supplier_esg_governance_reason_outbound - infa360databricks_supplier_mt_supplier_esg_rating_sustainalytics_outbound - infa360databricks_supplier_mt_supplier_esg_ratingdnb_outbound - infa360databricks_supplier_mt_supplier_esg_social_reason_outbound - infa360databricks_supplier_mt_supplier_esg_sustain_classification_outbound - infa360databricks_supplier_mt_supplier_executiveMembers_outbound - infa360databricks_supplier_mt_supplier_financial_outbound - infa360databricks_supplier_mt_supplier_identifier_outbound - infa360databricks_supplier_mt_supplier_insurance_outbound	- infa360databricks_supplier_m_supplier_address_outbound - infa360databricks_supplier_m_supplier_alerts_outbound - infa360databricks_supplier_m_supplier_altName_outbound - infa360databricks_supplier_m_supplier_bankdetails_outbound - infa360databricks_supplier_m_supplier_contract_outbound - infa360databricks_supplier_m_supplier_diversity_outbound - infa360databricks_supplier_m_supplier_document_outbound - infa360databricks_supplier_m_supplier_email_outbound - infa360databricks_supplier_m_supplier_esg_environmental_reason_outbound - infa360databricks_supplier_m_supplier_esg_governance_reason_outbound - infa360databricks_supplier_m_supplier_esg_rating_sustainalytics_outbound - infa360databricks_supplier_m_supplier_esg_ratingdnb_outbound - infa360databricks_supplier_m_supplier_esg_social_reason_outbound - infa360databricks_supplier_m_supplier_esg_sustain_classification_outbound - infa360databricks_supplier_m_supplier_executiveMembers_outbound - infa360databricks_supplier_m_supplier_financial_outbound - infa360databricks_supplier_m_supplier_identifier_outbound - infa360databricks_supplier_m_supplier_insurance_outbound	Exports supplier data from Supplier 360 SaaS to the staging tables in Databricks.

Job Name	Taskflow	Mapping Task	Mapping	Description
		- infa360databricks_supplier_mt_supplier_phone_outbound - infa360databricks_supplier_mt_supplier_reference_outbound - infa360databricks_supplier_mt_supplier_risk_question_outbound - infa360databricks_supplier_mt_supplier_root_outbound - infa360databricks_supplier_mt_supplier_segment_outbound - infa360databricks_supplier_mt_supplier_socialMedia_outbound - infa360databricks_supplier_mt_supplier_sourcing_manager_outbound - infa360databricks_supplier_mt_supplier_stock_stg_outbound - infa360databricks_supplier_mt_supplier_tax_outbound	- infa360databricks_supplier_m_supplier_phone_outbound - infa360databricks_supplier_m_supplier_reference_outbound - infa360databricks_supplier_m_supplier_risk_question_outbound - infa360databricks_supplier_m_supplier_root_outbound - infa360databricks_supplier_m_supplier_segment_outbound - infa360databricks_supplier_m_supplier_socialMedia_outbound - infa360databricks_supplier_m_supplier_sourcing_manager_outbound - infa360databricks_supplier_m_supplier_stock_stg_outbound - infa360databricks_supplier_m_supplier_tax_outbound	
infa360databricks_supplier_egress_supplier_xref_outbound	infa360databricks_supplier_tf_supplier_xref_outbound	- infa360databricks_supplier_mt_supplier_xref_outbound	- infa360databricks_supplier_m_supplier_xref_outbound	Exports supplier data from Supplier 360 SaaS to the staging tables in Databricks.

The following table lists the predefined taskflow, mapping tasks, and mappings to publish supplier data from the staging tables into the analytical tables in Databricks:

Taskflow	Mapping Task	Mapping	Description
infa360databricks_tf_databricks_supplier_stage_databricks_retail_analytics	- infa360databricks_mt_databricks_stage_databricks_tbl_esg_score_databricks_governance_reason_dim - infa360databricks_mt_databricks_stage_databricks_tbl_esg_score_dnb_dim - infa360databricks_mt_databricks_stage_databricks_tbl_esg_score_dnb_environmental_reason_dim - infa360databricks_mt_databricks_stage_databricks_tbl_esg_score_dnb_social_reason_dim - infa360databricks_mt_databricks_stage_databricks_tbl_supplier_dim - infa360databricks_mt_databricks_supplier_stage_databricks_tbl_address_dim - infa360databricks_mt_databricks_supplier_stage_databricks_tbl_email_dim - infa360databricks_mt_databricks_supplier_stage_databricks_tbl_phone_dim	- infa360databricks_m_databricks_stage_databricks_tbl_esg_score_databricks_governance_reason_dim - infa360databricks_m_databricks_stage_databricks_tbl_esg_score_dnb_dim - infa360databricks_m_databricks_stage_databricks_tbl_esg_score_dnb_environmental_reason_dim - infa360databricks_m_databricks_stage_databricks_tbl_esg_score_dnb_social_reason_dim - infa360databricks_m_databricks_stage_databricks_tbl_supplier_dim - infa360databricks_m_databricks_supplier_stage_databricks_tbl_address_dim - infa360databricks_m_databricks_supplier_stage_databricks_tbl_email_dim - infa360databricks_m_databricks_supplier_stage_databricks_tbl_phone_dim	Publishes supplier data from the staging tables into the analytical dimension tables in Databricks.

Assets for product data

Use predefined egress jobs to export master data from Product 360 SaaS to the staging schema in Databricks. Then use the predefined Data Integration taskflow to publish data from the staging tables into the analytical tables in Databricks.

The following table lists the predefined egress jobs and their dependent assets to export master data from Product 360 SaaS to the staging tables in Databricks:

Job Name	Taskflow	Mapping Task	Mapping	Description
infa360databricks_product_egress_category_outbound	infa360databricks_product_tf_category_outbound	- infa360databricks_product_mt_category_description_outbound - infa360databricks_product_mt_category_keywords_outbound - infa360databricks_product_mt_category_root_outbound - infa360databricks_product_mt_relation_category_to_category_outbound	- infa360databricks_product_m_category_description_outbound - infa360databricks_product_m_category_keywords_outbound - infa360databricks_product_m_category_root_outbound - infa360databricks_product_m_relation_category_to_category_outbound	Exports product data from Product 360 SaaS to the staging tables in Databricks.
infa360databricks_product_egress_classification_outbound	infa360databricks_product_tf_classification_outbound	- infa360databricks_product_mt_classification_outbound - infa360databricks_product_mt_relation_category_to_classification_outbound	- infa360databricks_product_m_classification_outbound - infa360databricks_product_m_relation_category_to_classification_outbound	Exports product data from Product 360 SaaS to the staging tables in Databricks.
infa360databricks_product_egress_item_outbound	infa360databricks_product_tf_item_outbound	- infa360databricks_product_mt_item_description_outbound - infa360databricks_product_mt_item_keyword_outbound - infa360databricks_product_mt_item_metainfo_outbound - infa360databricks_product_mt_item_productHighlight_outbound - infa360databricks_product_mt_item_root_outbound - infa360databricks_product_mt_item_sellPrice_outbound - infa360databricks_product_mt_item_tags_outbound	- infa360databricks_product_m_item_description_outbound - infa360databricks_product_m_item_keyword_outbound - infa360databricks_product_m_item_metainfo_outbound - infa360databricks_product_m_item_productHighlight_outbound - infa360databricks_product_m_item_root_outbound - infa360databricks_product_m_item_sellPrice_outbound - infa360databricks_product_m_item_tags_outbound	Exports product data from Product 360 SaaS to the staging tables in Databricks.
infa360databricks_product_egress_item_xref_outbound	infa360databricks_product_tf_item_xref_outbound	- infa360databricks_product_mt_item_xref_outbound	- infa360databricks_product_m_item_xref_outbound	Exports product data from Product 360 SaaS to the staging tables in Databricks.
infa360databricks_product_egress_item_relation_outbound	infa360databricks_product_tf_relation_item_to_category_outbound	- infa360databricks_product_mt_relation_item_to_category_outbound	- infa360databricks_product_m_relation_item_to_category_outbound	Exports product data from Product 360 SaaS to the staging tables in Databricks.

The following table lists the predefined taskflow, mapping tasks, and mappings to publish product data from the staging tables into the analytical tables in Databricks:

Taskflow	Mapping Task	Mapping	Description
infa360databricks_tf_databricks_item_stage_databricks_retail_analytics	infa360databricks_mt_databricks_stage_databricks_tbl_item_dim	infa360databricks_m_databricks_stage_databricks_tbl_item_dim	Publishes product data from the staging tables into the analytical tables in Databricks.

Assets for location data

Use predefined egress jobs to export master data from Multidomain MDM SaaS to the staging schema in Databricks. Then use the predefined Data Integration taskflow to publish data from the staging tables into the analytical tables in Databricks.

The following table lists the predefined egress jobs and their dependent assets to export master data from Multidomain MDM SaaS to the staging tables in Databricks:

Job Name	Taskflow	Mapping Task	Mapping	Description
infa360databricks_egress_multidomain_location_outbound	infa360databricks_multidomain_tf_location_outbound	- infa360databricks_multidomain_mt_location_address_outbound - infa360databricks_multidomain_mt_location_altName_outbound - infa360databricks_multidomain_mt_location_coordinates_outbound - infa360databricks_multidomain_mt_location_email_outbound - infa360databricks_multidomain_mt_location_geoloc_outbound - infa360databricks_multidomain_mt_location_identifier_outbound - infa360databricks_multidomain_mt_location_indicator_outbound - infa360databricks_multidomain_mt_location_operatingHours_outbound - infa360databricks_multidomain_mt_location_operatingHoursException_outbound - infa360databricks_multidomain_mt_location_phone_outbound - infa360databricks_multidomain_mt_location_positions_outbound - infa360databricks_multidomain_mt_location_root_outbound - infa360databricks_multidomain_mt_location_status_outbound	- infa360databricks_multidomain_m_location_address_outbound - infa360databricks_multidomain_m_location_altName_outbound - infa360databricks_multidomain_m_location_coordinates_outbound - infa360databricks_multidomain_m_location_email_outbound - infa360databricks_multidomain_m_location_geoloc_outbound - infa360databricks_multidomain_m_location_identifier_outbound - infa360databricks_multidomain_m_location_indicator_outbound - infa360databricks_multidomain_m_location_operatingHours_outbound - infa360databricks_multidomain_m_location_operatingHoursException_outbound - infa360databricks_multidomain_m_location_phone_outbound - infa360databricks_multidomain_m_location_positions_outbound - infa360databricks_multidomain_m_location_root_outbound - infa360databricks_multidomain_m_location_status_outbound	Exports location data from Multidomain MDM SaaS to the staging tables in Databricks.
infa360databricks_egress_multidomain_location_xref_outbound	infa360databricks_multidomain_tf_location_xref_outbound	- infa360databricks_multidomain_mt_location_xref_outbound	- infa360databricks_multidomain_m_location_xref_outbound	Exports location data from Multidomain MDM SaaS to the staging tables in Databricks.

The following table lists the predefined taskflow, mapping tasks, and mappings to publish location data from the staging tables into the analytical tables in Databricks:

Taskflow	Mapping Task	Mapping	Description
infa360databricks_tf_databricks_location_stage_databricks_retail_analytics	- infa360databricks_mt_databricks_location_stage_databricks_tbl_address_dim - infa360databricks_mt_databricks_location_stage_databricks_tbl_email_dim - infa360databricks_mt_databricks_location_stage_databricks_tbl_phone_dim - infa360databricks_mt_databricks_stage_databricks_tbl_location_dim	- infa360databricks_m_databricks_location_stage_databricks_tbl_address_dim - infa360databricks_m_databricks_location_stage_databricks_tbl_email_dim - infa360databricks_m_databricks_location_stage_databricks_tbl_phone_dim - infa360databricks_m_databricks_stage_databricks_tbl_location_dim	Publishes location data from the staging tables into the analytical dimension tables in Databricks.

CHAPTER 4

Deploying MDM Extension for Databricks

Deploy MDM Extension for Databricks to integrate MDM SaaS and Databricks.

To deploy MDM Extension for Databricks, perform the following tasks:

1. Download and extract the extension package.
2. Set up a catalog, schemas, and tables in Databricks.
3. Import the Data Integration assets.
4. Import the MDM SaaS batch jobs.
5. Set the Secure Agent parameters.
6. Run the batch jobs and taskflows.

Downloading and extracting MDM Extension for Databricks

Download the MDM Extension for Databricks package and extract it on your computer.

To get the link to the download site, contact Informatica Global Customer Support.

Download the MDM Extension for Databricks package from the download site to a directory on your computer, and then extract the package.

The following table describes the files and folders in the extracted package:

File or Folder Name	Description
1_Databricks_Staging	Folder that contains the Databricks_Staging.zip file. The Databricks_Staging.zip file contains script to create the Databricks catalog, staging schema, analytical schema, and staging tables.
2_Databricks_Analytics	Folder that contains the Databricks_Analytics.zip file. The Databricks_Analytics.zip file contains script to create the Databricks analytical tables.

File or Folder Name	Description
3_DI_Assets_Staging	Folder that contains the following files: - Customer_Staging.zip. Contains Data Integration assets to write customer data to the Databricks staging tables. - Product_Staging.zip. Contains Data Integration assets to write product data to the Databricks staging tables. - Supplier_Staging.zip. Contains Data Integration assets to write supplier data to the Databricks staging tables. - Location_Staging.zip. Contains Data Integration assets to write location data to the Databricks staging tables.
4_DI_Assets_Analytics	Folder that contains the DI_Assets_Analytics.zip file. The DI_Assets_Analytics.zip file contains Data Integration assets to load data from the Databricks staging tables to the analytical tables in Databricks.
5_MDM_Jobs_Assets_Staging	Folder that contains the following files: - Customer_Jobs_Assets_Staging.zip. Contains egress jobs to publish customer data to the Databricks staging tables. - Product_Jobs_Assets_Staging.zip. Contains egress jobs to publish product data to the Databricks staging tables. - Supplier_Jobs_Assets_Staging.zip. Contains egress jobs to publish supplier data to the Databricks staging tables. - Location_Jobs_Assets_Staging.zip. Contains egress jobs to publish location data to the Databricks staging tables.
Secure_Agent_Files	Folder that contains a file with parameter values for the Data Integration mappings.

Setting up a catalog, schemas, and tables in Databricks

Run DDL scripts to set up a catalog, staging schema, analytical schema, and tables in Databricks.

Before you run the data definition language (DDL) scripts, ensure that you meet the following prerequisites:

- Access to a Databricks workspace with an active SQL warehouse that you have the CAN USE permission on.
- An existing catalog or administrative access to create a catalog.
- Permission to create and manage schemas in Databricks.

1. Log in to your Databricks workspace and open **SQL Editor**.

   Ensure that an active SQL warehouse is selected in the SQL editor.
2. Navigate to the following file and open it:

   ```
   <Extracted extension package>/1_Databricks_Staging/Databricks_Staging.zip/
   Databricks_Staging.sql
   ```
3. In the DDL script, replace the placeholders with the names of your catalog, staging schema, and analytical schema.

For the catalog, enter the name of an existing catalog or a new name for the script to create. The scripts use these names to build each table name in the following format: `<catalog name>.<schema name>.<table name>`

4. Copy the updated DDL script and paste it into the SQL editor.
5. Run the DDL script.
6. Repeat steps 2 through 5 for the following file:

   `<Extracted extension package>/2_Databricks_Analytics/Databricks_Analytics.zip/Databricks_Analytics.sql`

   Note: The Databricks_Analytics script contains the `<catalog name>` and `<analytics schema name>` placeholders. Use the same names that you entered for the Databricks_Staging script.

The DDL scripts perform the following actions:

- Create the catalog, the staging schema, and the analytical schema if they don't exist.
- Create the tables in the staging schema and the analytical schema.

Note: The DDL scripts create the staging and analytical tables, but not transaction tables. You can create and populate transaction tables, such as `sales_fact` and `supplier_order_fact`, separately with your own data.

Importing the Data Integration assets

Import the Data Integration assets, such as predefined taskflows, mapping tasks, and mappings for the staging and analytical schemas in Databricks.

Note: When you import the extension assets, the existing MDM SaaS assets and your customizations are overwritten. Ensure that you import the extension assets before you customize the MDM SaaS data model.

1. In Data Integration, click **Explore** > **Import**.
2. Navigate to the following location and select the domain-specific file that you want to import:

   `<Extracted extension package>/3_DI_Assets_Staging/<Domain>_Staging.zip`
   For example, select Customer_Staging.zip to import assets for the customer domain.
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected and then click **Test**.

   In the **Select Assets** section, you can see the potential outcome of import for each asset.
5. Click **Import**.
6. On the **My Import/Export Logs** page, verify whether the import job is successful.
7. Repeat steps 2 through 6 for the following domains based on your business requirements:
   - Supplier
   - Product
   - Location
8. Navigate to the following file, and repeat steps 3 through 6:

   `<Extracted extension package>/4_DI_Assets_Analytics/DI_Assets_Analytics.zip`

Importing the batch job assets

Import the predefined batch job assets to publish MDM SaaS master data into the staging schema in Databricks.

1. In Business 360 Console, click **Explore** > **Import**.
2. Navigate to the following location and select the domain-specific file that you want to import:

   `<Extracted extension package>/5_MDM_Jobs_Assets_Staging/<Domain>_Jobs_Assets_Staging.zip`

   For example, select Customer_Jobs_Assets_Staging.zip to import assets for the customer domain.
3. Click **Open**.

   The **Import Assets** page lists the assets in the file.
4. Ensure that all the assets are selected, and click **Import**.
5. On the **My Import/Export Logs** page, verify whether the import job is successful.
6. Repeat the steps 2 through 5 for the following domains based on your business requirements:
   - Supplier
   - Product
   - Location

Setting up the Secure Agent parameters

After you import the MDM SaaS batch jobs, set the Secure Agent parameters.

1. In Administrator, click **Runtime Environments**.
2. Expand the **Actions** menu for the Secure Agent, and select **Edit Secure Agent**.
3. In the **Custom Configuration Details** section, enter the following details:

Field Name	Value
Type	DTM
Name	SFTP_MaxWriteSize
Value	8192

4. To save the custom configuration of the Secure Agent, click **OK**.

   The Secure Agent restarts automatically within 10 minutes. To apply the properties immediately, you can restart it manually. To avoid failure of any running task, ensure that no tasks run on Secure Agent.

Importing the parameter file

Import the list of user-defined parameters and their associated values for Cloud Data Integration mappings.

To import the parameter file, save the parameter file in the Secure Agent installation directory.

Copy the parameter file from the source directory to the target Secure Agent installation directory.

Source: `<Extracted extension package>\Secure Agent Files\Parameter Files\Informatica.param`

Target: `<Secure Agent Installation Directory>\apps\Data_Integration_Server\data\userparameters`

Optionally, if you want to use a configured path for the target location, see Parameter file location.

Running the batch jobs and taskflows

After you integrate MDM SaaS with Databricks, you can run egress batch jobs in Business 360 Console.

On the **My Jobs** page, verify whether the egress job is successful.

After you run egress jobs, run the following taskflows in Data Integration to load data from the staging tables into the analytical tables in Databricks:

- infa360databricks_tf_databricks_customer_stage_databricks_retail_analytics
- infa360databricks_tf_databricks_item_stage_databricks_retail_analytics
- infa360databricks_tf_databricks_location_stage_databricks_retail_analytics
- infa360databricks_tf_databricks_supplier_stage_databricks_retail_analytics

INDEX

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Data Management Cloud
  web site 4

M

maintenance outages 5

S

status
  IDMC 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4