```
REGRESSION
 /MISSING LISTWISE
 /STATISTICS COEFF OUTS R ANOVA
 /CRITERIA=PIN(.05) POUT(.10)
 /NOORIGIN
 /DEPENDENT Pabf
 /METHOD=ENTER T.
```

Regression

Notes

Output Created		31-JUL-2013 09:59:54
Comments		
Input	Data	C:\Users\NBTC\Desktop\Data importance\01 - Energy Analysis\01 - Energy Analysis\001 SPSS - Energy for 1 Rule\regesive.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	5
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax		REGRESSION
		  /MISSING LISTWISE
		  /STATISTICS COEFF OUTS R ANOVA
		  /CRITERIA=PIN(.05) POUT(.10)
		  /NOORIGIN
		  /DEPENDENT Pabf
		  /METHOD=ENTER T.

Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.02
	Memory Required	1460 bytes
	Additional Memory Required for Residual Plots	0 bytes

```
[DataSet1] C:\Users\NBTC\Desktop\Data importance\01 - Energy Analysis\01 - En
ergy Analysis\001 SPSS - Energy for 1 Rule\regesive.sav
```

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	T[b]	.	Enter

a. Dependent Variable: Pabf

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.999[a]	.999	.999	.572577

a. Predictors: (Constant), T

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	967.157	1	967.157	2950.052	.000[b]
	Residual	.984	3	.328		
	Total	968.140	4			

a. Dependent Variable: Pabf

b. Predictors: (Constant), T

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3.652	.462		7.906	.004
	T	2.047	.038	.999	54.314	.000

a. Dependent Variable: Pabf