

MVP Dagen

mvpdagen.no



Takk til våre sponsorer



Se alle våre eventpartnere på skjermen i vandrehallen
mvpdagen.no

Entra ID Top of mind



mvpdagen.no

“Angriperen utnytter at identitet er nøkkelen; vi vinner ved å gjøre **sterk identitet** til standard og **risiko-drevne avgjørelser** til hverdags”



Hey!

Jeg er Julian Rasmussen

 idefixwiki.no

 youtube.com/@julianrasmussen

 linkedin.com/julianrasmussen



Entity governance

Staled user accounts

- Sikkerhetsrisiko og angrepsflate
- Least-privilege & “driftssikker” tilgang
- Lisenskost og ressursbruk
- Forutsigbar JML-livssyklus (joiner/mover/leaver)



Refresh

Manage view

Per-user MFA

Got feedback?

Edit columns

Copy link to view

User type	On-premises sy...	Identities	Company name	Creation
Member	No	julras365.onmicrosoft.co...		
Member	No	julras365.onmicrosoft.co...		
Guest	No	ExternalAzureAD		Invitation
Guest	No	ExternalAzureAD		Invitation
Member	No	julras365.onmicrosoft.co...		
Member	No	julras365.onmicrosoft.co...		
Member	No	julras365.onmicrosoft.co...		
Member	No	julras365.onmicrosoft.co...		

Edit columns

Move up Move down

Column Name

Display name

User principal name

User type

On-premises sync enabled

Identities

Company name

Creation type

Last interactive sign-in time

Add column

Users - Microsoft Entra admin center

rg-security-copilot - Microsoft Az

Windows App

https://entra.microsoft.com/#view/Microsoft_AAD_UsersAndTenants/UserManagementMenuBlade/~/_AllUsers/menuld/

Search resources, services, and docs (G+)

Microsoft Entra admin center

Home >

Users

Idexif

All users

Audit logs

Sign-in logs

Diagnose and solve problems

Deleted users

Password reset

User settings

Bulk operation results

Bulk operation results (Preview)

New support request

+ New user

Edit

Delete

Download users (Preview)

Bulk operations

Refresh

Manage view

Per-user MFA

Got feedback

Azure Active Directory is now Microsoft Entra ID.

Search

Add filter

24 users found

Display name

AE Admin Exchange

AI Admin Idefix

AL Anna Linnerud

AL Anna Linnerud

BO Beagle One

BT Beagle Three

BT Beagle Two

C Cabin

DD Dachshund Dash

DD Dachshund Dot

DS Dachshund Slash

IA Idefix Apple

Cabin_LT-Vilnius-Headoffice@idefix365.no

Dash@idefix365.no

Beagle.One.Dot@idefix365.no

Dachshund.Slash@idefix365.no

apple@idefix365.no

User type

On-premises sy...

Identities

Member

No

julras365.onmicrosoft.

Member

No

julras365.onmicrosoft.

Guest

No

ExternalAzureAD

Guest

No

ExternalAzureAD

Member

No

julras365.onmicrosoft.

Member

No

julras365.onmicrosoft.

Member

No

julras365.onmicrosoft.

Member

No

julras365.onmicrosoft.

Member

No

julras365.onmicrosoft.

Member

No

julras365.onmicrosoft.

Member

No

julras365.onmicrosoft.

Add filter

When filtering on last sign-in time, counts, other filters, and sorting are not supported. Please remove this filter to re-enable counts, other filters, and sorting.

Filter

Last interactive sign-in time

Operator

<=

Value


Sun Jun 01 2025

Apply

Cancel

<= 2025-05-31T22:00:00.000Z ▲ ✕

Name	User type	On-premises sy...	Identities	Company name	Creation type	Last interactive sign-in time
n@idefix365.no 	Member	No	julras365.onmicrosoft.co...			Apr 8, 2024, 10:52 AM
no 	Member	No	julras365.onmicrosoft.co...			Feb 14, 2025, 9:52 AM
s.onmicrosoft.com 	Member	No	julras365.onmicrosoft.co...			Sep 25, 2023, 9:13 PM
idefix365.no 	Member	No	julras365.onmicrosoft.co...			Nov 26, 2024, 7:38 PM
_pointtaken.no#EXT#@julras365.onmicros... 	Guest	No	ExternalAzureAD		Invitation	Jan 24, 2025, 8:13 AM
fix365.no 	Member	No	julras365.onmicrosoft.co...			Feb 14, 2025, 9:51 AM
idefix365.no 	Member	No	julras365.onmicrosoft.co...			Jan 24, 2025, 1:08 PM
efix365.no 	Member	No	julras365.onmicrosoft.co...			Jan 24, 2025, 1:08 PM
fix365.no 	Member	No	julras365.onmicrosoft.co...			Jan 24, 2025, 1:08 PM
x365.no 	Member	No	julras365.onmicrosoft.co...			Jan 8, 2025, 7:33 PM
inttaken.no#EXT#@julras365.onmicrosoft.... 	Guest	No	ExternalAzureAD		Invitation	Jun 25, 2024, 1:50 PM



⌵

Bulk Operations - Microsoft Entra

rg-security-copilot - Microsoft A

Windows App

×

+

←

↻

https://entra.microsoft.com/#view/Microsoft_AAD_IAM/BulkJobsList.ReactView

⋮

Microsoft Entra admin center

🔍 Search resources, services, and docs (G+)

Home

Agents

Favorites

Privileged Identity Management

Entra ID

Overview

Users

Groups

Devices

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Password reset

Custom security attributes

Home > Users >

Bulk Operations

Refresh | Manage view | Delete | Preview features | Got feedback?

🕒 We've launched a new Bulk Operations service! Some scenarios are now powered by the new Bulk Operations service [Learn more](#). For all other scenarios, please continue using the original experience: [Click here](#)

🔍 Search

Add filter

Date range: Last 1 month

Reset filters

	File Name ↑	Creation Time ↕	Last Modified Time ↕	Status	Type
☐	exportUsers_2025-9-21.csv	9/21/2025, 9:43 PM	9/21/2025, 9:43 PM	Succeeded	Export Users
☐	exportUsers_2025-9-21.csv	9/21/2025, 9:45 PM	9/21/2025, 9:45 PM	Succeeded	Export Users

J14 $\vdots$ $\times$ $\checkmark$ f_x

	B	C	D	E	F	G	H	I
1	displayName	userPrincipalName	userType	onPrem	identity	company	creationType	signInActivity
2	Admin Idefix	admin@julras365.onmicrosoft.com	Member		{\"signInType\":\"userPrincipalName\",\"lastSignInDateTime\":\"2023-09-25T19:13:23Z\"}			
3	Maria F. Rasmussen	maria.f.rasmussen@idefix365.no	Member		{\"signInType\":\"userPrincipalName\",\"lastSignInDateTime\":\"2024-04-08T08:52:44Z\"}			
4	Anna Linnerud	anna.linnerud_pointtaken.no#EXT#@julras365.onmicrosoft.com	Guest		{\"signInType\":\"feder Invitation\",\"lastSignInDateTime\":\"2024-06-25T11:50:58Z\"}			
5	Log analytics to power Bi	sa_loganalytics@idefix365.no	Member		{\"signInType\":\"userPrincipalName\",\"lastSignInDateTime\":\"2024-11-26T18:38:17Z\"}			
6	Odd Daniel Taasaasen	odd.daniel@idefix365.no	Member		{\"signInType\":\"userPrincipalName\",\"lastSignInDateTime\":\"2025-01-08T18:33:05Z\"}			
7	Julian Rasmussen	julian.rasmussen_pointtaken.no#EXT#@julras365.onmicrosoft.com	Guest		{\"signInType\":\"feder Invitation\",\"lastSignInDateTime\":\"2025-01-24T07:13:15Z\"}			
8	Beagle Three	Beagle.Three@idefix365.no	Member		{\"signInType\":\"userPrincipalName\",\"lastSignInDateTime\":\"2025-01-24T12:08:20Z\"}			
9	Beagle Two	Beagle.Two@idefix365.no	Member		{\"signInType\":\"userPrincipalName\",\"lastSignInDateTime\":\"2025-01-24T12:08:31Z\"}			
10	Dachshund Dot	Beagle.One.Dot@idefix365.no	Member		{\"signInType\":\"userPrincipalName\",\"lastSignInDateTime\":\"2025-01-24T12:08:56Z\"}			
11	Beagle One	Beagle.One@idefix365.no	Member		{\"signInType\":\"userPrincipalName\",\"lastSignInDateTime\":\"2025-02-14T08:51:11Z\"}			
12	Dachshund Dash	Dash@idefix365.no	Member		{\"signInType\":\"userPrincipalName\",\"lastSignInDateTime\":\"2025-02-14T08:52:43Z\"}			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								



PIMGraph.ps1

Get-SSOApps.ps1

extention-population.ps1

Extention-population-v4.ps1

staled-users.ps1

clean-up-grap



mvp-dagen-2025-demo > staled-users.ps1 > ...

```
1 # Install-Module Microsoft.Graph -Scope CurrentUser
2 Import-Module Microsoft.Graph
3
4 # Minste nødvendige scopes for sign-in activity:
5 Connect-MgGraph -Scopes "User.Read.All","AuditLog.Read.All"
6
7 $days = 180
8 $cutoff = (Get-Date).AddDays(-$days)
9
10 # Hent brukere med sign-in activity (inkl. lastSuccessfulSignInDateTime)
11 $users = Get-MgUser -All -Property "id,displayName,userType,accountEnabled,signInActivity"
12
13 $stale = $users | Where-Object {
14     # Merk: signInActivity kan være tom for aldri-innloggedde kontoer
15     -not $_.signInActivity -or
16     ([datetime]$_.signInActivity.lastSuccessfulSignInDateTime -lt $cutoff)
17 }
18
19 $stale | Select-Object displayName, userType, accountEnabled,
20     @{n="lastSuccessfulSignIn";e={$_.signInActivity.lastSuccessfulSignInDateTime}} |
21     Export-Csv .\StaleUsers-Report.csv -NoTypeInformation
```

Entity governance

Staled devices

Stale enheter kan fortsatt dukke opp i policy-evalueringer og skape falsk trygghet (f.eks. duplikater eller enheter som ikke lenger eksisterer). Microsoft peker på at dette svekker evnen til å styre og støtte miljøet, og at slike objekter forstyrrer generell livssyklus-styring for enheter.



Refresh Manage view ✓ Enable Disable Delete Manage Preview features Got feedback?

or object ID Add filters

	Enabled	OS	Version	Join type	Owner	MDM	Security settings m...	Compliant	Registered	Activity 11
Pro	✓ Yes	MacMDM	13.1 (22C65)	Microsoft Entra reg...	Julian F. Rasmuss...	None	N/A	! No	11/30/2024 11:12 PM	2/6/2023, 7:39 PM
GM	✓ Yes	Windows	10.0.26100.6584	Microsoft Entra joi...	None	Microsoft Intune	Microsoft Intune	✓ Yes	9/7/2024, 8:36 AM	9/13/2025, 8:16 AM
	✓ Yes	Windows	10.0.26100.6584	Microsoft Entra joi...	Julian F. Rasmuss...	Microsoft Intune	Microsoft Intune	! No	9/7/2024, 8:40 AM	9/20/2025, 3:09 AM
BE	✓ Yes	Windows	10.0.19041.264	Microsoft Entra joi...	Julian F. Rasmuss...	Microsoft Intune	Microsoft Intune	! No	3/28/2020 11:11 PM	6/3/2020, 12:21 AM
C	✓ Yes	Android	11	Microsoft Entra reg...	Log analytics to ...	None	N/A	N/A	10/18/2024 12:27 PM	10/18/2024, 12:27 PM
	✓ Yes	IPad	14.4.2	Microsoft Entra reg...	Julian F. Rasmuss...	Microsoft Intune	Microsoft Intune	! No	4/5/2020, 8:27 PM	6/27/2022, 11:06 PM
	✓ Yes	Windows	10.0.26100.2605	Microsoft Entra joi...	None	None	N/A	N/A	11/6/2024 8:25 PM	12/20/2024, 7:21 AM
Pro	✓ Yes	MacMDM	12.6 (21G115)	Microsoft Entra reg...	Julian F. Rasmuss...	None	N/A	! No	11/29/2022 12:22 PM	11/29/2022, 12:22 PM
	✓ Yes	IPhone	14.4.2	Microsoft Entra reg...	Julian F. Rasmuss...	Microsoft Intune	Microsoft Intune	! No	12/10/2022 6:03 PM	9/25/2023, 4:08 PM
T	✓ Yes	Windows	10.0.15063.0	Microsoft Entra joi...	Julian F. Rasmuss...	None	N/A	N/A	7/18/2017 1:31 PM	7/18/2017, 11:31 PM

Off

exportDevice_2025-9-21

Search

Insert Draw Page Layout Formulas Data Review View Automate Help


Aptos Narrow 11 A A Wrap Text Merge & Center

General \$ % 0.00 0.00 Conditional Formatting Format as Table

Normal Bad Good Neutral Calculation Check Cell Explanatory... Input Linked Cell Note

Insert Delete Format Cells

	B	C	D	E	F	G	H	I	J	K	L
	accountEnabled	operatingSystem	operatingSystemVersion	joinType (trustType)	registeredOwners	userNames	mdmDisplayName	isCompliant	registrationTime	approximateLastSignInDateTime	device
ook Pro	TRUE	MacMDM	13.1 (22C65)	Azure AD registered	Julian F. Rasmussen	julian.rasmussen@idefix365.no		FALSE	30-11-22 12:02	06-02-23 18:39	84310c0-8226-4f78-96e0-88020075d
P07GM	TRUE	Windows	10.0.26100.6584	Azure AD joined	Julian F. Rasmussen	julian.rasmussen@idefix365.no	Microsoft Intune	TRUE	06-09-24 22:06	13-09-25 06:16	65a1550-4685-4103-ae83-3fdb608d6
FI	TRUE	Windows	10.0.26100.6584	Azure AD joined	Julian F. Rasmussen	julian.rasmussen@idefix365.no	Microsoft Intune	FALSE	06-09-24 22:00	20-09-25 01:09	d0e5cd9-23e3-4275-96bb-1d553ff00
KD3E	TRUE	Windows	10.0.19041.264	Azure AD joined	Julian F. Rasmussen	julian.rasmussen@idefix365.no	Microsoft Intune	FALSE	28-03-20 22:01	02-06-20 22:21	c5f650a-c117-49c3-bbc0-3d61e3778
U19C	TRUE	Android		Azure AD registered	Log analytics to power Bi	sa_loganalytics@idefix365.no			18-10-24 10:07	18-10-24 10:27	53358eb-c1a4-40da-9dbe-78ed103e
	TRUE	IPad	14.4.2	Azure AD registered	Julian F. Rasmussen	julian.rasmussen@idefix365.no	Microsoft Intune	FALSE	05-04-20 19:07	27-06-22 21:06	92fe7fd-3b3a-4e8f-93f5-95634fb00f1
01	TRUE	Windows	10.0.26100.2605	Azure AD joined	Julian F. Rasmussen	julian.rasmussen@idefix365.no			06-11-24 21:06	20-12-24 06:21	f251e9a-66e4-42a6-981d-e60f317ea9
ook Pro	TRUE	MacMDM	12.6 (21G115)	Azure AD registered	Julian F. Rasmussen	julian.rasmussen@idefix365.no		FALSE	29-11-22 11:02	29-11-22 11:22	c0f79e6-7615-43d4-b727-7e4bb50dd
one	TRUE	IPhone	14.4.2	Azure AD registered	Julian F. Rasmussen	julian.rasmussen@idefix365.no	Microsoft Intune	FALSE	10-12-20 17:03	25-09-23 14:08	1b770a4-4-33b7-46bc-a8dd-f9f11408a
L10T	TRUE	Windows	10.0.15063.0	Azure AD joined	Julian F. Rasmussen	julian.rasmussen@idefix365.no			18-07-17 21:01	18-07-17 21:31	9868b7d-d420-4ea1-a1f3-a84025851



The image shows a Visual Studio Code editor window with a dark theme. The top menu bar includes File, Edit, Selection, View, Go, Run, Terminal, and Help. A search bar on the right contains the text 'GitHub'. The Explorer sidebar on the left shows a file named 'mvp-dagen-2025-demo' with a subfolder 'staled-devices.ps1' highlighted. The main editor area displays the contents of 'staled-devices.ps1', which is a PowerShell script. The script is numbered 1 through 16. It starts with a comment in Norwegian: '# Krever Entra PowerShell (Connect-Entra) og Device.Read.All'. It then runs 'Connect-Entra -Scopes 'Device.Read.All''. A second comment says '# Sett 180 dager som terskel' (Set 180 days as threshold), followed by '\$dt = (Get-Date).AddDays(-180)'. The third comment is '# Finn kandidater: ikke logget på siden terskel dato' (Find candidates: not logged in since threshold date). The script then defines '\$stale' as the result of 'Get-EntraDevice -All | Where-Object { \$_.ApproximateLastSignInDateTime -le \$dt }'. The final comment is '# Grovkontroller, evt. eksporter for review' (Rough check, possibly export for review), followed by a pipe to 'Select-Object' listing properties: 'DisplayName, DeviceId, TrustType, OperatingSystem, OperatingSystemVersion, ApproximateLastSignInDateTime'. Finally, it runs 'Export-Csv .\StaleDevices-Review.csv -NoTypeInformation'.

```
mvp-dagen-2025-demo > staled-devices.ps1 > ...
1 # Krever Entra PowerShell (Connect-Entra) og Device.Read.All
2 Connect-Entra -Scopes 'Device.Read.All'
3
4 # Sett 180 dager som terskel
5 $dt = (Get-Date).AddDays(-180)
6
7 # Finn kandidater: ikke logget på siden terskel dato
8 $stale = Get-EntraDevice -All | Where-Object {
9     $_.ApproximateLastSignInDateTime -le $dt
10 }
11
12 # Grovkontroller, evt. eksporter for review
13 $stale | Select-Object DisplayName, DeviceId, TrustType,
14     OperatingSystem, OperatingSystemVersion, ApproximateLastSignInDateTime |
15     Export-Csv .\StaleDevices-Review.csv -NoTypeInformation
16
```

► GitHub for PowerShell

- <https://github.com/jurasmus/mvp-dagen-2025-demo>

Restricted Administrative Units

Restricted Administrative Units

Restricted AUs låser ned sensitive kontoer med egen tilgangskontroll.

Enhanced Security and Delegation

Forbedrer detaljert delegering og beskytter kritiske kontoer, ved å håndheve minste privilegium selv overfor globale administratorer.



Roles and administrators - Micro: X rg-security-copilot - Microsoft A: X Windows App

https://entra.microsoft.com/#view/Microsoft_AAD_IAM/RolesManagementMenuBlade~/AdminUnits

Microsoft Entra admin center Search resources, services, and docs (G+/)

Copilot julian.rasmussen@idefix... IDEFIX (IDEFIX365 NO)

Home > Roles and administrators

Roles and administrators | Admin units

Learn more + Add Delete Refresh Preview features Got feedback?

Search administrative units Add filters

Admin units

	Name	Description	Restricted management	Membership type
☐	CA001-Restricted-Admin-Unit-Excluded-Groups		Yes	Assigned
☐	Demo unit	This is a administrative unit for demo	No	Assigned
☐	Protected PIM groups		Yes	Assigned

Activity

- Access reviews
- Audit logs

Troubleshooting + Support

- New support request

Left sidebar:

- Home
- Agents
- Favorites
- Privileged Identity Management
- Entra ID
- Overview
- Users
- Groups
- Devices
- Enterprise apps
- App registrations
- Roles & admins**
- Delegated admin partners
- Domain services
- Conditional Access
- Multifactor authentication
- Identity Secure Score
- Authentication methods
- Password reset
- Custom security attributes
- Certificate authorities
- External Identities
- Cross-tenant synchronization
- Entra Connect
- Domain names
- Custom branding
- Mobility

- Home
- Agents
- Favorites
 - Privileged Identity Management
- Entra ID
 - Overview
 - Users
 - Groups
 - Devices
 - Enterprise apps
 - App registrations
 - Roles & admins
 - Delegated admin partners
 - Domain services
 - Conditional Access
 - Multifactor authentication

Home > Roles and administrators

Roles and administrators | Admin units

Idefix

<< Learn more + Add Delete Refresh Preview features Got feedback?

All roles

Admin units

Search administrative units

Add filters

Protected actions

Diagnose and solve problems

Activity

Access reviews

Audit logs

Troubleshooting + Support

New support request

	Name	Description	Restricted management
☐	CA001-Restricted-Admin-Unit-Excluded-Groups		Yes
☐	Demo unit	This is a administrative unit for demo	No
☐	Protected PIM groups		Yes

- 🏠 Home
- 🌐 Agents
- ★ Favorites
 - Privileged Identity Management
- 🔑 Entra ID
 - 🕒 Overview
 - 👤 Users
 - 👥 Groups
 - 🖨️ Devices
 - 📱 Enterprise apps
 - 📦 App registrations
 - 👤 Roles & admins
 - 👤 Delegated admin partners
 - 📁 Domain services
 - 🔒 Conditional Access
 - 🛡️ Multifactor authentication
 - 👤 Identity Secure Score
 - 🔑 Authentication methods

[Home](#) > [Roles and administrators](#) | [Admin units](#) >

Add administrative unit ...

🗨️ Got feedback?

Properties Assign roles Review + create

Name *

MVP-Dagen ✓

Description

Demo unit

Restricted management administrative unit ⓘ

Yes

No

- Home
- Agents
- Favorites
 - Privileged Identity Management
- Entra ID
 - Overview
 - Users
 - Groups
 - Devices
 - Enterprise apps
 - App registrations
 - Roles & admins
 - Delegated admin partners
 - Domain services
 - Conditional Access
 - Multifactor authentication
 - Identity Secure Score
 - Authentication methods
 - Password reset
 - Custom security attributes
 - Certificate authorities

Home > Roles and administrators | Admin units >

Add administrative unit

Got feedback?

Properties Assign roles Review + create

Administrative roles
Administrative roles can be used to grant access to Microsoft Entra ID and other Microsoft services. [Learn more](#)

Role ↑↓	Description	Type	Assigned
Attribute Assignment Administrator	Assign custom security attribute keys and values to supported Microsoft E...	Built-in	0
Attribute Assignment Reader	Read custom security attribute keys and values for supported Microsoft En...	Built-in	0
Authentication Administrator	Can access to view, set and reset authentication method information for a...	Built-in	0
Cloud Device Administrator	Limited access to manage devices in Microsoft Entra ID.	Built-in	0
Groups Administrator	Members of this role can create/manage groups, create/manage groups s...	Built-in	0
Helpdesk Administrator	Can reset passwords for non-administrators and Helpdesk Administrators.	Built-in	0
License Administrator	Can manage product licenses on users and groups.	Built-in	0
Password Administrator	Can reset passwords for non-administrators and Password Administrators.	Built-in	0
Printer Administrator	Can manage all aspects of printers and printer connectors.	Built-in	0
Privileged Authentication Administrator	Can access to view, set and reset authentication method information for a...	Built-in	0
SharePoint Administrator	Can manage all aspects of the SharePoint service.	Built-in	0
Teams Administrator	Can manage the Microsoft Teams service.	Built-in	0
Teams Communications Administrator	Can manage calling and meetings features within the Microsoft Teams ser...	Built-in	0
Teams Communications Support Engineer	Can troubleshoot communications issues within Teams using advanced to...	Built-in	0
Teams Communications Support Specialist	Can troubleshoot communications issues within Teams using basic tools.	Built-in	0
Teams Devices Administrator	Can perform management related tasks on Teams certified devices.	Built-in	0
Teams Telephony Administrator	Manage voice and telephony features and troubleshoot communication is...	Built-in	0
User Administrator	Can manage all aspects of users and groups, including resetting passwor...	Built-in	0

MVP-Dagen - Microsoft Entra admin center | rg-security-copilot - Microsoft Azure | Windows App

https://entra.microsoft.com/#view/Microsoft_AAD_IAM/AdminUnitDetailsMenuBlade/~/.MsGraphUsers/adminUnitId/957abecc-d0f8-4fef-901d-063afa9cfe77/adminUnitName/MVP-Dagen

Microsoft Entra admin center | Search resources, services, and docs (G+)

Copilot | julian.rasmussen@idefix... | IDEFIX (IDEFIX365 NO)

Home > Roles and administrators | Admin units > MVP-Dagen

MVP-Dagen | Users

Idexfix

Search

+ Add member | Download users | Bulk operations | Refresh | Manage view | Remove member | Got feedback?

Manage

[Azure Active Directory is now Microsoft Entra ID.](#)

Properties

Search | Add filter

0 users found

Users

Groups

Devices

Roles and administrators

No results.

Activity

Bulk operation results

Display name ↑ | User principal name ↕ | User type | On-premises sy... | Identities | Company name | Creation type | Last interactive sign-in time

Overview

Users

Groups

Devices

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Password reset

Custom security attributes

Certificate authorities

External Identities

Cross-tenant synchronization

Entra Connect

Domain names

Custom branding

Mobility

Administrative roles

Administrative roles are used for granting access for privileged actions in Microsoft Entra ID. We recommend using these built-in roles for delegating access to manage broad application configuration permissions without granting access to manage other parts of Microsoft Entra ID not related to application configuration. [Learn more.](#)

[Learn more about Microsoft Entra ID role-based access control](#)

+ Add filters

Role	Description	Privileged	Ass...	Type
Attribute Assignment Administrator	Assign custom security attribute keys and values to supported Microsoft Entra objects.		0	Built-in
Attribute Assignment Reader	Read custom security attribute keys and values for supported Microsoft Entra objects.		0	Built-in
Authentication Administrator	Can access to view, set and reset authentication method information for any non-admin user.	PRIVILEGED	1	Built-in
Cloud Device Administrator	Limited access to manage devices in Microsoft Entra ID.	PRIVILEGED	0	Built-in
Groups Administrator	Members of this role can create/manage groups, create/manage groups settings like naming and expiration policies, and view groups activity and audit reports.		1	Built-in
Helpdesk Administrator	Can manage user accounts, reset passwords, and manage user profiles for non-administrators.		0	Built-in
License Administrator	Can manage product licenses on users and groups.		0	Built-in
Password Administrator	Can reset passwords for non-administrators and Password Administrators.	PRIVILEGED	0	Built-in
Printer Administrator	Can manage all aspects of printers and printer connectors.		0	Built-in
Privileged Authentication Administrator	Can access to view, set and reset authentication method information for any user (admin or non-admin).	PRIVILEGED	0	Built-in
SharePoint Administrator	Can manage all aspects of the SharePoint service.		0	Built-in
Teams Administrator	Can manage the Microsoft Teams service.		0	Built-in
Teams Communications Administrator	Can manage calling and meetings features within the Microsoft Teams service.		0	Built-in
Teams Communications Support Engineer	Can troubleshoot communications issues within Teams using advanced tools.		0	Built-in
Teams Communications Support Specialist	Can troubleshoot communications issues within Teams using basic tools.		0	Built-in
Teams Devices Administrator	Can perform management related tasks on Teams certified devices.		0	Built-in
Teams Telephony Administrator	Manage voice and telephony features and troubleshoot communication issues within the Microsoft Teams service.		0	Built-in
User Administrator	Can manage all aspects of users and groups, including resetting passwords for limited admins.	PRIVILEGED	0	Built-in

Security-copilot - Microsoft Az

Windows App

Microsoft_Azure_PIMCommon/UserRolesViewModelMenuBlade/~-/members/roleObjectId/fdd7a751-b60b-444a-984c-02652fe8fa1c/roleId/fdd7a751-b60b-444a-984c-02652fe8fa1c/roleTemplateId/fdd7a751-b60b-444a-984c-02652fe8...

Search resources, services, and docs (G+)

Copilot

julian.rasmussen@idefix...
IDEFIX (IDEFIX365.NO)

> Roles and administrators | Admin units > MVP-Dagen | Roles and administrators >

Groups Administrator | Assignments

Privileged Identity Management | Microsoft Entra roles

«

+ Add assignments

Settings

Refresh

Export

Got feedback?

Assignments

Eligible assignments

Active assignments

Expired assignments

Search by member name or principal name

Name	Principal name	Type	Scope	Membership	State	Start time	End time	Action
Groups Administrator								
Julian F. Rasmussen	julian.rasmussen@idefix365.no	User	MVP-Dagen (Administrative	Direct	Assigned	-	Permanent	Remove Update

Showing 1 - 1 of 1 results.

Add assignments  Settings  Refresh  Export |  Got feedback?

ole assignments **Active assignments** Expired assignments

Search by member name or principal name

Name	Principal name	Type	Scope	Membership	State	Start time	End time	Action
Groups Administrator								
Julian F. Rasmussen	julian.rasmussen@idefix365.i	User	MVP-Dagen (Administrative	Direct	Assigned	-	Permanent	Remove Update

Showing 1 - 1 of 1 results.

Groups Administrator | Assignments

Identity Management | Microsoft Entra roles

<< + Add assignments Settings Refresh Export Got feedback?

Eligible assignments

Active assignments

Expired assignments

Search by member name or principal name

Name	Principal name	Type	Scope	Membership	Start time	End time	Action
Groups Administrator							
Julian F. Rasmussen	julian.rasmussen@idefix365.no	User	MVP-Dagen (Administrative unit)	Direct	9/21/2025, 11:36:03 PM	Permanent	Remove Update

Showing 1 - 1 of 1 results.

Update role assignment request queued
Member 'Julian F. Rasmussen' is being assigned to role 'Groups Administrator'

Authentication in 2025

Phishing-Resistant Methods

Passkeys, Windows Hello, and certificate-based authentication eliminate passwords and protect against phishing.

Conditional Access Control

Authentication Strengths enable role-based access requiring specific secure authentication methods.

Passwordless Onboarding

Temporary Access Pass facilitates onboarding users to passwordless authentication methods efficiently.



Microsoft Entra admin center

HomeAgentsFavoritesPrivileged Identity ManagementEntra IDOverviewUsersGroupsDevicesEnterprise appsApp registrationsRoles & adminsDelegated admin partnersDomain servicesConditional AccessMultifactor authenticationIdentity Secure ScoreAuthentication methodsPassword resetCustom security attributesCertificate authoritiesExternal IdentitiesCross-tenant synchronization

Search resources, services, and docs (G+)

Copilot

Search

Home > Idefix > Security Copilot agents >

Authentication methods | Policies

Idefix - Microsoft Entra ID Security

Search

Add external method (Preview)RefreshGot feedback?

Manage

PoliciesPassword protectionRegistration campaignAuthentication strengthsSettings

Monitoring

ActivityUser registration detailsRegistration and reset eventsBulk operation results

Use authentication methods policies to configure the authentication methods your users may register and use. If a user is in scope for a method, they may use it to authenticate and for password reset (some methods aren't supported for some scenarios). [Learn more](#)

Migration status

Complete (change)

Method	Target	Enabled
Built-in		
Passkey (FIDO2)	All users	Yes
Microsoft Authenticator	All users	Yes
SMS		No
Temporary Access Pass	All users	Yes
Hardware OATH tokens (Preview)		No
Software OATH tokens		No
Voice call		No
Email OTP		Yes
Certificate-based authentication	1 group	Yes
QR code		No

Manage

Policies

Password protection

Registration campaign

Authentication strengths

Settings

Monitoring

Activity

User registration details

Registration and reset events

Bulk operation results

Use authentication methods policies to configure the authentication methods your users may register and use. If a user is in scope for a method, they may use it to authenticate and for password reset (some methods aren't supported for some scenarios). [Learn more](#)

Migration status ✔ Complete [\(change\)](#)

Method	Target	Enabled
▼ Built-In		
Passkey (FIDO2)	All users	Yes
Microsoft Authenticator	All users	Yes
SMS		No
Temporary Access Pass	All users	Yes
Hardware OATH tokens (Preview)		No
Software OATH tokens		No
Voice call		No
Email OTP		Yes
Certificate-based authentication	1 group	Yes
QR code		No

Manage

Policies

Password protection

Registration campaign

Authentication strengths

Settings

Monitoring

Activity

User registration details

Registration and reset events

Bulk operation results

Use authentication methods policies to configure the authentication methods your users may register and use. If a user is in scope for a method, they may use it to authenticate and for password reset (some methods aren't supported for some scenarios). [Learn more](#)

Migration status ✔ Complete [\(change\)](#)

Method	Target	Enabled
▼ Built-In		
Passkey (FIDO2)	All users	Yes
Microsoft Authenticator	All users	Yes
SMS		No
Temporary Access Pass	All users	Yes
Hardware OATH tokens (Preview)		No
Software OATH tokens		No
Voice call		No
Email OTP		Yes
Certificate-based authentication	1 group	Yes
QR code		No

Governance of PIM

Access Management Tools

Access packages let users request access to groups and applications securely and efficiently.

Access Reviews

Periodic access reviews help evaluate and remove outdated permissions to maintain security.

Privileged Identity Management

PIM provides just-in-time privileged role access with approval and multifactor authentication, reducing risk.



Identity Governance - Microsoft | rg-security-copilot - Microsoft A... Windows App

https://entra.microsoft.com/#view/Microsoft_AAD_ERM/DashboardBlade/-/GettingStarted

Microsoft Entra admin center Search resources, services, and docs (G+)

Copilot julian.rasmussen@idefix... IDEFIX (IDEFIX365 NO)

Home > Identity Governance

Identity Governance | Getting started

« Got feedback?

Get started with Identity Governance

Manage digital identities securely and efficiently with Microsoft Entra ID Governance. Review the most common use cases and set of capabilities for your governance needs.

Uses External user lifecycle Group membership Role assignments Auditing and reporting

Control your external user lifecycle

Manage the entire lifecycle of external users: configure onboarding approval flows, set up regular access reviews, and remove external users when they're done collaborating. Remove guests from groups and Teams, and even guest accounts from Microsoft Entra ID Governance.

Review common use cases

Manage group membership

Secure and enhance your organization's use of group membership. Make groups "self-service," and delegate approvals directly to business decisionmakers. For privileged access groups, enforce owner eligibility with access reviews.

Review common use cases

Protect resources with role assignments

Require approvals and multifactor authentication to activate use of Microsoft Entra and Azure resource roles. By reviewing roles and making assignments time-bound, you'll help ensure only the right people have access to secure info and resources.

Review common use cases

Audit and create reports

Audit and generate reports on activity within Microsoft Entra ID Governance. Learn whether or not people review access, who's getting privileged access, or flag suspicious activity tied to Microsoft Entra or Azure resource roles.

Review common use cases

Navigation menu:

- Home
- Agents
- Favorites
- Privileged Identity Management
- Entra ID
- ID Protection
- ID Governance**
 - Dashboard
 - Entitlement management
 - Access reviews
 - Privileged Identity Management
 - Lifecycle workflows
- Verified ID
- Permissions Management
- Global Secure Access
- What's new
- Billing
- Diagnose & solve problems
- New support request

Identity Governance - Microsoft E

rg-security-copilot - Microsoft A

Windows App

x

+

https://entra.microsoft.com/#view/Microsoft_AAD_ERM/DashboardBlade/~/_elmEntitlement

Microsoft Entra admin center

Search resources, services, and docs (G+/)

Home

Agents

Favorites

Privileged Identity Management

Entra ID

ID Protection

ID Governance

Dashboard

Entitlement management

Access reviews

Privileged Identity Management

Lifecycle workflows

Verified ID

Permissions Management

Global Secure Access

Home > Identity Governance

Identity Governance | Access packages

« + New access package Column Refresh | Got feedback?

Beginning in July 2025, we will begin billing for active usage of Entra ID Governance features for guest users. In July you will have the option to continue using governance features

Dashboard

Getting started

Diagnose and solve problems

Entitlement management

Access packages

Catalogs

Connected organizations

Reports

Control configurations

Preview Features

Roles and administrators (Preview)

Lifecycle workflows

Access reviews

Overview

Access reviews

Programs

Settings

Review History

Search by access package name

Search by catalog

-Search by catalog-

Name	Description	Catalog
Collabdays	Access to a sharepoint site	Idefix
Project Collabdays	Access to Project Collabdays site	General
Idefix Dev Tenant access	Access package to provision user into dev environment.	Idefix Dev environment
Manchester Project	demo	Idefix
Entra ID PIM Roles (8 hours)	Members can view Entra ID PIM Roles for 8 hours	Entra ID Roles
PIM Entra ID - Global Administrator	This access package gives you the Global Administrator role in En...	Entra ID Roles
Project Oslo	Project Oslo's resources	Idefix
Team Idefix	This grants access to all Team Idefix resources.	Idefix

New access package - Microsoft

rg-security-copilot - Microsoft A

Windows App

←

↺

https://entra.microsoft.com/#view/Microsoft_Azure_ELMAdmin/EntitlementCreateBlade/catalogId//catalogName/

Microsoft Entra admin center

Search resources, services, and docs (G+/)

Home

Agents

Favorites

Privileged Identity Management

Entra ID

ID Protection

ID Governance

Dashboard

Entitlement management

Access reviews

Privileged Identity Management

Lifecycle workflows

Verified ID

Home > Identity Governance | Access packages >

New access package

* Basics

Resource roles

* Requests

Requestor information

* Lifecycle

Custom extensions

Review + create

Access package

Create a collection of resources that users can request access to.

Name *

MVP-Dagen

Description * ⓘ


testing


Catalog * ⓘ

General

[Learn more.](#)

[Create new catalog](#)






Entra recommendations

- New recommendation tab
- Showcase the recommendations and best practices
- Tailored for your tenant
- Some recommendations for Secure Score, but many go's on best practices
- License requirements also shows here
- Go into details and see how to do it and what's affected.





Security Copilot and Conditional Access Optimization Agent

AI-Powered Identity Security

Security Copilot enables admins to manage identities and investigate threats using natural language AI commands.

Automated Conditional Access

Conditional Access Optimization Agent detects policy gaps and suggests or auto-creates report-only policies for coverage.

Improved Security Management

These AI tools streamline threat response and policy management, reducing manual auditing and speeding incident handling.



- Home
- Agents
- Favorites
- Privileged Identity Management
- Entra ID
- Overview
- Users
- Groups
- Devices
- Enterprise apps
- App registrations
- Roles & admins
- Delegated admin partners
- Domain services
- Conditional Access
- Multifactor authentication
- Identity Secure Score
- Authentication methods

Home >

Conditional Access Optimization Agent

Analyze my tenantRemove agentChat with agent (Preview)Give Microsoft feedback

OverviewActivitiesSuggestionsSettings

Agent summary

From Aug 23, 2025 to Sep 22, 2025

In the past 30 days, **3 suggestions have been applied to protect 1515 users and 2458 applications.** Conditional Access Optimization agent has analyzed a total of 98 new users and 65 new applications.

Unprotected users discovered ⓘ

Unprotected apps discovered ⓘ

Sign-ins protected ⓘ

Security compute units used ⓘ

1,515

2,458

0

0.00

Agent is active

Agent finished analyzing your tenant on September 22, 2025 at 11:37 PM.
[View agent's full activity](#)

Agent will scan users, apps and policies on September 23, 2025 at 4:50 PM with [custom instructions](#).

About this agent

The agent scans all new users and

Recent suggestions ⓘ AI-generated content may be incorrect. Check it for accuracy.

View the agent's suggestions about policy updates and new policies that were created in report-only mode.

View all

Suggested next steps	Actions taken by agent	Time generated ↓	Status	
Add 1 user to existing policy NOVA - MDM - Intune App Protection.	Suggested policy update	9/8/25, 9:07:23 AM	☐ Not applied	Review suggestion
Add 5 users to existing policy NOVA - MDM - Intune App Protection.	Suggested policy update	9/5/25, 3:25:27 PM	☐ Not applied	Review suggestion
Add 2 users to existing policy NOVA - MDM - Intune App Protection.	Suggested policy update	9/4/25, 4:50:59 PM	☐ Not applied	Review suggestion

Conditional Access 'What If' API

Conditional Access 'What If' API

The API allows automation of Conditional Access policy testing in sign-in scenarios, improving deployment safety.

Automation and Integration Benefits

Enables CI/CD integration and scripting to reduce trial-and-error in production and catch misconfigurations early.



What if - Microsoft Entra admin center

rg-security-copilot - Microsoft A...

Windows App

What if - Microsoft Entra admin center

https://entra.microsoft.com/#view/Microsoft_AAD_ConditionalAccess/WhatIf.ReactView

Copilot

julian.rasmussen@idefix...
IDEFIX (IDEFIX365 NO)

Home

Agents

Favorites

Privileged Identity Management

Entra ID

Overview

Users

Groups

Devices

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Password reset

Custom security attributes

Certificate authorities

External Identities

Cross-tenant synchronization

Entra Connect

Domain names

Custom branding

Mobility

Home > Roles and administrators | All roles > Microsoft Entra > Conditional Access | Policies >

What if

Policies

Info | Got feedback?

Test the impact of Conditional Access on a user or service principal when signing in under certain conditions.
[Learn more](#)

Identity

Select identity type *

Users

User *

Edit user

Target resource

Select target type *

Cloud apps

Cloud apps *

+ Select cloud app

Sign-in conditions

Device platform *

Select device platform...

Client app *

Select a client app...

Authentication flow

Select authentication flow...

Insider risk

Select insider risk...

Sign-in risk

Select sign-in risk...

User risk

Select user risk...

IP address

Enter IP address (ex. 40.77.182.32)

Country

Select country...

Filter for devices

Property

Value

Delete

Select a property...

<Pick a property and operator first>

- Groups
- Devices
- Enterprise apps
- App registrations
- Roles & admins
- Delegated admin partners
- Domain services
- Conditional Access
- Multifactor authentication
- Identity Secure Score
- Authentication methods
- Password reset
- Custom security attributes
- Certificate authorities
- External Identities
- Cross-tenant synchronization
- Entra Connect
- Domain names
- Custom branding
- Mobility

Name

Application ID

W3	Windows 365	0af06dc6-e4b5-4f28-818e-e78e62d137a5	
----	-------------	--------------------------------------	--

Sign-in conditions

Device platform *

Windows

Client app *

Browser

Authentication flow

Select authentication flow...

Insider risk

Select Insider risk...

Sign-in risk

Select sign-in risk...

User risk

Select user risk...

IP address

80.232.2.67

Country

Select country...

If using an IP address or Country, both fields will be required and should correctly map together.

Filter for devices

Property	Value	Delete
Select a property...	<Pick a property and operator first>	

<<

What if

Reset

- Users
- Groups
- Devices
- Enterprise apps
- App registrations
- Roles & admins
- Delegated admin partners
- Domain services
- Conditional Access
- Multifactor authentication
- Identity Secure Score
- Authentication methods
- Password reset
- Custom security attributes
- Certificate authorities
- External Identities
- Cross-tenant synchronization
- Entra Connect
- Domain names
- Custom branding
- Mobility

Client app *
Browser

Authentication flow
Select authentication flow...

Insider risk
Select Insider risk...

Sign-in risk
Select sign-in risk...

User risk
Select user risk...

IP address
80.232.2.67

Country
Norway

Filter for devices

Property	Value	Delete
Select a property...	<Pick a property and operator first>	

What if Reset

Evaluation result

Classic policies are not evaluated by this tool.

Policies that will apply Policies that will not apply



1 policy found

Display name	Grant controls	Session Controls	State	Has filter? ⓘ
CA001-Global-IdentityProtection-AllApps-AnyPlatform-Grant-MFA	Require multifactor authentication		On	No

HTTP

 Copy

POST <https://graph.microsoft.com/v1.0/identity/conditionalAccess/evaluate>

Content-Type: application/json

```
{
  "signInIdentity": {
    "@odata.type": "#microsoft.graph.userSignIn",
    "userId": "15dc174b-f34c-4588-ac45-61d6e05dce93"
  },
  "signInContext": {
    "@odata.type": "#microsoft.graph.applicationContext",
    "includeApplications": [
      "00000003-0000-0ff1-ce00-000000000000"
    ]
  },
  "signInConditions": {
    "devicePlatform": "android",
    "clientAppType": "browser",
    "signInRiskLevel": "high",
    "userRiskLevel": "high",
    "country": "US",
    "ipAddress": "40.77.182.32",
    "insiderRiskLevel": "elevated",
    "authenticationFlow": {
      "transferMethod": "deviceCodeFlow"
    },
    "deviceInfo": {
      "isCompliant": true
    }
  },
  "appliedPoliciesOnly": true
}
```

```
{
  "signInIdentity": {
    "@odata.type": "#microsoft.graph.userSignIn",
    "userId": "15dc174b-f34c-4588-ac45-61d6e05dce93"
  },
  "signInContext": {
    "@odata.type": "#microsoft.graph.applicationContext",
    "includeApplications": [
      "00000003-0000-0ff1-ce00-000000000000"
    ]
  },
  "signInConditions": {
    "devicePlatform": "android",
    "clientAppType": "browser",
    "signInRiskLevel": "high",
    "userRiskLevel": "high",
    "country": "US",
    "ipAddress": "40.77.182.32",
    "insiderRiskLevel": "elevated",
    "authenticationFlow": {
      "transferMethod": "deviceCodeFlow"
    },
    "deviceInfo": {
      "isCompliant": true
    }
  },
  "appliedPoliciesOnly": true
}
```

HTTP/1.1 200 OK

Content-Type: application/json

```
{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#Collection(microsoft.graph.whatIfAnalysisR",
  "value": [
    {
      "id": "df9e6f15-2b60-4e78-b990-b2da33a10886",
      "templateId": null,
      "displayName": "All users except au1_Office 365_No conditions_Session control application enforc",
      "createdDateTime": "2022-04-01T18:55:43.1454565Z",
      "modifiedDateTime": "2025-03-27T21:42:26.951558Z",
      "state": "enabledForReportingButNotEnforced",
      "policyApplies": true,
      "analysisReasons": "notSet",
      "grantControls": null,
      "partialEnablementStrategy": null,
      "conditions": {
        "userRiskLevels": [],
        "signInRiskLevels": [],
        "clientAppTypes": [
          "all"
        ],
        "servicePrincipalRiskLevels": [],
        "insiderRiskLevels": null,
        "clients": null,
        "platforms": null,
        "locations": null,
        "times": null,
        "deviceStates": null,
        "devices": null,
        "clientApplications": null,
        "authenticationFlows": null,
        "applications": {
          "includeApplications": [
            "Office365"
          ],
          "excludeApplications": [],
          "includeUserActions": [],
          "includeAuthenticationContextClassReferences": [],

```

HTTP/1.1 200 OK

Content-Type: application/json

```
{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#Collection(microsoft.graph.whatIfAnalysis)",
  "value": [
    {
      "id": "df9e6f15-2b60-4e78-b991-02da33a10886",
      "templateId": null,
      "displayName": "All users except au1_Office 365_No conditions_Session control application enforce",
      "createdDateTime": "2022-04-01T18:55:43.1454565Z",
      "modifiedDateTime": "2025-03-27T21:42:26.951558Z",
      "state": "enabledForReportingButNotEnforced",
      "policyApplies": true,
      "analysisReasons": "notSet",
      "grantControls": null,
      "partialEnablementStrategy": null,
      "conditions": {
        "userRiskLevels": [],
        "signInRiskLevels": [],
        "clientAppTypes": [
          "all"
        ],
        "servicePrincipalRiskLevels": [],
        "insiderRiskLevels": null,
        "clients": null,
        "platforms": null,
        "locations": null,
        "times": null,
        "deviceStates": null
      }
    }
  ]
}
```

▶ BTG Accounts

- **Purpose of Break-Glass Accounts**

Emergency access accounts provide last-resort, time-bound admin control during sign-in or MFA failures.

- **Account Configuration Best Practices**

Create cloud-only accounts with Global Administrator role, avoiding dependencies on PIM and federated domains.



▶ BTG Accounts

- **Authentication and Security Measures**

Use phishing-resistant authentication like Passkeys (FIDO2) or certificate-based authentication to secure accounts.

- **Monitoring and Validation Procedures**

Monitor sign-in logs, set critical alerts, review usage after access, and regularly test recovery and rotate keys.



Quick wins og neste steg

Activate phishing-resistant MFA, block legacy protocols, and setup break-glass accounts within 30 days to enhance security.

Quick wins og neste steg

Deploy Privileged Identity Management for all roles and begin access reviews on critical applications within 60 days for improved governance.

Quick wins og neste steg

Implement lifecycle workflows, activate ID protection dashboards, and migrate service accounts to managed identities within 90days.