

SEO Growth Strategy for avyclima.be in the Aalst Region

Executive summary

The website for AVYclima ¹ currently reads like a single, conversion-focused landing page ("Klimaatcomfort op maat...", "Gespecialiseerd in Daikin airco & warmtepompen...", phone-first CTA), with repeated hero messaging and limited evidence of an indexable service/location architecture. ² This is typical for early-stage sites, but it caps SEO upside because Google primarily ranks *pages* that precisely match intent (service × location × problem) rather than a single generic page.

The fastest path to meaningful SEO lead generation in and around Aalst is:

- Build a **two-layer architecture**: (a) high-quality **service hub pages** (airco, warmtepomp, onderhoud, herstellingen, advies/offerte) and (b) a focused set of **localized landing pages** for Aalst + nearby towns where you actually install/service (Dutch first; French only if commercially justified).
- Win **local pack/Maps visibility** via a rigorously optimized Google Business Profile and consistent NAP citations, while systematically growing review velocity (policy-compliant). ³
- Improve **technical SEO fundamentals** (crawlability, CWV, schema, internal links, indexation controls) so new pages can be discovered and trusted. Core Web Vitals thresholds and their relationship to search visibility are explicitly documented by Google and should be treated as an ongoing KPI, not a one-time task. ⁴
- Use a **long-tail-first keyword strategy** (Aalst + nearby city modifiers + "prijzen", "offerte", "onderhoud", "plaatsen", "Daikin") because head terms are usually too competitive for a small local domain early on.
- Track outcomes with a **lead-centric measurement plan** (calls, form submits, quote requests), with a 6–12 month roadmap that starts with indexability and local SEO, then scales content and authority.

Assumptions and constraints that affect confidence/precision: - No access was provided to Google Search Console, GA4, server logs, CMS, or Google Ads Keyword Planner. Therefore, keyword volumes and difficulty below are **directional estimates** and should be validated in Keyword Planner and/or a paid dataset (e.g., Semrush ⁵ / Ahrefs ⁶). Semrush's Keyword Overview and its local metrics (volume/KD/intent) exist, but exact values depend on tool access and configuration. ⁷

- The site's current index footprint appears small (a "site:" query surfaces mainly the homepage), which may indicate either a true one-page site or limited indexing of additional pages. ²

Current baseline and strategic implications

The homepage communicates clear positioning—airco + warmtepompen, focused on Daikin ⁸, serving “particulieren en KMO’s,” with a prominent “Vrijblijvende offerte” and phone CTA. ² That’s good for conversion, but several SEO implications follow:

- **Topic depth & intent matching are limited.** A single page can’t simultaneously rank well for: “airco plaatsen Aalst,” “warmtepomp lucht-water prijs,” “airco onderhoud,” “Daikin multisplit,” “premies warmtepomp Vlaanderen,” etc.
- **Local relevance signals are weakly structured.** Even if you serve Aalst, your page structure must make location/service relationships explicit (titles, headings, internal links, schema, GBP). Google’s documentation for LocalBusiness structured data emphasizes providing rich business details (address, phone, hours, geo, etc.) on a page that contains business information. ⁹
- **Content repetition risks thin/duplicative signals.** The repeated hero line (“Klimaatcomfort op maat...”) appears multiple times in extraction, which is a common symptom of layout duplication that can reduce clarity for crawlers and users. ²

Strategic takeaway: treat the current homepage as a *conversion layer*, then build the *SEO layer* around it (service hubs, FAQs, city pages, proof pages like case studies).

Keyword research for airco and warmtepomp in and around Aalst

How to interpret the estimates

Because we don’t have Keyword Planner or a paid export, the table below uses **practical SEO planning ranges** (not exact counts). To remain rigorous, this report keeps a consistent framework:

- **Estimated monthly volume (BE)** is expressed as a range bucket (e.g., 10–50, 50–200).
- **Difficulty** is directional (Low / Medium / High) and reflects typical competitive pressure: broad head terms trend higher; city-modified, service-intent terms trend lower. Semrush and Ahrefs both define keyword difficulty as a competition proxy, but calculation methods differ. ¹⁰
- **Intent** follows standard groupings: Transactional (quote/booking), Commercial investigation (compare/price), Informational (learn), Navigational (brand). Semrush explicitly provides intent classification in its tooling. ⁷

Nearby-city targeting is based on realistic service-area expansion around Denderleeuw ¹¹ (where the business appears to be based), including Ninove ¹², Dendermonde ¹³, Gent ¹⁴, Wetteren ¹⁵, Lede ¹⁶, Erpe-Mere ¹⁷, and Haaltert ¹⁸—towns referenced often by competitors as part of their working region. ¹⁹

Keyword table

Keyword (nl-BE / fr-BE)	Language	Intent	Est. monthly volume (BE)	Difficulty	Priority	Notes / page target
airco plaatsen aalst	nl	Transactional	50–200	Medium	P1	City landing page + strong CTA
airco installateur aalst	nl	Transactional	50–200	Medium	P1	Competes with local installers/ directories
airco aalst	nl	Commercial	50–200	Medium	P1	Often triggers local pack
airco offerte aalst	nl	Transactional	10–50	Low–Med	P1	Dedicated “offerte” section + form
airco onderhoud aalst	nl	Transactional	10–50	Low–Med	P1	High-value recurring revenue
airco herstelling aalst	nl	Transactional	10–50	Low–Med	P1	Emergency/ fast-service keyword
daikin airco aalst	nl	Transactional	10–50	Low–Med	P1	Brand + city (high conversion)
daikin installateur aalst	nl	Transactional	10–50	Medium	P1	Requires trust signals + proof
multisplit airco aalst	nl	Commercial	10–50	Low–Med	P1	Good for “several rooms” use case
split airco plaatsen aalst	nl	Transactional	10–50	Low–Med	P1	Clarifies product type
warmtepomp installateur aalst	nl	Transactional	50–200	Medium	P1	Strong commercial intent
warmtepomp aalst	nl	Commercial	50–200	Medium	P1	Local landing page

Keyword (nl-BE / fr-BE)	Language	Intent	Est. monthly volume (BE)	Difficulty	Priority	Notes / page target
warmtepomp offerte aalst	nl	Transactional	10–50	Low– Med	P1	Quote- focused variant
warmtepomp onderhoud aalst	nl	Transactional	10–50	Low	P1	Strong lifetime value
warmtepomp herstellend aalst	nl	Transactional	10–50	Low	P1	Service differentiator
lucht water warmtepomp aalst	nl	Commercial	10–50	Medium	P1	Needs explainer + sizing guidance
lucht lucht warmtepomp aalst	nl	Commercial	10–50	Low– Med	P1	Often overlaps with “airco”
hybride warmtepomp aalst	nl	Commercial	10–50	Medium	P2	Slightly broader— build authority first
warmtepompboiler aalst	nl	Commercial	10–50	Medium	P2	Good add-on service page
airco ninove	nl	Transactional	10–50	Low– Med	P2	City landing page (service area)
warmtepomp ninove	nl	Transactional	10–50	Low– Med	P2	City landing page
airco dendermonde	nl	Transactional	10–50	Low– Med	P2	City landing page
warmtepomp dendermonde	nl	Transactional	10–50	Low– Med	P2	City landing page
airco gent	nl	Transactional	200– 800	High	P3	Larger city = more competition
warmtepomp gent	nl	Transactional	200– 800	High	P3	Larger city = more competition

Keyword (nl-BE / fr-BE)	Language	Intent	Est. monthly volume (BE)	Difficulty	Priority	Notes / page target
climatisation alost	fr	Transactional	10–50	Medium	P3	Only if serving francophone demand
installateur climatisation alost	fr	Transactional	10–50	Medium	P3	French variant of city query
pompe à chaleur alost	fr	Commercial	10–50	Medium	P3	French warmtepomp variant
devis climatisation alost	fr	Transactional	0–10	Low–Med	P3	Add if French funnel matters
devis pompe à chaleur alost	fr	Transactional	0–10	Low–Med	P3	Add if French funnel matters
airco prijs	nl	Commercial	800–3,000	High	P3	National head term; needs authority
warmtepomp prijs	nl	Commercial	800–3,000	High	P3	National head term; long-term target
warmtepomp premie vlaanderen	nl	Informational	200–800	High	P2	Strong blog topic supporting conversions

Why these priorities: early SEO wins come from **high-intent local long-tails** (“plaatsen”, “offerte”, “onderhoud”, brand+city). National head terms (“airco prijs”, “warmtepomp prijs”) typically require far more authority and content depth; treat them as 9–18 month goals, not month-one goals.

Technical SEO audit checklist and on-page optimization plan

This section is a practical checklist you (or your developer) can execute. It is tailored to a small local service site that needs to scale from a single page into a crawlable site structure.

Technical SEO checklist

Indexation & crawlability - Confirm property setup and coverage in Search Console; monitor Indexing status and Core Web Vitals reports (Search Console reports use real-world field data where available).

20

- Validate robots.txt exists, is reachable, and does not block key paths. Google explicitly states robots.txt controls crawling (not indexing) and should not be used to keep a page out of search results. 21
- Ship and submit an XML sitemap; keep it updated as you add service/city pages. Google recommends sitemap submission to help with discovery and re-crawling. 22
- Ensure canonicalization is consistent (http→https, non-www vs www, trailing slash policy).
- Verify every important page is reachable within ≤ 3 clicks from homepage via internal linking (service hubs + city hubs).

Mobile and performance - Treat mobile UX and Core Web Vitals as ongoing KPIs. Google documents CWV thresholds ($LCP \leq 2.5s$, $INP \leq 200ms$, $CLS \leq 0.1$) and recommends achieving “good” CWV for search success and user experience. 4

- Run Lighthouse/PageSpeed checks on: homepage, airco page, warmtepomp page, contact page. Prioritize issues that impact LCP/INP/CLS (image sizing, render-blocking scripts, font loading, layout shifts).

Structured data - Implement LocalBusiness structured data on the primary business/contact page (or site-wide via template if appropriate), including: name, address, phone, opening hours, geo, service area as applicable. Google’s LocalBusiness documentation lists required/recommended properties and emphasizes guidelines and validation. 9

- Add FAQ schema on service pages *only where FAQs are truly present on-page* (avoid “hidden” Q&A).
- Add Organization schema (logo, sameAs, contactPoint) if you build a more robust brand footprint.

Internationalization and language targeting - If you create French versions of core pages, choose one method for alternate language signaling and implement hreflang properly (self-referencing + cross-referencing language versions; HTML/headers/sitemaps are equivalent, but mixing all three adds management cost). 23

- If you stay Dutch-only (likely fine for Aalst), do **not** create thin auto-translated French pages; that tends to produce low-quality duplication signals.

On-page optimization standards with examples

Title tags (serve intent, include locality naturally)

Google recommends that each page has a title in `<title>` and that titles are descriptive and concise.

24

Suggested examples (adapt to your exact offerings/USP):

• Homepage

- Title: Airco & warmtepompen in Aalst | AVYclima – Daikin specialist

- Meta description: Airco of warmtepomp laten plaatsen in Aalst en omgeving? AVYclima adviseert, installeert en onderhoudt Daikin-systemen voor woningen en KMO’s. Vraag een vrijblijvende offerte.

• Airco service hub

- Title: Airco plaatsen & onderhouden in Aalst | Daikin airco - AVYclima
- Meta description: Split of multisplit airco: advies, plaatsing, onderhoud en herstelling in Aalst en regio. Energiezuinig koelen én verwarmen met Daikin. Offerte op maat.

• Warmtepomp service hub

- Title: Warmtepomp installateur in Aalst | Lucht/lucht & lucht/water - AVYclima
- Meta description: Warmtepomp advies, installatie en onderhoud in Aalst en omgeving. Kies het juiste type (lucht/lucht of lucht/water) met correcte dimensionering. Vraag offerte.

• Onderhoud page

- Title: Airco & warmtepomp onderhoud in Aalst | Service & reiniging - AVYclima
- Meta description: Periodiek onderhoud voor lange levensduur en rendement. Snelle planning, duidelijke afspraken en service in regio Aalst.

• Contact / Offerte

- Title: Offerte airco of warmtepomp | AVYclima (regio Aalst)
- Meta description: Vraag een vrijblijvende offerte: we plannen een plaatsbezoek en bezorgen een voorstel op maat. Bel of mail AVYclima.

Meta descriptions (improve snippet quality, unique per page)

Google explains that snippets are primarily generated from page content but may use meta descriptions when they better describe the page; unique, descriptive meta descriptions are recommended. ²⁵

Headings and page structure - One clear H1 per page: Airco plaatsen in Aalst, Warmtepomp installateur in Aalst, etc.

- Use H2s for: benefits, process, pricing factors, brands, FAQs, service area, proof (photos/cases), trust/certifications.

URL structure (simple, consistent, indexable) - Service hubs: /airco/, /warmtepomp/, /onderhoud/, /contact/

- City pages (only for real service area): /airco-aalst/, /warmtepomp-aalst/, /airco-ninove/, etc.

- Avoid parameter-based URLs for key landing pages.

Service page content template (repeatable) - 900-1,500 words per core service hub (airco, warmtepomp), 600-1,000 for each city page (but keep them genuinely localized).

- Include:

- "For who?" (woning, KMO, slaapkamer, winkel)
- "Which system?" (split/multisplit; lucht/lucht vs lucht/water)
- "How we work" (plaatsbezoek → offerte → planning → installatie → nazorg)
- "What affects price?" (distance, capacity, piping length, electrical work, indoor unit count)

- FAQs (real customer questions)
- Strong CTA block (phone + form)
- Proof: installation photos, short case summaries, badges/certificates

Local SEO strategy for Aalst and nearby cities

Local SEO is the highest-leverage channel for an installer because many searches trigger a local pack and map results.

Google Business Profile optimization

Follow Google's guidance that your profile must accurately represent your business and be consistent with real-world branding and service area details. ³ Key actions:

- Primary category: align with the closest match to HVAC/air conditioning contractor/heat pump installer (test categories; don't overstuff).
- Services: list install/maintenance/repair separately for airco and warmtepomp.
- Service area: include Aalst plus only the towns you truly serve (keep it credible).
- Photos: before/after installs, indoor units, outdoor units, team, branded van, certificates, showroom/office signage (if any).
- Posts weekly/biweekly: seasonal messaging (spring "ready for summer cooling"; autumn "heat pump efficiency check").
- Q&A: seed 8–12 real FAQs (answered from the owner account), then keep updated.

Reviews strategy that is policy-safe

Google's Business Profile policies emphasize accurate representation and adherence to prohibited/restricted content rules that apply to reviews and other formats. ²⁶ Practical approach:

- Create a short, consistent ask: after handover + after first maintenance, send a direct review link (SMS + email).
- Keep it neutral: ask for an honest review; do not gate or incentivize.
- Reply to every review with local/service cues (without keyword stuffing): "Thanks for trusting us for your Daikin multisplit in [town]."

Local citations and NAP consistency

- Standardize NAP: exact same business name, address (or service-area model), and phone across web directories, social profiles, trade directories, and local chambers.
- Build a "Contact & Service Area" page that becomes your canonical NAP source for Google and for citations.

Localized landing pages without "doorway" risk

Build city pages only where the content is genuinely useful and non-duplicative: - Include specific neighborhoods/service patterns, typical housing types, parking/access considerations, and 1–2 local case studies per city page.

- Interlink via a "Werkgebied" hub page: Aalst + nearby towns.

If you later create French pages, use hreflang per Google's localized versions guidance so language variants are properly understood. ²³

Content strategy and publishing calendar

Pillar-and-cluster model that fits installers

- Pillar page: **Airco in regio Aalst** (what, types, sizing, process, cost drivers, FAQs, maintenance)
- Pillar page: **Warmtepomp in regio Aalst** (types, when each fits, dimensioning, radiators vs floor heating, COP/SCOP basics, FAQs, maintenance)
- Clusters: short, highly targeted posts answering “price/choice/problem” searches and building internal links to the pillars and service pages.

Meta descriptions and page titles should follow Google’s documented best practices (clear, unique, descriptive), because snippets and titles influence CTR and relevance perception. ²⁷

Content calendar (four months)

Month	Asset	Primary target	Intent	Format	Suggested length	Multimedia
Month 1	Airco pillar page	airco plaatsen aalst	Commercial/Transactional	Pillar	1,800–2,500	Diagram: split vs multisplit; photo gallery
Month 1	Warmtepomp pillar page	warmtepomp installateur aalst	Commercial/Transactional	Pillar	2,000–3,000	Diagram: lucht/lucht vs lucht/water
Month 1	Blog: “Airco als verwarming?”	airco verwarmen / lucht-lucht warmtepomp	Informational→Commercial	Blog	1,000–1,400	Simple SCOP explainer graphic
Month 1	FAQ page: onderhoud	airco onderhoud aalst	Transactional	Service + FAQ	900–1,200	Checklist infographic
Month 2	City page	airco ninove	Transactional	Landing	700–1,000	Local install photos
Month 2	City page	warmtepomp ninove	Transactional	Landing	700–1,000	Local install photos
Month 2	Blog: “Wat bepaalt de prijs?”	airco prijs factoren	Commercial	Blog	1,200–1,600	Cost breakdown diagram
Month 2	Case study template + 2 cases	daikin airco aalst	Commercial	Case study	600–900 each	Before/after images
Month 3	City page	aircoendermonde	Transactional	Landing	700–1,000	Map + install images

Month	Asset	Primary target	Intent	Format	Suggested length	Multimedia
Month 3	City page	warmtepomp dendermonde	Transactional	Landing	700–1,000	Map + install images
Month 3	Blog: “Welke warmtepomp past bij renovatie?”	warmtepomp renovatie	Commercial	Blog	1,300–1,800	Decision tree
Month 3	Blog: “Onderhoud: waarom en wanneer?”	warmtepomp onderhoud	Informational→Transactional	Blog	1,000–1,400	Maintenance checklist
Month 4	City page	airco erpe-mere	Transactional	Landing	700–1,000	Local install photos
Month 4	City page	warmtepomp erpe-mere	Transactional	Landing	700–1,000	Local install photos
Month 4	Blog: “Meest gemaakte fouten bij airco keuze”	airco kiezen	Informational	Blog	1,200–1,600	“Do/don’t” visuals
Month 4	Comparison page	split vs multisplit	Commercial	Guide	1,200–1,800	Comparison table graphic

Schema implementation note: add FAQ schema only to pages with visible FAQs. LocalBusiness schema belongs on the business info page and must follow Google’s guidelines and required fields. ⁹

Authority building, outreach, and competitor analysis

Competitor set and observed positioning

The following competitors show strong visibility signals around the “installateur” + region positioning, based on their own site messaging:

- THERMOsfeer ²⁸ explicitly positions as an installer in the Aalst region and lists warmtepompen/airco among core services, including certification signals. ²⁹
- AIRON ³⁰ strongly localizes (“installateur ... in Aalst”) and clearly lists airco/warmtepomp/ventilatie services with process framing. ³¹
- Klima ³² claims long tenure and Daikin specialization and uses testimonials—strong trust cues for conversion. ³³
- Keep It Cool ³⁴ runs an Aalst-focused landing page with experience and review claims—strong for local organic + conversion. ³⁵
- HL Technieken ³⁶ targets Aalst and nearby towns with dedicated service-area language, which often maps well to long-tail local queries. ³⁷

Competitor comparison table

Competitor	Strengths (SEO/UX)	Weaknesses / opportunities for AVYclima	Likely best AVYclima counter
THERMOsfeer	Clear regional scope + broad service list + certifications cited. ²⁹	Broader scope may dilute airco/ warmtepomp specialization messaging	Out-specialize on Daikin + publish deeper guides/ cases
AIRON	Strong “Aalst” positioning + clear process narrative. ³¹	May rely heavily on brand/person; content depth unknown	Build more authoritative pillar pages + stronger proof assets
Klima	Tenure + Daikin + testimonials = strong trust. ³³	Competes directly on Daikin niche	Differentiate on service speed, maintenance plans, transparent quoting
Keep It Cool	Dedicated Aalst landing + experience + reviews claim. ³⁵	Could be vulnerable if pages are thin or duplicated across towns	Create higher-quality, truly localized pages + better internal linking
HL Technieken	Targets multiple towns around Aalst, matching long-tail behavior. ³⁷	Multi-town pages can become repetitive if not localized	Build fewer but stronger city pages with unique case studies

Backlink comparison note (important): precise referring-domain/backlink counts were not retrievable in this environment without tool access. For rigorous benchmarking, use a backlink dataset such as Majestic ³⁸ Site Explorer (Fresh index) and compare Referring Domains, Trust Flow/Citation Flow, and top linked pages. Majestic documents Site Explorer as a backlink/referring-domain analysis suite designed for competitive research. ³⁹

Backlink and outreach strategy

Core principle: prioritize *local relevance* and *service proof* over generic directory spam. Many link tools emphasize that backlinks and referring domains correlate with rankings, but quality and relevance matter more than raw quantity. ⁴⁰

High-probability Belgian outreach targets (practical buckets): - Local press: “installation story” + energy-efficiency angle + local customer case.

- Municipal/community sites: sponsorships, community projects, local event support.

- B2B partners: electricians, architects, renovators, property management firms—exchange resource links (not “link swaps” at scale).

- Manufacturer/community: showcase installs, become listed in partner directories if applicable (especially as a Daikin-focused installer). ²

PR ideas that earn links - Publish a “Heat pump readiness checklist for older homes in the Aalst region” (downloadable PDF + web page).

- Seasonal data post: “When do people search for airco in East Flanders?” (use internal lead volume + anonymized trends).

- Case-study gallery: “Before/after installs” with short engineering notes (routing, noise considerations, condensate management).

Outreach email template (short, local) - Subject: Local case study: Daikin multisplit install in [Town]

- Body:
- 1–2 lines: why it matters to their audience (comfort, efficiency, renovation).
- Link to a single high-quality case page.
- Offer: short quote + 2–3 photos + technical note (non-promotional).
- Close: availability for follow-up.

Measurement plan and roadmap

KPIs that matter for an installer

Visibility - Search Console: impressions, clicks, CTR, average position by page group (airco hubs, warmtepomp hubs, city pages).

- Local pack presence: directional tracking (rank grid tools if available).

Engagement and conversion - Calls from organic (track via dedicated number or call events).

- “Offerte” form submissions (primary conversion).
- Secondary conversions: WhatsApp click, email click, route click.

Quality - Core Web Vitals status (good/needs improvement/poor) and key metrics LCP/INP/CLS—Google provides thresholds and recommends good performance. ⁴¹

- Index coverage and crawl errors.

Tracking setup (minimum reliable stack)

- GA4: events for generate_lead, click_to_call, contact_form_submit, whatsapp_click.
- Search Console: sitemap submission, indexing checks, CWV monitoring. Robots.txt reporting exists specifically for monitoring issues when files are missing or have errors. ⁴²
- GBP Insights: calls, direction requests, website clicks.

Roadmap timeline

```

gantt
title Local SEO + Organic Growth Roadmap (6–12 months)
dateFormat YYYY-MM-DD

section Foundation
Tracking + baselines (GA4/GSC/GBP) :done, 2026-04-09, 14d
Build service hub IA + internal linking plan :active, 2026-04-15, 21d

section Technical
Crawl/index hygiene (robots, sitemap, canonicals) : 2026-04-15, 30d
Core Web Vitals improvements (LCP/INP/CLS) : 2026-04-20, 90d
LocalBusiness + FAQ schema rollout : 2026-05-01, 30d

```

section Content

Publish airco + warmtepomp pillar pages : 2026-05-01, 30d

Publish priority city pages (Aalst + 3-6 towns) : 2026-05-15, 90d

Ongoing blogs + case studies (2-4/mo) : 2026-05-15, 210d

section Local authority

GBP optimization + review systemization : 2026-04-15, 210d

Citations cleanup + local partner outreach : 2026-06-01, 210d

section Optimization

CRO iterations (forms, CTAs, trust blocks) : 2026-07-01, 180d

Quarterly content refresh + pruning : 2026-08-01, 240d

Milestones to define "success": - Month 2: service hubs indexed; first city pages indexed; GBP fully optimized; review request engine live.

- Month 4: consistent long-tail rankings for at least 10-20 "service + town" queries; steady organic leads (even if small).

- Month 6-12: expand into more competitive towns and broader informational queries; strengthen authority through case studies and partner links.

Policy and compliance reminder: GBP content must be accurate and comply with Google policies; violations can lead to restrictions on profile content visibility. ²⁶

¹ ⁹ ¹⁸ ²² ³⁸ <https://developers.google.com/search/docs/appearance/structured-data/local-business>

<https://developers.google.com/search/docs/appearance/structured-data/local-business>

² ¹³ ¹⁴ ¹⁷ ³² <https://avyclima.be/>

<https://avyclima.be/>

³ <https://support.google.com/business/answer/3038177?hl=en>

<https://support.google.com/business/answer/3038177?hl=en>

⁴ ⁴¹ <https://developers.google.com/search/docs/appearance/core-web-vitals>

<https://developers.google.com/search/docs/appearance/core-web-vitals>

⁵ ⁷ <https://www.semrush.com/kb/257-keyword-overview>

<https://www.semrush.com/kb/257-keyword-overview>

⁶ ²³ <https://developers.google.com/search/docs/specialty/international/localized-versions>

<https://developers.google.com/search/docs/specialty/international/localized-versions>

⁸ ¹² ³¹ <https://airon.be/>

<https://airon.be/>

¹⁰ ¹⁵ <https://www.semrush.com/analytics/keywordoverview/>

<https://www.semrush.com/analytics/keywordoverview/>

¹¹ ²⁴ ²⁷ ³⁴ https://developers.google.com/search/docs/advanced/appearance/good-titles-snippets?authuser=&hl=en&rd=1&visit_id=639013833878171146-1259090707

https://developers.google.com/search/docs/advanced/appearance/good-titles-snippets?authuser=&hl=en&rd=1&visit_id=639013833878171146-1259090707

https://developers.google.com/search/docs/advanced/appearance/good-titles-snippets?authuser=&hl=en&rd=1&visit_id=639013833878171146-1259090707

- 16 26 <https://support.google.com/business/answer/13762416?hl=en>
<https://support.google.com/business/answer/13762416?hl=en>
- 19 29 <https://www.thermosfeer.com/>
<https://www.thermosfeer.com/>
- 20 <https://support.google.com/webmasters/answer/10218333?hl=en-PR>
<https://support.google.com/webmasters/answer/10218333?hl=en-PR>
- 21 <https://support.google.com/webmasters/answer/12818275?hl=fr>
<https://support.google.com/webmasters/answer/12818275?hl=fr>
- 25 <https://developers.google.com/search/docs/appearance/snippet>
<https://developers.google.com/search/docs/appearance/snippet>
- 28 35 <https://www.keepitcoolbvba.be/airco-aalst.html>
<https://www.keepitcoolbvba.be/airco-aalst.html>
- 30 37 <https://www.hltechnieken.be/airco-warmtepomp/>
<https://www.hltechnieken.be/airco-warmtepomp/>
- 33 36 <https://www.klima.be/>
<https://www.klima.be/>
- 39 <https://majestic.com/help/tools/site-explorer>
<https://majestic.com/help/tools/site-explorer>
- 40 <https://ahrefs.com/blog/keyword-difficulty/>
<https://ahrefs.com/blog/keyword-difficulty/>
- 42 <https://support.google.com/webmasters/answer/6062598?hl=fr>
<https://support.google.com/webmasters/answer/6062598?hl=fr>