

ROLLER FOLLOWERS STAINLESS STEEL

SEPARABLE
WITH INNER RING
WITH SHIELD







NAST..MZZ




NAST..MZZ



NAST..MZZUU



NAST..MZZR



NAST..MZZUUR

NAST..MZZ TYPE

Prepacked Grease

Shaft Diameter (mm)	Designation: Cylindrical outer ring, Without seals	Designation: Cylindrical outer ring, With seals	Designation: Crowned outer ring (R500), Without seals	Designation: Crowned outer ring (R500), With seals	d	D	B	C	a	e	f	rs min	Basic dynamic load rating Cr N	Basic static load rating Cor N	Track load capacity: Cylindrical outer ring N	Track load capacity: Crowned outer ring N	Limiting speed * rpm	Mass g (approx)
6	**NAST 6MZZ**	**NAST 6MZZUU**	**NAST 6MZZR**	**NAST 6MZZUUR**	6 0 -0.008	**19**	14	13.8	14	2.5	0.8	0.3	3 790	4 180	3 530	1 370	20 000	24.5
8	**NAST 8MZZ**	**NAST 8MZZUU**	**NAST 8MZZR**	**NAST 8MZZUUR**	8 0 -0.008	**24**	14	13.8	17.5	2.5	0.8	0.6	5 220	5 410	4 510	1 860	17 000	39
10	**NAST10MZZ**	**NAST10MZZUU**	**NAST10MZZR**	**NAST10MZZUUR**	10 0 -0.008	**30**	16	15.8	23.5	2.5	0.8	1	8 920	8 890	6 860	2 450	15 000	65
12	**NAST12MZZ**	**NAST12MZZUU**	**NAST12MZZR**	**NAST12MZZUUR**	12 0 -0.008	**32**	16	15.8	25.5	2.5	0.8	1	9 560	10 020	7 350	2 740	13 000	75
15	**NAST15MZZ**	**NAST15MZZUU**	**NAST15MZZR**	**NAST15MZZUUR**	15 0 -0.008	**35**	16	15.8	29	2.5	0.8	1	11 310	13 150	8 040	3 140	10 000	83
17	**NAST17MZZ**	**NAST17MZZUU**	**NAST17MZZR**	**NAST17MZZUUR**	17 0 -0.010	**40**	20	19.8	32.5	3	1	1	16 000	19 220	11 800	3 720	9 500	135
20	**NAST20MZZ**	**NAST20MZZUU**	**NAST20MZZR**	**NAST20MZZUUR**	20 0 -0.010	**47**	20	19.8	38	3	1	1	17 660	22 540	13 800	4 610	8 500	195
25	**NAST25MZZ**	**NAST25MZZUU**	**NAST25MZZR**	**NAST25MZZUUR**	25 0 -0.010	**52**	20	19.8	43	3	1	1	19 040	26 120	15 300	5 290	7 000	225
30	**NAST30MZZ**	**NAST30MZZUU**	**NAST30MZZR**	**NAST30MZZUUR**	30 0 -0.010	**62**	25	24.8	50.5	4	1.2	1	27 870	41 760	22 100	6 660	5 500	400
35	**NAST35MZZ**	**NAST35MZZUU**	**NAST35MZZR**	**NAST35MZZUUR**	35 0 -0.012	**72**	25	24.8	53.5	4	1.2	1	29 620	46 550	25 700	8 130	5 000	550
40	**NAST40MZZ**	**NAST40MZZUU**	**NAST40MZZR**	**NAST40MZZUUR**	40 0 -0.012	**80**	26	25.8	61.5	4	1.2	1.5	32 840	56 210	30 300	9 310	4 000	710
45	**NAST45MZZ**	**NAST45MZZUU**	**NAST45MZZR**	**NAST45MZZUUR**	45 0 -0.012	**85**	26	25.8	66.5	4	1.2	1.5	34 130	61 080	31 100	10 100	4 000	760
50	**NAST50MZZ**	**NAST50MZZUU**	**NAST50MZZR**	**NAST50MZZUUR**	50 0 -0.012	**90**	26	25.8	76	4	1.2	1.5	35 600	66 050	34 000	11 000	3 500	830

* Without seals, suitable for grease lubrication. In case of oil lubrication, up to 130% of this value shall be permissible, and 70% of this value shall apply for types with seals.

OUTER RINGS TOLERANCE (Outside diameter) (µm)


TYPE	Cylindrical outer ring	Crowned outer ring
NAST6M,NAST8M,NAST10M	0/-9	0/-50
NAST12M,NAST15M,NAST17M,NAST20M	0/-11	0/-50
NAST25M,NAST30M,NAST35M,NAST40M	0/-13	0/-50
NAST45M,NAST50M	0/-15	0/-50



NAST..MZZ




ROLLER FOLLOWERS STAINLESS STEEL
NON SEPARABLE WITH INNER RING





NART..MR NART..VMR



NART..MR NART..MX | NART..MUUR NART..MUUX | NART..MVR NART..MVX | NART..MUUVR NART..MUUVX

NART.. M TYPE

Prepacked Grease

Shaft Diameter (mm)	Designation: Crowned outer ring R500(≦NART17R) R1000(NART20R≦) Without seals	Crowned outer ring With seals	Cylindrical outer ring Without seals	Cylindrical outer ring With seals	Dimensions (mm) d	D	B	C	a	r s min	Basic dynamic load rating Cr N	Basic static load rating Cor N	Track load capacity Crowned outer ring N	Track load capacity Cylindrical outer ring N	Limiting speed * rpm	Mass g (approx)
5	NART 5MR	NART 5MUUR	NART 5MX	NART 5MUUX	5 0	16	12	11	12	0.3	3 330	3 420	1 080	3 430	25 000	14.5
	NART 5MVR	NART 5MUUVR	NART 5MVX	NART 5MUUVX	5 -0.008	16	12	11	12	0.3	6 210	7 670	1 080	3 430	8 500	15.1
6	NART 6MR	NART 6MUUR	NART 6MX	NART 6MUUX	6 0	19	12	11	14	0.3	3 860	4 320	1 370	4 020	20 000	20.5
	NART 6MVR	NART 6MUUVR	NART 6MVX	NART 6MUUVX	6 -0.008	19	12	11	14	0.3	7 020	9 470	1 370	4 020	7 000	21.5
8	NART 8MR	NART 8MUUR	NART 8MX	NART 8MUUX	8 0	24	15	14	17.5	0.3	6 070	6 710	1 860	5 950	17 000	41.5
	NART 8MVR	NART 8MUUVR	NART 8MVX	NART 8MUUVX	8 -0.008	24	15	14	17.5	0.3	10 850	14 350	1 860	5 950	5 500	42.5
10	NART10MR	NART10MUUR	NART10MX	NART10MUUX	10 0	30	15	14	23.5	0.6	7 910	7 630	2 450	7 060	15 000	64.5
	NART10MVR	NART10MUUVR	NART10MVX	NART10MUUVX	10 -0.008	30	15	14	23.5	0.6	14 350	16 650	2 450	7 060	5 000	66.5
12	NART12MR	NART12MUUR	NART12MX	NART12MUUX	12 0	32	15	14	25.5	0.6	8 370	8 460	2 740	7 450	13 000	71
	NART12MVR	NART12MUUVR	NART12MVX	NART12MUUVX	12 -0.008	32	15	14	25.5	0.6	15 450	18 860	2 740	7 450	4 500	73
15	NART15MR	NART15MUUR	NART15MX	NART15MUUX	15 0	35	19	18	29	0.6	13 240	16 190	3 140	11 200	10 000	102
	NART15MVR	NART15MUUVR	NART15MVX	NART15MUUVX	15 -0.008	35	19	18	29	0.6	23 090	33 480	3 140	11 200	3 500	106
17	NART17MR	NART17MUUR	NART17MX	NART17MUUX	17 0	40	21	20	32.5	1	17 110	20 700	3 720	14 400	9 500	149
	NART17MVR	NART17MUUVR	NART17MVX	NART17MUUVX	17 -0.008	40	21	20	32.5	1	29 440	42 500	3 720	14 400	3 000	155
20	NART20MR	NART20MUUR	NART20MX	NART20MUUX	20 0	47	25	24	38	1	22 170	30 080	7 150	21 000	8 000	250
	NART20MVR	NART20MUUVR	NART20MVX	NART20MUUVX	20 -0.010	47	25	24	38	1	38 360	61 910	7 150	21 000	2 500	255
25	NART25MR	NART25MUUR	NART25MX	NART25MUUX	25 0	52	25	24	43	1	23 730	34 500	8 230	23 200	7 000	285
	NART25MVR	NART25MUUVR	NART25MVX	NART25MUUVX	25 -0.010	52	25	24	43	1	41 860	72 680	8 230	23 200	2 500	295
30	NART30MR	NART30MUUR	NART30MX	NART30MUUX	30 0	62	29	28	50.5	1	33 300	52 340	10 500	33 000	5 500	470
	NART30MVR	NART30MUUVR	NART30MVX	NART30MUUVX	30 -0.010	62	29	28	50.5	1	55 010	101 560	10 500	33 000	1 800	485
35	NART35MR	NART35MUUR	NART35MX	NART35MUUX	35 0	72	29	28	53.5	1	35 140	57 770	12 900	38 000	5 000	640
	NART35MVR	NART35MUUVR	NART35MVX	NART35MUUVX	35 -0.012	72	29	28	53.5	1	57 960	111 780	12 900	38 000	1 700	655
40	NART40MR	NART40MUUR	NART40MX	NART40MUUX	40 0	80	32	30	61.5	1	42 500	77 920	14 900	44 400	4 000	845
	NART40MVR	NART40MUUVR	NART40MVX	NART40MUUVX	40 -0.012	80	32	30	61.5	1	70 100	151 060	14 900	44 000	1 400	865
45	NART45MR	NART45MUUR	NART45MX	NART45MUUX	45 0	85	32	30	66.5	1	45 350	87 580	16 100	47 000	4 000	915
	NART45MVR	NART45MUUVR	NART45MVX	NART45MUUVX	45 -0.012	85	32	30	66.5	1	73 780	166 610	16 100	47 000	1 300	935
50	NART50MR	NART50MUUR	NART50MX	NART50MUUX	50 0	90	32	30	76	1	47 010	94 110	17 300	50 000	3 500	980
	NART50MVR	NART50MUUVR	NART50MVX	NART50MUUVX	50 -0.012	90	32	30	76	1	77 370	182 160	17 300	50 000	1 200	1 010

* Without seals, suitable for grease lubrication. In case of oil lubrication, up to 130% of this value shall be permissible, and 70% of this value shall apply for types with seals.


OUTER RINGS TOLERANCE (Outside diameter) (μm)

TYPE	Crowned outer ring	Cylindrical outer ring
NART5M	0/-50	0/-8
NART6M,NART8M,NART10M	0/-50	0/-9
NART12M,NART15M,NART17M,NART20M	0/-50	0/-11
NART25M,NART30M,NART35M,NART40M	0/-50	0/-13
NART45M,NART50M	0/-50	0/-15


INTERCHANGE TABLE



MACHINED RING NEEDLE ROLLER BEARINGS
WITH INNER RING
WITHOUT INNER RING



NA49



RNA49


NA49, RNA49

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NA 49	g	RNA 49	g	IR	d	Fw (F)	D	C	Cr N	Cor N	NA 49	RNA 49	NA 49	RNA 49	NA 49	RNA 49	NA 49	RNA 49
NA 495	7.3	**RNA 495**	5.9	—	5	7	13	10	2 960	2 690	—	—	—	—	—	—	—	—
NA 496	9.1	**RNA 496**	7.3	**IR6810**	6	8	15	10	3 900	3 400	NA496	RNA496	NA496	—	NA496	RNA496	—	—
NA 497	11.2	**RNA 497**	9.3	**IR7910**	7	9	17	10	4 500	3 600	NA497	RNA497	NA497	—	NA497	RNA497	—	—
NA 498	15	**RNA 498**	12.6	**IR81011**	8	10	19	11	6 200	5 000	NA498	RNA498	NA498	—	NA498	RNA498	—	—
NA 499	16.7	**RNA 499**	13.6	**IR91211**	9	12	20	11	6 600	6 300	NA499	RNA499	NA499	—	NA499	RNA499	—	—
NA 4900	24	**RNA 4900**	16.5	**IR101413**	10	14	22	13	9 200	10 100	NA4900	RNA4900	NA4900	RNA4900	NA4900R	RNA4900R	NA4900	RNA4900
NA 4901	26.5	**RNA 4901**	18.1	**IR121613**	12	16	24	13	9 700	11 100	NA4901	RNA4901	NA4901	RNA4901	NA4901R	RNA4901R	NA4901	RNA4901
NA 4902	35	**RNA 4902**	21.5	**IR152013**	15	20	28	13	10 900	13 800	NA4902	RNA4902	NA4902	RNA4902	NA4902R	RNA4902R	NA4902	RNA4902
NA 4903	39	**RNA 4903**	23.5	**IR172213**	17	22	30	13	11 800	15 600	NA4903	RNA4903	NA4903	RNA4903	NA4903R	RNA4903R	NA4903	RNA4903
NA 4904	78.5	**RNA 4904**	55.5	**IR202517**	20	25	37	17	21 000	25 000	NA4904	RNA4904	NA4904	RNA4904	NA4904R	RNA4904R	NA4904	RNA4904
NA 49/22	87	**RNA 49/22**	56.5	**IR222817**	22	28	39	17	21 400	28 800	NA49/22	RNA49/22	NA49/22	RNA49/22	NA49/22R	RNA49/22R	NA49/22	RNA49/22
NA 4905	92.5	**RNA 4905**	64	**IR253017**	25	30	42	17	23 700	30 700	NA4905	RNA4905	NA4905	RNA4905	NA4905R	RNA4905R	NA4905	RNA4905
NA 49/28	101	**RNA 49/28**	76.5	**IR283217**	28	32	45	17	24 500	32 700	NA49/28	RNA49/28	NA49/28	RNA49/28	NA49/28R	RNA49/28R	—	—
NA 4906	106	**RNA 4906**	72.5	**IR303517**	30	35	47	17	25 200	34 700	NA4906	RNA4906	NA4906	RNA4906	NA4906R	RNA4906R	NA4906	RNA4906
NA 49/32	165	**RNA 49/32**	96	**IR324020**	32	40	52	20	31 300	47 900	NA49/32	RNA49/32	NA49/32	RNA49/32	NA49/32R	RNA49/32R	NA49/32	RNA49/32
NA 4907	178	**RNA 4907**	113	**IR354220**	35	42	55	20	32 000	50 200	NA4907	RNA4907	NA4907	RNA4907	NA4907R	RNA4907R	NA4907	RNA4907
NA 4908	245	**RNA 4908**	152	**IR404822**	40	48	62	22	41 600	67 400	NA4908	RNA4908	NA4908	RNA4908	NA4908R	RNA4908R	NA4908	RNA4908
NA 4909	285	**RNA 4909**	197	**IR455222**	45	52	68	22	43 500	73 400	NA4909	RNA4909	NA4909	RNA4909	NA4909R	RNA4909R	NA4909	RNA4909
NA 4910	295	**RNA 4910**	179	**IR505822**	50	58	72	22	46 200	82 100	NA4910	RNA4910	NA4910	RNA4910	NA4910R	RNA4910R	NA4910	RNA4910
NA 4911	410	**RNA 4911**	265	**IR556325**	55	63	80	25	57 600	97 300	NA4911	RNA4911	NA4911	RNA4911	NA4911R	RNA4911R	NA4911	RNA4911
NA 4912	440	**RNA 4912**	285	**IR606825**	60	68	85	25	60 100	104 900	NA4912	RNA4912	NA4912	RNA4912	NA4912R	RNA4912R	NA4912	RNA4912
NA 4913	470	**RNA 4913**	325	**IR657225**	65	72	90	25	62 800	113 800	NA4913	RNA4913	NA4913	RNA4913	NA4913R	RNA4913R	NA4913	RNA4913
NA 4914	765	**RNA 4914**	495	**IR708030**	70	80	100	30	83 200	157 900	NA4914	RNA4914	NA4914	RNA4914	NA4914R	RNA4914R	NA4914	RNA4914
NA 4915	810	**RNA 4915**	525	**IR758530**	75	85	105	30	86 200	169 700	NA4915	RNA4915	NA4915	RNA4915	NA4915R	RNA4915R	NA4915	RNA4915
NA 4916	855	**RNA 4916**	550	**IR809030**	80	90	110	30	87 400	174 600	NA4916	RNA4916	NA4916	RNA4916	NA4916R	RNA4916R	NA4916	RNA4916
NA 4917	1 280	**RNA 4917**	705	**IR8510035**	85	100	120	35	109 800	244 200	NA4917	RNA4917	NA4917	RNA4917	NA4917R	RNA4917R	NA4917	RNA4917
NA 4918	1 350	**RNA 4918**	740	**IR9010535**	90	105	125	35	112 800	257 900	NA4918	RNA4918	NA4918	RNA4918	NA4918R	RNA4918R	NA4918	RNA4918
NA 4919	1 420	**RNA 4919**	770	**IR9511035**	95	110	130	35	116 700	270 700	NA4919	RNA4919	NA4919	RNA4919	NA4919R	RNA4919R	NA4919	RNA4919
NA 4920	1 960	**RNA 4920**	1 190	**IR10011540**	100	115	140	40	145 000	329 000	NA4920	RNA4920	NA4920	RNA4920	NA4920	RNA4920	NA4920	RNA4920
NA 4922	2 120	**RNA 4922**	1 280	**IR11012540**	110	125	150	40	152 000	357 000	NA4922	RNA4922	NA4922	RNA4922	NA4922	RNA4922	NA4922	RNA4922
NA 4924	2 960	**RNA 4924**	1 930	**IR12013545**	120	135	165	45	187 000	435 000	NA4924	RNA4924	NA4924	RNA4924	NA4924	RNA4924	NA4924	RNA4924
NA 4926	4 030	**RNA 4926**	2 360	**IR13015050**	130	150	180	50	216 000	540 000	NA4926	RNA4926	NA4926	RNA4926	NA4926	RNA4926	NA4926	RNA4926
NA 4928	4 290	**RNA 4928**	2 500	**IR14016050**	140	160	190	50	224 000	580 000	NA4928	RNA4928	NA4928	RNA4928	NA4928	RNA4928	NA4928	RNA4928

MACHINED RING NEEDLE ROLLER BEARINGS
WITH INNER RING
WITHOUT INNER RING



NA59




RNA59

NA59, RNA59


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NA 59	g	RNA 59	g	IR	d	Fw (F)	D	C	Cr N	Cor N	—	—	—	—	NA 59	RNA 59	—	—
NA 5902	52	**RNA 5902**	33	**IR152018**	15	20	28	18	15 700	22 100	—	—	—	—	NA5902	RNA5902	—	—
NA 5903	56	**RNA 5903**	35	**IR172218**	17	22	30	18	16 900	24 900	—	—	—	—	NA5903	RNA5903	—	—
NA 5904	115	**RNA 5904**	84	**IR202523**	20	25	37	23	29 400	38 600	—	—	—	—	NA5904	RNA5904	—	—
NA 59/22	134	**RNA 59/22**	92	**IR222823**	22	28	39	23	29 800	44 400	—	—	—	—	NA59/22	RNA59/22	—	—
NA 5905	139	**RNA 5905**	101	**IR253023**	25	30	42	23	33 200	47 500	—	—	—	—	NA5905	RNA5905	—	—
NA 59/28	142	**RNA 59/28**	108	**IR283223**	28	32	45	23	34 300	50 500	—	—	—	—	NA59/28	RNA59/28	—	—
NA 5906	152	**RNA 5906**	108	**IR303523**	30	35	47	23	35 200	53 700	—	—	—	—	NA5906	RNA5906	—	—
NA 59/32	241	**RNA 59/32**	149	**IR324027**	32	40	52	27	41 900	69 900	—	—	—	—	NA59/32	RNA59/32	—	—
NA 5907	256	**RNA 5907**	176	**IR354227**	35	42	55	27	42 900	73 200	—	—	—	—	NA5907	RNA5907	—	—
NA 5908	348	**RNA 5908**	225	**IR404830**	40	48	62	30	58 000	103 000	—	—	—	—	NA5908	RNA5908	—	—
NA 5909	396	**RNA 5909**	232	**IR455230**	45	52	68	30	60 700	112 000	—	—	—	—	NA5909	RNA5909	—	—
NA 5910	498	**RNA 5910**	289	**IR505830**	50	58	72	30	64 400	126 000	—	—	—	—	NA5910	RNA5910	—	—
NA 5911	559	**RNA 5911**	367	**IR556334**	55	63	80	34	82 600	154 000	—	—	—	—	NA5911	RNA5911	—	—
NA 5912	614	**RNA 5912**	408	**IR606834**	60	68	85	34	86 100	167 000	—	—	—	—	NA5912	RNA5912	—	—
NA 5913	655	**RNA 5913**	462	**IR657234**	65	72	90	34	89 900	180 000	—	—	—	—	NA5913	RNA5913	—	—
NA 5914	1 060	**RNA 5914**	706	**IR708040**	70	80	100	40	112 000	232 000	—	—	—	—	NA5914	RNA5914	—	—
NA 5915	1 130	**RNA 5915**	745	**IR758540**	75	85	105	40	116 000	249 000	—	—	—	—	NA5915	RNA5915	—	—
NA 5916	1 150	**RNA 5916**	787	**IR809040**	80	90	110	40	117 000	257 000	—	—	—	—	NA5916	RNA5916	—	—
NA 5917	1 760	**RNA 5917**	1 000	**IR8510046**	85	100	120	46	144 000	346 000	—	—	—	—	NA5917	RNA5917	—	—
NA 5918	1 840	**RNA 5918**	1 040	**IR9010546**	90	105	125	46	148 000	365 000	—	—	—	—	NA5918	RNA5918	—	—
NA 5919	1 980	**RNA 5919**	1 130	**IR9511046**	95	110	130	46	152 000	384 000	—	—	—	—	NA5919	RNA5919	—	—




NA69 (d≦30)



NA69



RNA69 (Fw≦35)



RNA69


NA69, RNA69

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NA 69	g	RNA 69	g	IR	d	Fw (F)	D	C	Cr N	Cor N	NA 69	RNA 69	NA 69	RNA 69	NA 69	RNA 69	NA 69	RNA 69
NA 6901	44.5	**RNA 6901**	30	**IR121622**	12	16	24	22	17 100	23 000	NA6901	RNA6901	NA6901	RNA6901	NA6901R	RNA6901R	NA6901	RNA6901
NA 6902	61	**RNA 6902**	37	**IR152023**	15	20	28	23	19 300	28 700	NA6902	RNA6902	NA6902	RNA6902	NA6902R	RNA6902R	NA6902	RNA6902
NA 6903	67	**RNA 6903**	40.5	**IR172223**	17	22	30	23	20 800	32 500	NA6903	RNA6903	NA6903	RNA6903	NA6903R	RNA6903R	NA6903	RNA6903
NA 6904	136	**RNA 6904**	95.5	**IR202530**	20	25	37	30	35 400	48 800	NA6904	RNA6904	NA6904	RNA6904	NA6904R	RNA6904R	NA6904	RNA6904
NA 69/22	152	**RNA 69/22**	97.5	**IR222830**	22	28	39	30	36 300	56 900	NA69/22	RNA69/22	NA69/22	RNA69/22	NA69/22R	RNA69/22R	NA69/22	RNA69/22
NA 6905	160	**RNA 6905**	111	**IR253030**	25	30	42	30	42 100	64 200	NA6905	RNA6905	NA6905	RNA6905	NA6905R	RNA6905R	NA6905	RNA6905
NA 69/28	176	**RNA 69/28**	133	**IR283230**	28	32	45	30	41 800	64 700	NA69/28	RNA69/28	NA69/28	RNA69/28	NA69/28R	RNA69/28R	NA69/28	RNA69/28
NA 6906	184	**RNA 6906**	125	**IR303530**	30	35	47	30	43 100	69 000	NA6906	RNA6906	NA6906	RNA6906	NA6906R	RNA6906R	NA6906	RNA6906
NA 69/32	295	**RNA 69/32**	172	**IR324036**	32	40	52	36	53 500	95 700	NA69/32	RNA69/32	NA69/32	RNA69/32	NA69/32R	RNA69/32R	NA69/32	RNA69/32
NA 6907	320	**RNA 6907**	200	**IR354236**	35	42	55	36	54 800	100 000	NA6907	RNA6907	NA6907	RNA6907	NA6907R	RNA6907R	NA6907	RNA6907
NA 6908	440	**RNA 6908**	275	**IR404840**	40	48	62	40	71 300	134 400	NA6908	RNA6908	NA6908	RNA6908	NA6908R	RNA6908R	NA6908	RNA6908
NA 6909	520	**RNA 6909**	355	**IR455240**	45	52	68	40	74 600	147 100	NA6909	RNA6909	NA6909	RNA6909	NA6909R	RNA6909R	NA6909	RNA6909
NA 6910	530	**RNA 6910**	320	**IR505840**	50	58	72	40	79 100	163 800	NA6910	RNA6910	NA6910	RNA6910	NA6910R	RNA6910R	NA6910	RNA6910
NA 6911	730	**RNA 6911**	475	**IR556345**	55	63	80	45	99 000	194 200	NA6911	RNA6911	NA6911	RNA6911	NA6911R	RNA6911R	NA6911	RNA6911
NA 6912	785	**RNA 6912**	510	**IR606845**	60	68	85	45	103 000	210 800	NA6912	RNA6912	NA6912	RNA6912	NA6912R	RNA6912R	NA6912	RNA6912
NA 6913	840	**RNA 6913**	585	**IR657245**	65	72	90	45	107 900	226 500	NA6913	RNA6913	NA6913	RNA6913	NA6913R	RNA6913R	NA6913	RNA6913
NA 6914	1 400	**RNA 6914**	910	**IR708054**	70	80	100	54	133 400	310 900	NA6914	RNA6914	NA6914	RNA6914	NA6914R	RNA6914R	NA6914	RNA6914
NA 6915	1 480	**RNA 6915**	960	**IR758554**	75	85	105	54	138 300	330 500	NA6915	RNA6915	NA6915	RNA6915	NA6915R	RNA6915R	NA6915	RNA6915
NA 6916	1 560	**RNA 6916**	1 010	**IR809054**	80	90	110	54	143 200	350 100	NA6916	RNA6916	NA6916	RNA6916	NA6916R	RNA6916R	NA6916	RNA6916
NA 6917	2 340	**RNA 6917**	1 300	**IR8510063**	85	100	120	63	172 600	466 800	NA6917	RNA6917	NA6917	RNA6917	NA6917R	RNA6917R	NA6917	RNA6917
NA 6918	2 460	**RNA 6918**	1 360	**IR9010563**	90	105	125	63	177 500	490 300	NA6918	RNA6918	NA6918	RNA6918	NA6918R	RNA6918R	NA6918	RNA6918
NA 6919	2 580	**RNA 6919**	1 420	**IR9511063**	95	110	130	63	182 400	514 800	NA6919	RNA6919	NA6919	RNA6919	NA6919R	RNA6919R	NA6919	RNA6919

MACHINED RING NEEDLE ROLLER BEARINGS
WITH INNER RING
WITHOUT INNER RING



NA48



RNA48


NA48, RNA48

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NA 48	g	RNA 48	g	IR	d	Fw (F)	D	C	Cr N	Cor N	NA 48	RNA 48	NA 48	RNA 48	NA 48	RNA 48	NA 48	RNA 48
NA 4822	1 200	**RNA4822**	790	**IR11012030**	110	120	140	30	93 000	239 000	NA4822	RNA4822	NA4822	RNA4822	NA4822	RNA4822	NA4822	RNA4822
NA 4824	1 300	**RNA4824**	850	**IR12013030**	120	130	150	30	97 000	259 000	NA4824	RNA4824	NA4824	RNA4824	NA4824	RNA4824	NA4824	RNA4824
NA 4826	1 960	**RNA4826**	1 100	**IR13014535**	130	145	165	35	117 000	340 000	NA4826	RNA4826	NA4826	RNA4826	NA4826	RNA4826	NA4826	RNA4826
NA 4828	2 100	**RNA4828**	1 170	**IR14015535**	140	155	175	35	121 000	363 000	NA4828	RNA4828	NA4828	RNA4828	NA4828	RNA4828	NA4828	RNA4828
NA 4830	2 880	**RNA4830**	1 750	**IR15016540**	150	165	190	40	168 000	446 000	NA4830	RNA4830	NA4830	RNA4830	NA4830	RNA4830	NA4830	RNA4830
NA 4832	3 050	**RNA4832**	1 850	**IR16017540**	160	175	200	40	173 000	474 000	NA4832	RNA4832	NA4832	RNA4832	NA4832	RNA4832	NA4832	RNA4832


MACHINED RING NEEDLE ROLLER BEARINGS
WITH INNER RING
WITHOUT INNER RING




NKI (d≦8)



NKI



NK (Fw≦10)



NK

NK, NKI


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NKI	g	NK	g	IR	d	Fw (F)	D	C	Cr N	Cor N	TAFI	TAF	NKI	NK	NK+IR	NK	NKJ	NK
—	—	**NK5/10**	3.4	—	—	5	10	10	2 420	1 950	—	TAF51010	—	NK5/10 TN	—	NK5/10 T2	—	NK5/10 TN
—	—	**NK5/12**	4.2	—	—	5	10	12	3 080	2 660	—	TAF51012	—	NK5/12 TN	—	NK5/12 T2	—	NK5/12 TN
—	—	**NK6/10**	5.3	—	—	6	12	10	2 700	2 320	—	—	—	NK6/10 TN	—	NK6/10 T2	—	NK6/10
—	—	**NK6/12**	6.4	—	—	6	12	12	3 440	3 170	—	TAF61212	—	NK6/12 TN	—	NK6/12 T2	—	NK6/12 TN
—	—	**NK7/10**	6.9	—	—	7	14	10	3 600	2 960	—	TAF71410	—	NK7/10 TN	—	NK7/10 T2	—	NK7/10 TN
—	—	**NK7/12**	8.3	—	—	7	14	12	4 610	4 050	—	TAF71412	—	NK7/12 TN	—	NK7/12 T2	—	NK7/12 TN
NKI 5/12	11.9	**NK8/12**	9	**IR5812**	5	8	15	12	5 100	4 700	TAFI 51512	TAF81512	NKI 5/12 TN	NK8/12 TN	NK8/12 T2 + IR5812	NK8/12 T2	NKJ 5/12	NK8/12
NKI 5/16	16.7	**NK8/16**	13	**IR5816**	5	8	15	16	7 100	7 300	TAFI 51516	TAF81516	NKI 5/16 TN	NK8/16 TN	NK8/16 T2 + IR5816	NK8/16 T2	NKJ 5/16	NK8/16
NKI 6/12	13	**NK9/12**	10	**IR6912**	6	9	16	12	5 500	5 300	TAFI 61612	TAF91612	NKI 6/12 TN	NK9/12 TN	NK9/12 T2 + IR6912	NK9/12 T2	NKJ 6/12	NK9/12
NKI 6/16	17.5	**NK9/16**	13.2	**IR6916**	6	9	16	16	7 600	8 200	TAFI 61616	TAF91616	NKI 6/16 TN	NK9/16 TN	NK9/16 T2 + IR6916	NK9/16 T2	NKJ 6/16	NK9/16
NKI 7/12	14.3	**NK10/12**	10.7	**IR71012**	7	10	17	12	5 900	6 000	TAFI 71712	TAF101712	NKI 7/12 TN	NK10/12 TN	NK10/12 T2 + IR71012	NK10/12 T2	NKJ 7/12	NK10/12
NKI 7/16	19.2	**NK10/16**	14.3	**IR71016**	7	10	17	16	8 200	9 200	TAFI 71716	TAF101716	NKI 7/16 TN	NK10/16 TN	NK10/16 + IR71016	NK10/16	NKJ 7/16 TN	NK10/16 TN
NKI 9/12	16.7	**NK12/12**	12.2	**IR91212**	9	12	19	12	6 600	7 300	TAFI 91912	TAF121912	NKI 9/12	NK12/12	NK12/12 + IR91212	NK12/12	NKJ 9/12	NK12/12
NKI 9/16	22.5	**NK12/16**	16.3	**IR91216**	9	12	19	16	9 200	11 200	TAFI 91916	TAF121916	NKI 9/16	NK12/16	NK12/16 + IR91216	NK12/16	NKJ 9/16	NK12/16
NKI 10/16	30	**NK14/16**	21	**IR101416**	10	14	22	16	11 800	13 700	TAFI 102216	TAF142216	NKI 10/16	NK14/16	NK14/16R + IR101416	NK14/16R	NKJ 10/16	NK14/16
NKI 10/20	38	**NK14/20**	26.5	**IR101420**	10	14	22	20	14 800	18 500	TAFI 102220	TAF142220	NKI 10/20	NK14/20	NK14/20R + IR101420	NK14/20R	NKJ 10/20	NK14/20
—	—	**NK15/16**	22.5	—	—	15	23	16	12 400	14 900	—	TAF152316	—	NK15/16	—	NK15/16R	—	NK15/16
—	—	**NK15/20**	28	—	—	15	23	20	15 600	20 200	—	TAF152320	—	NK15/20	—	NK15/20R	—	NK15/20
NKI 12/16	33.5	**NK16/16**	23	**IR121616**	12	16	24	16	12 300	15 100	TAFI 122416	TAF162416	NKI 12/16	NK16/16	NK16/16R + IR121616	NK16/16R	NKJ 12/16	NK16/16
NKI 12/20	42.5	**NK16/20**	29	**IR121620**	12	16	24	20	15 600	20 400	TAFI 122420	TAF162420	NKI 12/20	NK16/20	NK16/20R + IR121620	NK16/20R	NKJ 12/20	NK16/20
—	—	**NK17/16**	25	—	—	17	25	16	12 800	16 300	—	TAF172516	—	NK17/16	—	NK17/16R	—	NK17/16
—	—	**NK17/20**	31	—	—	17	25	20	16 300	22 100	—	TAF172520	—	NK17/20	—	NK17/20R	—	NK17/20
—	—	**NK18/16**	26	—	—	18	26	16	13 400	17 500	—	TAF182616	—	NK18/16	—	NK18/16R	—	NK18/16
—	—	**NK18/20**	32	—	—	18	26	20	17 000	23 600	—	TAF182620	—	NK18/20	—	NK18/20R	—	NK18/20
NKI 15/16	39.5	**NK19/16**	27	**IR151916**	15	19	27	16	14 000	18 700	TAFI 152716	TAF192716	NKI 15/16	NK19/16	NK19/16R + IR151916	NK19/16R	NKJ 15/16	NK19/16
NKI 15/20	50	**NK19/20**	34	**IR151920**	15	19	27	20	17 700	25 300	TAFI 152720	TAF192720	NKI 15/20	NK19/20	NK19/20R + IR151920	NK19/20R	NKJ 15/20	NK19/20
—	—	**NK20/16**	28	—	—	20	28	16	13 900	18 700	—	TAF202816	—	NK20/16	—	NK20/16R	—	NK20/16
—	—	**NK20/20**	36	—	—	20	28	20	17 600	25 400	—	TAF202820	—	NK20/20	—	NK20/20R	—	NK20/20
NKI 17/16	43.5	**NK21/16**	29	**IR172116**	17	21	29	16	14 400	20 000	TAFI 172916	TAF212916	NKI 17/16	NK21/16	NK21/16R + IR172116	NK21/16R	NKJ 17/16	NK21/16
NKI 17/20	54	**NK21/20**	36	**IR172120**	17	21	29	20	18 200	27 100	TAFI 172920	TAF212920	NKI 17/20	NK21/20	NK21/20R + IR172120	NK21/20R	NKJ 17/20	NK21/20
—	—	**NK22/16**	30	—	—	22	30	16	14 900	21 200	—	TAF223016	—	NK22/16	—	NK22/16R	—	NK22/16
—	—	**NK22/20**	38	—	—	22	30	20	18 900	28 700	—	TAF223020	—	NK22/20	—	NK22/20R	—	NK22/20
NKI 20/16	48.5	**NK24/16**	32	**IR202416**	20	24	32	16	15 300	22 600	TAFI 203216	TAF243216	NKI 20/16	NK24/16	NK24/16R + IR202416	NK24/16R	NKJ 20/16	NK24/16
NKI 20/20	61	**NK24/20**	41	**IR202420**	20	24	32	20	19 400	30 500	TAFI 203220	TAF243220	NKI 20/20	NK24/20	NK24/20R + IR202420	NK24/20R	NKJ 20/20	NK24/20

NK type of 10mm or less inscribed circle diameter (Fw) is without oil hole.
NKI type of 8mm or less inscribed circle diameter (d) is without oil hole.

MACHINED RING NEEDLE ROLLER BEARINGS
WITH INNER RING
WITHOUT INNER RING



NKI



NK

NK, NKI

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NKI	g	NK	g	IR	d	Fw (F)	D	C	Cr N	Cor N	TAFI	TAF	NKI	NK	NK+IR	NK	NKJ	NK
—	—	**NK25/16**	34	—	—	25	33	16	15 800	23 700	—	TAF253316	—	NK25/16	—	NK25/16R	—	NK25/16
—	—	**NK25/20**	42	—	—	25	33	20	20 000	32 200	—	TAF253320	—	NK25/20	—	NK25/20R	—	NK25/20
NKI 22/16	52	**NK26/16**	35	**IR222616**	22	26	34	16	16 300	24 900	TAFI 223416	TAF263416	NKI 22/16	NK26/16	NK26/16R + IR222616	NK26/16R	NKJ 22/16	NK26/16
NKI 22/20	67.5	**NK26/20**	44	**IR222620**	22	26	34	20	20 600	33 700	TAFI 223420	TAF263420	NKI 22/20	NK26/20	NK26/20R + IR222620	NK26/20R	NKJ 22/20	NK26/20
—	—	**NK28/20**	52	—	—	28	37	20	21 700	37 100	—	TAF283720	—	NK28/20	—	NK28/20R	—	NK28/20
—	—	**NK28/30**	84	—	—	28	37	30	31 100	58 900	—	TAF283730	—	NK28/30	—	NK28/30R	—	NK28/30
NKI 25/20	82	**NK29/20**	57	**IR252920**	25	29	38	20	21 600	37 200	TAFI 253820	TAF293820	NKI 25/20	NK29/20	NK29/20R + IR252920	NK29/20R	NKJ 25/20	NK29/20
NKI 25/30	123	**NK29/30**	85	**IR252930**	25	29	38	30	30 900	59 000	TAFI 253830	TAF293830	NKI 25/30	NK29/30	NK29/30R + IR252930	NK29/30R	NKJ 25/30	NK29/30
—	—	**NK30/20**	65	—	—	30	40	20	25 100	40 100	—	TAF304020	—	NK30/20	—	NK30/20R	—	NK30/20
—	—	**NK30/30**	98	—	—	30	40	30	36 000	63 800	—	TAF304030	—	NK30/30	—	NK30/30R	—	NK30/30
NKI 28/20	96.5	**NK32/20**	68	**IR283220**	28	32	42	20	25 700	42 200	TAFI 284220	TAF324220	NKI 28/20	NK32/20	NK32/20R + IR283220	NK32/20R	NKJ 28/20	NK32/20
NKI 28/30	145	**NK32/30**	102	**IR283230**	28	32	42	30	36 900	67 100	TAFI 284230	TAF324230	NKI 28/30	NK32/30	NK32/30R + IR283230	NK32/30R	NKJ 28/30	NK32/30
NKI 30/20	112	**NK35/20**	74	**IR303520**	30	35	45	20	27 000	46 200	TAFI 304520	TAF354520	NKI 30/20	NK35/20	NK35/20R + IR303520	NK35/20R	NKJ 30/20	NK35/20
NKI 30/30	171	**NK35/30**	112	**IR303530**	30	35	45	30	38 600	73 500	TAFI 304530	TAF354530	NKI 30/30	NK35/30	NK35/30R + IR303530	NK35/30R	NKJ 30/30	NK35/30
NKI 32/20	121	**NK37/20**	78	**IR323720**	32	37	47	20	28 200	50 100	TAFI 324720	TAF374720	NKI 32/20	NK37/20	NK37/20R + IR323720	NK37/20R	NKJ 32/20	NK37/20
NKI 32/30	180	**NK37/30**	117	**IR323730**	32	37	47	30	40 500	79 800	TAFI 324730	TAF374730	NKI 32/30	NK37/30	NK37/30R + IR323730	NK37/30R	NKJ 32/30	NK37/30
—	—	**NK38/20**	79	—	—	38	48	20	28 100	50 200	—	TAF384820	—	NK38/20	—	NK38/20R	—	NK38/20
—	—	**NK38/30**	119	—	—	38	48	30	40 300	80 000	—	TAF384830	—	NK38/30	—	NK38/30R	—	NK38/30
NKI 35/20	129	**NK40/20**	83	**IR354020**	35	40	50	20	29 400	54 100	TAFI 355020	TAF405020	NKI 35/20	NK40/20	NK40/20R + IR354020	NK40/20R	NKJ 35/20	NK40/20
NKI 35/30	192	**NK40/30**	125	**IR354030**	35	40	50	30	42 300	86 100	TAFI 355030	TAF405030	NKI 35/30	NK40/30	NK40/30R + IR354030	NK40/30R	NKJ 35/30	NK40/30
—	—	**NK42/20**	87	—	—	42	52	20	29 900	56 200	—	TAF425220	—	NK42/20	—	NK42/20R	—	NK42/20
—	—	**NK42/30**	130	—	—	42	52	30	43 000	89 500	—	TAF425230	—	NK42/30	—	NK42/30R	—	NK42/30
NKI 38/20	136	**NK43/20**	89	**IR384320**	38	43	53	20	30 500	58 100	TAFI 385320	TAF435320	NKI 38/20	NK43/20	NK43/20R + IR384320	NK43/20R	NKJ 38/20	NK43/20
NKI 38/30	205	**NK43/30**	133	**IR384330**	38	43	53	30	43 700	92 500	TAFI 385330	TAF435330	NKI 38/30	NK43/30	NK43/30R + IR384330	NK43/30R	NKJ 38/30	NK43/30
NKI 40/20	143	**NK45/20**	92	**IR404520**	40	45	55	20	31 100	60 100	TAFI 405520	TAF455520	NKI 40/20	NK45/20	NK45/20R + IR404520	NK45/20R	NKJ 40/20	NK45/20
NKI 40/30	215	**NK45/30**	138	**IR404530**	40	45	55	30	44 500	95 700	TAFI 405530	TAF455530	NKI 40/30	NK45/30	NK45/30R + IR404530	NK45/30R	NKJ 40/30	NK45/30
NKI 42/20	149	**NK47/20**	95	**IR424720**	42	47	57	20	31 500	62 300	TAFI 425720	TAF475720	NKI 42/20	NK47/20	NK47/20R + IR424720	NK47/20R	NKJ 42/20	NK47/20
NKI 42/30	225	**NK47/30**	144	**IR424730**	42	47	57	30	45 200	99 000	TAFI 425730	TAF475730	NKI 42/30	NK47/30	NK47/30R + IR424730	NK47/30R	NKJ 42/30	NK47/30
NKI 45/25	230	**NK50/25**	159	**IR455025**	45	50	62	25	43 000	85 200	TAFI 456225	TAF506225	NKI 45/25	NK50/25	NK50/25R + IR455025	NK50/25R	NKJ 45/25	NK50/25
NKI 45/35	320	**NK50/35**	225	**IR455035**	45	50	62	35	58 100	125 500	TAFI 456235	TAF506235	NKI 45/35	NK50/35	NK50/35R + IR455035	NK50/35R	NKJ 45/35	NK50/35
NKI 50/25	270	**NK55/25**	193	**IR505525**	50	55	68	25	45 400	94 100	TAFI 506825	TAF556825	NKI 50/25	NK55/25	NK55/25R + IR505525	NK55/25R	NKJ 50/25	NK55/25
NKI 50/35	365	**NK55/35**	255	**IR505535**	50	55	68	35	61 300	138 300	TAFI 506835	TAF556835	NKI 50/35	NK55/35	NK55/35R + IR505535	NK55/35R	NKJ 50/35	NK55/35
NKI 55/25	275	**NK60/25**	187	**IR556025**	55	60	72	25	47 500	103 000	TAFI 557225	TAF607225	NKI 55/25	NK60/25	NK60/25R + IR556025	NK60/25R	NKJ 55/25	NK60/25
NKI 55/35	380	**NK60/35**	260	**IR556035**	55	60	72	35	64 100	151 000	TAFI 557235	TAF607235	NKI 55/35	NK60/35	NK60/35R + IR556035	NK60/35R	NKJ 55/35	NK60/35


NK type of 10mm or less inscribed circle diameter (Fw) is without oil hole.
NKI type of 8mm or less inscribed circle diameter (d) is without oil hole.

INTERCHANGE

MACHINED RING NEEDLE ROLLER BEARINGS
WITH INNER RING
WITHOUT INNER RING



NKI



NK

NK, NKI

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NKI	g	NK	g	IR	d	Fw (F)	D	C	Cr N	Cor N	TAFI	TAF	NKI	NK	NK+IR	NK	NKJ	NK
—	—	**NK65/25**	225	—	—	65	78	25	49 600	111 800	—	TAF657825	—	NK65/25	—	NK65/25R	—	NK65/25
—	—	**NK65/35**	315	—	—	65	78	35	67 000	164 800	—	TAF657835	—	NK65/35	—	NK65/35R	—	NK65/35
NKI 60/25	395	**NK68/25**	250	**IR606825**	60	68	82	25	54 800	116 700	TAFI 608225	TAF688225	NKI 60/25	NK68/25	NK68/25R + IR606825	NK68/25R	NKJ 60/25	NK68/25
NKI 60/35	560	**NK68/35**	350	**IR606835**	60	68	82	35	72 100	165 700	TAFI 608235	TAF688235	NKI 60/35	NK68/35	NK68/35R + IR606835	NK68/35R	NKJ 60/35	NK68/35
—	—	**NK70/25**	280	—	—	70	85	25	55 500	120 600	—	TAF708525	—	NK70/25	—	NK70/25R	—	NK70/25
—	—	**NK70/35**	395	—	—	70	85	35	73 000	170 600	—	TAF708535	—	NK70/35	—	NK70/35R	—	NK70/35
—	—	**NK73/25**	335	—	—	73	90	25	61 100	126 500	—	TAF739025	—	NK73/25	—	NK73/25R	—	NK73/25
NKI 65/35	710	**NK73/35**	475	**IR657335**	65	73	90	35	80 400	180 400	TAFI 659035	TAF739035	NKI 65/35	NK73/35	NK73/35R + IR657335	NK73/35R	NKJ 65/35	NK73/35
—	—	**NK75/25**	345	—	—	75	92	25	62 200	130 400	—	TAF759225	—	NK75/25	—	NK75/25R	—	NK75/25
—	—	**NK75/35**	485	—	—	75	92	35	82 700	186 300	—	TAF759235	—	NK75/35	—	NK75/35R	—	NK75/35
NKI 70/25	540	**NK80/25**	315	**IR708025**	70	80	95	25	59 400	137 300	TAFI 709525	TAF809525	NKI 70/25	NK80/25	NK80/25R + IR708025	NK80/25R	NKJ 70/25	NK80/25
NKI 70/35	755	**NK80/35**	445	**IR708035**	70	80	95	35	78 100	194 200	TAFI 709535	TAF809535	NKI 70/35	NK80/35	NK80/35R + IR708035	NK80/35R	NKJ 70/35	NK80/35
NKI 75/25	675	**NK85/25**	435	**IR758525**	75	85	105	25	76 400	145 100	TAFI 7510525	TAF8510525	NKI 75/25	NK85/25	NK85/25R + IR758525	NK85/25R	NKJ 75/25	NK85/25
NKI 75/35	945	**NK85/35**	610	**IR758535**	75	85	105	35	102 000	209 900	TAFI 7510535	TAF8510535	NKI 75/35	NK85/35	NK85/35R + IR758535	NK85/35R	NKJ 75/35	NK85/35
NKI 80/25	710	**NK90/25**	456	**IR809025**	80	90	110	25	77 400	150 000	TAFI 8011025	TAF9011025	NKI 80/25	NK90/25	NK90/25R + IR809025	NK90/25R	NKJ 80/25	NK90/25
NKI 80/35	995	**NK90/35**	640	**IR809035**	80	90	110	35	103 000	216 700	TAFI 8011035	TAF9011035	NKI 80/35	NK90/35	NK90/35R + IR809035	NK90/35R	NKJ 80/35	NK90/35
NKI 85/26	775	**NK95/26**	495	**IR859526**	85	95	115	26	79 700	158 900	TAFI 8511526	TAF9511526	NKI 85/26	NK95/26	NK95/26R + IR859526	NK95/26R	NKJ 85/26	NK95/26
NKI 85/36	1 080	**NK95/36**	690	**IR859536**	85	95	115	36	106 900	230 500	TAFI 8511536	TAF9511536	NKI 85/36	NK95/36	NK95/36R + IR859536	NK95/36R	NKJ 85/36	NK95/36
NKI 90/26	820	**NK100/26**	525	**IR9010026**	90	100	120	26	82 500	168 700	TAFI 9012026	TAF10012026	NKI 90/26	NK100/26	NK100/26R + IR9010026	NK100/26R	NKJ 90/26	NK100/26
NKI 90/36	1 140	**NK100/36**	725	**IR9010036**	90	100	120	36	109 800	244 200	TAFI 9012036	TAF10012036	NKI 90/36	NK100/36	NK100/36R + IR9010036	NK100/36R	NKJ 90/36	NK100/36
NKI 95/26	860	**NK105/26**	545	**IR9510526**	95	105	125	26	84 700	177 500	TAFI 9512526	TAF10512526	NKI 95/26	NK105/26	NK105/26R + IR9510526	NK105/26R	NKJ 95/26	NK105/26
NKI 95/36	1 190	**NK105/36**	760	**IR9510536**	95	105	125	36	112 800	257 900	TAFI 9512536	TAF10512536	NKI 95/36	NK105/36	NK105/36R + IR9510536	NK105/36R	NKJ 95/36	NK105/36
NKI 100/30	1 040	**NK110/30**	660	**IR10011030**	100	110	130	30	105 900	239 300	TAFI 10013030	TAF11013030	NKI 100/30	NK110/30	NK110/30R + IR10011030	NK110/30R	NKJ 100/30	NK110/30
NKI 100/40	1 380	**NK110/40**	880	**IR10011040**	100	110	130	40	133 400	323 600	TAFI 10013040	TAF11013040	NKI 100/40	NK110/40	NK110/40R + IR10011040	NK110/40R	NKJ 100/40	NK110/40


NK type of 10mm or less inscribed circle diameter (Fw) is without oil hole.
NKI type of 8mm or less inscribed circle diameter (d) is without oil hole.

MACHINED RING NEEDLE ROLLER BEARINGS

SEALED, WITH INNER RING
SEALED, WITHOUT INNER RING



NA49UU



RNA49UU

NA49UU, RNA49UU

DIMENSION TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating
NA 49UU	g	RNA 49UU	g	IRZ	d	Fw (F)	D	C	Cr N	Cor N
NA 4900UU	25	**RNA 4900UU**	16	**IRZ101414**	10	14	22	13	8 000	8 500
NA 4901UU	28	**RNA 4901UU**	18	**IRZ121614**	12	16	24	13	8 400	9 300
NA 4902UU	36	**RNA 4902UU**	22	**IRZ152014**	15	20	28	13	9 600	11 700
NA 4903UU	40	**RNA 4903UU**	23	**IRZ172214**	17	22	30	13	10 300	13 100
NA 4904UU	78	**RNA 4904UU**	55	**IRZ202518**	20	25	37	17	17 900	20 500
NA 4905UU	93	**RNA 4905UU**	63	**IRZ253018**	25	30	42	17	20 300	25 100
NA 4906UU	106	**RNA 4906UU**	71	**IRZ303518**	30	35	47	17	21 600	28 400
NA 4907UU	179	**RNA 4907UU**	110	**IRZ354221**	35	42	55	20	30 100	46 300
NA 4908UU	245	**RNA 4908UU**	150	**IRZ404823**	40	48	62	22	37 200	58 300
NA 4909UU	290	**RNA 4909UU**	190	**IRZ455223**	45	52	68	22	38 800	63 400
NA 4910UU	300	**RNA 4910UU**	180	**IRZ505823**	50	58	72	22	41 300	71 100


INTERCHANGE TABLE

IKO		INA		NTN		TORRINGTON(KOYO)	
WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NA 49UU	RNA 49UU	NA 49.2RS	RNA 49.2RS	NA 49LL	RNA 49LL	NA 49.2RS	RNA 49.2RS
NA4900UU	RNA4900UU	NA4900.2RS	RNA4900.2RS	NA4900LL	RNA4900LL	NA4900.2RS	RNA4900.2RS
NA4901UU	RNA4901UU	NA4901.2RS	RNA4901.2RS	NA4901LL	RNA4901LL	NA4901.2RS	RNA4901.2RS
NA4902UU	RNA4902UU	NA4902.2RS	RNA4902.2RS	NA4902LL	RNA4902LL	NA4902.2RS	RNA4902.2RS
NA4903UU	RNA4903UU	NA4903.2RS	RNA4903.2RS	NA4903LL	RNA4903LL	NA4903.2RS	RNA4903.2RS
NA4904UU	RNA4904UU	NA4904.2RS	RNA4904.2RS	NA4904LL	RNA4904LL	NA4904.2RS	RNA4904.2RS
NA4905UU	RNA4905UU	NA4905.2RS	RNA4905.2RS	NA4905LL	RNA4905LL	NA4905.2RS	RNA4905.2RS
NA4906UU	RNA4906UU	NA4906.2RS	RNA4906.2RS	NA4906LL	RNA4906LL	NA4906.2RS	RNA4906.2RS
NA4907UU	RNA4907UU	NA4907.2RS	RNA4907.2RS	NA4907LL	RNA4907LL	NA4907.2RS	RNA4907.2RS
NA4908UU	RNA4908UU	NA4908.2RS	RNA4908.2RS	NA4908LL	RNA4908LL	NA4908.2RS	RNA4908.2RS
NA4909UU	RNA4909UU	NA4909.2RS	RNA4909.2RS	NA4909LL	RNA4909LL	NA4909.2RS	RNA4909.2RS
NA4910UU	RNA4910UU	NA4910.2RS	RNA4910.2RS	NA4910LL	RNA4910LL	NA4910.2RS	RNA4910.2RS


INTERCHANGE

MACHINED RING NEEDLE ROLLER BEARINGS


SEALED, WITH INNER RING
SEALED, WITHOUT INNER RING




NA69UU(d≦30)



NA69UU



RNA69UU(Fw≦35)



RNA69UU


NA69UU, RNA69UU

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NA 69UU	g	RNA 69UU	g	IRZ	d	Fw (F)	D	C	Cr N	Cor N	NA 69UU	RNA 69UU	—	—	—	—	—	—
NA 6901UU	46	**RNA 6901UU**	30	**IRZ121623**	12	16	24	22	15 600	20 400	NA6901UU	RNA6901UU	—	—	—	—	—	—
NA 6902UU	63	**RNA 6902UU**	38	**IRZ152024**	15	20	28	23	18 400	27 100	NA6902UU	RNA6902UU	—	—	—	—	—	—
NA 6903UU	69	**RNA 6903UU**	40	**IRZ172224**	17	22	30	23	19 800	30 600	NA6903UU	RNA6903UU	—	—	—	—	—	—
NA 6904UU	140	**RNA 6904UU**	96	**IRZ202531**	20	25	37	30	33 000	44 500	NA6904UU	RNA6904UU	—	—	—	—	—	—
NA 6905UU	162	**RNA 6905UU**	110	**IRZ253031**	25	30	42	30	39 200	58 600	NA6905UU	RNA6905UU	—	—	—	—	—	—
NA 6906UU	185	**RNA 6906UU**	130	**IRZ303531**	30	35	47	30	40 100	63 100	NA6906UU	RNA6906UU	—	—	—	—	—	—
NA 6907UU	320	**RNA 6907UU**	200	**IRZ354237**	35	42	55	36	51 600	92 600	NA6907UU	RNA6907UU	—	—	—	—	—	—
NA 6908UU	440	**RNA 6908UU**	270	**IRZ404841**	40	48	62	40	63 700	116 700	NA6908UU	RNA6908UU	—	—	—	—	—	—
NA 6909UU	510	**RNA 6909UU**	355	**IRZ455241**	45	52	68	40	66 700	126 500	NA6909UU	RNA6909UU	—	—	—	—	—	—
NA 6910UU	530	**RNA 6910UU**	320	**IRZ505841**	50	58	72	40	70 800	142 200	NA6910UU	RNA6910UU	—	—	—	—	—	—


MACHINED RING NEEDLE ROLLER BEARINGS
WITH INNER RING
WITHOUT INNER RING




NAF



NAFW



RNAF



RNAFW

NAF, RNAF


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	INA		IKO		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NAF(W)	g	RNAF(W)	g	IR	d	Fw (F)	D	C	Cr N	Cor N	NAO	RNAO	NAF(W)	RNAF(W)	NAO	RNAO	NAO	RNAO
—	—	**RNAF5108**	3	—	—	5	10	8	2 500	2 000	—	RNAO5X10X8 TN	—	RNAF5108N	—	RNAO-5X10X8 T2	—	—
—	—	**RNAF6138**	5.5	—	—	6	13	8	2 500	2 100	—	RNAO6X13X8 TN	—	RNAF6138N	—	RNAO-6X13X8 T2	—	RNAO6X13X8 TN
—	—	**RNAF7148**	6	—	—	7	14	8	2 900	2 600	—	RNAO7X14X8 TN	—	RNAF7148N	—	RNAO-7X14X8 T2	—	RNAO7X14X8 TN
—	—	**RNAF81510**	8	—	—	8	15	10	3 600	3 600	—	RNAO8X15X10 TN	—	RNAF81510	—	RNAO-8X15X10 T2	—	RNAO8X15X10
—	—	**RNAFW81620**	20	—	—	8	16	20	6 200	7 200	—	—	—	RNAFW81620	—	RNAO-8X16X20ZW T2	—	—
NAF61710	14	**RNAF101710**	10	**IR61010**	6	10	17	10	4 100	4 500	NAO6X17X10 TN	RNAO10X17X10 TN	NAF61710	RNAF101710	NAO-6X17X10 T2	RNAO-10X17X10 T2	NAO6X17X10	RNAO10X17X10
NAF72012	23	**RNAF102012**	19	**IR71012**	7	10	20	12	6 000	6 000	—	—	NAF72012	RNAF102012	NAO-7X20X12	RNAO-10X20X12	—	—
NAF92212	24	**RNAF122212**	19	**IR91212**	9	12	22	12	9 000	8 400	NAO9X22X12 TN	RNAO12X22X12 TN	NAF92212	RNAF122212	NAO-9X22X12	RNAO-12X22X12	—	—
NAF102213	26	**RNAF142213**	18	**IR101413**	10	14	22	13	7 800	9 400	—	—	NAF102213	RNAF142213	NAO-10X22X13	RNAO-14X22X13	NAO10X22X13	RNAO14X22X13
NAFW102220	40	**RNAFW142220**	28	**IR101420**	10	14	22	20	10 800	14 200	—	—	NAFW102220	RNAFW142220	NAO-10X22X20 ZW	RNAO-14X22X20ZW	NAO10X22X20	RNAO14X22X20
NAF102612	36	**RNAF142612**	29	**IR101412**	10	14	26	12	9 800	9 700	—	—	NAF102612	RNAF142612	NAO-10X26X12	RNAO-14X26X12	NAO10X26X12	RNAO14X26X12
—	—	**RNAF152313**	20	—	—	15	23	13	8 200	10 200	—	RNAO15X23X13	—	RNAF152313	—	RNAO-15X23X13	—	RNAO15X23X13
—	—	**RNAFW152320**	31	—	—	15	23	20	11 400	15 400	—	—	—	RNAFW152320	—	RNAO-15X23X20ZW	—	RNAO15X23X20
NAF122413	30	**RNAF162413**	21	**IR121613**	12	16	24	13	8 600	11 000	NAO12X24X13	RNAO16X24X13	NAF122413	RNAF162413	NAO-12X24X13	RNAO-16X24X13	NAO12X24X13	RNAO16X24X13
NAFW122420	45	**RNAFW162420**	32	**IR121620**	12	16	24	20	11 900	16 700	NAO12X24X20	RNAO16X24X20	NAFW122420	RNAFW162420	NAO-12X24X20 ZW	RNAO-16X24X20ZW	NAO12X24X20	RNAO16X24X20
NAF122812	40	**RNAF162812**	32	**IR121612**	12	16	28	12	10 500	10 900	NAO12X28X12	RNAO16X28X12	NAF122812	RNAF162812	NAO-12X28X12	RNAO-16X28X12	NAO12X28X12	RNAO16X28X12
—	—	**RNAF172513**	22	—	—	17	25	13	9 000	11 900	—	RNAO17X25X13	—	RNAF172513	—	RNAO-17X25X13	—	RNAO17X25X13
—	—	**RNAFW172520**	33	—	—	17	25	20	12 400	17 900	—	—	—	RNAFW172520	—	RNAO-17X25X20ZW	—	RNAO17X25X20
—	—	**RNAF182613**	23	—	—	18	26	13	9 300	12 700	—	—	—	RNAF182613	—	RNAO-18X26X13	—	RNAO18X26X13
—	—	**RNAFW182620**	35	—	—	18	26	20	12 800	19 100	—	—	—	RNAFW182620	—	RNAO-18X26X20ZW	—	RNAO18X26X20
—	—	**RNAF183012**	35	—	—	18	30	12	11 800	13 000	—	—	—	RNAF183012	—	RNAO-18X30X12	—	—
—	—	**RNAFW183024**	70	—	—	18	30	24	20 200	26 200	—	RNAO18X30X24	—	RNAFW183024	—	RNAO-18X30X24ZW	—	RNAO18X30X24
NAF152813	37	**RNAF202813**	25	**IR152013**	15	20	28	13	9 600	13 500	NAO15X28X13	RNAO20X28X13	NAF152813	RNAF202813	NAO-15X28X13	RNAO-20X28X13	NAO15X28X13	RNAO20X28X13
NAFW152826	76	**RNAFW202826**	50	**IR152026**	15	20	28	26	16 500	27 100	—	RNAO20X28X26	NAFW152826	RNAFW202826	NAO-15X28X26 ZW	RNAO-20X28X26ZW	NAO15X28X26	RNAO20X28X26
NAF153212	51	**RNAF203212**	37	**IR152012**	15	20	32	12	12 400	14 300	NAO15X32X12	RNAO20X32X12	NAF153212	RNAF203212	NAO-15X32X12	RNAO-20X32X12	NAO15X32X12	RNAO20X32X12
—	—	**RNAFW203224**	75	—	—	20	32	24	21 200	28 600	—	—	—	RNAFW203224	—	RNAO-20X32X24ZW	—	RNAO20X32X24
NAF173013	43	**RNAF223013**	27	**IR172213**	17	22	30	13	10 200	15 200	NAO17X30X13	RNAO22X30X13	NAF173013	RNAF223013	NAO-17X30X13	RNAO-22X30X13	NAO17X30X13	RNAO22X30X13
NAFW173026	85	**RNAFW223026**	54	**IR172226**	17	22	30	26	17 600	30 300	—	—	NAFW173026	RNAFW223026	NAO-17X30X26 ZW	RNAO-22X30X26ZW	NAO17X30X26	RNAO22X30X26
NAF173516	77	**RNAF223516**	59	**IR172216**	17	22	35	16	17 600	20 900	NAO17X35X16	RNAO22X35X16	NAF173516	RNAF223516	NAO-17X35X16	RNAO-22X35X16	NAO17X35X16	RNAO22X35X16
NAFW173532	155	**RNAFW223532**	117	**IR172232**	17	22	35	32	30 200	41 900	—	—	NAFW173532	RNAFW223532	NAO-17X35X32 ZW	RNAO-22X35X32ZW	NAO17X35X32	RNAO22X35X32
NAF203517	75	**RNAF253517**	51	**IR202517**	20	25	35	17	17 300	26 600	NAO20X35X17	RNAO25X35X17	NAF203517	RNAF253517	NAO-20X35X17	RNAO-25X35X17	NAO20X35X17	RNAO25X35X17
NAFW203526	114	**RNAFW253526**	78	**IR202526**	20	25	35	26	22 500	37 200	—	RNAO25X35X26	NAFW203526	RNAFW253526	NAO-20X35X26 ZW	RNAO-25X35X26ZW	NAO20X35X26	RNAO25X35X26
NAF203716	80	**RNAF253716**	57	**IR202516**	20	25	37	16	19 400	24 500	NAO20X37X16	RNAO25X37X16	NAF203716	RNAF253716	NAO-20X37X16	RNAO-25X37X16	NAO20X37X16	RNAO25X37X16
NAFW203732	158	**RNAFW253732**	114	**IR202532**	20	25	37	32	33 200	49 000	—	RNAO25X37X32	NAFW203732	RNAFW253732	NAO-20X37X32 ZW	RNAO-25X37X32ZW	NAO20X37X32	RNAO25X37X32
—	—	**RNAF284016**	63	—	—	28	40	16	20 100	26 500	—	—	—	RNAF284016	—	RNAO-28X40X16	—	RNAO28X40X16
—	—	**RNAFW284032**	125	—	—	28	40	32	34 400	53 000	—	—	—	RNAFW284032	—	RNAO-28X40X32ZW	—	RNAO28X40X32

INTERCHANGE


MACHINED RING NEEDLE ROLLER BEARINGS
WITH INNER RING
WITHOUT INNER RING




NAF



NAFW



RNAF



RNAFW


NAF, RNAF

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	INA		IKO		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NAF(W)	g	RNAF(W)	g	IR	d	Fw (F)	D	C	Cr N	Cor N	NAO	RNAO	NAF(W)	RNAF(W)	NAO	RNAO	NAO	RNAO
NAF254017	88	**RNAF304017**	59	**IR253017**	25	30	40	17	18 600	31 100	NAO25X40X17	RNAO30X40X17	NAF254017	RNAF304017	NAO-25X40X17	RNAO-30X40X17	NAO25X40X17	RNAO30X40X17
NAFW254026	136	**RNAFW304026**	91	**IR253026**	25	30	40	26	24 200	43 400	—	RNAO30X40X26	NAFW254026	RNAFW304026	NAO-25X40X26 ZW	RNAO-30X40X26ZW	NAO25X40X26	RNAO30X40X26
NAF254216	94	**RNAF304216**	66	**IR253016**	25	30	42	16	20 800	28 300	NAO25X42X16	RNAO30X42X16	NAF254216	RNAF304216	NAO-25X42X16	RNAO-30X42X16	NAO25X42X16	RNAO30X42X16
NAFW254232	187	**RNAFW304232**	132	**IR253032**	25	30	42	32	35 700	56 800	NAO25X42X32	RNAO30X42X32	NAFW254232	RNAFW304232	NAO-25X42X32 ZW	RNAO-30X42X32ZW	NAO25X42X32	RNAO30X42X32
NAF304517	100	**RNAF354517**	68	**IR303517**	30	35	45	17	20 500	36 900	NAO30X45X17	RNAO35X45X17	NAF304517	RNAF354517	NAO-30X45X17	RNAO-35X45X17	NAO30X45X17	RNAO35X45X17
NAFW304526	155	**RNAFW354526**	103	**IR303526**	30	35	45	26	26 600	51 600	NAO30X45X26	RNAO35X45X26	NAFW304526	RNAFW354526	NAO-30X45X26 ZW	RNAO-35X45X26ZW	NAO30X45X26	RNAO35X45X26
NAF304716	108	**RNAF354716**	76	**IR303516**	30	35	47	16	23 000	33 800	NAO30X47X16	RNAO35X47X16	NAF304716	RNAF354716	NAO-30X47X16	RNAO-35X47X16	NAO30X47X16	RNAO35X47X16
NAFW304732	215	**RNAFW354732**	151	**IR303532**	30	35	47	32	39 500	67 800	—	RNAO35X47X32	NAFW304732	RNAFW354732	NAO-30X47X32 ZW	RNAO-35X47X32ZW	NAO30X47X32	RNAO35X47X32
NAF355017	115	**RNAF405017**	75	**IR354017**	35	40	50	17	22 200	42 700	NAO35X50X17	RNAO40X50X17	NAF355017	RNAF405017	NAO-35X50X17	RNAO-40X50X17	NAO35X50X17	RNAO40X50X17
NAFW355034	230	**RNAFW405034**	152	**IR354034**	35	40	50	34	38 000	85 300	—	RNAO40X50X34	NAFW355034	RNAFW405034	NAO-35X50X34 ZW	RNAO-40X50X34ZW	NAO35X50X34	RNAO40X50X34
NAF355520	188	**RNAF405520**	142	**IR354020**	35	40	55	20	31 500	48 000	NAO35X55X20	RNAO40X55X20	NAF355520	RNAF405520	NAO-35X55X20	RNAO-40X55X20	NAO35X55X20	RNAO40X55X20
NAFW355540	375	**RNAFW405540**	280	**IR354040**	35	40	55	40	53 900	96 000	—	RNAO40X55X40	NAFW355540	RNAFW405540	NAO-35X55X40 ZW	RNAO-40X55X40ZW	NAO35X55X40	RNAO40X55X40
NAF405517	129	**RNAF455517**	84	**IR404517**	40	45	55	17	23 200	47 200	NAO40X55X17	RNAO45X55X17	NAF405517	RNAF455517	NAO-40X55X17	RNAO-45X55X17	NAO40X55X17	RNAO45X55X17
NAFW405534	255	**RNAFW455534**	167	**IR404534**	40	45	55	34	39 900	94 200	—	—	NAFW405534	RNAFW455534	NAO-40X55X34 ZW	RNAO-45X55X34ZW	NAO40X55X34	RNAO45X55X34
NAF406220	236	**RNAF456220**	185	**IR404520**	40	45	62	20	33 200	53 300	—	—	NAF406220	RNAF456220	NAO-40X62X20	RNAO-45X62X20	NAO40X62X20	RNAO45X62X20
NAFW406240	475	**RNAFW456240**	370	**IR404540**	40	45	62	40	57 000	106 900	—	RNAO45X62X40	NAFW406240	RNAFW456240	NAO-40X62X40 ZW	RNAO-45X62X40ZW	NAO40X62X40	RNAO45X62X40
NAF456220	197	**RNAF506220**	139	**IR455020**	45	50	62	20	27 100	59 300	—	RNAO50X62X20	NAF456220	RNAF506220	NAO-45X62X20	RNAO-50X62X20	NAO45X62X20	RNAO50X62X20
NAFW456240	389	**RNAFW506240**	276	**IR455040**	45	50	62	40	46 400	118 700	—	—	NAFW456240	RNAFW506240	NAO-45X62X40 ZW	RNAO-50X62X40ZW	NAO45X62X40	RNAO50X62X40
—	—	**RNAF506520**	170	—	—	50	65	20	35 900	61 100	—	RNAO50X65X20	—	RNAF506520	—	RNAO-50X65X20	—	RNAO50X65X20
—	—	**RNAFW506540**	345	—	—	50	65	40	61 500	122 600	—	RNAO50X65X40	—	RNAFW506540	—	RNAO-50X65X40ZW	—	RNAO50X65X40
NAF506820	230	**RNAF556820**	167	**IR505520**	50	55	68	20	28 500	66 000	NAO50X68X20	RNAO55X68X20	NAF506820	RNAF556820	NAO-50X68X20	RNAO-55X68X20	NAO50X68X20	RNAO55X68X20
NAFW506840	465	**RNAFW556840**	330	**IR505540**	50	55	68	40	48 900	132 400	—	—	NAFW506840	RNAFW556840	NAO-50X68X40 ZW	RNAO-55X68X40ZW	NAO50X68X40	RNAO55X68X40
NAF457220	340	**RNAF557220**	215	**IR455520**	45	55	72	20	37 400	66 400	—	—	NAF457220	RNAF557220	NAO-45X72X20	RNAO-55X72X20	NAO45X72X20	RNAO55X72X20
NAFW457240	685	**RNAFW557240**	435	**IR455540**	45	55	72	40	64 100	132 400	—	—	NAFW457240	RNAFW557240	NAO-45X72X40 ZW	RNAO-55X72X40ZW	NAO45X72X40	RNAO55X72X40
NAF507820	390	**RNAF607820**	255	**IR506020**	50	60	78	20	38 900	71 700	NAO50X78X20	RNAO60X78X20	NAF507820	RNAF607820	NAO-50X78X20	RNAO-60X78X20	NAO50X78X20	RNAO60X78X20
NAFW507840	775	**RNAFW607840**	510	**IR506040**	50	60	78	40	66 700	143 200	—	RNAO60X78X40	NAFW507840	RNAFW607840	NAO-50X78X40 ZW	RNAO-60X78X40ZW	NAO50X78X40	RNAO60X78X40
NAF558530	680	**RNAF658530**	465	**IR556530**	55	65	85	30	59 300	127 500	—	RNAO65X85X30	NAF558530	RNAF658530	NAO-55X85X30	RNAO-65X85X30	NAO55X85X30	RNAO65X85X30
NAFW558560	1 380	**RNAFW658560**	950	**IR556560**	55	65	85	60	102 000	254 000	—	—	NAFW558560	RNAFW658560	NAO-55X85X60 ZW	RNAO-65X85X60ZW	NAO55X85X60	RNAO65X85X60
NAF609030	740	**RNAF709030**	500	**IR607030**	60	70	90	30	61 200	135 300	—	RNAO70X90X30	NAF609030	RNAF709030	NAO-60X90X30	RNAO-70X90X30	NAO60X90X30	RNAO70X90X30
NAFW609060	1 470	**RNAFW709060**	1 000	**IR607060**	60	70	90	60	104 900	271 600	—	—	NAFW609060	RNAFW709060	NAO-60X90X60 ZW	RNAO-70X90X60ZW	NAO60X90X60	RNAO70X90X60
NAF659530	800	**RNAF759530**	530	**IR657530**	65	75	95	30	63 200	144 200	—	—	NAF659530	RNAF759530	NAO-65X95X30	RNAO-75X95X30	NAO65X95X30	RNAO75X95X30
NAFW659560	1 570	**RNAFW759560**	1 050	**IR657560**	65	75	95	60	108 900	289 300	—	—	NAFW659560	RNAFW759560	NAO-65X95X60 ZW	RNAO-75X95X60ZW	NAO65X95X60	RNAO75X95X60
NAF7010030	840	**RNAF8010030**	560	**IR708030**	70	80	100	30	64 900	153 000	NAO70X100X30	RNAO80X100X30	NAF7010030	RNAF8010030	NAO-70X100X30	RNAO-80X100X30	NAO70X100X30	RNAO80X100X30
NAFW7010060	1 670	**RNAFW8010060**	1 120	**IR708060**	70	80	100	60	111 800	306 000	—	—	NAFW7010060	RNAFW8010060	NAO-70X100X60 ZW	RNAO-80X100X60ZW	NAO70X100X60	RNAO80X100X60
NAF7510530	890	**RNAF8510530**	590	**IR758530**	75	85	105	30	66 600	160 800	—	—	NAF7510530	RNAF8510530	NAO-75X105X30	RNAO-85X105X30	—	RNAO85X105X30


MACHINED RING NEEDLE ROLLER BEARINGS
WITH INNER RING
WITHOUT INNER RING




NAF



NAFW



RNAF



RNAFW


NAF, RNAF

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	INA		IKO		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NAF(W)	g	RNAF(W)	g	IR	d	Fw (F)	D	C	Cr N	Cor N	NAO	RNAO	NAF(W)	RNAF(W)	NAO	RNAO	NAO	RNAO
NAF8011030	930	**RNAF9011030**	620	**IR809030**	80	90	110	30	69 500	173 600	NAO80X110X30	RNAO90X110X30	NAF8011030	RNAF9011030	NAO-80X110X30	RNAO-90X110X30	NAO80X110X30	—
NAF8511530	970	**RNAF9511530**	650	**IR859530**	85	95	115	30	70 900	182 400	—	—	NAF8511530	RNAF9511530	NAO-85X115X30	RNAO-95X115X30	NAO85X115X30	—
NAF9012030	1 040	**RNAF10012030**	690	**IR9010030**	90	100	120	30	72 600	191 200	NAO90X120X30	RNAO100X120X30	NAF9012030	RNAF10012030	NAO-90X120X30	RNAO-100X120X30	NAO90X120X30	RNAO100X120X30

INNER RINGS



IR



IRZ


IR, IRZ

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER INNER RING	Mass (Approx.)	Dimensions(mm)			JNS USABLE BEARING NUMBER		IKO	INA	NTN	TORRINGTON(KOYO)
IR IRZ	g	d	F	B			LRT / IRT LRTZ	IR	IR	JR JRZ
IR 5812	3	5	8	12	NK 8/12	—	LRT5812	IR5X8X12	IR5X8X12	JR5X8X12
IR 5816	4	5	8	16	NK 8/16	—	LRT5816	IR5X8X16	IR5X8X16	JR5X8X16
IR 6810	1.7	6	8	10	RNA 496	—	LRT6810	IR6X8X10	IR6X8X10	—
IR 6912	3.2	6	9	12	NK 9/12	—	LRT6912	IR6X9X12	IR6X9X12	JR6X9X12
IR 6916	4.3	6	9	16	NK 9/16	—	LRT6916	IR6X9X16	IR6X9X16	JR6X9X16
IR 61010	4	6	10	10	RNAF 101710	—	LRT61010	IR6X10X10	IR6X10X10	JR6X10X10
IR 7910	1.9	7	9	10	RNA 497	—	LRT7910	IR7X9X10	IR7X9X10	—
IR 71010.5	3.2	7	10	10.5	—	—	IRT710	IR7X10X10.5	IR7X10X10.5	JR7X10X10.5
IR 71012	3.6	7	10	12	NK 10/12	RNAF 102012	LRT71012	IR7X10X12	IR7X10X12	JR7X10X12
IR 71012.5	3.9	7	10	12.5	—	—	IRT712	—	—	—
IR 71015.5	4.8	7	10	15.5	—	—	IRT715	—	—	—
IR 71016	5	7	10	16	NK 10/16	—	LRT71016	IR7X10X16	IR7X10X16	JR7X10X16
IR 81011	2.4	8	10	11	RNA 498	—	LRT81011	IR8X10X11	IR8X10X11	—
IR 81210	4.8	8	12	10	—	—	—	IR8X12X10	IR8X12X10	JR8X12X10
IR 81210.5	5.1	8	12	10.5	—	—	IRT810	IR8X12X10.5	IR8X12X10.5	JR8X12X10.5
IR 81212.5	6	8	12	12.5	—	—	IRT812	IR8X12X12.5	IR8X12X12.5	JR8X12X12.5
IR 81215.5	7.5	8	12	15.5	—	—	IRT815	—	—	—
IR 91211	3.1	9	12	11	RNA 499	—	LRT91211	IR9X12X11	IR9X12X11	—
IR 91212	4.5	9	12	12	NK 12/12	RNAF 122212	LRT91212	IR9X12X12	IR9X12X12	JR9X12X12
IR 91216	6	9	12	16	NK 12/16	—	LRT91216	IR9X12X16	IR9X12X16	JR9X12X16
IR 101312.5	5.2	10	13	12.5	—	—	IRT1012	IR10X13X12.5	IR10X13X12.5	JR10X13X12.5
IR 101412	7	10	14	12	RNAF 142612	—	LRT101412	IR10X14X12	IR10X14X12	JR10X14X12
IR 101412.5	7.2	10	14	12.5	—	—	IRT1012-2	—	—	—
IR 101413	7.5	10	14	13	RNA 4900	RNAF 142213	LRT101413	IR10X14X13	IR10X14X13	JR10X14X13
IRZ 101414	8	10	14	14	RNA 4900UU	—	LRTZ101414	IR10X14X14	IR10X14X14D	JRZ10X14X14JS1
IR 101416	9	10	14	16	NK 14/16	—	LRT101416	IR10X14X16	IR10X14X16	JR10X14X16
IR 101416.5	9.6	10	14	16.5	—	—	IRT1016-2	—	—	—
IR 101420	11.5	10	14	20	NK 14/20	RNAFW 142220	LRT101420	IR10X14X20	IR10X14X20	JR10X14X20
IR 101420.5	11.9	10	14	20.5	—	—	IRT1020-2	—	—	—
IR 101510.5	7.9	10	15	10.5	—	—	IRT1010-1	—	—	—
IR 101515.5	11.7	10	15	15.5	—	—	IRT1015-1	—	IR10X15X15.5	—
IR 101520.5	15.5	10	15	20.5	—	—	IRT1020-1	—	IR10X15X20.5	—
IR 101525.5	19.3	10	15	25.5	—	—	IRT1025-1	—	—	—
IR 121512.5	6.1	12	15	12.5	—	—	IRT1212	IR12X15X12.5	IR12X15X12.5	—
IR 121516	7.8	12	15	16	—	—	—	IR12X15X16	IR12X15X16	—
IR 121516.5	8.1	12	15	16.5	—	—	LRT121516	—	—	JR12X15X16.5
IR 121522.5	11	12	15	22.5	—	—	IRT1222	IR12X15X22.5	—	JR12X15X22.5

INNER RINGS



IR



IRZ


IR, IRZ

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER INNER RING	Mass (Approx.)	Dimensions(mm)			JNS USABLE BEARING NUMBER		IKO	INA	NTN	TORRINGTON(KOYO)
IR IRZ	g	d	F	B			LRT / IRT LRTZ	IR	IR	JR JRZ
IR 121612	8	12	16	12	RNAF 162812	—	LRT121612	IR12X16X12	IR12X16X12	JR12X16X12
IR 121612.5	8.5	12	16	12.5	—	—	IRT1212-1	—	—	—
IR 121613	8.5	12	16	13	RNA 4901	RNAF 162413	LRT121613	IR12X16X13	IR12X16X13	JR12X16X13
IRZ 121614	9.6	12	16	14	RNA 4901UU	—	LRTZ121614	IR12X16X14	IR12X16X14D	JRZ12X16X14JS1
IR 121616	10.5	12	16	16	NK 16/16	—	LRT121616	IR12X16X16	IR12X16X16	JR12X16X16
IR 121616.5	11.2	12	16	16.5	—	—	IRT1216-1	—	—	—
IR 121620	13.5	12	16	20	NK 16/20	RNAFW 162420	LRT121620	IR12X16X20	IR12X16X20	JR12X16X20
IR 121620.5	13.9	12	16	20.5	—	—	IRT1220-1	—	—	—
IR 121622	14.5	12	16	22	RNA 6901	—	LRT121622	IR12X16X22	IR12X16X22	JR12X16X22
IR 121622.5	15.2	12	16	22.5	—	—	IRT1222-1	—	—	—
IRZ 121623	15.5	12	16	23	RNA 6901UU	—	LRTZ121623	—	—	—
IR 121715.5	13.6	12	17	15.5	—	—	IRT1215-2	—	—	—
IR 121720.5	18	12	17	20.5	—	—	IRT1220-2	—	IR12X17X20.5	—
IR 141717	9.5	14	17	17	—	—	LRT141717	IR14X17X17	IR14X17X17	—
IR 151812.5	7.5	15	18	12.5	—	—	IRT1512	IR15X18X12.5	IR15X18X12.5	—
IR 151815.5	9.3	15	18	15.5	—	—	IRT1515	—	—	—
IR 151816.5	9.9	15	18	16.5	—	—	IRT1516	IR15X18X16.5	IR15X18X16.5	JR15X18X16.5
IR 151820.5	12.3	15	18	20.5	—	—	IRT1520	—	IR15X18X20.5	—
IR 151825.5	15.2	15	18	25.5	—	—	IRT1525	—	IR15X18X25.5	—
IR 151916	12.5	15	19	16	NK 19/16	—	LRT151916	IR15X19X16	IR15X19X16	JR15X19X16
IR 151916.5	13.6	15	19	16.5	—	—	IRT1516-1	—	—	—
IR 151920	16	15	19	20	NK 19/20	—	LRT151920	IR15X19X20	IR15X19X20	JR15X19X20
IR 151920.5	12.3	15	19	20.5	—	—	IRT1520-1	—	—	—
IR 152012	12	15	20	12	RNAF 203212	—	LRT152012	IR15X20X12	IR15X20X12	JR15X20X12
IR 152013	13.5	15	20	13	RNA 4902	RNAF 202813	LRT152013	IR15X20X13	IR15X20X13	JR15X20X13
IRZ 152014	14.5	15	20	14	RNA 4902UU	—	LRTZ152014	IR15X20X14	IR15X20X14D	JRZ15X20X14JS1
IR 152015.5	16.4	15	20	15.5	—	—	IRT1515-2	—	—	—
IR 152018	19	15	20	18	RNA 5902	—	—	—	IR15X20X18	—
IR 152020.5	21.5	15	20	20.5	—	—	IRT1520-2	—	IR15X20X20.5	—
IR 152023	24	15	20	23	RNA 6902	—	LRT152023	IR15X20X23	IR15X20X23	JR15X20X23
IRZ 152024	25	15	20	24	RNA 6902UU	—	LRTZ152024	—	—	—
IR 152026	28	15	20	26	RNAFW 202826	—	LRT152026	IR15X20X26	IR15X20X26	JR15X20X26
IR 172016.5	11.1	17	20	16.5	—	—	IRT1716	IR17X20X16.5	IR17X20X16.5	JR17X20X16.5
IR 172020	14	17	20	20	—	—	—	IR17X20X20	IR17X20X20	JR17X20X20
IR 172020.5	13.7	17	20	20.5	—	—	IRT1720	IR17X20X20.5	IR17X20X20.5	JR17X20X20.5
IR 172030.5	20.5	17	20	30.5	—	—	IRT1730	IR17X20X30.5	IR17X20X30.5	JR17X20X30.5
IR 172215.5	18.3	17	22	15.5	—	—	IRT1715-2	—	—	—

INNER RINGS



IR



IRZ


IR, IRZ

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER INNER RING	Mass (Approx.)	Dimensions(mm)			JNS USABLE BEARING NUMBER		IKO	INA	NTN	TORRINGTON(KOYO)
IR IRZ	g	d	F	B			LRT / IRT LRTZ	IR	IR	JR JRZ
IR 172116	14.5	17	21	16	NK 21/16	—	LRT172116	IR17X21X16	IR17X21X16	JR17X21X16
IR 172216.5	19.4	17	22	16.5	—	—	IRT1716-2	—	—	—
IR 172120	18	17	21	20	NK 21/20	—	LRT172120	IR17X21X20	IR17X21X20	JR17X21X20
IR 172213	15.5	17	22	13	RNA 4903	RNAF 223013	LRT172213	IR17X22X13	IR17X22X13	JR17X22X13
IRZ 172214	16.5	17	22	14	RNA 4903UU	—	LRTZ172214	IR17X22X14	IR17X22X14D	JRZ17X22X14JS1
IR 172216	19	17	22	16	RNAF 223516	—	LRT172216	IR17X22X16	IR17X22X16	JR17X22X16
IR 172218	21	17	22	18	RNA 5903	—	—	—	IR17X22X18	—
IR 172223	26.5	17	22	23	RNA 6903	—	LRT172223	IR17X22X23	IR17X22X23	JR17X22X23
IRZ 172224	28	17	22	24	RNA 6903UU	—	LRTZ172224	—	—	—
IR 172225.5	30	17	22	25.5	—	—	IRT1725-2	—	—	—
IR 172226	31	17	22	26	RNAFW 223026	—	LRT172226	IR17X22X26	IR17X22X26	JR17X22X26
IR 172232	38	17	22	32	RNAFW 223532	—	LRT172232	IR17X22X32	IR17X22X32	JR17X22X32
IR 202416	16.5	20	24	16	NK 24/16	—	LRT202416	IR20X24X16	IR20X24X16	JR20X24X16
IR 202416.5	17.5	20	24	16.5	—	—	IRT2016	—	—	—
IR 202420	20.5	20	24	20	NK 24/20	—	LRT202420	IR20X24X20	IR20X24X20	JR20X24X20
IR 202420.5	22	20	24	20.5	—	—	IRT2020	—	—	—
IR 202510.5	14.3	20	25	10.5	—	—	IRT2010-1	—	—	—
IR 202515.5	21	20	25	15.5	—	—	IRT2015-1	—	—	—
IR 202516	22	20	25	16	RNAF 253716	—	LRT202516	IR20X25X16	IR20X25X16	JR20X25X16
IR 202517	23	20	25	17	RNA 4904	RNAF 253517	LRT202517	IR20X25X17	IR20X25X17	JR20X25X17
IRZ 202518	24	20	25	18	RNA 4904UU	—	LRTZ202518	IR20X25X18	IR20X25X18D	JRZ20X25X18JS1
IR 202520	27	20	25	20	—	—	—	IR20X25X20	IR20X25X20	—
IR 202520.5	28	20	25	20.5	—	—	LRT202520	IR20X25X20.5	IR20X25X20.5	JR20X25X20.5
IR 202523	31	20	25	23	RNA 5904	—	—	—	IR20X25X23	—
IR 202525.5	34.5	20	25	25.5	—	—	IRT2025-1	—	—	—
IR 202526	36	20	25	26	RNAFW 253526	—	LRT202526	IR20X25X26	IR20X25X26	JR20X25X26
IR 202526.5	36	20	25	26.5	—	—	IRT2026-1	IR20X25X26.5	IR20X25X26.5	JR20X25X26.5
IR 202530	40.5	20	25	30	RNA 6904	—	LRT202530	IR20X25X30	IR20X25X30	JR20X25X30
IRZ 202531	41.5	20	25	31	RNA 6904UU	—	LRTZ202531	—	—	—
IR 202532	44	20	25	32	RNAFW 253732	—	LRT202532	IR20X25X32	IR20X25X32	JR20X25X32
IR 222616	17.5	22	26	16	NK 26/16	—	LRT222616	IR22X26X16	IR22X26X16	JR22X26X16
IR 222620	24	22	26	20	NK 26/20	—	LRT222620	IR22X26X20	IR22X26X20	JR22X26X20
IR 222817	30.5	22	28	17	RNA 49/22	—	LRT222817	IR22X28X17	IR22X28X17	JR22X28X17
IR 222820.5	37	22	28	20.5	—	—	IRT2220-1	IR22X28X20.5	IR22X28X20.5	JR22X28X20.5
IR 222823	42	22	28	23	RNA 59/22	—	—	—	IR22X28X23	—
IR 222830	55	22	28	30	RNA 69/22	—	LRT222830	IR22X28X30	IR22X28X30	JR22X28X30
IR 252920	25	25	29	20	NK 29/20	—	LRT252920	IR25X29X20	IR25X29X20	JR25X29X20

INNER RINGS



IR



IRZ


IR, IRZ

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER INNER RING	Mass (Approx.)	Dimensions(mm)			JNS USABLE BEARING NUMBER		IKO	INA	NTN	TORRINGTON(KOYO)
IR IRZ	g	d	F	B			LRT / IRT LRTZ	IR	IR	JR JRZ
IR 252930	38	25	29	30	NK 29/30	—	LRT252930	IR25X29X30	IR25X29X30	JR25X29X30
IR 253015	24.5	25	30	15	—	—	—	—	—	—
IR 253015.5	25.5	25	30	15.5	—	—	IRT2515-1	—	—	—
IR 253016	28	25	30	16	RNAF 304216	—	LRT253016	IR25X30X16	IR25X30X16	JR25X30X16
IR 253017	28.5	25	30	17	RNA 4905	RNAF 304017	LRT253017	IR25X30X17	IR25X30X17	JR25X30X17
IRZ 253018	29.5	25	30	18	RNA 4905UU	—	LRTZ253018	IR25X30X18	IR25X30X18	JRZ25X30X18JS1
IR 253020	33	25	30	20	—	—	—	IR25X30X20	IR25X30X20	JR25X30X20
IR 253020.5	34	25	30	20.5	—	—	LRT253020	IR25X30X20.5	IR25X30X20.5	JR25X30X20.5
IR 253023	38	25	30	23	RNA 5905	—	—	—	IR25X30X23	—
IR 253025.5	42.5	25	30	25.5	—	—	IRT2525-1	—	—	—
IR 253026	44.5	25	30	26	RNAFW 304026	—	LRT253016	IR25X30X26	IR25X30X26	JR25X30X26
IR 253026.5	44	25	30	26.5	—	—	IRT2526-1	IR253026.5	—	JR25X30X26.5
IR 253030	49	25	30	30	RNA 6905	—	LRT253030	IR25X30X30	IR25X30X30	JR25X30X30
IR 253030.5	50.5	25	30	30.5	—	—	IRT2530-1	—	—	—
IRZ 253031	51	25	30	31	RNA 6905UU	—	LRTZ253031	—	—	—
IR 253032	54	25	30	32	RNAFW 304232	—	LRT253032	IR25X30X32	IR25X30X32	JR25X30X32
IR 253038.5	64	25	30	38.5	—	—	IRT2538-1	IR25X30X38.5	—	JR25X30X38.5
IR 283217	24.5	28	32	17	RNA 49/28	—	LRT283217	IR28X32X17	IR28X32X17	JR28X32X17
IR 283220	28.5	28	32	20	NK 32/20	—	LRT283220	IR28X32X20	IR28X32X20	JR28X32X20
IR 283220.5	29.5	28	32	20.5	—	—	IRT2820	—	—	—
IR 283223	34	28	32	23	RNA 59/28	—	—	—	IR28X32X23	—
IR 283230	43	28	32	30	RNA 69/28	NK 32/30	LRT283230	IR28X32X30	IR28X32X30	JR28X32X30
IR 283230.5	44	28	32	30.5	—	—	IRT2830	—	—	—
IR 303516	31.5	30	35	16	RNAF 354716	—	LRT303516	IR30X35X16	IR30X35X16	JR30X35X16
IR 303517	33.5	30	35	17	RNA 4906	RNAF 354517	LRT303517	IR30X35X17	IR30X35X17	JR30X35X17
IRZ 303518	35	30	35	18	RNA 4906UU	—	LRTZ303818	IR30X35X18	IR30X35X18D	JRZ30X35X18JS1
IR 303520	38.5	30	35	20	NK 35/20	—	LRT303520	IR30X35X20	IR30X35X20	JR30X35X20
IR 303520.5	40	30	35	20.5	—	—	IRT3020	IR30X35X20.5	IR30X35X20.5	JR30X35X20.5
IR 303523	44	30	35	23	RNA 5906	—	—	—	IR30X35X23	—
IR 303525.5	51	30	35	25.5	—	—	IRT3025	—	—	—
IR 303526	52	30	35	26	RNAFW 354526	—	LRT303526	IR30X35X26	IR30X35X26	JR30X35X26
IR 303530	59	30	35	30	RNA 6906	NK 35/30	LRT303530	IR30X35X30	IR30X35X30	JR30X35X30
IR 303530.5	60	30	35	30.5	—	—	IRT3030	—	—	—
IRZ 303531	61	30	35	31	RNA 6906UU	—	LRTZ303531	IR30X35X31	—	—
IR 303532	64	30	35	32	RNAFW 354732	—	LRT303532	IR30X35X32	IR30X35X32	JR30X35X32
IR 303820	65	30	38	20	—	—	—	IR30X38X20	IR30X38X20	—
IR 323720	43.5	32	37	20	NK 37/20	—	LRT323720	IR32X37X20	IR32X37X20	JR32X37X20

INNER RINGS



IR



IRZ


IR, IRZ

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER INNER RING	Mass (Approx.)	Dimensions(mm)			JNS USABLE BEARING NUMBER		IKO	INA	NTN	TORRINGTON(KOYO)
IR IRZ	g	d	F	B			LRT / IRT LRTZ	IR	IR	JR JRZ
IR 323730	63	32	37	30	NK 37/30	—	LRT323730	IR32X37X30	IR32X37X30	JR32X37X30
IR 324020	69	32	40	20	RNA 49/32	—	LRT324020	IR32X40X20	IR32X40X20	JR32X40X20
IR 324027	92	32	40	27	RNA 59/32	—	—	—	IR32X40X27	—
IR 324036	123	32	40	36	RNA 69/32	—	LRT324036	IR32X40X36	IR32X40X36	JR32X40X36
IR 354017	39	35	40	17	RNAF 405017	—	LRT354017	IR35X40X17	IR35X40X17	JR35X40X17
IR 354020	46	35	40	20	NK 40/20	RNAF 405520	LRT354020	IR35X40X20	IR35X40X20	JR35X40X20
IR 354020.5	46.5	35	40	20.5	—	—	IRT3520	IR35X40X20.5	IR35X40X20.5	JR35X40X20.5
IR 354025.5	46	35	40	25.5	—	—	IRT3525	—	—	—
IR 354030	67	35	40	30	NK 40/30	—	LRT354030	IR35X40X30	IR35X40X30	JR35X40X30
IR 354034	78	35	40	34	RNAFW 405034	—	LRT354034	IR35X40X34	IR35X40X34	JR35X40X34
IR 354040	95	35	40	40	RNAFW 405540	—	LRT354040	IR35X40X40	IR35X40X40	JR35X40X40
IR 354220	65	35	42	20	RNA 4907	—	LRT354220	IR35X42X20	IR35X42X20	JR35X42X20
IRZ 354221	67	35	42	21	RNA 4907UU	—	LRTZ354221	IR35X42X21	—	—
IR 354227	80	35	42	27	RNA 5907	—	—	—	IR35X42X27	—
IR 354236	120	35	42	36	RNA 6907	—	LRT354236	IR35X42X36	IR35X42X36	JR35X42X36
IRZ 354237	120	35	42	37	RNA 6907UU	—	LRTZ354237	—	—	—
IR 384320	49.5	38	43	20	NK 43/20	—	LRT384320	IR38X43X20	IR38X43X20	JR38X43X20
IR 384330	72	38	43	30	NK 43/30	—	LRT384330	IR38X43X30	—	—
IR 404517	44.5	40	45	17	RNAF 455517	—	LRT404517	IR40X45X17	IR40X45X17	JR40X45X17
IR 404520	51	40	45	20	NK 45/20	RNAF 456220	LRT404520	IR40X45X20	IR40X45X20	JR40X45X20
IR 404520.5	52.5	40	45	20.5	—	—	IRT4020	IR40X45X20.5	IR40X45X20.5	JR40X45X20.5
IR 404525.5	65.5	40	45	25.5	—	—	IRT4025	—	—	—
IR 404530	77	40	45	30	NK 45/30	—	LRT404530	IR40X45X30	IR40X45X30	JR40X45X30
IR 404530.5	78.5	40	45	30.5	—	—	IRT4030	—	—	—
IR 404534	88	40	45	34	RNAFW 455534	—	LRT404534	IR40X45X34	IR40X45X34	JR40X45X34
IR 404540	105	40	45	40	RNAFW 456240	—	LRT404540	IR40X45X40	IR40X45X40	JR40X45X40
IR 404540.5	104	40	45	40.5	—	—	IRT4040	—	—	—
IR 404822	93	40	48	22	RNA 4908	—	LRT404822	IR40X48X22	IR40X48X22	JR40X48X22
IRZ 404823	95	40	48	23	RNA 4908UU	—	LRTZ404823	IR40X48X23	—	—
IR 404830	123	40	48	30	RNA 5908	—	—	—	IR40X48X30	—
IR 404840	165	40	48	40	RNA 6908	—	LRT404840	IR40X48X40	IR40X48X40	JR40X48X40
IRZ 404841	170	40	48	41	RNA 6908UU	—	LRTZ404841	—	—	—
IR 424720	54	42	47	20	NK 47/20	—	LRT424720	IR42X47X20	IR42X47X20	JR42X47X20
IR 424730	81	42	47	30	NK 47/30	—	LRT424730	IR42X47X30	IR42X47X30	JR42X47X30
IR 455020	58	45	50	20	RNAF 506220	—	LRT455020	IR45X50X20	IR45X50X20	JR45X50X20
IR 455025	71	45	50	25	NK 50/25	—	LRT455025	IR45X50X25	IR45X50X25	JR45X50X25
IR 455025.5	73	45	50	25.5	—	—	IRT4525	IR45X50X25.5	IR45X50X25.5	JR45X50X25.5

INNER RINGS



IR



IRZ


IR, IRZ

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER INNER RING	Mass (Approx.)	Dimensions(mm)			JNS USABLE BEARING NUMBER		IKO	INA	NTN	TORRINGTON(KOYO)
IR IRZ	g	d	F	B			LRT / IRT LRTZ	IR	IR	JR JRZ
IR 455030.5	87.5	45	50	30.5	—	—	IRT4530	—	—	—
IR 455035	95	45	50	35	NK 50/35	—	LRT455035	IR45X50X35	IR45X50X35	JR45X50X35
IR 455040	115	45	50	40	RNAFW 506240	—	LRT455040	IR45X50X40	IR45X50X40	JR45X50X40
IR 455222	88	45	52	22	RNA 4909	—	LRT455222	IR45X52X22	IR45X52X22	JR45X52X22
IRZ 455223	93	45	52	23	RNA 4909UU	—	LRTZ455223	IR45X52X23	IR45X52X23D	JRZ45X52X23JS1
IR 455230	123	45	52	30	RNA 5909	—	—	—	IR45X52X30	—
IR 455240	165	45	52	40	RNA 6909	—	LRT455240	IR45X52X40	IR45X52X40	JR45X52X40
IRZ 455241	170	45	52	41	RNA 6909UU	—	LRTZ455241	—	—	—
IR 455520	120	45	55	20	RNAF 557220	—	LRT455520	IR45X55X20	IR45X55X20	JR45X55X20
IR 455522	130	45	55	22	—	—	—	IR45X55X22	IR45X55X22	JR45X55X22
IR 455540	245	45	55	40	RNAFW 557240	—	LRT455540	IR45X55X40	IR45X55X40	JR45X55X40
IR 505520	63	50	55	20	RNAF 556820	—	LRT505520	IR50X55X20	IR50X55X20	JR50X55X20
IR 505525	77	50	55	25	NK 55/25	—	LRT505525	IR50X55X25	IR50X55X25	JR50X55X25
IR 505535	110	50	55	35	NK 55/35	—	LRT505535	IR50X55X35	IR50X55X35	JR50X55X35
IR 505540	130	50	55	40	RNAFW 556840	—	LRT505540	IR50X55X40	IR50X55X40	JR50X55X40
IR 505822	116	50	58	22	RNA 4910	—	LRT505822	IR50X58X22	IR50X58X22	JR50X58X22
IRZ 505823	118	50	58	23	RNA 4910UU	—	LRTZ505823	IR50X58X23	IR50X58X23D	JRZ50X58X23JS1
IR 505830	159	50	58	30	RNA 5910	—	—	—	IR50X58X30	—
IR 505840	210	50	58	40	RNA 6910	—	LRT505840	IR50X58X40	IR50X58X40	JR50X58X40
IRZ 505841	215	50	58	41	RNA 6910UU	—	LRTZ505841	—	—	—
IR 506020	135	50	60	20	RNAF 607820	—	LRT506020	IR50X60X20	IR50X60X20	JR50X60X20
IR 506025	163	50	60	25	—	—	—	IR50X60X25	IR50X60X25	JR50X60X25
IR 506040	265	50	60	40	RNAFW 607840	—	LRT506040	IR50X60X40	IR50X60X40	JR50X60X40
IR 556025	88	55	60	25	NK 60/25	—	LRT556025	IR55X60X25	IR55X60X25	JR55X60X25
IR 556035	120	55	60	35	NK 60/35	—	LRT556035	IR55X60X35	IR55X60X35	JR55X60X35
IR 556325	145	55	63	25	RNA 4911	—	LRT556325	IR55X63X25	IR55X63X25	JR55X63X25
IR 556334	192	55	63	34	RNA 5911	—	—	—	IR55X63X34	—
IR 556345	255	55	63	45	RNA 6911	—	LRT556345	IR55X63X45	IR55X63X45	JR55X63X45
IR 556530	220	55	65	30	RNAF 658530	—	LRT556530	IR55X65X30	IR55X65X30	JR55X65X30
IR 556560	435	55	65	60	RNAFW 658560	—	LRT556560	IR55X65X60	IR55X65X60	JR55X65X60
IR 606825	150	60	68	25	RNA 4912	NK 68/25	LRT606825	IR60X68X25	IR60X68X25	JR60X68X25
IR 606834	206	60	68	34	RNA 5912	—	—	—	IR60X68X34	—
IR 606835	210	60	68	35	NK 68/35	—	LRT606835	IR60X68X35	IR60X68X35	JR60X68X35
IR 606845	275	60	68	45	RNA 6912	—	LRT606845	IR60X68X45	IR60X68X45	JR60X68X45
IR 607025	195	60	70	25	—	—	—	IR60X70X25	IR60X70X25	JR60X70X25
IR 607030	240	60	70	30	RNAF 709030	—	LRT607030	IR60X70X30	IR60X70X30	JR60X70X30
IR 607060	480	60	70	60	RNAFW 709060	—	LRT607060	IR60X70X60	IR60X70X60	JR60X70X60

INNER RINGS



IR



IRZ


IR, IRZ

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER INNER RING	Mass (Approx.)	Dimensions(mm)			JNS USABLE BEARING NUMBER		IKO	INA	NTN	TORRINGTON(KOYO)
IR IRZ	g	d	F	B			LRT / IRT LRTZ	IR	IR	JR JRZ
IR 657225	145	65	72	25	RNA 4913	—	LRT657225	IR65X72X25	IR65X72X25	JR65X72X25
IR 657234	193	65	72	34	RNA 5913	—	—	—	IR65X72X34	—
IR 657245	255	65	72	45	RNA 6913	—	LRT657245	IR65X72X45	IR65X72X45	JR65X72X45
IR 657335	235	65	73	35	NK 73/35	—	LRT657335	IR65X73X35	IR65X73X35	JR65X73X35
IR 657530	260	65	75	30	RNAF 759530	—	LRT657530	IR65X75X30	IR65X75X30	JR65X75X30
IR 657560	520	65	75	60	RNAFW 759560	—	LRT657560	IR65X75X60	IR65X75X60	JR65X75X60
IR 708025	225	70	80	25	NK 80/25	—	LRT708025	IR70X80X25	IR70X80X25	JR70X80X25
IR 708030	275	70	80	30	RNA 4914	RNAF 8010030	LRT708030	IR70X80X30	IR70X80X30	JR70X80X30
IR 708035	310	70	80	35	NK 80/35	—	LRT708035	IR70X80X35	IR70X80X35	JR70X80X35
IR 708040	358	70	80	40	RNA 5914	—	—	—	IR70X80X40	—
IR 708054	490	70	80	54	RNA 6914	—	LRT708054	IR70X80X54	IR70X80X54	JR70X80X54
IR 708060	560	70	80	60	RNAFW 8010060	—	LRT708060	IR70X80X60	IR70X80X60	JR70X80X60
IR 758525	240	75	85	25	NK 85/25	—	LRT758525	IR75X85X25	IR75X85X25	JR75X85X25
IR 758530	290	75	85	30	RNA 4915	RNAF 8510530	LRT758530	IR75X85X30	IR75X85X30	JR75X85X30
IR 758535	335	75	85	35	NK 85/35	—	LRT758535	IR75X85X35	IR75X85X35	JR75X85X35
IR 758540	385	75	85	40	RNA 5915	—	—	—	IR75X85X40	—
IR 758554	520	75	85	54	RNA 6915	—	LRT758554	IR75X85X54	IR75X85X54	JR75X85X54
IR 809025	255	80	90	25	NK 90/25	—	LRT809025	IR80X90X25	IR80X90X25	JR80X90X25
IR 809030	310	80	90	30	RNA 4916	RNAF 9011030	LRT809030	IR80X90X30	IR80X90X30	JR80X90X30
IR 809035	355	80	90	35	NK 90/35	—	LRT809035	IR80X90X35	IR80X90X35	JR80X90X35
IR 809040	408	80	90	40	RNA 5916	—	—	—	IR80X90X40	—
IR 809054	550	80	90	54	RNA 6916	—	LRT809054	IR80X90X54	IR80X90X54	JR80X90X54
IR 859526	280	85	95	26	NK 95/26	—	LRT859526	IR85X95X26	IR85X95X26	JR85X95X26
IR 859530	330	85	95	30	RNAF 9511530	—	LRT859530	IR85X95X30	IR85X95X30	JR85X95X30
IR 859536	390	85	95	36	NK 95/36	—	LRT859536	IR85X95X36	IR85X95X36	JR85X95X36
IR 8510035	575	85	100	35	RNA 4917	—	LRT8510035	IR85X100X35	IR85X100X35	JR85X100X35
IR 8510046	760	85	100	46	RNA 5917	—	—	—	IR85X100X46	—
IR 8510063	1 040	85	100	63	RNA 6917	—	LRT8510063	IR85X100X63	IR85X100X63	JR85X100X63
IR 9010026	295	90	100	26	NK 100/26	—	LRT9010026	IR90X100X26	IR90X100X26	JR90X100X26
IR 9010030	355	90	100	30	RNAF 10012030	—	LRT9010030	IR90X100X30	IR90X100X30	JR90X100X30
IR 9010036	415	90	100	36	NK 100/36	—	LRT9010036	IR90X100X36	IR90X100X36	JR90X100X36
IR 9010535	610	90	105	35	RNA 4918	—	LRT9010535	IR90X105X35	IR90X105X35	JR90X105X35
IR 9010546	800	90	105	46	RNA 5918	—	—	—	IR90X105X46	—
IR 9010563	1 100	90	105	63	RNA 6918	—	LRT9010563	IR90X105X63	IR90X105X63	JR90X105X63
IR 9510526	315	95	105	26	NK 105/26	—	LRT9510526	IR95X105X26	IR95X105X26	JR95X105X26
IR 9510536	430	95	105	36	NK 105/36	—	LRT9510536	IR95X105X36	IR95X105X36	JR95X105X36
IR 9511035	650	95	110	35	RNA 4919	—	LRT9511035	IR95X110X35	IR95X110X35	JR95X110X35

INNER RINGS



IR



IRZ


IR, IRZ

DIMENSION TABLE

INTERCHANGE TABLE

JNS NUMBER INNER RING	Mass (Approx.)	Dimensions(mm)			JNS USABLE BEARING NUMBER		IKO	INA	NTN	TORRINGTON(KOYO)
IR IRZ	g	d	F	B			LRT / IRT LRTZ	IR	IR	JR JRZ
IR 9511046	850	95	110	46	RNA 5919	—	—	—	IR95X110X46	—
IR 9511063	1 160	95	110	63	RNA 6919	—	LRT9511063	IR95X110X63	IR95X110X63	JR95X110X63
IR 10011030	380	100	110	30	NK 110/30	—	LRT10011030	IR100X110X30	IR100X110X30	JR100X110X30
IR 10011040	500	100	110	40	NK 110/40	—	LRT10011040	IR100X110X40	IR100X110X40	JR100X110X40
IR 10011540	700	100	115	40	RNA 4920	—	LRT10011540	IR100X115X40	IR100X115X40	JR100X115X40
IR 11012030	410	110	120	30	RNA 4822	—	LRT11012030	IR110X120X30	IR110X120X30	JR110X120X30
IR 11012540	840	110	125	40	RNA 4922	—	LRT11012540	IR110X125X40	IR110X125X40	JR110X125X40
IR 12013030	450	120	130	30	RNA 4824	—	LRT12013030	IR120X130X30	IR120X130X30	JR120X130X30
IR 12013545	1 030	120	135	45	RNA 4924	—	LRT12013545	IR120X135X45	IR120X135X45	JR120X135X45
IR 13014535	860	130	145	35	RNA 4826	—	LRT13014535	IR130X145X35	IR130X145X35	JR130X145X35
IR 13015050	1 670	130	150	50	RNA 4926	—	LRT13015050	IR130X150X50	IR130X150X50	JR130X150X50
IR 14015535	930	140	155	35	RNA 4828	—	LRT14015535	IR140X155X35	IR140X155X35	JR140X155X35
IR 14016050	1 790	140	160	50	RNA 4928	—	LRT14016050	IR140X160X50	IR140X160X50	JR140X160X50
IR 15016540	1 130	150	165	40	RNA 4830	—	LRT15016540	IR150X165X40	IR150X165X40	JR150X165X40
IR 16017540	1 200	160	175	40	RNA 4832	—	LRT16017540	IR160X175X40	IR160X175X40	JR160X175X40

CAM FOLLOWERS
MINIATURE TYPE
HEXAGON SOCKET ON STUD HEAD



CFS. . (V) A

CFS..A


DIMENSION TABLE

JNS NUMBER CYLINDRICAL OUTER RING	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating
CFS	g	d	D	C	G	B1	C1	Cr N	Cor N
CFS 2.5A	**1**	2.5	5	3	M2.5×0.45	9.5	0.7	410	335
CFS 2.5VA	**1**	2.5	5	3	M2.5×0.45	9.5	0.7	1 000	1 080
CFS 3A	**2**	3	6	4	M3×0.5	11.5	0.7	630	610
CFS 3VA	**2**	3	6	4	M3×0.5	11.5	0.7	1 370	1 770
CFS 4A	**4**	4	8	5	M4×0.7	15	1	1 080	1 080
CFS 4VA	**4**	4	8	5	M4×0.7	15	1	2 350	3 040
CFS 5A	**7**	5	10	6	M5×0.8	18	1	1 570	1 860
CFS 5VA	**7**	5	10	6	M5×0.8	18	1	3 140	4 710
CFS 6A	**13**	6	12	7	M6×1	21.5	1.2	2 060	2 160
CFS 6VA	**13**	6	12	7	M6×1	21.5	1.2	4 610	6 270

INTERCHANGE TABLE

INA	IKO	NTN	MCGILL
CYLINDRICAL OUTER RING	CYLINDRICAL OUTER RING	CYLINDRICAL OUTER RING	CYLINDRICAL OUTER RING
—	CFS	KRM	—
—	CFS2.5	KRM5XT2H/3A	—
—	CFS2.5V	KRMV5XT2H/3A	—
—	CFS3	KRM6XT2H/3A	—
—	CFS3V	KRMV6XT2H/3A	—
—	CFS4	KRM8XT2H/3A	—
—	CFS4V	KRMV8XT2H/3A	—
—	CFS5	KRM10XT2H/3A	—
—	CFS5V	KRMV10XT2H/3A	—
—	CFS6	KRM12XT2H/3A	—
—	CFS6V	KRMV12XT2H/3A	—

CAM FOLLOWERS
EASY MOUNTING TYPE
SCREWDRIVER SLOT HEAD



CF-SFU

CF-SFU, R

DIMENSION TABLE

INTERCHANGE TABLE

JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)					Basic dynamic load rating	Basic static load rating	INA		IKO		NTN		MCGILL	
										CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
CF-SFU	CF-SFU..R	g	d	D	C	B1	C1	Cr N	Cor N	—	—	CF-SFU	—	KRX	KRX	—	—
CF-SFU- 6	**CF-SFU- 6R**	**19**	6	16	11	32	0.6	3 630	3 630	—	—	CF-SFU- 6	—	KRX6X16X32-2	KRX6X16X32-4	—	—
CF-SFU- 6V	**CF-SFU- 6VR**	**19**	6	16	11	32	0.6	6 960	8 530	—	—	—	—	—	—	—	—
CF-SFU- 8	**CF-SFU- 8R**	**28.5**	8	19	11	32	0.6	4 310	4 710	—	—	CF-SFU- 8	—	KRX8X19X32-7	KRX8X19X32-9	—	—
CF-SFU- 8V	**CF-SFU- 8VR**	**28.5**	8	19	11	32	0.6	8 130	11 170	—	—	—	—	—	—	—	—
CF-SFU-10	**CF-SFU-10R**	**43**	10	22	12	33	0.6	5 390	6 860	—	—	CF-SFU-10	—	KRX10X22X33-1	KRX10X22X33-3	—	—
CF-SFU-10V	**CF-SFU-10VR**	**43**	10	22	12	33	0.6	9 510	14 500	—	—	—	—	—	—	—	—
CF-SFU-10-1	**CF-SFU-10-1R**	**58.5**	10	26	12	33	0.6	5 390	6 860	—	—	CF-SFU-10-1	—	KRX10X26X33-2	KRX10X26X33-4	—	—
CF-SFU-10-1V	**CF-SFU-10-1VR**	**58.5**	10	26	12	33	0.6	9 510	14 500	—	—	—	—	—	—	—	—
CF-SFU-12	**CF-SFU-12R**	**93**	12	30	14	35	0.6	7 940	9 800	—	—	CF-SFU-12	—	KRX12X30X35	KRX12X30X35-3	—	—
CF-SFU-12V	**CF-SFU-12VR**	**93**	12	30	14	35	0.6	13 430	19 700	—	—	—	—	—	—	—	—
CF-SFU-12-1	**CF-SFU-12-1R**	**103**	12	32	14	35	0.6	7 940	9 800	—	—	CF-SFU-12-1	—	KRX12X32X35-1	KRX12X32X35-3	—	—
CF-SFU-12-1V	**CF-SFU-12-1VR**	**103**	12	32	14	35	0.6	13 430	19 700	—	—	—	—	—	—	—	—
CF-SFU-16	**CF-SFU-16R**	**163.5**	16	35	18	44.5	0.8	12 050	18 330	—	—	CF-SFU-16	—	KRX16X35X44.5-3	KRX16X35X44.5-1	—	—
CF-SFU-16V	**CF-SFU-16VR**	**163.5**	16	35	18	44.5	0.8	20 680	37 630	—	—	—	—	—	—	—	—
CF-SFU-18	**CF-SFU-18R**	**235**	18	40	20	46.5	0.8	14 700	25 200	—	—	CF-SFU-18	—	KRX18X40X46.5-4	KRX18X40X46.5-6	—	—
CF-SFU-18V	**CF-SFU-18VR**	**235**	18	40	20	46.5	0.8	25 280	51 350	—	—	—	—	—	—	—	—
CF-SFU-20	**CF-SFU-20R**	**436**	20	52	24	50.5	0.8	20 680	34 600	—	—	CF-SFU-20	—	KRX20X47X50.5-3	KRX20X47X50.5-1	—	—
CF-SFU-20V	**CF-SFU-20VR**	**436**	20	52	24	50.5	0.8	33 120	64 480	—	—	—	—	—	—	—	—
CF-SFU-20-1	**CF-SFU-20-1R**	**361**	20	47	24	50.5	0.8	20 680	34 600	—	—	CF-SFU-20-1	—	KRX20X52X50.5-1	KRX20X52X50.5-3	—	—
CF-SFU-20-1V	**CF-SFU-20-1VR**	**361**	20	47	24	50.5	0.8	33 120	64 480	—	—	—	—	—	—	—	—