

CAM FOLLOWERS
HEXAGON SOCKET ON STUD HEAD



CF. . A



CF. . RA


CF..A, RA

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
											CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
CF..A	CF..RA	g	d	D	C	G	B1	C1	Cr N	Cor N	KR-XSK	KR-SK	KR-XH	KR-H	CF-B	CF-BR	MCFR-BX	MCFR-B
CF 3A	**CF 3RA**	**4.5**	3	10	7	M3×0.5	17	0.5	1 470	1 180	—	—	KR10T2XH/3AS	KR10T2H/3AS	CF3B	CF3BR	—	—
CF 3VA	**CF 3RVA**	**4.5**	3	10	7	M3×0.5	17	0.5	2 800	2 500	—	—	KRV10T2XH/3AS	KRV10T2H/3AS	—	—	—	—
CF 4A	**CF 4RA**	**7.5**	4	12	8	M4×0.7	20	0.5	2 060	2 050	—	—	KR12T2XH/3AS	KR12T2H/3AS	CF4B	CF4BR	—	—
CF 4VA	**CF 4RVA**	**7.5**	4	12	8	M4×0.7	20	0.5	4 000	4 300	—	—	KRV12T2XH/3AS	KRV12T2H/3AS	—	—	—	—
CF 5A	**CF 5RA**	**10.5**	5	13	9	M5×0.8	23	0.5	3 140	2 770	—	—	KR13T2XH/3AS	KR13T2H/3AS	CF5B	CF5BR	MCFR-13BX	MCFR-13B
CF 5VA	**CF 5VRA**	**10.5**	5	13	9	M5×0.8	23	0.5	5 100	5 500	—	—	KRV13T2XH/3AS	KRV13T2H/3AS	—	—	MCF-13BX	MCF-13B
CF 6A	**CF 6RA**	**18.5**	6	16	11	M6×1	28	0.6	3 630	3 630	KR16X-SK	KR16-SK	KR16XH	KR16H	CF6B	CF6BR	MCFR-16BX	MCFR-16B
CF 6VA	**CF 6VRA**	**18.5**	6	16	11	M6×1	28	0.6	6 960	8 530	KRV16X-SK	KRV16-SK	KRV16XH/3AS	KRV16H/3AS	CF6VB	CF6VBR	MCF-16BX	MCF-16B
CF 8A	**CF 8RA**	**28.5**	8	19	11	M8×1.25	32	0.6	4 310	4 710	KR19X-SK	KR19-SK	KR19XH	KR19H	CF8B	CF8BR	MCFR-19BX	MCFR-19B
CF 8VA	**CF 8VRA**	**28.5**	8	19	11	M8×1.25	32	0.6	8 130	11 170	KRV19X-SK	KRV19-SK	KRV19XH/3AS	KRV19H/3AS	CF8VB	CF8VBR	MCF-19BX	MCF-19B
CF10A	**CF10RA**	**45**	10	22	12	M10×1.25	36	0.6	5 390	6 860	—	—	KR22XH	KR22H	CF10B	CF10BR	MCFR-22BXA	MCFR-22BA
CF10VA	**CF10VRA**	**45**	10	22	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRV22XH/3AS	KRV22H/3AS	CF10VB	CF10VBR	MCF-22BXA	MCF-22BA
CF10AK	**CF10RAK**	**45**	10	22	12	M10×1	36	0.6	5 390	6 860	KR22X-SK	KR22-SK	—	—	CF10BM	CF10BRM	MCFR-22BX	MCFR-22B
CF10VAK	**CF10VRAK**	**45**	10	22	12	M10×1	36	0.6	9 510	14 500	KRV22X-SK	KRV22-SK	—	—	CF10VBM	CF10VBRM	MCF-22BX	MCF-22B
CF10-1A	**CF10-1RA**	**60**	10	26	12	M10×1.25	36	0.6	5 390	6 860	—	—	KR26XH	KR26H	CF10-1B	CF10-1BR	MCFR-26BXA	MCFR-26BA
CF10-1VA	**CF10-1VRA**	**60**	10	26	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRV26XH/3AS	KRV26H/3AS	CF10-1VB	CF10-1VBR	MCF-26BXA	MCF-26BA
CF10-1AK	**CF10-1RAK**	**60**	10	26	12	M10×1	36	0.6	5 390	6 860	KR26X-SK	KR26-SK	—	—	CF10-1BM	CF10-1BRM	MCFR-26BX	MCFR-26B
CF10-1VAK	**CF10-1VRAK**	**60**	10	26	12	M10×1	36	0.6	9 510	14 500	KRV26X-SK	KRV26-SK	—	—	CF10-1VBM	CF10-1VBRM	MCF-26BX	MCF-26B
CF12A	**CF12RA**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800	KR30X-SK	KR30-SK	KR30XH	KR30H	CF12B	CF12BR	MCFR-30BX	MCFR-30B
CF12VA	**CF12VRA**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700	KRV30X-SK	KRV30-SK	KRV30XH/3AS	KRV30H/3AS	CF12VB	CF12VBR	MCF-30BX	MCF-30B
CF12-1A	**CF12-1RA**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800	KR32X-SK	KR32-SK	KR32XH	KR32H	CF12-1B	CF12-1BR	MCFR-32BX	MCFR-32B
CF12-1VA	**CF12-1VRA**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700	KRV32X-SK	KRV32-SK	KRV32XH/3AS	KRV32H/3AS	CF12-1VB	CF12-1VBR	MCF-32BX	MCF-32B
CF16A	**CF16RA**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330	KR35X-SK	KR35-SK	KR35XH	KR35H	CF16B	CF16BR	MCFR-35BX	MCFR-35B
CF16VA	**CF16VRA**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630	KRV35X-SK	KRV35-SK	KRV35XH/3AS	KRV35H/3AS	CF16VB	CF16VBR	MCF-35BX	MCF-35B
CF18A	**CF18RA**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200	KR40X-SK	KR40-SK	KR40XH	KR40H	CF18B	CF18BR	MCFR-40BXA	MCFR-40BA
CF18VA	**CF18VRA**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350	KRV40X-SK	KRV40-SK	KRV40XH/3AS	KRV40H/3AS	CF18VB	CF18VBR	MCF-40BXA	MCF-40BA
CF20A	**CF20RA**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600	KR52X-SK	KR52-SK	KR52XH	KR52H	CF20B	CF20BR	MCFR-52BXA	MCFR-52BA
CF20VA	**CF20VRA**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480	KRV52X-SK	KRV52-SK	KRV52XH/3AS	KRV52H/3AS	CF20VB	CF20VBR	MCF-52BXA	MCF-52BA
CF20-1A	**CF20-1RA**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600	KR47X-SK	KR47-SK	KR47XH	KR47H	CF20-1B	CF20-1BR	MCFR-47BXA	MCFR-47BA
CF20-1VA	**CF20-1VRA**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480	KRV47X-SK	KRV47-SK	KRV47XH/3AS	KRV47H/3AS	CF20-1VB	CF20-1VBR	MCF-47BXA	MCF-47BA
CF24A	**CF24RA**	**815**	24	62	29	M24×1.5	80	0.8	30 480	52 630	KR62X-SK	KR62-SK	KR62XH	KR62H	CF24B	CF24BR	MCFR-62BXA	MCFR-62BA
CF24VA	**CF24VRA**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020	KRV62X-SK	KRV62-SK	KRV62XH/3AS	KRV62H/3AS	CF24VB	CF24VBR	MCF-62BXA	MCF-62BA
CF24-1A	**CF24-1RA**	**1 140**	24	72	29	M24×1.5	80	0.8	30 480	52 630	KR72X-SK	KR72-SK	KR72XH	KR72H	CF24-1B	CF24-1BR	MCFR-72BXA	MCFR-72BA
CF24-1VA	**CF24-1VRA**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020	KRV72X-SK	KRV72-SK	KRV72XH/3AS	KRV72H/3AS	CF24-1VB	CF24-1VBR	MCF-72BXA	MCF-72BA

Stud diameter (d) 3 to 10mm : No grease refilling hole is provided (except "K" type)



CF. . A



CF. . RA

CF..A, RA


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
											CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
CF..A	CF..RA	g	d	D	C	G	B1	C1	Cr N	Cor N	KR-XSK	KR-SK	KR-XH	KR-H	CF-B	CF-BR	MCFR-BX	MCFR-B
CF30A	**CF30RA**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060	KR80X-SK	KR80-SK	KR80XH	KR80H	CF30B	CF30BR	MCFR-80BX	MCFR-80B
CF30VA	**CF30VRA**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060	KRV80X-SK	KRV80-SK	KRV80XH/3AS	KRV80H/3AS	CF30VB	CF30VBR	MCF-80BX	MCF-80B
CF30-1A	**CF30-1RA**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060	KR85X-SK	KR85-SK	—	—	CF30-1B	CF30-1BR	MCFR-85BX	MCFR-85B
CF30-1VA	**CF30-1VRA**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060	KRV85X-SK	KRV85-SK	—	—	CF30-1VB	CF30-1VBR	MCF-85BX	MCF-85B
CF30-2A	**CF30-2RA**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060	KR90X-SK	KR90-SK	KR90XH	KR90H	CF30-2B	CF30-2BR	MCFR-90BX	MCFR-90B
CF30-2VA	**CF30-2VRA**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060	KRV90X-SK	KRV90-SK	KRV90XH/3AS	KRV90H/3AS	CF30-2VB	CF30-2VBR	MCF-90BX	MCF-90B

Stud diameter (d) 3 to 10mm : No grease refilling hole is provided (except "K" type)

INTERCHANGE



CF. . UUA



CF. . UURA


CF..UUA, UURA

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
											CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
CF..UUA	CF..UURA	g	d	D	C	G	B1	C1	Cr N	Cor N	KR-XSKPP	KR-SKPP	KR-LLXH	KR-LLH	CF-BUU	CF-BUUR	MCFR-SBX	MCFR-SB
CF 3UUA	**CF 3UURA**	**4.5**	3	10	7	M3×0.5	17	0.5	1 470	1 180	—	—	KR10LLT2XH/3AS	KR10LLT2H/3AS	CF3BUU	CF3BUUR	—	—
CF 3VUUA	**CF 3VUURA**	**4.5**	3	10	7	M3×0.5	17	0.5	2 800	2 500	—	—	KRV10LLT2XH/3AS	KRV10LLT2H/3AS	—	—	—	—
CF 4UUA	**CF 4UURA**	**7.5**	4	12	8	M4×0.7	20	0.5	2 060	2 050	—	—	KR12LLT2XH/3AS	KR12LLT2H/3AS	CF4BUU	CF4BUUR	—	—
CF 4VUUA	**CF 4VUURA**	**7.5**	4	12	8	M4×0.7	20	0.5	4 000	4 300	—	—	KRV12LLT2XH/3AS	KRV12LLT2H/3AS	—	—	—	—
CF 5UUA	**CF 5UURA**	**10.5**	5	13	9	M5×0.8	23	0.5	3 140	2 770	—	—	KR13LLT2XH/3AS	KR13LLT2H/3AS	CF5BUU	CF5BUUR	MCFR-13SBX	MCFR-13SB
CF 5VUUA	**CF 5VUURA**	**10.5**	5	13	9	M5×0.8	23	0.5	5 100	5 500	—	—	KRV13LLT2XH/3AS	KRV13LLT2H/3AS	—	—	MCF-13SBX	MCF-13SB
CF 6UUA	**CF 6UURA**	**18.5**	6	16	11	M6×1	28	0.6	3 630	3 630	KR16X-SK-PP	KR16-SK-PP	KR16XLLH	KR16LLH	CF6BUU	CF6BUUR	MCFR-16SBX	MCFR-16SB
CF 6VUUA	**CF 6VUURA**	**18.5**	6	16	11	M6×1	28	0.6	6 960	8 530	KRV16X-SK-PP	KRV16-SK-PP	KRV16XLLH/3AS	KRV16LLH/3AS	CF6VBUU	CF6VBUUR	MCF-16SBX	MCF-16SB
CF 8UUA	**CF 8UURA**	**28.5**	8	19	11	M8×1.25	32	0.6	4 310	4 710	KR19X-SK-PP	KR19-SK-PP	KR19XLLH	KR19LLH	CF8BUU	CF8BUUR	MCFR-19SBX	MCFR-19SB
CF 8VUUA	**CF 8VUURA**	**28.5**	8	19	11	M8×1.25	32	0.6	8 130	11 170	KRV19X-SK-PP	KRV19-SK-PP	KRV19XLLH/3AS	KRV19LLH/3AS	CF8VBUU	CF8VBUUR	MCF-19SBX	MCF-19SB
CF10UUA	**CF10UURA**	**45**	10	22	12	M10×1.25	36	0.6	5 390	6 860	—	—	KR22XLLH	KR22LLH	CF10BUU	CF10BUUR	MCFR-22SBXA	MCFR-22SBA
CF10VUUA	**CF10VUURA**	**45**	10	22	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRV22XLLH/3AS	KRV22LLH/3AS	CF10VBUU	CF10VBUUR	MCF-22SBXA	MCF-22SBA
CF10UUAK	**CF10UURAK**	**45**	10	22	12	M10×1	36	0.6	5 390	6 860	KR22X-SK-PP	KR22-SK-PP	—	—	CF10BUUM	CF10BUURM	MCFR-22SBX	MCFR-22SB
CF10VUUAK	**CF10VUURAK**	**45**	10	22	12	M10×1	36	0.6	9 510	14 500	KRV22X-SK-PP	KRV22-SK-PP	—	—	CF10VBUUM	CF10VBUURM	MCF-22SBX	MCF-22SB
CF10-1UUA	**CF10-1UURA**	**60**	10	26	12	M10×1.25	36	0.6	5 390	6 860	—	—	KR26XLLH	KR26LLH	CF10-1BUU	CF10-1BUUR	MCFR-26SBXA	MCFR-26SBA
CF10-1VUUA	**CF10-1VUURA**	**60**	10	26	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRV26XLLH/3AS	KRV26LLH/3AS	CF10-1VBUU	CF10-1VBUUR	MCF-26SBXA	MCF-26SBA
CF10-1UUAK	**CF10-1UURAK**	**60**	10	26	12	M10×1	36	0.6	5 390	6 860	KR26X-SK-PP	KR26-SK-PP	—	—	CF10-1BUUM	CF10-1BUURM	MCFR-26SBX	MCFR-26SB
CF10-1VUUAK	**CF10-1VUURAK**	**60**	10	26	12	M10×1	36	0.6	9 510	14 500	KRV26X-SK-PP	KRV26-SK-PP	—	—	CF10-1VBUUM	CF10-1VBUURM	MCF-26SBX	MCF-26SB
CF12UUA	**CF12UURA**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800	KR30X-SK-PP	KR30-SK-PP	KR30XLLH	KR30LLH	CF12BUU	CF12BUUR	MCFR-30SBX	MCFR-30SB
CF12VUUA	**CF12VUURA**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700	KRV30X-SK-PP	KRV30-SK-PP	KRV30XLLH/3AS	KRV30LLH/3AS	CF12VBUU	CF12VBUUR	MCF-30SBX	MCF-30SB
CF12-1UUA	**CF12-1UURA**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800	KR32X-SK-PP	KR32-SK-PP	KR32XLLH	KR32LLH	CF12-1BUU	CF12-1BUUR	MCFR-32SBX	MCFR-32SB
CF12-1VUUA	**CF12-1VUURA**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700	KRV32X-SK-PP	KRV32-SK-PP	KRV32XLLH/3AS	KRV32LLH/3AS	CF12-1VBUU	CF12-1VBUUR	MCF-32SBX	MCF-32SB
CF16UUA	**CF16UURA**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330	KR35X-SK-PP	KR35-SK-PP	KR35XLLH	KR35LLH	CF16BUU	CF16BUUR	MCFR-35SBX	MCFR-35SB
CF16VUUA	**CF16VUURA**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630	KRV35X-SK-PP	KRV35-SK-PP	KRV35XLLH/3AS	KRV35LLH/3AS	CF16VBUU	CF16VBUUR	MCF-35SBX	MCF-35SB
CF18UUA	**CF18UURA**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200	KR40X-SK-PP	KR40-SK-PP	KR40XLLH	KR40LLH	CF18BUU	CF18BUUR	MCFR-40SBXA	MCFR-40SBA
CF18VUUA	**CF18VUURA**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350	KRV40X-SK-PP	KRV40-SK-PP	KRV40XLLH/3AS	KRV40LLH/3AS	CF18VBUU	CF18VBUUR	MCF-40SBXA	MCF-40SBA
CF20UUA	**CF20UURA**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600	KR52X-SK-PP	KR52-SK-PP	KR52XLLH	KR52LLH	CF20BUU	CF20BUUR	MCFR-52SBXA	MCFR-52SBA
CF20VUUA	**CF20VUURA**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480	KRV52X-SK-PP	KRV52-SK-PP	KRV52XLLH/3AS	KRV52LLH/3AS	CF20VBUU	CF20VBUUR	MCF-52SBXA	MCF-52SBA
CF20-1UUA	**CF20-1UURA**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600	KR47X-SK-PP	KR47-SK-PP	KR47XLLH	KR47LLH	CF20-1BUU	CF20-1BUUR	MCFR-47SBXA	MCFR-47SBA
CF20-1VUUA	**CF20-1VUURA**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480	KRV47X-SK-PP	KRV47-SK-PP	KRV47XLLH/3AS	KRV47LLH/3AS	CF20-1VBUU	CF20-1VBUUR	MCF-47SBXA	MCF-47SBA
CF24UUA	**CF24UURA**	**815**	24	62	29	M24×1.5	80	0.8	30 480	52 630	KR62X-SK-PP	KR62-SK-PP	KR62XLLH	KR62LLH	CF24BUU	CF24BUUR	MCFR-62SBXA	MCFR-62SBA
CF24VUUA	**CF24VUURA**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020	KRV62X-SK-PP	KRV62-SK-PP	KRV62XLLH/3AS	KRV62LLH/3AS	CF24VBUU	CF24VBUUR	MCF-62SBXA	MCF-62SBA
CF24-1UUA	**CF24-1UURA**	**1 140**	24	72	29	M24×1.5	80	0.8	30 480	52 630	KR72X-SK-PP	KR72-SK-PP	KR72XLLH	KR72LLH	CF24-1BUU	CF24-1BUUR	MCFR-72SBXA	MCFR-72SBA
CF24-1VUUA	**CF24-1VUURA**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020	KRV72X-SK-PP	KRV72-SK-PP	KRV72XLLH/3AS	KRV72LLH/3AS	CF24-1VBUU	CF24-1VBUUR	MCF-72SBXA	MCF-72SBA
CF30UUA	**CF30UURA**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060	KR80X-SK-PP	KR80-SK-PP	KR80XLLH	KR80LLH	CF30BUU	CF30BUUR	MCFR-80SBX	MCFR-80SB

Stud diameter (d) 3 to 10mm : No grease refilling hole is provided (except "K" type)



CF. . UUA



CF. . UURA

CF..UUA, UURA

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
											CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
CF..UUA	CF..UURA	g	d	D	C	G	B1	C1	Cr N	Cor N	KR-XSKPP	KR-SKPP	KR-LLXH	KR-LLH	CF-BUU	CF-BUUR	MCFR-SBX	MCFR-SB
CF30VUUA	**CF30VUURA**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060	KRV80X-SK-PP	KRV80-SK-PP	KRV80XLLH/3AS	KRV80LLH/3AS	CF30VBUU	CF30VBUUR	MCF-80SBX	MCF-80SB
CF30-1UUA	**CF30-1UURA**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060	KR85X-SK-PP	KR85-SK-PP	—	—	CF30-1BUU	CF30-1BUUR	MCFR-85SBX	MCFR-85SB
CF30-1VUUA	**CF30-1VUURA**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060	KRV85X-SK-PP	KRV85-SK-PP	—	—	CF30-1VBUU	CF30-1VBUUR	MCF-85SBX	MCF-85SB
CF30-2UUA	**CF30-2UURA**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060	KR90X-SK-PP	KR90-SK-PP	KR90XLLH	KR90LLH	CF30-2BUU	CF30-2BUUR	MCFR-90SBX	MCFR-90SB
CF30-2VUUA	**CF30-2VUURA**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060	KRV90X-SK-PP	KRV90-SK-PP	KRV90XLLH/3AS	KRV90LLH/3AS	CF30-2VBUU	CF30-2VBUUR	MCF-90SBX	MCF-90SB


Stud diameter (d) 3 to 10mm : No grease refilling hole is provided (except "K" type)

INTERCHANGE


CAM FOLLOWERS
HEXAGON SOCKET ON BOTH SIDES GREASE NIPPLE INSTALLED





CF. . AB (CF10ABK, CF10-1ABK)




CF. . AB (CF12≦)


CF. . AB


CF. . RAB


CF. . UUAB


CF. . UURAB

CF..AB, RAB, UUAB, UURAB


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING WITHOUT SEALS	JNS NUMBER CROWNED OUTER RING WITHOUT SEALS	JNS NUMBER CYLINDRICAL OUTER RING WITH SEALS	JNS NUMBER CROWNED OUTER RING WITH SEALS	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA				NTN		IKO		MCGILL	
													CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITH SEALS	CROWNED OUTER RING WITH SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS
CF..AB	CF..RAB	CF..UUAB	CF..UURAB	g	d	D	C	G	B1	C1	Cr N	Cor N	KR-X	KR	KR-PPX	KR-PP	—	—	—	—	—	—
CF10ABK	**CF10RABK**	**CF10UUABK**	**CF10UURABK**	**45**	10	22	12	M10×1	36	0.6	4 700	1 670	KR22X	KR22	KR22PPX	KR22PP	—	—	—	—	—	—
CF10VABK	**CF10VRABK**	**CF10VUUABK**	**CF10VUURABK**	**45**	10	22	12	M10×1	36	0.6	4 700	1 670	KRV22X	KRV22	KRV22PPX	KRV22PP	—	—	—	—	—	—
CF10-1ABK	**CF10-1RABK**	**CF10-1UUABK**	**CF10-1UURABK**	**60**	10	26	12	M10×1	36	0.6	5 490	2 060	KR26X	KR26	KR26PPX	KR26PP	—	—	—	—	—	—
CF10-1VABK	**CF10-1VRABK**	**CF10-1VUUABK**	**CF10-1VUURABK**	**60**	10	26	12	M10×1	36	0.6	5 490	2 060	KRV26X	KRV26	KRV26PPX	KRV26PP	—	—	—	—	—	—
CF12AB	**CF12RAB**	**CF12UUAB**	**CF12UURAB**	**95**	12	30	14	M12×1.5	40	0.6	7 060	2 450	KR30X	KR30	KR30PPX	KR30PP	—	—	—	—	—	—
CF12VAB	**CF12VRAB**	**CF12VUUAB**	**CF12VUURAB**	**95**	12	30	14	M12×1.5	40	0.6	7 060	2 450	KRV30X	KRV30	KRV30PPX	KRV30PP	—	—	—	—	—	—
CF12-1AB	**CF12-1RAB**	**CF12-1UUAB**	**CF12-1UURAB**	**105**	12	32	14	M12×1.5	40	0.6	7 450	2 740	KR32X	KR32	KR32PPX	KR32PP	—	—	—	—	—	—
CF12-1VAB	**CF12-1VRAB**	**CF12-1VUUAB**	**CF12-1VUURAB**	**105**	12	32	14	M12×1.5	40	0.6	7 450	2 740	KRV32X	KRV32	KRV32PPX	KRV32PP	—	—	—	—	—	—
CF16AB	**CF16RAB**	**CF16UUAB**	**CF16UURAB**	**170**	16	35	18	M16×1.5	52	0.8	11 200	3 140	KR35X	KR35	KR35PPX	KR35PP	—	—	—	—	—	—
CF16VAB	**CF16VRAB**	**CF16VUUAB**	**CF16VUURAB**	**170**	16	35	18	M16×1.5	52	0.8	11 200	3 140	KRV35X	KRV35	KRV35PPX	KRV35PP	—	—	—	—	—	—
CF18AB	**CF18RAB**	**CF18UUAB**	**CF18UURAB**	**250**	18	40	20	M18×1.5	58	0.8	14 400	3 720	KR40X	KR40	KR40PPX	KR40PP	—	—	—	—	—	—
CF18VAB	**CF18VRAB**	**CF18VUUAB**	**CF18VUURAB**	**250**	18	40	20	M18×1.5	58	0.8	14 400	3 720	KRV40X	KRV40	KRV40PPX	KRV40PP	—	—	—	—	—	—
CF20AB	**CF20RAB**	**CF20UUAB**	**CF20UURAB**	**460**	20	52	24	M20×1.5	66	0.8	23 200	8 230	KR52X	KR52	KR52PPX	KR52PP	—	—	—	—	—	—
CF20VAB	**CF20VRAB**	**CF20VUUAB**	**CF20VUURAB**	**460**	20	52	24	M20×1.5	66	0.8	23 200	8 230	KRV52X	KRV52	KRV52PPX	KRV52PP	—	—	—	—	—	—
CF20-1AB	**CF20-1RAB**	**CF20-1UUAB**	**CF20-1UURAB**	**385**	20	47	24	M20×1.5	66	0.8	21 000	7 150	KR47X	KR47	KR47PPX	KR47PP	—	—	—	—	—	—
CF20-1VAB	**CF20-1VRAB**	**CF20-1VUUAB**	**CF20-1VUURAB**	**385**	20	47	24	M20×1.5	66	0.8	21 000	7 150	KRV47X	KRV47	KRV47PPX	KRV47PP	—	—	—	—	—	—
CF24AB	**CF24RAB**	**CF24UUAB**	**CF24UURAB**	**815**	24	62	29	M24×1.5	80	0.8	34 200	10 500	KR62X	KR62	KR62PPX	KR62PP	—	—	—	—	—	—
CF24VAB	**CF24VRAB**	**CF24VUUAB**	**CF24VUURAB**	**815**	24	62	29	M24×1.5	80	0.8	34 200	10 500	KRV62X	KRV62	KRV62PPX	KRV62PP	—	—	—	—	—	—
CF24-1AB	**CF24-1RAB**	**CF24-1UUAB**	**CF24-1UURAB**	**1 140**	24	72	29	M24×1.5	80	0.8	39 800	12 900	KR72X	KR72	KR72PPX	KR72PP	—	—	—	—	—	—
CF24-1VAB	**CF24-1VRAB**	**CF24-1VUUAB**	**CF24-1VUURAB**	**1 140**	24	72	29	M24×1.5	80	0.8	39 800	12 900	KRV72X	KRV72	KRV72PPX	KRV72PP	—	—	—	—	—	—
CF30AB	**CF30RAB**	**CF30UUAB**	**CF30UURAB**	**1 870**	30	80	35	M30×1.5	100	1	52 600	14 900	KR80X	KR80	KR80PPX	KR80PP	—	—	—	—	—	—
CF30VAB	**CF30VRAB**	**CF30VUUAB**	**CF30VUURAB**	**1 870**	30	80	35	M30×1.5	100	1	52 600	14 900	KRV80X	KRV80	KRV80PPX	KRV80PP	—	—	—	—	—	—
CF30-1AB	**CF30-1RAB**	**CF30-1UUAB**	**CF30-1UURAB**	**2 030**	30	85	35	M30×1.5	100	1	56 000	16 100	—	—	—	—	—	—	—	—	—	—
CF30-1VAB	**CF30-1VRAB**	**CF30-1VUUAB**	**CF30-1VUURAB**	**2 030**	30	85	35	M30×1.5	100	1	56 000	16 100	—	—	—	—	—	—	—	—	—	—
CF30-2AB	**CF30-2RAB**	**CF30-2UUAB**	**CF30-2UURAB**	**2 220**	30	90	35	M30×1.5	100	1	59 300	17 300	KR90X	KR90	KR90PPX	KR90PP	—	—	—	—	—	—
CF30-2VAB	**CF30-2VRAB**	**CF30-2VUUAB**	**CF30-2VUURAB**	**2 220**	30	90	35	M30×1.5	100	1	59 300	17 300	KRV90X	KRV90	KRV90PPX	KRV90PP	—	—	—	—	—	—


CAM FOLLOWERS

FULL COMPLEMENT DOUBLE ROW
HEXAGON SOCKET ON BOTH SIDES
GREASE NIPPLE INSTALLED



NUCF. . R


NUCF


NUCF

NUCF..AB, RAB


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
											CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
NUCF..AB	NUCF..RAB	g	d	D	C	G	B1	C1	Cr N	Cor N	—	NUKR	NUKR..X	NUKR	—	NUCF..R	MCFD..X	MCFD
NUCF16AB	**NUCF16RAB**	**165**	16	35	18	M16x1.5	32.5	0.8	22 300	25 700	—	NUKR35	NUKR35XH	NUKR35H	—	NUCF16BR	MCFD-35X	MCFD-35
NUCF18AB	**NUCF18RAB**	**242**	18	40	20	M18x1.5	36.5	0.8	24 100	29 100	—	NUKR40	NUKR40XH	NUKR40H	—	NUCF18BR	MCFD-40X	MCFD-40
NUCF20-1AB	**NUCF20-1RAB**	**380**	20	47	24	M20x1.5	40.5	0.8	38 500	48 000	—	NUKR47	NUKR47XH	NUKR47H	—	NUCF20-1BR	MCFD-47X	MCFD-47
NUCF20AB	**NUCF20RAB**	**450**	20	52	24	M20x1.5	40.5	0.8	42 500	57 500	—	NUKR52	NUKR52XH	NUKR52H	—	NUCF20BR	MCFD-52X	MCFD-52
NUCF24AB	**NUCF24RAB**	**795**	24	62	28	M24x1.5	49.5	1.3	56 500	72 500	—	NUKR62	NUKR62XH	NUKR62H	—	NUCF24BR	MCFD-62X	MCFD-62
NUCF24-1AB	**NUCF24-1RAB**	**1 010**	24	72	28	M24x1.5	49.5	1.3	62 000	85 500	—	NUKR72	NUKR72XH	NUKR72H	—	NUCF24-1BR	MCFD-72X	MCFD-72
NUCF30AB	**NUCF30RAB**	**1 540**	30	80	35	M30x1.5	63	1	101 000	151 000	—	NUKR80	NUKR80XH	NUKR80H	—	NUCF30BR	MCFD-80X	MCFD-80
NUCF30-2AB	**NUCF30-2RAB**	**1 960**	30	90	35	M30x1.5	63	1	101 000	151 000	—	NUKR90	NUKR90XH	NUKR90H	—	NUCF30-2BR	MCFD-90X	MCFD-90

INTERCHANGE

CAM FOLLOWERS
SCREWDRIVER SLOT HEAD



CF



CF..R

CF, R


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
											CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
CF	CF..R	g	d	D	C	G	B1	C1	Cr N	Cor N	KR-X	KR	KR-X	KR	CF	CF..R	MCFR-X	MCFR
CF5	**CF5R**	**10.5**	5	13	9	M5×0.8	23	0.5	3 140	2 770	—	—	—	—	CF5	CF5R	MCFR-13X	MCFR-13
CF5V	**CF5VR**	**10.5**	5	13	9	M5×0.8	23	0.5	5 100	5 500	—	—	—	—	CF5V	CF5VR	MCF-13X	MCF-13
CF6	**CF6R**	**18.5**	6	16	11	M6×1	28	0.6	3 630	3 630	KR16X	KR16	KR16X	KR16	CF6	CF6R	MCFR-16X	MCFR-16
CF6V	**CF6VR**	**18.5**	6	16	11	M6×1	28	0.6	6 960	8 530	KRV16X	KRV16	KRV16X	KRV16	CF6V	CF6VR	MCF-16X	MCF-16
CF8	**CF8R**	**28.5**	8	19	11	M8×1.25	32	0.6	4 310	4 710	KR19X	KR19	KR19X	KR19	CF8	CF8R	MCFR-19X	MCFR-19
CF8V	**CF8VR**	**28.5**	8	19	11	M8×1.25	32	0.6	8 130	11 170	KRV19X	KRV19	KRV19X	KRV19	CF8V	CF8VR	MCF-19X	MCF-19
CF10	**CF10R**	**45**	10	22	12	M10×1.25	36	0.6	5 390	6 860	—	—	KR22X	KR22	CF10	CF10R	MCFR-22XA	MCFR-22A
CF10V	**CF10VR**	**45**	10	22	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRV22X	KRV22	CF10V	CF10VR	MCF-22XA	MCF-22A
CF10K	**CF10RK**	**45**	10	22	12	M10×1	36	0.6	5 390	6 860	—	—	—	—	CF10M	CF10RM	MCFR-22X	MCFR-22
CF10VK	**CF10VRK**	**45**	10	22	12	M10×1	36	0.6	9 510	14 500	—	—	—	—	CF10VM	CF10VRM	MCF-22X	MCF-22
CF10-1	**CF10-1R**	**60**	10	26	12	M10×1.25	36	0.6	5 390	6 860	—	—	KR26X	KR26	CF10-1	CF10-1R	MCFR-26XA	MCFR-26A
CF10-1V	**CF10-1VR**	**60**	10	26	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRV26X	KRV26	CF10-1V	CF10-1VR	MCF-26XA	MCF-26A
CF10-1K	**CF10-1RK**	**60**	10	26	12	M10×1	36	0.6	5 390	6 860	—	—	—	—	CF10-1M	CF10-1RM	MCFR-26X	MCFR-26
CF10-1VK	**CF10-1VRK**	**60**	10	26	12	M10×1	36	0.6	9 510	14 500	—	—	—	—	CF10-1VM	CF10-1VRM	MCF-26X	MCF-26
CF12	**CF12R**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800	—	—	KR30X	KR30	CF12	CF12R	MCFR-30X	MCFR-30
CF12V	**CF12VR**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700	—	—	KRV30X	KRV30	CF12V	CF12VR	MCF-30X	MCF-30
CF12-1	**CF12-1R**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800	—	—	KR32X	KR32	CF12-1	CF12-1R	MCFR-32X	MCFR-32
CF12-1V	**CF12-1VR**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700	—	—	KRV32X	KRV32	CF12-1V	CF12-1VR	MCF-32X	MCF-32
CF16	**CF16R**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330	—	—	KR35X	KR35	CF16	CF16R	MCFR-35X	MCFR-35
CF16V	**CF16VR**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630	—	—	KRV35X	KRV35	CF16V	CF16VR	MCF-35X	MCF-35
CF18	**CF18R**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200	—	—	KR40X	KR40	CF18	CF18R	MCFR-40XA	MCFR-40A
CF18V	**CF18VR**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350	—	—	KRV40X	KRV40	CF18V	CF18VR	MCF-40XA	MCF-40A
CF20	**CF20R**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600	—	—	KR52X	KR52	CF20	CF20R	MCFR-52XA	MCFR-52A
CF20V	**CF20VR**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480	—	—	KRV52X	KRV52	CF20V	CF20VR	MCF-52XA	MCF-52A
CF20-1	**CF20-1R**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600	—	—	KR47X	KR47	CF20-1	CF20-1R	MCFR-47XA	MCFR-47A
CF20-1V	**CF20-1VR**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480	—	—	KRV47X	KRV47	CF20-1V	CF20-1VR	MCF-47XA	MCF-47A
CF24	**CF24R**	**815**	24	62	29	M24×1.5	80	0.8	30 480	52 630	—	—	KR62X	KR62	CF24	CF24R	MCFR-62XA	MCFR-62A
CF24V	**CF24VR**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020	—	—	KRV62X	KRV62	CF24V	CF24VR	MCF-62XA	MCF-62A
CF24-1	**CF24-1R**	**1 140**	24	72	29	M24×1.5	80	0.8	30 480	52 630	—	—	KR72X	KR72	CF24-1	CF24-1R	MCFR-72XA	MCFR-72A
CF24-1V	**CF24-1VR**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020	—	—	KRV72X	KRV72	CF24-1V	CF24-1VR	MCF-72XA	MCF-72A
CF30	**CF30R**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060	—	—	KR80X	KR80	CF30	CF30R	MCFR-80X	MCFR-80
CF30V	**CF30VR**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060	—	—	KRV80X	KRV80	CF30V	CF30VR	MCF-80X	MCF-80
CF30-1	**CF30-1R**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060	—	—	KR85X	KR85	CF30-1	CF30-1R	MCFR-85X	MCFR-85
CF30-1V	**CF30-1VR**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060	—	—	KRV85X	KRV85	CF30-1V	CF30-1VR	MCF-85X	MCF-85
CF30-2	**CF30-2R**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060	—	—	KR90X	KR90	CF30-2	CF30-2R	MCFR-90X	MCFR-90
CF30-2V	**CF30-2VR**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060	—	—	KRV90X	KRV90	CF30-2V	CF30-2VR	MCF-90X	MCF-90

Stud diameter (d) 5 to 10mm : Without oil hole in the thread side.(except "K" type)

CAM FOLLOWERS
SCREWDRIVER SLOT HEAD



CF. . UU



CF. . UUR

CF..UU, UUR


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
											CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
CF..UU	CF..UUR	g	d	D	C	G	B1	C1	Cr N	Cor N	KR-PPX	KR-PP	KR-LLX	KR-LL	CF	CF..R	MCFR-SX	MCFR-S
CF5UU	**CF5UUR**	**10.5**	5	13	9	M5×0.8	23	0.5	3 140	2 770	—	—	—	—	CF5UU	CF5UUR	MCFR-13SX	MCFR-13S
CF5VUU	**CF5VUUR**	**10.5**	5	13	9	M5×0.8	23	0.5	5 100	5 500	—	—	—	—	CF5VUU	CF5VUUR	MCF-13SX	MCF-13S
CF6UU	**CF6UUR**	**18.5**	6	16	11	M6×1	28	0.6	3 630	3 630	KR16PPX	KR16PP	KR16XLL	KR16LL	CF6UU	CF6UUR	MCFR-16SX	MCFR-16S
CF6VUU	**CF6VUUR**	**18.5**	6	16	11	M6×1	28	0.6	6 960	8 530	KRV16PPX	KRV16PP	KRV16XLL	KRV16LL	CF6VUU	CF6VUUR	MCF-16SX	MCF-16S
CF8UU	**CF8UUR**	**28.5**	8	19	11	M8×1.25	32	0.6	4 310	4 710	KR19PPX	KR19PP	KR19XLL	KR19LL	CF8UU	CF8UUR	MCFR-19SX	MCFR-19S
CF8VUU	**CF8VUUR**	**28.5**	8	19	11	M8×1.25	32	0.6	8 130	11 170	KRV19PPX	KRV19PP	KRV19XLL	KRV19LL	CF8VUU	CF8VUUR	MCF-19SX	MCF-19S
CF10UU	**CF10UUR**	**45**	10	22	12	M10×1.25	36	0.6	5 390	6 860	—	—	KR22XLL	KR22LL	CF10UU	CF10UUR	MCFR-22SXA	MCFR-22SA
CF10VUU	**CF10VUUR**	**45**	10	22	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRV22XLL	KRV22LL	CF10VUU	CF10VUUR	MCF-22SXA	MCF-22SA
CF10UUK	**CF10UURK**	**45**	10	22	12	M10×1	36	0.6	5 390	6 860	—	—	—	—	CF10UUM	CF10UURM	MCFR-22SX	MCFR-22S
CF10VUUK	**CF10VUURK**	**45**	10	22	12	M10×1	36	0.6	9 510	14 500	—	—	—	—	CF10VUUM	CF10VUURM	MCF-22SX	MCF-22S
CF10-1UU	**CF10-1UUR**	**60**	10	26	12	M10×1.25	36	0.6	5 390	6 860	—	—	KR26XLL	KR26LL	CF10-1UU	CF10-1UUR	MCFR-26SXA	MCFR-26SA
CF10-1VUU	**CF10-1VUUR**	**60**	10	26	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRV26XLL	KRV26LL	CF10-1VUU	CF10-1VUUR	MCF-26SXA	MCF-26SA
CF10-1UUK	**CF10-1UURK**	**60**	10	26	12	M10×1	36	0.6	5 390	6 860	—	—	—	—	CF10-1UUM	CF10-1UURM	MCFR-26SX	MCFR-26S
CF10-1VUUK	**CF10-1VUURK**	**60**	10	26	12	M10×1	36	0.6	9 510	14 500	—	—	—	—	CF10-1VUUM	CF10-1VUURM	MCF-26SX	MCF-26S
CF12UU	**CF12UUR**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800	—	—	KR30XLL	KR30LL	CF12UU	CF12UUR	MCFR-30SX	MCFR-30S
CF12VUU	**CF12VUUR**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700	—	—	KRV30XLL	KRV30LL	CF12VUU	CF12VUUR	MCF-30SX	MCF-30S
CF12-1UU	**CF12-1UUR**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800	—	—	KR32XLL	KR32LL	CF12-1UU	CF12-1UUR	MCFR-32SX	MCFR-32S
CF12-1VUU	**CF12-1VUUR**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700	—	—	KRV32XLL	KRV32LL	CF12-1VUU	CF12-1VUUR	MCF-32SX	MCF-32S
CF16UU	**CF16UUR**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330	—	—	KR35XLL	KR35LL	CF16UU	CF16UUR	MCFR-35SX	MCFR-35S
CF16VUU	**CF16VUUR**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630	—	—	KRV35XLL	KRV35LL	CF16VUU	CF16VUUR	MCF-35SX	MCF-35S
CF18UU	**CF18UUR**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200	—	—	KR40XLL	KR40LL	CF18UU	CF18UUR	MCFR-40SXA	MCFR-40SA
CF18VUU	**CF18VUUR**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350	—	—	KRV40XLL	KRV40LL	CF18VUU	CF18VUUR	MCF-40SXA	MCF-40SA
CF20UU	**CF20UUR**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600	—	—	KR52XLL	KR52LL	CF20UU	CF20UUR	MCFR-52SXA	MCFR-52SA
CF20VUU	**CF20VUUR**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480	—	—	KRV52XLL	KRV52LL	CF20VUU	CF20VUUR	MCF-52SXA	MCF-52SA
CF20-1UU	**CF20-1UUR**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600	—	—	KR47XLL	KR47LL	CF20-1UU	CF20-1UUR	MCFR-47SXA	MCFR-47SA
CF20-1VUU	**CF20-1VUUR**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480	—	—	KRV47XLL	KRV47LL	CF20-1VUU	CF20-1VUUR	MCF-47SXA	MCF-47SA
CF24UU	**CF24UUR**	**815**	24	62	29	M24×1.5	80	0.8	30 480	52 630	—	—	KR62XLL	KR62LL	CF24UU	CF24UUR	MCFR-62SXA	MCFR-62SA
CF24VUU	**CF24VUUR**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020	—	—	KRV62XLL	KRV62LL	CF24VUU	CF24VUUR	MCF-62SXA	MCF-62SA
CF24-1UU	**CF24-1UUR**	**1 140**	24	72	29	M24×1.5	80	0.8	30 480	52 630	—	—	KR72XLL	KR72LL	CF24-1UU	CF24-1UUR	MCFR-72SXA	MCFR-72SA
CF24-1VUU	**CF24-1VUUR**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020	—	—	KRV72XLL	KRV72LL	CF24-1VUU	CF24-1VUUR	MCF-72SXA	MCF-72SA
CF30UU	**CF30UUR**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060	—	—	KR80XLL	KR80LL	CF30UU	CF30UUR	MCFR-80SX	MCFR-80S
CF30VUU	**CF30VUUR**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060	—	—	KRV80XLL	KRV80LL	CF30VUU	CF30VUUR	MCF-80SX	MCF-80S
CF30-1UU	**CF30-1UUR**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060	—	—	KR85XLL	KR85LL	CF30-1UU	CF30-1UUR	MCFR-85SX	MCFR-85S
CF30-1VUU	**CF30-1VUUR**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060	—	—	KRV85XLL	KRV85LL	CF30-1VUU	CF30-1VUUR	MCF-85SX	MCF-85S
CF30-2UU	**CF30-2UUR**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060	—	—	KR90XLL	KR90LL	CF30-2UU	CF30-2UUR	MCFR-90SX	MCFR-90S
CF30-2VUU	**CF30-2VUUR**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060	—	—	KRV90XLL	KRV90LL	CF30-2VUU	CF30-2VUUR	MCF-90SX	MCF-90S


Stud diameter (d) 5 to 10mm : Without oil hole in the thread side.(except "K" type)


CAM FOLLOWERS
HEXAGON SOCKET ON THREAD SIDE SCREWDRIVER SLOT HEAD




CF. . B


CF. . B


CF. . RB


CF. . UUB



CF. . UURB


CF..B, RB, UUB, UURB


DIMENSION TABLE


INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING WITHOUT SEALS	JNS NUMBER CROWNED OUTER RING WITHOUT SEALS	JNS NUMBER CYLINDRICAL OUTER RING WITH SEALS	JNS NUMBER CROWNED OUTER RING WITH SEALS	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
													CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS
CF..B	CF..RB	CF..UUB	CF..UURB	g	d	D	C	G	B1	C1	Cr N	Cor N	—	—	—	—	—	—	—	—
CF12B	**CF12RB**	**CF12UUB**	**CF12UURB**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800	—	—	—	—	—	—	—	—
CF12VB	**CF12VRB**	**CF12VUUB**	**CF12VUURB**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700	—	—	—	—	—	—	—	—
CF12-1B	**CF12-1RB**	**CF12-1UUB**	**CF12-1UURB**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800	—	—	—	—	—	—	—	—
CF12-1VB	**CF12-1VRB**	**CF12-1VUUB**	**CF12-1VUURB**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700	—	—	—	—	—	—	—	—
CF16B	**CF16RB**	**CF16UUB**	**CF16UURB**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330	—	—	—	—	—	—	—	—
CF16VB	**CF16VRB**	**CF16VUUB**	**CF16VUURB**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630	—	—	—	—	—	—	—	—
CF18B	**CF18RB**	**CF18UUB**	**CF18UURB**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200	—	—	—	—	—	—	—	—
CF18VB	**CF18VRB**	**CF18VUUB**	**CF18VUURB**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350	—	—	—	—	—	—	—	—
CF20B	**CF20RB**	**CF20UUB**	**CF20UURB**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600	—	—	—	—	—	—	—	—
CF20VB	**CF20VRB**	**CF20VUUB**	**CF20VUURB**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480	—	—	—	—	—	—	—	—
CF20-1B	**CF20-1RB**	**CF20-1UUB**	**CF20-1UURB**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600	—	—	—	—	—	—	—	—
CF20-1VB	**CF20-1VRB**	**CF20-1VUUB**	**CF20-1VUURB**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480	—	—	—	—	—	—	—	—
CF24B	**CF24RB**	**CF24UUB**	**CF24UURB**	**815**	24	62	29	M20×1.5	80	0.8	30 480	52 630	—	—	—	—	—	—	—	—
CF24VB	**CF24VRB**	**CF24VUUB**	**CF24VUURB**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020	—	—	—	—	—	—	—	—
CF24-1B	**CF24-1RB**	**CF24-1UUB**	**CF24-1UURB**	**1 140**	24	72	29	M20×1.5	80	0.8	30 480	52 630	—	—	—	—	—	—	—	—
CF24-1VB	**CF24-1VRB**	**CF24-1VUUB**	**CF24-1VUURB**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020	—	—	—	—	—	—	—	—
CF30B	**CF30RB**	**CF30UUB**	**CF30UURB**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	—	—	—
CF30VB	**CF30VRB**	**CF30VUUB**	**CF30VUURB**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—
CF30-1B	**CF30-1RB**	**CF30-1UUB**	**CF30-1UURB**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	—	—	—
CF30-1VB	**CF30-1VRB**	**CF30-1VUUB**	**CF30-1VUURB**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—
CF30-2B	**CF30-2RB**	**CF30-2UUB**	**CF30-2UURB**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	—	—	—
CF30-2VB	**CF30-2VRB**	**CF30-2VUUB**	**CF30-2VUURB**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—




CFH. . A


CFH. . RA


CFH. . UUA


CFH. . UURA

CFH..A, RA, UUA, UURA


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING WITHOUT SEALS	JNS NUMBER CROWNED OUTER RING WITHOUT SEALS	JNS NUMBER CYLINDRICAL OUTER RING WITH SEALS	JNS NUMBER CROWNED OUTER RING WITH SEALS	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO				MCGILL	
													CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITH SEALS	CROWNED OUTER RING WITH SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS
CFH..A	CFH..RA	CFH..UUA	CFH..UURA	g	d	D	C	G	B1	C1	Cr N	Cor N	—	—	—	—	CFES-B	CFES-BR	CFES-BUU	CFES-BUUR	—	—
CFH5A	**CFH5RA**	**CFH5UUA**	**CFH5UURA**	**10.5**	5	13	9	M5×0.8	23	0.5	3 140	2 770		—	—	—	—	—	—	—	—	—	—
CFH5VA	**CFH5VRA**	**CFH5VUUA**	**CFH5VUURA**	**10.5**	5	13	9	M5×0.8	23	0.5	5 100	5 500		—	—	—	—	—	—	—	—	—	—
CFH6A	**CFH6RA**	**CFH6UUA**	**CFH6UURA**	**18.5**	6	16	11	M6×1	28	0.6	3 630	3 630		—	—	—	—	CFES6B	CFES6BR	CFES6BUU	CFES6BUUR	—	—
CFH6VA	**CFH6VRA**	**CFH6VUUA**	**CFH6VUURA**	**18.5**	6	16	11	M6×1	28	0.6	6 960	8 530		—	—	—	—	—	—	—	—	—	—
CFH8A	**CFH8RA**	**CFH8UUA**	**CFH8UURA**	**28.5**	8	19	11	M8×1.25	32	0.6	4 310	4 710		—	—	—	—	CFES8B	CFES8BR	CFES8BUU	CFES8BUUR	—	—
CFH8VA	**CFH8VRA**	**CFH8VUUA**	**CFH8VUURA**	**28.5**	8	19	11	M8×1.25	32	0.6	8 130	11 170		—	—	—	—	—	—	—	—	—	—
CFH10A	**CFH10RA**	**CFH10UUA**	**CFH10UURA**	**45**	10	22	12	M10×1.25	36	0.6	5 390	6 860		—	—	—	—	CFES10B	CFES10BR	CFES10BUU	CFES10BUUR	—	—
CFH10VA	**CFH10VRA**	**CFH10VUUA**	**CFH10VUURA**	**45**	10	22	12	M10×1.25	36	0.6	9 510	14 500		—	—	—	—	—	—	—	—	—	—
CFH10-1A	**CFH10-1RA**	**CFH10-1UUA**	**CFH10-1UURA**	**60**	10	26	12	M10×1.25	36	0.6	5 390	6 860		—	—	—	—	CFES10-1B	CFES10-1BR	CFES10-1BUU	CFES10-1BUUR	—	—
CFH10-1VA	**CFH10-1VRA**	**CFH10-1VUUA**	**CFH10-1VUURA**	**60**	10	26	12	M10×1.25	36	0.6	9 510	14 500		—	—	—	—	—	—	—	—	—	—
CFH12A	**CFH12RA**	**CFH12UUA**	**CFH12UURA**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800		—	—	—	—	CFES12B	CFES12BR	CFES12BUU	CFES12BUUR	—	—
CFH12VA	**CFH12VRA**	**CFH12VUUA**	**CFH12VUURA**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700		—	—	—	—	—	—	—	—	—	—
CFH12-1A	**CFH12-1RA**	**CFH12-1UUA**	**CFH12-1UURA**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800		—	—	—	—	CFES12-1B	CFES12-1BR	CFES12-1BUU	CFES12-1BUUR	—	—
CFH12-1VA	**CFH12-1VRA**	**CFH12-1VUUA**	**CFH12-1VUURA**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700		—	—	—	—	—	—	—	—	—	—
CFH16A	**CFH16RA**	**CFH16UUA**	**CFH16UURA**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330		—	—	—	—	CFES16B	CFES16BR	CFES16BUU	CFES16BUUR	—	—
CFH16VA	**CFH16VRA**	**CFH16VUUA**	**CFH16VUURA**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630		—	—	—	—	—	—	—	—	—	—
CFH18A	**CFH18RA**	**CFH18UUA**	**CFH18UURA**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200		—	—	—	—	CFES18B	CFES18BR	CFES18BUU	CFES18BUUR	—	—
CFH18VA	**CFH18VRA**	**CFH18VUUA**	**CFH18VUURA**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350		—	—	—	—	—	—	—	—	—	—
CFH20A	**CFH20RA**	**CFH20UUA**	**CFH20UURA**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600		—	—	—	—	—	—	—	—	—	—
CFH20VA	**CFH20VRA**	**CFH20VUUA**	**CFH20VUURA**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480		—	—	—	—	—	—	—	—	—	—
CFH20-1A	**CFH20-1RA**	**CFH20-1UUA**	**CFH20-1UURA**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600		—	—	—	—	—	—	—	—	—	—
CFH20-1VA	**CFH20-1VRA**	**CFH20-1VUUA**	**CFH20-1VUURA**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480		—	—	—	—	—	—	—	—	—	—
CFH24A	**CFH24RA**	**CFH24UUA**	**CFH24UURA**	**815**	24	62	29	M24×1.5	80	0.8	30 480	52 630		—	—	—	—	—	—	—	—	—	—
CFH24VA	**CFH24VRA**	**CFH24VUUA**	**CFH24VUURA**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020		—	—	—	—	—	—	—	—	—	—
CFH24-1A	**CFH24-1RA**	**CFH24-1UUA**	**CFH24-1UURA**	**1 140**	24	72	29	M24×1.5	80	0.8	30 480	52 630		—	—	—	—	—	—	—	—	—	—
CFH24-1VA	**CFH24-1VRA**	**CFH24-1VUUA**	**CFH24-1VUURA**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020		—	—	—	—	—	—	—	—	—	—
CFH30A	**CFH30RA**	**CFH30UUA**	**CFH30UURA**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060		—	—	—	—	—	—	—	—	—	—
CFH30VA	**CFH30VRA**	**CFH30VUUA**	**CFH30VUURA**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060		—	—	—	—	—	—	—	—	—	—
CFH30-1A	**CFH30-1RA**	**CFH30-1UUA**	**CFH30-1UURA**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060		—	—	—	—	—	—	—	—	—	—
CFH30-1VA	**CFH30-1VRA**	**CFH30-1VUUA**	**CFH30-1VUURA**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060		—	—	—	—	—	—	—	—	—	—
CFH30-2A	**CFH30-2RA**	**CFH30-2UUA**	**CFH30-2UURA**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060		—	—	—	—	—	—	—	—	—	—
CFH30-2VA	**CFH30-2VRA**	**CFH30-2VUUA**	**CFH30-2VUURA**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060		—	—	—	—	—	—	—	—	—	—


Stud diameter (d) 5 to 10mm : No grease refilling hole is provided


CAM FOLLOWERS
SOLID ECCENTRIC TYPE
HEXAGON SOCKET ON BOTH SIDES
GREASE NIPPLE INSTALLED




CFH. . AB


CFH. . AB


CFH. . RAB


CFH. . UUAB


CFH. . UURAB


CFH..AB, RAB, UUAB, UURAB


DIMENSION TABLE


INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING WITHOUT SEALS	JNS NUMBER CROWNED OUTER RING WITHOUT SEALS	JNS NUMBER CYLINDRICAL OUTER RING WITH SEALS	JNS NUMBER CROWNED OUTER RING WITH SEALS	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
													CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS
CFH..AB	CFH..RAB	CFH..UUAB	CFH..UURAB	g	d	D	C	G	B1	C1	Cr N	Cor N	—	—	—	—	—	—	—	—
CFH12AB	**CFH12RAB**	**CFH12UUAB**	**CFH12UURAB**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800	—	—	—	—	—	—	—	—
CFH12VAB	**CFH12VRAB**	**CFH12VUUAB**	**CFH12VUURAB**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700	—	—	—	—	—	—	—	—
CFH12-1AB	**CFH12-1RAB**	**CFH12-1UUAB**	**CFH12-1UURAB**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800	—	—	—	—	—	—	—	—
CFH12-1VAB	**CFH12-1VRAB**	**CFH12-1VUUAB**	**CFH12-1VUURAB**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700	—	—	—	—	—	—	—	—
CFH16AB	**CFH16RAB**	**CFH16UUAB**	**CFH16UURAB**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330	—	—	—	—	—	—	—	—
CFH16VAB	**CFH16VRAB**	**CFH16VUUAB**	**CFH16VUURAB**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630	—	—	—	—	—	—	—	—
CFH18AB	**CFH18RAB**	**CFH18UUAB**	**CFH18UURAB**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200	—	—	—	—	—	—	—	—
CFH18VAB	**CFH18VRAB**	**CFH18VUUAB**	**CFH18VUURAB**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350	—	—	—	—	—	—	—	—
CFH20AB	**CFH20RAB**	**CFH20UUAB**	**CFH20UURAB**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600	—	—	—	—	—	—	—	—
CFH20VAB	**CFH20VRAB**	**CFH20VUUAB**	**CFH20VUURAB**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480	—	—	—	—	—	—	—	—
CFH20-1AB	**CFH20-1RAB**	**CFH20-1UUAB**	**CFH20-1UURAB**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600	—	—	—	—	—	—	—	—
CFH20-1VAB	**CFH20-1VRAB**	**CFH20-1VUUAB**	**CFH20-1VUURAB**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480	—	—	—	—	—	—	—	—
CFH24AB	**CFH24RAB**	**CFH24UUAB**	**CFH24UURAB**	**815**	24	62	29	M24×1.5	80	0.8	30 480	52 630	—	—	—	—	—	—	—	—
CFH24VAB	**CFH24VRAB**	**CFH24VUUAB**	**CFH24VUURAB**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020	—	—	—	—	—	—	—	—
CFH24-1AB	**CFH24-1RAB**	**CFH24-1UUAB**	**CFH24-1UURAB**	**1 140**	24	72	29	M24×1.5	80	0.8	30 480	52 630	—	—	—	—	—	—	—	—
CFH24-1VAB	**CFH24-1VRAB**	**CFH24-1VUUAB**	**CFH24-1VUURAB**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020	—	—	—	—	—	—	—	—
CFH30AB	**CFH30RAB**	**CFH30UUAB**	**CFH30UURAB**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	—	—	—
CFH30VAB	**CFH30VRAB**	**CFH30VUUAB**	**CFH30VUURAB**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—
CFH30-1AB	**CFH30-1RAB**	**CFH30-1UUAB**	**CFH30-1UURAB**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	—	—	—
CFH30-1VAB	**CFH30-1VRAB**	**CFH30-1VUUAB**	**CFH30-1VUURAB**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—
CFH30-2AB	**CFH30-2RAB**	**CFH30-2UUAB**	**CFH30-2UURAB**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	—	—	—
CFH30-2VAB	**CFH30-2VRAB**	**CFH30-2VUUAB**	**CFH30-2VUURAB**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—


CAM FOLLOWERS
SOLID ECCENTRIC TYPE
SCREWDRIVER SLOT HEAD




CFH


CFH. . R


CFH. . UU


CFH. . UUR

CFH, R, UU, UUR


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING WITHOUT SEALS	JNS NUMBER CROWNED OUTER RING WITHOUT SEALS	JNS NUMBER CYLINDRICAL OUTER RING WITH SEALS	JNS NUMBER CROWNED OUTER RING WITH SEALS	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN				IKO				MCGILL	
													CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITH SEALS	CROWNED OUTER RING WITH SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITH SEALS	CROWNED OUTER RING WITH SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS
CFH	CFH..R	CFH..UU	CFH..UUR	g	d	D	C	G	B1	C1	Cr N	Cor N	—	—	KRU..X	KRU	KRU..LLX	KRU..LL	CFES	CFES..R	CFES-UU	CFES-UUR	—	—
CFH5	**CFH5R**	**CFH5UU**	**CFH5UUR**	**10.5**	5	13	9	M5×0.8	23	0.5	3 140	2 770	—	—	—	—	—	—	—	—	—	—	—	—
CFH5V	**CFH5VR**	**CFH5VUU**	**CFH5VUUR**	**10.5**	5	13	9	M5×0.8	23	0.5	5 100	5 500	—	—	—	—	—	—	—	—	—	—	—	—
CFH6	**CFH6R**	**CFH6UU**	**CFH6UUR**	**18.5**	6	16	11	M6×1	28	0.6	3 630	3 630	—	—	KRU16X	KRU16	KRU16LLX/3AS	KRU16LL/3AS/3AS	CFES6	CFES6R	CFES6UU	CFES6UUR	—	—
CFH6V	**CFH6VR**	**CFH6VUU**	**CFH6VUUR**	**18.5**	6	16	11	M6×1	28	0.6	6 960	8 530	—	—	—	—	—	—	—	—	—	—	—	—
CFH8	**CFH8R**	**CFH8UU**	**CFH8UUR**	**28.5**	8	19	11	M8×1.25	32	0.6	4 310	4 710	—	—	KRU19X	KRU19	KRU19LLX/3AS	KRU19LL/3AS/3AS	CFES8	CFES8R	CFES8UU	CFES8UUR	—	—
CFH8V	**CFH8VR**	**CFH8VUU**	**CFH8VUUR**	**28.5**	8	19	11	M8×1.25	32	0.6	8 130	11 170	—	—	—	—	—	—	—	—	—	—	—	—
CFH10	**CFH10R**	**CFH10UU**	**CFH10UUR**	**45**	10	22	12	M10×1.25	36	0.6	5 390	6 860	—	—	KRU22X	KRU22	KRU22LLX/3AS	KRU22LL/3AS/3AS	CFES10	CFES10R	CFES10UU	CFES10UUR	—	—
CFH10V	**CFH10VR**	**CFH10VUU**	**CFH10VUUR**	**45**	10	22	12	M10×1.25	36	0.6	9 510	14 500	—	—	—	—	—	—	—	—	—	—	—	—
CFH10-1	**CFH10-1R**	**CFH10-1UU**	**CFH10-1UUR**	**60**	10	26	12	M10×1.25	36	0.6	5 390	6 860	—	—	KRU26X	KRU26	KRU26LLX/3AS	KRU26LL/3AS/3AS	CFES10-1	CFES10-1R	CFES10-1UU	CFES10-1UUR	—	—
CFH10-1V	**CFH10-1VR**	**CFH10-1VUU**	**CFH10-1VUUR**	**60**	10	26	12	M10×1.25	36	0.6	9 510	14 500	—	—	—	—	—	—	—	—	—	—	—	—
CFH12	**CFH12R**	**CFH12UU**	**CFH12UUR**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800	—	—	KRU30X	KRU30	KRU30LLX/3AS	KRU30LL/3AS/3AS	CFES12	CFES12R	CFES12UU	CFES12UUR	—	—
CFH12V	**CFH12VR**	**CFH12VUU**	**CFH12VUUR**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700	—	—	—	—	—	—	—	—	—	—	—	—
CFH12-1	**CFH12-1R**	**CFH12-1UU**	**CFH12-1UUR**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800	—	—	KRU32X	KRU32	KRU32LLX/3AS	KRU32LL/3AS/3AS	CFES12-1	CFES12-1R	CFES12-1UU	CFES12-1UUR	—	—
CFH12-1V	**CFH12-1VR**	**CFH12-1VUU**	**CFH12-1VUUR**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700	—	—	—	—	—	—	—	—	—	—	—	—
CFH16	**CFH16R**	**CFH16UU**	**CFH16UUR**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330	—	—	KRU35X	KRU35	KRU35LLX/3AS	KRU35LL/3AS/3AS	CFES16	CFES16R	CFES16UU	CFES16UUR	—	—
CFH16V	**CFH16VR**	**CFH16VUU**	**CFH16VUUR**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630	—	—	—	—	—	—	—	—	—	—	—	—
CFH18	**CFH18R**	**CFH18UU**	**CFH18UUR**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200	—	—	KRU40X	KRU40	KRU40LLX/3AS	KRU40LL/3AS/3AS	CFES18	CFES18R	CFES18UU	CFES18UUR	—	—
CFH18V	**CFH18VR**	**CFH18VUU**	**CFH18VUUR**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350	—	—	—	—	—	—	—	—	—	—	—	—
CFH20	**CFH20R**	**CFH20UU**	**CFH20UUR**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600	—	—	KRU52X	KRU52	KRU52LLX/3AS	KRU52LL/3AS/3AS	—	—	—	—	—	—
CFH20V	**CFH20VR**	**CFH20VUU**	**CFH20VUUR**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480	—	—	—	—	—	—	—	—	—	—	—	—
CFH20-1	**CFH20-1R**	**CFH20-1UU**	**CFH20-1UUR**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600	—	—	KRU47X	KRU47	KRU47LLX/3AS	KRU47LL/3AS/3AS	—	—	—	—	—	—
CFH20-1V	**CFH20-1VR**	**CFH20-1VUU**	**CFH20-1VUUR**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480	—	—	—	—	—	—	—	—	—	—	—	—
CFH24	**CFH24R**	**CFH24UU**	**CFH24UUR**	**815**	24	62	29	M24×1.5	80	0.8	30 480	52 630	—	—	KRU62X	KRU62	KRU62LLX/3AS	KRU62LL/3AS/3AS	—	—	—	—	—	—
CFH24V	**CFH24VR**	**CFH24VUU**	**CFH24VUUR**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020	—	—	—	—	—	—	—	—	—	—	—	—
CFH24-1	**CFH24-1R**	**CFH24-1UU**	**CFH24-1UUR**	**1 140**	24	72	29	M24×1.5	80	0.8	30 480	52 630	—	—	KRU72X	KRU72	KRU72LLX/3AS	KRU72LL/3AS/3AS	—	—	—	—	—	—
CFH24-1V	**CFH24-1VR**	**CFH24-1VUU**	**CFH24-1VUUR**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020	—	—	—	—	—	—	—	—	—	—	—	—
CFH30	**CFH30R**	**CFH30UU**	**CFH30UUR**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060	—	—	KRU80X	KRU80	KRU80LLX/3AS	KRU80LL/3AS/3AS	—	—	—	—	—	—
CFH30V	**CFH30VR**	**CFH30VUU**	**CFH30VUUR**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	–	—	—	—	—	—	—
CFH30-1	**CFH30-1R**	**CFH30-1UU**	**CFH30-1UUR**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	–	—	—	—	—	—	—
CFH30-1V	**CFH30-1VR**	**CFH30-1VUU**	**CFH30-1VUUR**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	–	—	—	—	—	—	—
CFH30-2	**CFH30-2R**	**CFH30-2UU**	**CFH30-2UUR**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060	—	—	KRU90X	KRU90	KRU90LLX/3AS	KRU90LL/3AS/3AS	—	—	—	—	—	—
CFH30-2V	**CFH30-2VR**	**CFH30-2VUU**	**CFH30-2VUUR**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	–	—	—	—	—	—	—


Stud diameter (d) 5 to 10mm : Without oil hole in the thread side.


CAM FOLLOWERS
TAP HOLE FOR PIPING
SCREWDRIVER SLOT HEAD




CFT


CFT


CFT. . R


CFT. . UU


CFT. . UUR

CFT, R, UU, UUR


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING WITHOUT SEALS	JNS NUMBER CROWNED OUTER RING WITHOUT SEALS	JNS NUMBER CYLINDRICAL OUTER RING WITH SEALS	JNS NUMBER CROWNED OUTER RING WITH SEALS	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN				IKO				MCGILL	
													CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITH SEALS	CROWNED OUTER RING WITH SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITH SEALS	CROWNED OUTER RING WITH SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS
CFT	CFT..R	CFT..UU	CFT..UUR	g	d	D	C	G	B1	C1	Cr N	Cor N	—	—	KRT-X	KRT	KRT-XLL	KRT-LL	—	—	CF-FU1	CF-RU1	—	—
CFT6	**CFT6R**	**CFT6UU**	**CFT6UUR**	**18.5**	6	16	11	M6×1	28	0.6	3 630	3 630	—	—	KRT16X	KRT16	KRT16XLL	KRT16LL	—	—	CF-FU1-6	CF-RU1-6	—	—
CFT6V	**CFT6VR**	**CFT6VUU**	**CFT6VUUR**	**18.5**	6	16	11	M6×1	28	0.6	6 960	8 530	—	—	KRVT16X	KRVT16	KRVT16XLL	KRVT16LL	—	—	—	—	—	—
CFT8	**CFT8R**	**CFT8UU**	**CFT8UUR**	**28.5**	8	19	11	M8×1.25	32	0.6	4 310	4 710	—	—	KRT19X	KRT19	KRT19XLL	KRT19LL	—	—	CF-FU1-8	CF-RU1-8	—	—
CFT8V	**CFT8VR**	**CFT8VUU**	**CFT8VUUR**	**28.5**	8	19	11	M8×1.25	32	0.6	8 130	11 170	—	—	KRVT19X	KRVT19	KRVT19XLL	KRVT19LL	—	—	—	—	—	—
CFT10	**CFT10R**	**CFT10UU**	**CFT10UUR**	**45**	10	22	12	M10×1.25	36	0.6	5 390	6 860	—	—	KRT22X	KRT22	KRT22XLL	KRT22LL	—	—	CF-FU1-10	CF-RU1-10	—	—
CFT10V	**CFT10VR**	**CFT10VUU**	**CFT10VUUR**	**45**	10	22	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRVT22X	KRVT22	KRVT22XLL	KRVT22LL	—	—	—	—	—	—
CFT10-1	**CFT10-1R**	**CFT10-1UU**	**CFT10-1UUR**	**60**	10	26	12	M10×1.25	36	0.6	5 390	6 860	—	—	KRT26X	KRT26	KRT26XLL	KRT26LL	—	—	CF-FU1-10-1	CF-RU1-10-1	—	—
CFT10-1V	**CFT10-1VR**	**CFT10-1VUU**	**CFT10-1VUUR**	**60**	10	26	12	M10×1.25	36	0.6	9 510	14 500	—	—	KRVT26X	KRVT26	KRVT26XLL	KRVT26LL	—	—	—	—	—	—
CFT12	**CFT12R**	**CFT12UU**	**CFT12UUR**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800	—	—	KRT30X	KRT30	KRT30XLL	KRT30LL	—	—	CF-FU1-12	CF-RU1-12	—	—
CFT12V	**CFT12VR**	**CFT12VUU**	**CFT12VUUR**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700	—	—	KRVT30X	KRVT30	KRVT30XLL	KRVT30LL	—	—	—	—	—	—
CFT12-1	**CFT12-1R**	**CFT12-1UU**	**CFT12-1UUR**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800	—	—	KRT32X	KRT32	KRT32XLL	KRT32LL	—	—	CF-FU1-12-1	CF-RU1-12-1	—	—
CFT12-1V	**CFT12-1VR**	**CFT12-1VUU**	**CFT12-1VUUR**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700	—	—	KRVT32X	KRVT32	KRVT32XLL	KRVT32LL	—	—	—	—	—	—
CFT16	**CFT16R**	**CFT16UU**	**CFT16UUR**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330	—	—	KRT35X	KRT35	KRT35XLL	KRT35LL	—	—	CF-FU1-16	CF-RU1-16	—	—
CFT16V	**CFT16VR**	**CFT16VUU**	**CFT16VUUR**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630	—	—	KRVT35X	KRVT35	KRVT35XLL	KRVT35LL	—	—	—	—	—	—
CFT18	**CFT18R**	**CFT18UU**	**CFT18UUR**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200	—	—	KRT40X	KRT40	KRT40XLL	KRT40LL	—	—	CF-FU1-18	CF-RU1-18	—	—
CFT18V	**CFT18VR**	**CFT18VUU**	**CFT18VUUR**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350	—	—	KRVT40X	KRVT40	KRVT40XLL	KRVT40LL	—	—	—	—	—	—
CFT20	**CFT20R**	**CFT20UU**	**CFT20UUR**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600	—	—	KRT52X	KRT52	KRT52XLL	KRT52LL	—	—	CF-FU1-20	CF-RU1-20	—	—
CFT20V	**CFT20VR**	**CFT20VUU**	**CFT20VUUR**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480	—	—	KRVT52X	KRVT52	KRVT52XLL	KRVT52LL	—	—	—	—	—	—
CFT20-1	**CFT20-1R**	**CFT20-1UU**	**CFT20-1UUR**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600	—	—	KRT47X	KRT47	KRT47XLL	KRT47LL	—	—	CF-FU1-20-1	CF-RU1-20-1	—	—
CFT20-1V	**CFT20-1VR**	**CFT20-1VUU**	**CFT20-1VUUR**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480	—	—	KRVT47X	KRVT47	KRVT47XLL	KRVT47LL	—	—	—	—	—	—
CFT24	**CFT24R**	**CFT24UU**	**CFT24UUR**	**815**	24	62	29	M24×1.5	80	0.8	30 480	52 630	—	—	KRT62X	KRT62	KRT62XLL	KRT62LL	—	—	CF-FU1-24	CF-RU1-24	—	—
CFT24V	**CFT24VR**	**CFT24VUU**	**CFT24VUUR**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020	—	—	KRVT62X	KRVT62	KRVT62XLL	KRVT62LL	—	—	—	—	—	—
CFT24-1	**CFT24-1R**	**CFT24-1UU**	**CFT24-1UUR**	**1 140**	24	72	29	M24×1.5	80	0.8	30 480	52 630	—	—	KRT72X	KRT72	KRT72XLL	KRT72LL	—	—	CF-FU1-24-1	CF-RU1-24-1	—	—
CFT24-1V	**CFT24-1VR**	**CFT24-1VUU**	**CFT24-1VUUR**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020	—	—	KRVT72X	KRVT72	KRVT72XLL	KRVT72LL	—	—	—	—	—	—
CFT30	**CFT30R**	**CFT30UU**	**CFT30UUR**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060	—	—	KRT80X	KRT80	KRT80XLL	KRT80LL	—	—	CF-FU1-30	CF-RU1-30	—	—
CFT30V	**CFT30VR**	**CFT30VUU**	**CFT30VUUR**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060	—	—	KRVT80X	KRVT80	KRVT80XLL	KRVT80LL	—	—	—	—	—	—
CFT30-1	**CFT30-1R**	**CFT30-1UU**	**CFT30-1UUR**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060	—	—	KRT85X	KRT85	KRT85XLL	KRT85LL	—	—	CF-FU1-30-1	CF-RU1-30-1	—	—
CFT30-1V	**CFT30-1VR**	**CFT30-1VUU**	**CFT30-1VUUR**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—	—	—	—	—
CFT30-2	**CFT30-2R**	**CFT30-2UU**	**CFT30-2UUR**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060	—	—	KRT90X	KRT90	KRT90XLL	KRT90LL	—	—	CF-FU1-30-2	CF-RU1-30-2	—	—
CFT30-2V	**CFT30-2VR**	**CFT30-2VUU**	**CFT30-2VUUR**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060	—	—	KRVT90X	KRVT90	KRVT90XLL	KRVT90LL	—	—	—	—	—	—


Stud diameter (d) 6 to 10mm : Without oil hole in the thread side.


CAM FOLLOWERS
TAP HOLE FOR PIPING
HEXAGON SOCKET ON STUD HEAD




CFT. . A


CFT. . A


CFT. . RA


CFT. . UUA



CFT. . UURA

CFT..A, RA, UUA, UURA


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING WITHOUT SEALS	JNS NUMBER CROWNED OUTER RING WITHOUT SEALS	JNS NUMBER CYLINDRICAL OUTER RING WITH SEALS	JNS NUMBER CROWNED OUTER RING WITH SEALS	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
													CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS
CFT..A	CFT..RA	CFT..UUA	CFT..UURA	g	d	D	C	G	B1	C1	Cr N	Cor N	—	—	—	—	—	—	—	—
CFT12A	**CFT12RA**	**CFT12UUA**	**CFT12UURA**	**95**	12	30	14	M12×1.5	40	0.6	7 940	9 800	—	—	—	—	—	—	—	—
CFT12VA	**CFT12VRA**	**CFT12VUUA**	**CFT12VUURA**	**95**	12	30	14	M12×1.5	40	0.6	13 430	19 700	—	—	—	—	—	—	—	—
CFT12-1A	**CFT12-1RA**	**CFT12-1UUA**	**CFT12-1UURA**	**105**	12	32	14	M12×1.5	40	0.6	7 940	9 800	—	—	—	—	—	—	—	—
CFT12-1VA	**CFT12-1VRA**	**CFT12-1VUUA**	**CFT12-1VUURA**	**105**	12	32	14	M12×1.5	40	0.6	13 430	19 700	—	—	—	—	—	—	—	—
CFT16A	**CFT16RA**	**CFT16UUA**	**CFT16UURA**	**170**	16	35	18	M16×1.5	52	0.8	12 050	18 330	—	—	—	—	—	—	—	—
CFT16VA	**CFT16VRA**	**CFT16VUUA**	**CFT16VUURA**	**170**	16	35	18	M16×1.5	52	0.8	20 680	37 630	—	—	—	—	—	—	—	—
CFT18A	**CFT18RA**	**CFT18UUA**	**CFT18UURA**	**250**	18	40	20	M18×1.5	58	0.8	14 700	25 200	—	—	—	—	—	—	—	—
CFT18VA	**CFT18VRA**	**CFT18VUUA**	**CFT18VUURA**	**250**	18	40	20	M18×1.5	58	0.8	25 280	51 350	—	—	—	—	—	—	—	—
CFT20A	**CFT20RA**	**CFT20UUA**	**CFT20UURA**	**460**	20	52	24	M20×1.5	66	0.8	20 680	34 600	—	—	—	—	—	—	—	—
CFT20VA	**CFT20VRA**	**CFT20VUUA**	**CFT20VUURA**	**460**	20	52	24	M20×1.5	66	0.8	33 120	64 480	—	—	—	—	—	—	—	—
CFT20-1A	**CFT20-1RA**	**CFT20-1UUA**	**CFT20-1UURA**	**385**	20	47	24	M20×1.5	66	0.8	20 680	34 600	—	—	—	—	—	—	—	—
CFT20-1VA	**CFT20-1VRA**	**CFT20-1VUUA**	**CFT20-1VUURA**	**385**	20	47	24	M20×1.5	66	0.8	33 120	64 480	—	—	—	—	—	—	—	—
CFT24A	**CFT24RA**	**CFT24UUA**	**CFT24UURA**	**815**	24	62	29	M24×1.5	80	0.8	30 480	52 630	—	—	—	—	—	—	—	—
CFT24VA	**CFT24VRA**	**CFT24VUUA**	**CFT24VUURA**	**815**	24	62	29	M24×1.5	80	0.8	46 550	92 020	—	—	—	—	—	—	—	—
CFT24-1A	**CFT24-1RA**	**CFT24-1UUA**	**CFT24-1UURA**	**1 140**	24	72	29	M24×1.5	80	0.8	30 480	52 630	—	—	—	—	—	—	—	—
CFT24-1VA	**CFT24-1VRA**	**CFT24-1VUUA**	**CFT24-1VUURA**	**1 140**	24	72	29	M24×1.5	80	0.8	46 550	92 020	—	—	—	—	—	—	—	—
CFT30A	**CFT30RA**	**CFT30UUA**	**CFT30UURA**	**1 870**	30	80	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	—	—	—
CFT30VA	**CFT30VRA**	**CFT30VUUA**	**CFT30VUURA**	**1 870**	30	80	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—
CFT30-1A	**CFT30-1RA**	**CFT30-1UUA**	**CFT30-1UURA**	**2 030**	30	85	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	—	—	—
CFT30-1VA	**CFT30-1VRA**	**CFT30-1VUUA**	**CFT30-1VUURA**	**2 030**	30	85	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—
CFT30-2A	**CFT30-2RA**	**CFT30-2UUA**	**CFT30-2UURA**	**2 220**	30	90	35	M30×1.5	100	1	45 370	85 060	—	—	—	—	—	—	—	—
CFT30-2VA	**CFT30-2VRA**	**CFT30-2VUUA**	**CFT30-2VUURA**	**2 220**	30	90	35	M30×1.5	100	1	67 620	144 060	—	—	—	—	—	—	—	—




RNAST



RNAST. . R



NAST




NAST. . R

RNAST,RNAST..R,NAST,NAST..R


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Weight	JNS NUMBER CYLINDRICAL OUTER RING WITH INNER RING	JNS NUMBER CROWNED OUTER RING WITH INNER RING	Weight	Dimensions(mm)					Basic dynamic load rating	Basic static load rating	INA				NTN				IKO				TORRINGTON(KOYO)			
													CYLINDRICAL OUTER RING WITHOUT INNER RING	CROWNED OUTER RING WITHOUT INNER RING	CYLINDRICAL OUTER RING WITH INNER RING	CROWNED OUTER RING WITH INNER RING	CYLINDRICAL OUTER RING WITHOUT INNER RING	CROWNED OUTER RING WITHOUT INNER RING	CYLINDRICAL OUTER RING WITH INNER RING	CROWNED OUTER RING WITH INNER RING	CYLINDRICAL OUTER RING WITHOUT INNER RING	CROWNED OUTER RING WITHOUT INNER RING	CYLINDRICAL OUTER RING WITH INNER RING	CROWNED OUTER RING WITH INNER RING	CYLINDRICAL OUTER RING WITHOUT INNER RING	CROWNED OUTER RING WITHOUT INNER RING	CYLINDRICAL OUTER RING WITH INNER RING	CROWNED OUTER RING WITH INNER RING
RNAST	RNAST..R	g	NAST	NAST..R	g	Fw (F)	D	d	C	B	Cr N	Cor N	RSTO-X	RSTO	STO-X	STO	RNAB-X	RNAB	NAB-X	NAB	RNAST	RNAST-R	NAST	NAST-R	RSTO-DZ	RSTO	STO-DZ	STO
RNAST5	**RNAST5R**	**8.9**	—	—	—	7	16	—	7.8	—	2 740	2 390	RSTO5TNX	RSTO5TN	—	—	RNAB2/5XT2	RNAB2/5T2	—	—	RNAST5	RNAST5R	—	—	RSTO5TN	RSTO5TN	—	—
RNAST6	**RNAST6R**	**13.9**	**NAST6**	**NAST6R**	**17.8**	10	19	6	9.8	10	4 120	4 550	RSTO6TNX	RSTO6TN	STO6TNX	STO6TN	RNAB2/6XT2	RNAB2/6T2	NAB2/6XT2	NAB2/6T2	RNAST6	RNAST6R	NAST6	NAST6R	RSTO6DZ	RSTO6	STO6DZ	STO6TN
RNAST8	**RNAST8R**	**23.5**	**NAST8**	**NAST8R**	**28**	12	24	8	9.8	10	5 680	5 890	RSTO8TNX	RSTO8TN	STO8TNX	STO8TN	RNAB2/8X	RNAB2/8	NAB2/8X	NAB2/8	RNAST8	RNAST8R	NAST8	NAST8R	RSTO8DZ	RSTO8	STO8DZ	STO8TN
RNAST10	**RNAST10R**	**42.5**	**NAST10**	**NAST10R**	**50**	14	30	10	11.8	12	9 700	9 670	RSTO10X	RSTO10	STO10X	STO10	RNAB200X	RNAB200	NAB200X	NAB200	RNAST10	RNAST10R	NAST10	NAST10R	RSTO10DZ	RSTO10	STO10DZ	STO10
RNAST12	**RNAST12R**	**49.5**	**NAST12**	**NAST12R**	**58**	16	32	12	11.8	12	10 400	10 900	RSTO12X	RSTO12	STO12X	STO12	RNAB201X	RNAB201	NAB201X	NAB201	RNAST12	RNAST12R	NAST12	NAST12R	RSTO12DZ	RSTO12	STO12DZ	STO12
RNAST15	**RNAST15R**	**50**	**NAST15**	**NAST15R**	**62**	20	35	15	11.8	12	12 300	14 300	RSTO15X	RSTO15	STO15X	STO15	RNAB202X	RNAB202	NAB202X	NAB202	RNAST15	RNAST15R	NAST15	NAST15R	RSTO15DZ	RSTO15	STO15DZ	STO15
RNAST17	**RNAST17R**	**90**	**NAST17**	**NAST17R**	**110**	22	40	17	15.8	16	17 400	20 900	RSTO17X	RSTO17	STO17X	STO17	RNAB203X	RNAB203	NAB203X	NAB203	RNAST17	RNAST17R	NAST17	NAST17R	RSTO17DZ	RSTO17	STO17DZ	STO17
RNAST20	**RNAST20R**	**135**	**NAST20**	**NAST20R**	**155**	25	47	20	15.8	16	19 200	24 500	RSTO20X	RSTO20	STO20X	STO20	RNAB204X	RNAB204	NAB204X	NAB204	RNAST20	RNAST20R	NAST20	NAST20R	RSTO20DZ	RSTO20	STO20DZ	STO20
RNAST25	**RNAST25R**	**152**	**NAST25**	**NAST25R**	**180**	30	52	25	15.8	16	20 700	28 400	RSTO25X	RSTO25	STO25X	STO25	RNAB205X	RNAB205	NAB205X	NAB205	RNAST25	RNAST25R	NAST25	NAST25R	RSTO25DZ	RSTO25	STO25DZ	STO25
RNAST30	**RNAST30R**	**255**	**NAST30**	**NAST30R**	**320**	38	62	30	19.8	20	30 300	45 400	RSTO30X	RSTO30	STO30X	STO30	RNAB206X	RNAB206	NAB206X	NAB206	RNAST30	RNAST30R	NAST30	NAST30R	RSTO30DZ	RSTO30	STO30DZ	STO30
RNAST35	**RNAST35R**	**375**	**NAST35**	**NAST35R**	**440**	42	72	35	19.8	20	32 200	50 600	RSTO35X	RSTO35	STO35X	STO35	RNAB207X	RNAB207	NAB207X	NAB207	RNAST35	RNAST35R	NAST35	NAST35R	RSTO35DZ	RSTO35	STO35DZ	STO35
RNAST40	**RNAST40R**	**420**	**NAST40**	**NAST40R**	**530**	50	80	40	19.8	20	35 700	61 100	RSTO40X	RSTO40	STO40X	STO40	RNAB208X	RNAB208	NAB208X	NAB208	RNAST40	RNAST40R	NAST40	NAST40R	RSTO40DZ	RSTO40	STO40DZ	STO40
RNAST45	**RNAST45R**	**460**	**NAST45**	**NAST45R**	**580**	55	85	45	19.8	20	37 100	66 400	RSTO45X	RSTO45	STO45X	STO45	RNAB209X	RNAB209	NAB209X	NAB209	RNAST45	RNAST45R	NAST45	NAST45R	RSTO45DZ	RSTO45	STO45DZ	STO45
RNAST50	**RNAST50R**	**500**	**NAST50**	**NAST50R**	**635**	60	90	50	19.8	20	38 700	71 800	RSTO50X	RSTO50	STO50X	STO50	RNAB210X	RNAB210	NAB210X	NAB210	RNAST50	RNAST50R	NAST50	NAST50R	RSTO50DZ	RSTO50	STO50DZ	STO50




NAST. . ZZ



NAST. . ZZR



NAST. . ZZUU




NAST. . ZZUUR

NAST..ZZ, ZZR, ZZUU, ZZUUR


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING WITHOUT SEALS	JNS NUMBER CROWNED OUTER RING WITHOUT SEALS	JNS NUMBER CYLINDRICAL OUTER RING WITH SEALS	JNS NUMBER CROWNED OUTER RING WITH SEALS	Mass (Approx.)	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	INA		NTN		IKO				TORRINGTON(KOYO)			
											CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITH SEALS	CROWNED OUTER RING WITH SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITH SEALS	CROWNED OUTER RING WITH SEALS
NAST..ZZ	NAST..ZZR	NAST..ZZUU	NAST..ZZUUR	g	d	D	B	C	Cr N	Cor N	—	—	—	—	NAST..ZZ	NAST..ZZR	NAST..ZZUU	NAST..ZZUUR	STO-ZZ.DZ	STO-ZZ	—	—
NAST6ZZ	**NAST6ZZR**	**NAST6ZZUU**	**NAST6ZZUUR**	**24.5**	6	19	14	13.8	4 120	4 550	—	—	—	—	NAST6ZZ	NAST6ZZR	NAST6ZZUU	NAST6ZZUUR	STO6ZZ.DZ	STO6ZZ	—	—
NAST8ZZ	**NAST8ZZR**	**NAST8ZZUU**	**NAST8ZZUUR**	**39**	8	24	14	13.8	5 680	5 890	—	—	—	—	NAST8ZZ	NAST8ZZR	NAST8ZZUU	NAST8ZZUUR	STO8ZZ.DZ	STO8ZZ	—	—
NAST10ZZ	**NAST10ZZR**	**NAST10ZZUU**	**NAST10ZZUUR**	**65**	10	30	16	15.8	9 700	9 670	—	—	—	—	NAST10ZZ	NAST10ZZR	NAST10ZZUU	NAST10ZZUUR	STO10ZZ.DZ	STO10ZZ	—	—
NAST12ZZ	**NAST12ZZR**	**NAST12ZZUU**	**NAST12ZZUUR**	**75**	12	32	16	15.8	10 400	10 900	—	—	—	—	NAST12ZZ	NAST12ZZR	NAST12ZZUU	NAST12ZZUUR	STO12ZZ.DZ	STO12ZZ	—	—
NAST15ZZ	**NAST15ZZR**	**NAST15ZZUU**	**NAST15ZZUUR**	**83**	15	35	16	15.8	12 300	14 300	—	—	—	—	NAST15ZZ	NAST15ZZR	NAST15ZZUU	NAST15ZZUUR	STO15ZZ.DZ	STO15ZZ	—	—
NAST17ZZ	**NAST17ZZR**	**NAST17ZZUU**	**NAST17ZZUUR**	**135**	17	40	20	19.8	17 400	20 900	—	—	—	—	NAST17ZZ	NAST17ZZR	NAST17ZZUU	NAST17ZZUUR	STO17ZZ.DZ	STO17ZZ	—	—
NAST20ZZ	**NAST20ZZR**	**NAST20ZZUU**	**NAST20ZZUUR**	**195**	20	47	20	19.8	19 200	24 500	—	—	—	—	NAST20ZZ	NAST20ZZR	NAST20ZZUU	NAST20ZZUUR	STO20ZZ.DZ	STO20ZZ	—	—
NAST25ZZ	**NAST25ZZR**	**NAST25ZZUU**	**NAST25ZZUUR**	**225**	25	52	20	19.8	20 700	28 400	—	—	—	—	NAST25ZZ	NAST25ZZR	NAST25ZZUU	NAST25ZZUUR	STO25ZZ.DZ	STO25ZZ	—	—
NAST30ZZ	**NAST30ZZR**	**NAST30ZZUU**	**NAST30ZZUUR**	**400**	30	62	25	24.8	30 300	45 400	—	—	—	—	NAST30ZZ	NAST30ZZR	NAST30ZZUU	NAST30ZZUUR	STO30ZZ.DZ	STO30ZZ	—	—
NAST35ZZ	**NAST35ZZR**	**NAST35ZZUU**	**NAST35ZZUUR**	**550**	35	72	25	24.8	32 200	50 600	—	—	—	—	NAST35ZZ	NAST35ZZR	NAST35ZZUU	NAST35ZZUUR	STO35ZZ.DZ	STO35ZZ	—	—
NAST40ZZ	**NAST40ZZR**	**NAST40ZZUU**	**NAST40ZZUUR**	**710**	40	80	26	25.8	35 700	61 100	—	—	—	—	NAST40ZZ	NAST40ZZR	NAST40ZZUU	NAST40ZZUUR	STO40ZZ.DZ	STO40ZZ	—	—
NAST45ZZ	**NAST45ZZR**	**NAST45ZZUU**	**NAST45ZZUUR**	**760**	45	85	26	25.8	37 100	66 400	—	—	—	—	NAST45ZZ	NAST45ZZR	NAST45ZZUU	NAST45ZZUUR	STO45ZZ.DZ	STO45ZZ	—	—
NAST50ZZ	**NAST50ZZR**	**NAST50ZZUU**	**NAST50ZZUUR**	**830**	50	90	26	25.8	38 700	71 800	—	—	—	—	NAST50ZZ	NAST50ZZR	NAST50ZZUU	NAST50ZZUUR	STO50ZZ.DZ	STO50ZZ	—	—




NART. . X



NART. . R



NART. . VX




NART. . VR

NART..X, R


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
									CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
NART..X	NART..R	g	d	D	B	C	Cr N	Cor N	NATR-X	NATR	NATR-X	NATR	—	NART-R	MCYRR-X	MCYRR
NART5X	**NART5R**	**14.5**	5	16	12	11	3 620	3 720	NATR5X	NATR5	NATR5X	NATR5	—	NART5R	MCYRR5X	MCYRR5
NART5VX	**NART5VR**	**15.1**	5	16	12	11	6 760	8 340	NATV5X	NATV5	NATV5X	NATV5	—	NART5VR	MCYR5X	MCYR5
NART6X	**NART6R**	**20.5**	6	19	12	11	4 200	4 700	NATR6X	NATR6	NATR6X	NATR6	—	NART6R	MCYRR6X	MCYRR6
NART6VX	**NART6VR**	**21.5**	6	19	12	11	7 640	10 300	NATV6X	NATV6	NATV6X	NATV6	—	NART6VR	MCYR6X	MCYR6
NART8X	**NART8R**	**41.5**	8	24	15	14	6 600	7 300	NATR8X	NATR8	NATR8X	NATR8	—	NART8R	MCYRR8X	MCYRR8
NART8VX	**NART8VR**	**42.5**	8	24	15	14	11 800	15 600	NATV8X	NATV8	NATV8X	NATV8	—	NART8VR	MCYR8X	MCYR8
NART10X	**NART10R**	**64.5**	10	30	15	14	8 600	8 300	NATR10X	NATR10	NATR10X	NATR10	—	NART10R	MCYRR10X	MCYRR10
NART10VX	**NART10VR**	**66.5**	10	30	15	14	15 600	18 100	NATV10X	NATV10	NATV10X	NATV10	—	NART10VR	MCYR10X	MCYR10
NART12X	**NART12R**	**71**	12	32	15	14	9 100	9 200	NATR12X	NATR12	NATR12X	NATR12	—	NART12R	MCYRR12X	MCYRR12
NART12VX	**NART12VR**	**73**	12	32	15	14	16 800	20 500	NATV12X	NATV12	NATV12X	NATV12	—	NART12VR	MCYR12X	MCYR12
NART15X	**NART15R**	**102**	15	35	19	18	14 400	17 600	NATR15X	NATR15	NATR15X	NATR15	—	NART15R	MCYRR15X	MCYRR15
NART15VX	**NART15VR**	**106**	15	35	19	18	25 100	36 400	NATV15X	NATV15	NATV15X	NATV15	—	NART15VR	MCYR15X	MCYR15
NART17X	**NART17R**	**149**	17	40	21	20	18 600	22 500	NATR17X	NATR17	NATR17X	NATR17	—	NART17R	MCYRR17X	MCYRR17
NART17VX	**NART17VR**	**155**	17	40	21	20	32 000	46 200	NATV17X	NATV17	NATV17X	NATV17	—	NART17VR	MCYR17X	MCYR17
NART20X	**NART20R**	**250**	20	47	25	24	24 100	32 700	NATR20X	NATR20	NATR20X	NATR20	—	NART20R	MCYRR20X	MCYRR20
NART20VX	**NART20VR**	**255**	20	47	25	24	41 700	67 300	NATV20X	NATV20	NATV20X	NATV20	—	NART20VR	MCYR20X	MCYR20
NART25X	**NART25R**	**285**	25	52	25	24	25 800	37 500	NATR25X	NATR25	NATR25X	NATR25	—	NART25R	MCYRR25X	MCYRR25
NART25VX	**NART25VR**	**295**	25	52	25	24	45 500	79 000	NATV25X	NATV25	NATV25X	NATV25	—	NART25VR	MCYR25X	MCYR25
NART30X	**NART30R**	**470**	30	62	29	28	36 200	56 900	NATR30X	NATR30	NATR30X	NATR30	—	NART30R	MCYRR30X	MCYRR30
NART30VX	**NART30VR**	**485**	30	62	29	28	59 800	110 400	NATV30X	NATV30	NATV30X	NATV30	—	NART30VR	MCYR30X	MCYR30
NART35X	**NART35R**	**640**	35	72	29	28	38 200	62 800	NATR35X	NATR35	NATR35X	NATR35	—	NART35R	MCYRR35X	MCYRR35
NART35VX	**NART35VR**	**655**	35	72	29	28	63 000	121 500	NATV35X	NATV35	NATV35X	NATV35	—	NART35VR	MCYR35X	MCYR35
NART40X	**NART40R**	**845**	40	80	32	30	46 200	84 700	NATR40X	NATR40	NATR40X	NATR40	—	NART40R	MCYRR40X	MCYRR40
NART40VX	**NART40VR**	**865**	40	80	32	30	76 200	164 200	NATV40X	NATV40	NATV40X	NATV40	—	NART40VR	MCYR40X	MCYR40
NART45X	**NART45R**	**915**	45	85	32	30	49 300	95 200	NATR45X	NATR45	NATR45X	NATR45	—	NART45R	MCYRR45X	MCYRR45
NART45VX	**NART45VR**	**935**	45	85	32	30	80 200	181 100	NATV45X	NATV45	NATV45X	NATV45	—	NART45VR	MCYR45X	MCYR45
NART50X	**NART50R**	**980**	50	90	32	30	51 100	102 300	NATR50X	NATR50	NATR50X	NATR50	—	NART50R	MCYRR50X	MCYRR50
NART50VX	**NART50VR**	**1 010**	50	90	32	30	84 100	198 000	NATV50X	NATV50	NATV50X	NATV50	—	NART50VR	MCYR50X	MCYR50




NART. . UUX



NART. . UUR



NART. . UUVX



NART. . UUVR


NART..UUX, UUR

DIMENSION TABLE


INTERCHANGE TABLE

JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
									CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
NART..UUX	NART..UUR	g	d	D	B	C	Cr N	Cor N	NATR-PPX	NATR-PP	NATR-XLL	NATR-LL	—	NART-UUR	MCYRR-SX	MCYRR-S
NART5UUX	**NART5UUR**	**14.5**	5	16	12	11	3 620	3 720	NATR5PPX	NATR5PP	NATR5XLL	NATR5LL	—	NART5UUR	MCYRR5SX	MCYRR5S
NART5UUVX	**NART5UUVR**	**15.1**	5	16	12	11	6 760	8 340	NATV5PPX	NATV5PP	NATV5XLL	NATV5LL	—	NART5VUUR	MCYR5SX	MCYR5S
NART6UUX	**NART6UUR**	**20.5**	6	19	12	11	4 200	4 700	NATR6PPX	NATR6PP	NATR6XLL	NATR6LL	—	NART6UUR	MCYRR6SX	MCYRR6S
NART6UUVX	**NART6UUVR**	**21.5**	6	19	12	11	7 640	10 300	NATV6PPX	NATV6PP	NATV6XLL	NATV6LL	—	NART6VUUR	MCYR6SX	MCYR6S
NART8UUX	**NART8UUR**	**41.5**	8	24	15	14	6 600	7 300	NATR8PPX	NATR8PP	NATR8XLL	NATR8LL	—	NART8UUR	MCYRR8SX	MCYRR8S
NART8UUVX	**NART8UUVR**	**42.5**	8	24	15	14	11 800	15 600	NATV8PPX	NATV8PP	NATV8XLL	NATV8LL	—	NART8VUUR	MCYR8SX	MCYR8S
NART10UUX	**NART10UUR**	**64.5**	10	30	15	14	8 600	8 300	NATR10PPX	NATR10PP	NATR10XLL	NATR10LL	—	NART10UUR	MCYRR10SX	MCYRR10S
NART10UUVX	**NART10UUVR**	**66.5**	10	30	15	14	15 600	18 100	NATV10PPX	NATV10PP	NATV10XLL	NATV10LL	—	NART10VUUR	MCYR10SX	MCYR10S
NART12UUX	**NART12UUR**	**71**	12	32	15	14	9 100	9 200	NATR12PPX	NATR12PP	NATR12XLL	NATR12LL	—	NART12UUR	MCYRR12SX	MCYRR12S
NART12UUVX	**NART12UUVR**	**73**	12	32	15	14	16 800	20 500	NATV12PPX	NATV12PP	NATV12XLL	NATV12LL	—	NART12VUUR	MCYR12SX	MCYR12S
NART15UUX	**NART15UUR**	**102**	15	35	19	18	14 400	17 600	NATR15PPX	NATR15PP	NATR15XLL	NATR15LL	—	NART15UUR	MCYRR15SX	MCYRR15S
NART15UUVX	**NART15UUVR**	**106**	15	35	19	18	25 100	36 400	NATV15PPX	NATV15PP	NATV15XLL	NATV15LL	—	NART15VUUR	MCYR15SX	MCYR15S
NART17UUX	**NART17UUR**	**149**	17	40	21	20	18 600	22 500	NATR17PPX	NATR17PP	NATR17XLL	NATR17LL	—	NART17UUR	MCYRR17SX	MCYRR17S
NART17UUVX	**NART17UUVR**	**155**	17	40	21	20	32 000	46 200	NATV17PPX	NATV17PP	NATV17XLL	NATV17LL	—	NART17VUUR	MCYR17SX	MCYR17S
NART20UUX	**NART20UUR**	**250**	20	47	25	24	24 100	32 700	NATR20PPX	NATR20PP	NATR20XLL	NATR20LL	—	NART20UUR	MCYRR20SX	MCYRR20S
NART20UUVX	**NART20UUVR**	**255**	20	47	25	24	41 700	67 300	NATV20PPX	NATV20PP	NATV20XLL	NATV20LL	—	NART20VUUR	MCYR20SX	MCYR20S
NART25UUX	**NART25UUR**	**285**	25	52	25	24	25 800	37 500	NATR25PPX	NATR25PP	NATR25XLL	NATR25LL	—	NART25UUR	MCYRR25SX	MCYRR25S
NART25UUVX	**NART25UUVR**	**295**	25	52	25	24	45 500	79 000	NATV25PPX	NATV25PP	NATV25XLL	NATV25LL	—	NART25VUUR	MCYR25SX	MCYR25S
NART30UUX	**NART30UUR**	**470**	30	62	29	28	36 200	56 900	NATR30PPX	NATR30PP	NATR30XLL	NATR30LL	—	NART30UUR	MCYRR30SX	MCYRR30S
NART30UUVX	**NART30UUVR**	**485**	30	62	29	28	59 800	110 400	NATV30PPX	NATV30PP	NATV30XLL	NATV30LL	—	NART30VUUR	MCYR30SX	MCYR30S
NART35UUX	**NART35UUR**	**640**	35	72	29	28	38 200	62 800	NATR35PPX	NATR35PP	NATR35XLL	NATR35LL	—	NART35UUR	MCYRR35SX	MCYRR35S
NART35UUVX	**NART35UUVR**	**655**	35	72	29	28	63 000	121 500	NATV35PPX	NATV35PP	NATV35XLL	NATV35LL	—	NART35VUUR	MCYR35SX	MCYR35S
NART40UUX	**NART40UUR**	**845**	40	80	32	30	46 200	84 700	NATR40PPX	NATR40PP	NATR40XLL	NATR40LL	—	NART40UUR	MCYRR40SX	MCYRR40S
NART40UUVX	**NART40UUVR**	**865**	40	80	32	30	76 200	164 200	NATV40PPX	NATV40PP	NATV40XLL	NATV40LL	—	NART40VUUR	MCYR40SX	MCYR40S
NART45UUX	**NART45UUR**	**915**	45	85	32	30	49 300	95 200	NATR45PPX	NATR45PP	NATR45XLL	NATR45LL	—	NART45UUR	MCYRR45SX	MCYRR45S
NART45UUVX	**NART45UUVR**	**935**	45	85	32	30	80 200	181 100	NATV45PPX	NATV45PP	NATV45XLL	NATV45LL	—	NART45VUUR	MCYR45SX	MCYR45S
NART50UUX	**NART50UUR**	**980**	50	90	32	30	51 100	102 300	NATR50PPX	NATR50PP	NATR50XLL	NATR50LL	—	NART50UUR	MCYRR50SX	MCYRR50S
NART50UUVX	**NART50UUVR**	**1 010**	50	90	32	30	84 100	198 000	NATV50PPX	NATV50PP	NATV50XLL	NATV50LL	—	NART50VUUR	MCYR50SX	MCYR50S

HEAVY DUTY TYPE ROLLER FOLLOWERS
NON SEPARABLE WITH INNER RING



NART. . X



NART. . R

NURT..X, R

DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER CYLINDRICAL OUTER RING	JNS NUMBER CROWNED OUTER RING	Mass (Approx.)	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	INA		NTN		IKO		MCGILL	
									CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING	CYLINDRICAL OUTER RING	CROWNED OUTER RING
NURT..X	NURT..R	g	d	D	B	C	Cr N	Cor N	—	NUTR	NUTR-X	NUTR	NURT	NURT-R	MCYRD-X	MCYRD
NURT15X	**NURT15R**	**100**	15	35	19	18	22 300	25 700	—	NUTR15	NUTR202X	NUTR202	NURT15	NURT15R	MCYRD-15X	MCYRD-15
NURT15-1X	**NURT15-1R**	**160**	15	42	19	18	22 300	25 700	—	NUTR15 42	NUTR302X	NUTR302	NURT15-1	NURT15-1R	—	—
NURT17X	**NURT17R**	**147**	17	40	21	20	24 100	29 100	—	NUTR17	NUTR203X	NUTR203	NURT17	NURT17R	MCYRD-17X	MCYRD-17
NURT17-1X	**NURT17-1R**	**222**	17	47	21	20	24 100	29 100	—	NUTR17 47	NUTR303X	NUTR303	NURT17-1	NURT17-1R	—	—
NURT20X	**NURT20R**	**245**	20	47	25	24	38 500	48 000	—	NUTR20	NUTR204X	NUTR204	NURT20	NURT20R	MCYRD-20X	MCYRD-20
NURT20-1X	**NURT20-1R**	**321**	20	52	25	24	38 500	48 000	—	NUTR20 52	NUTR304X	NUTR304	NURT20-1	NURT20-1R	—	—
NURT25X	**NURT25R**	**281**	25	52	25	24	42 500	57 500	—	NUTR25	NUTR205X	NUTR205	NURT25	NURT25R	MCYRD-25X	MCYRD-25
NURT25-1X	**NURT25-1R**	**450**	25	62	25	24	42 500	57 500	—	NUTR25 62	NUTR305X	NUTR305	NURT25-1	NURT25-1R	—	—
NURT30X	**NURT30R**	**466**	30	62	29	28	56 500	72 500	—	NUTR30	NUTR206X	NUTR206	NURT30	NURT30R	MCYRD-30X	MCYRD-30
NURT30-1X	**NURT30-1R**	**697**	30	72	29	28	56 500	72 500	—	NUTR30 72	NUTR306X	NUTR306	NURT30-1	NURT30-1R	—	—
NURT35X	**NURT35R**	**630**	35	72	29	28	62 000	85 500	—	NUTR35	NUTR207X	NUTR207	NURT35	NURT35R	MCYRD-35X	MCYRD-35
NURT35-1X	**NURT35-1R**	**840**	35	80	29	28	62 000	85 500	—	NUTR35 80	NUTR307X	NUTR307	NURT35-1	NURT35-1R	—	—
NURT40X	**NURT40R**	**817**	40	80	32	30	87 000	125 000	—	NUTR40	NUTR208X	NUTR208	NURT40	NURT40R	MCYRD-40X	MCYRD-40
NURT40-1X	**NURT40-1R**	**1 130**	40	90	32	30	87 000	125 000	—	NUTR40 90	NUTR308X	NUTR308	NURT40-1	NURT40-1R	—	—
NURT45X	**NURT45R**	**883**	45	85	32	30	92 000	137 000	—	NUTR45	NUTR209X	NUTR209	NURT45	NURT45R	MCYRD-45X	MCYRD-45
NURT45-1X	**NURT45-1R**	**1 400**	45	100	32	30	92 000	137 000	—	NUTR45 100	NUTR309X	NUTR309	NURT45-1	NURT45-1R	—	—
NURT50X	**NURT50R**	**950**	50	90	32	30	96 500	150 000	—	NUTR50	NUTR210X	NUTR210	NURT50	NURT50R	MCYRD-50X	MCYRD-50
NURT50-1X	**NURT50-1R**	**1 690**	50	110	32	30	96 500	150 000	—	NUTR50 110	NUTR310X	NUTR310	NURT50-1	NURT50-1R	—	—

INTERCHANGE TABLE


STAINLESS STEEL

MACHINED RING NEEDLE ROLLER BEARINGS STAINLESS STEEL

WITH INNER RING
WITHOUT INNER RING



NA49. . M



RNA49. . M

NA49M, RNA49M


DIMENSION TABLE

INTERCHANGE TABLE


JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NA 49M	g	RNA 49M	g	IR..M	d	Fw (F)	D	C	Cr N	Cor N	—	—	—	—	—	—	—	—
NA495M	7.3	**RNA495M**	5.9	**IR5710M**	5	7	13	10	2 700	2 400	—	—	—	—	—	—	—	—
NA496M	9.1	**RNA496M**	7.3	**IR6810M**	6	8	15	10	3 500	3 100	—	—	—	—	—	—	—	—
NA497M	11.2	**RNA497M**	9.3	**IR7910M**	7	9	17	10	4 100	3 300	—	—	—	—	—	—	—	—
NA498M	15	**RNA498M**	12.6	**IR81011M**	8	10	19	11	5 700	4 600	—	—	—	—	—	—	—	—
NA499M	16.7	**RNA499M**	13.6	**IR91211M**	9	12	20	11	6 000	5 700	—	—	—	—	—	—	—	—
NA4900M	24	**RNA4900M**	16.5	**IR101413M**	10	14	22	13	8 400	9 200	—	—	—	—	—	—	—	—
NA4901M	26.5	**RNA4901M**	18.1	**IR121613M**	12	16	24	13	8 900	10 200	—	—	—	—	—	—	—	—
NA4902M	35	**RNA4902M**	21.5	**IR152013M**	15	20	28	13	10 000	12 600	—	—	—	—	—	—	—	—
NA4903M	39	**RNA4903M**	23.5	**IR172213M**	17	22	30	13	10 800	14 300	—	—	—	—	—	—	—	—
NA4904M	78.5	**RNA4904M**	55.5	**IR202517M**	20	25	37	17	19 300	23 000	—	—	—	—	—	—	—	—
NA49/22M	87	**RNA49/22M**	56.5	**IR222817M**	22	28	39	17	19 600	26 400	—	—	—	—	—	—	—	—
NA4905M	92.5	**RNA4905M**	64	**IR253017M**	25	30	42	17	21 800	28 200	—	—	—	—	—	—	—	—

MACHINED RING NEEDLE ROLLER BEARINGS STAINLESS STEEL


WITH INNER RING
WITHOUT INNER RING




NKI. . M(d≦8)



NKI. . M



NK. . M(Fw≦10)



NK. . M

NKI..M, NK..M


DIMENSION TABLE

INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	JNS NUMBER WITHOUT INNER RING	Mass (Approx.)	JNS NUMBER Assembled INNER RING	Dimensions(mm)				Basic dynamic load rating	Basic static load rating	IKO		INA		NTN		TORRINGTON(KOYO)	
											WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING	WITH INNER RING	WITHOUT INNER RING
NKI..M	g	NK..M	g	IR..M	d	Fw (F)	D	C	Cr N	Cor N	—	—	—	—	—	—	—	—
—	—	**NK5/10M**	3.4	—	—	5	10	10	2 200	1 700	—	—	—	—	—	—	—	—
—	—	**NK5/12M**	4.2	—	—	5	10	12	2 800	2 400	—	—	—	—	—	—	—	—
—	—	**NK6/10M**	5.3	—	—	6	12	10	2 400	2 100	—	—	—	—	—	—	—	—
—	—	**NK6/12M**	6.4	—	—	6	12	12	3 100	2 900	—	—	—	—	—	—	—	—
—	—	**NK7/10M**	6.9	—	—	7	14	10	3 300	2 700	—	—	—	—	—	—	—	—
—	—	**NK7/12M**	8.3	—	—	7	14	12	4 200	3 700	—	—	—	—	—	—	—	—
NKI 5/12M	11.9	**NK8/12M**	9	**IR5812M**	5	8	15	12	4 600	4 300	—	—	—	—	—	—	—	—
NKI 5/16M	16.7	**NK8/16M**	13	**IR5816M**	5	8	15	16	6 500	6 700	—	—	—	—	—	—	—	—
NKI 6/12M	13	**NK9/12M**	10	**IR6912M**	6	9	16	12	5 000	4 800	—	—	—	—	—	—	—	—
NKI 6/16M	17.5	**NK9/16M**	13.2	**IR6916M**	6	9	16	16	6 900	7 500	—	—	—	—	—	—	—	—
NKI 7/12M	14.3	**NK10/12M**	10.7	**IR71012M**	7	10	17	12	5 400	5 500	—	—	—	—	—	—	—	—
NKI 7/16M	19.2	**NK10/16M**	14.3	**IR71016M**	7	10	17	16	7 500	8 400	—	—	—	—	—	—	—	—
NKI 9/12M	16.7	**NK12/12M**	12.2	**IR91212M**	9	12	19	12	6 000	6 700	—	—	—	—	—	—	—	—
NKI 9/16M	22.5	**NK12/16M**	16.3	**IR91216M**	9	12	19	16	8 400	10 300	—	—	—	—	—	—	—	—
NKI 10/16M	30	**NK14/16M**	21	**IR101416M**	10	14	22	16	10 800	12 600	—	—	—	—	—	—	—	—
NKI 10/20M	38	**NK14/20M**	26.5	**IR101420M**	10	14	22	20	13 600	17 000	—	—	—	—	—	—	—	—
—	—	**NK15/16M**	22.5	—	—	15	23	16	11 400	13 700	—	—	—	—	—	—	—	—
—	—	**NK15/20M**	28	—	—	15	23	20	14 300	18 500	—	—	—	—	—	—	—	—
NKI 12/16M	33.5	**NK16/16M**	23	**IR121616M**	12	16	24	16	11 300	13 800	—	—	—	—	—	—	—	—
NKI 12/20M	42.5	**NK16/20M**	29	**IR121620M**	12	16	24	20	14 300	18 700	—	—	—	—	—	—	—	—
—	—	**NK17/16M**	24.5	—	—	17	25	16	11 700	14 900	—	—	—	—	—	—	—	—
—	—	**NK17/20M**	30.5	—	—	17	25	20	14 900	20 300	—	—	—	—	—	—	—	—
—	—	**NK18/16M**	25.5	—	—	18	26	16	12 300	16 100	—	—	—	—	—	—	—	—
—	—	**NK18/20M**	32	—	—	18	26	20	15 600	21 700	—	—	—	—	—	—	—	—
NKI 15/16M	39.5	**NK19/16M**	27	**IR151916M**	15	19	27	16	12 800	17 200	—	—	—	—	—	—	—	—
NKI 15/20M	50	**NK19/20M**	34	**IR151920M**	15	19	27	20	16 200	23 200	—	—	—	—	—	—	—	—

NK type of 10mm or less inscribed circle diameter (Fw) is without oil hole.
NKI type of 8mm or less inscribed circle diameter (d) is without oil hole.

INNER RINGS STAINLESS STEEL



IR. . M


IR..M

DIMENSION TABLE

INTERCHANGE TABLE

JNS NUMBER WITH INNER RING	Mass (Approx.)	Dimensions(mm)			JNS USABLE BEARING NUMBER	IKO	INA	NTN	TORRINGTON(KOYO)
IR	g	d	F	B		—	—	—	—
IR5710M	1.4	5	7	10	RNA495M	—	—	—	—
IR5812M	3	5	8	12	NK8/12M	—	—	—	—
IR5816M	4	5	8	16	NK8/16M	—	—	—	—
IR6810M	1.7	6	8	10	RNA496M	—	—	—	—
IR6912M	3.2	6	9	12	NK9/12M	—	—	—	—
IR6916M	4.3	6	9	16	NK9/16M	—	—	—	—
IR61010M	4	6	10	10	—	—	—	—	—
IR7910M	1.9	7	9	10	RNA497M	—	—	—	—
IR71012M	3.6	7	10	12	NK10/12M	—	—	—	—
IR71016M	5	7	10	16	NK10/16M	—	—	—	—
IR81011M	2.4	8	10	11	RNA498M	—	—	—	—
IR81210M	4.8	8	12	10	—	—	—	—	—
IR91211M	3.1	9	12	11	RNA499M	—	—	—	—
IR91212M	4.5	9	12	12	NK12/12M	—	—	—	—
IR91216M	6	9	12	16	NK12/16M	—	—	—	—
IR101412M	7	10	14	12	—	—	—	—	—
IR101413M	7.5	10	14	13	RNA4900M	—	—	—	—
IR101416M	9	10	14	16	NK14/16M	—	—	—	—
IR101420M	11.5	10	14	20	NK14/20M	—	—	—	—
IR121612M	8	12	16	12	—	—	—	—	—
IR121613M	8.5	12	16	13	RNA4901M	—	—	—	—
IR121616M	10.5	12	16	16	NK16/16M	—	—	—	—
IR121620M	13.5	12	16	20	NK16/20M	—	—	—	—
IR151916M	12.5	15	19	16	NK19/16M	—	—	—	—
IR151920M	16	15	19	20	NK19/20M	—	—	—	—
IR152012M	12	15	20	12	—	—	—	—	—
IR152013M	13.5	15	20	13	RNA4902M	—	—	—	—
IR172213M	15.5	17	22	13	RNA4903M	—	—	—	—
IR172216M	19	17	22	16	—	—	—	—	—
IR202516M	22	20	25	16	—	—	—	—	—
IR202517M	23	20	25	17	RNA4904M	—	—	—	—
IR253016M	28	25	30	16	—	—	—	—	—
IR253017M	28.5	25	30	17	RNA4905M	—	—	—	—
IR 303820M	65	30	38	20	—	—	—	—	—
IR 354220M	65	35	42	20	—	—	—	—	—
IR 506020M	135	50	60	20	—	—	—	—	—

CAM FOLLOWERS STAINLESS STEEL
MINIATURE TYPE
HEXAGON SOCKET ON STUD HEAD



CFS. . (V) MA

CFS..MA


DIMENSION TABLE


JNS NUMBER CYLINDRICAL OUTER RING	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating
CFS	g	d	D	C	G	B1	C1	Cr N	Cor N
CFS 2.5MA	**1**	2.5	5	3	M2.5×0.45	9.5	0.7	370	300
CFS 2.5VMA	**1**	2.5	5	3	M2.5×0.45	9.5	0.7	920	990
CFS 3MA	**2**	3	6	4	M3×0.5	11.5	0.7	570	560
CFS 3VMA	**2**	3	6	4	M3×0.5	11.5	0.7	1 260	1 620
CFS 4MA	**4**	4	8	5	M4×0.7	15	1	990	990
CFS 4VMA	**4**	4	8	5	M4×0.7	15	1	2 160	2 790
CFS 5MA	**7**	5	10	6	M5×0.8	18	1	1 440	1 710
CFS 5VMA	**7**	5	10	6	M5×0.8	18	1	2 880	4 330
CFS 6MA	**13**	6	12	7	M6×1	21.5	1.2	1 890	1 980
CFS 6VMA	**13**	6	12	7	M6×1	21.5	1.2	4 240	5 760


INTERCHANGE TABLE


INA	IKO	NTN	MCGILL
CYLINDRICAL OUTER RING	CYLINDRICAL OUTER RING	CYLINDRICAL OUTER RING	CYLINDRICAL OUTER RING
—	CFS-F	2F-KRM	—
—	CFS2.5F	2F-KRM5XT2H/3A	—
—	CFS2.5FV	2F-KRMV5XT2H/3A	—
—	CFS3F	2F-KRM6XT2H/3A	—
—	CFS3FV	2F-KRMV6XT2H/3A	—
—	CFS4F	2F-KRM8XT2H/3A	—
—	CFS4FV	2F-KRMV8XT2H/3A	—
—	CFS5F	2F-KRM10XT2H/3A	—
—	CFS5FV	2F-KRMV10XT2H/3A	—
—	CFS6F	2F-KRM12XT2H/3A	—
—	CFS6FV	2F-KRMV12XT2H/3A	—


CAM FOLLOWERS STAINLESS STEEL
HEXAGON SOCKET ON STUD HEAD




CF..MA


CF..MRA


CF..MUUA


CF..MUURA

CF..MA, MRA, MUUA, MUURA

DIMENSION TABLE

INTERCHANGE TABLE

JNS NUMBER CYLINDRICAL OUTER RING WITHOUT SEALS	JNS NUMBER CROWNED OUTER RING WITHOUT SEALS	JNS NUMBER CYLINDRICAL OUTER RING WITH SEALS	JNS NUMBER CROWNED OUTER RING WITH SEALS	Mass (Approx.)	Dimensions(mm)						Basic dynamic load rating	Basic static load rating	INA		NTN		IKO				MCGILL	
													CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS	CYLINDRICAL OUTER RING WITH SEALS	CROWNED OUTER RING WITH SEALS	CYLINDRICAL OUTER RING WITHOUT SEALS	CROWNED OUTER RING WITHOUT SEALS
CF..MA	CF..MRA	CF..MUUA	CF..MUURA	g	d	D	C	G	B1	C1	Cr N	Cor N	—	—	—	—	CF-FB	CF-FBR	CF-FBUU	CF-FBUUR	—	—
CF3MA	**CF3MRA**	**CF3MUUA**	**CF3MUURA**	**4.5**	3	10	7	M3×0.5	17	0.5	1 350	1 080	—	—	—	—	CF3FB	CF3FBR	CF3FBUU	CF3FBUUR	—	—
CF3VMA	**CF3VMRA**	**CF3VMUUA**	**CF3VMUURA**	**4.5**	3	10	7	M3×0.5	17	0.5	2 570	2 300	—	—	—	—	—	—	—	—	—	—
CF4MA	**CF4MRA**	**CF4MUUA**	**CF4MUURA**	**7.5**	4	12	8	M4×0.7	20	0.5	1 890	1 880	—	—	—	—	CF4FB	CF4FBR	CF4FBUU	CF4FBUUR	—	—
CF4VMA	**CF4VMRA**	**CF4VMUUA**	**CF4VMUURA**	**7.5**	4	12	8	M4×0.7	20	0.5	3 680	3 950	—	—	—	—	—	—	—	—	—	—
CF5MA	**CF5MRA**	**CF5MUUA**	**CF5MUURA**	**10.5**	5	13	9	M5×0.8	23	0.5	2 880	2 540	—	—	—	—	CF5FB	CF5FBR	CF5FBUU	CF5FBUUR	—	—
CF5VMA	**CF5VMRA**	**CF5VMUUA**	**CF5VMUURA**	**10.5**	5	13	9	M5×0.8	23	0.5	4 690	5 060	—	—	—	—	—	—	—	—	—	—
CF6MA	**CF6MRA**	**CF6MUUA**	**CF6MUURA**	**18.5**	6	16	11	M6×1	28	0.6	3 330	3 330	—	—	—	—	—	CF6FBR	—	CF6FBUUR	—	—
CF6VMA	**CF6VMRA**	**CF6VMUUA**	**CF6VMUURA**	**18.5**	6	16	11	M6×1	28	0.6	6 400	7 840	—	—	—	—	—	—	—	—	—	—
CF8MA	**CF8MRA**	**CF8MUUA**	**CF8MUURA**	**28.5**	8	19	11	M8×1.25	32	0.6	3 960	4 330	—	—	—	—	—	CF8FBR	—	CF8FBUUR	—	—
CF8VMA	**CF8VMRA**	**CF8VMUUA**	**CF8VMUURA**	**28.5**	8	19	11	M8×1.25	32	0.6	7 470	10 270	—	—	—	—	—	—	—	—	—	—
CF10MA	**CF10MRA**	**CF10MUUA**	**CF10MUURA**	**45**	10	22	12	M10×1.25	36	0.6	4 950	6 310	—	—	—	—	—	CF10FBR	—	CF10FBUUR	—	—
CF10VMA	**CF10VMRA**	**CF10VMUUA**	**CF10VMUURA**	**45**	10	22	12	M10×1.25	36	0.6	8 740	13 340	—	—	—	—	—	—	—	—	—	—
CF10MAK	**CF10MRAK**	**CF10MUUAK**	**CF10MUURAK**	**45**	10	22	12	M10×1	36	0.6	4 950	6 310	—	—	—	—	—	—	—	—	—	—
CF10VMAK	**CF10VMRAK**	**CF10VMUUAK**	**CF10VMUURAK**	**45**	10	22	12	M10×1	36	0.6	8 740	13 340	—	—	—	—	—	—	—	—	—	—
CF10-1MA	**CF10-1MRA**	**CF10-1MUUA**	**CF10-1MUURA**	**60**	10	26	12	M10×1.25	36	0.6	4 950	6 310	—	—	—	—	—	—	—	—	—	—
CF10-1VMA	**CF10-1VMRA**	**CF10-1VMUUA**	**CF10-1VMUURA**	**60**	10	26	12	M10×1.25	36	0.6	8 740	13 340	—	—	—	—	—	—	—	—	—	—
CF10-1MAK	**CF10-1MRAK**	**CF10-1MUUAK**	**CF10-1MUURAK**	**60**	10	26	12	M10×1	36	0.6	4 950	6 310	—	—	—	—	—	—	—	—	—	—
CF10-1VMAK	**CF10-1VMRAK**	**CF10-1VMUUAK**	**CF10-1VMUURAK**	**60**	10	26	12	M10×1	36	0.6	8 740	13 340	—	—	—	—	—	—	—	—	—	—
CF12MA	**CF12MRA**	**CF12MUUA**	**CF12MUURA**	**95**	12	30	14	M12×1.5	40	0.6	7 300	9 010	—	—	—	—	—	CF12FBR	—	CF12FBUUR	—	—
CF12VMA	**CF12VMRA**	**CF12VMUUA**	**CF12VMUURA**	**95**	12	30	14	M12×1.5	40	0.6	12 350	18 120	—	—	—	—	—	—	—	—	—	—
CF12-1MA	**CF12-1MRA**	**CF12-1MUUA**	**CF12-1MUURA**	**105**	12	32	14	M12×1.5	40	0.6	7 300	9 010	—	—	—	—	—	—	—	—	—	—
CF12-1VMA	**CF12-1VMRA**	**CF12-1VMUUA**	**CF12-1VMUURA**	**105**	12	32	14	M12×1.5	40	0.6	12 350	18 120	—	—	—	—	—	—	—	—	—	—
CF16MA	**CF16MRA**	**CF16MUUA**	**CF16MUURA**	**170**	16	35	18	M16×1.5	52	0.8	11 080	16 860	—	—	—	—	—	CF16FBR	—	CF16FBUUR	—	—
CF16VMA	**CF16VMRA**	**CF16VMUUA**	**CF16VMUURA**	**170**	16	35	18	M16×1.5	52	0.8	19 020	34 610	—	—	—	—	—	—	—	—	—	—
CF18MA	**CF18MRA**	**CF18MUUA**	**CF18MUURA**	**250**	18	40	20	M18×1.5	58	0.8	13 520	23 180	—	—	—	—	—	CF18FBR	—	CF18FBUUR	—	—
CF18VMA	**CF18VMRA**	**CF18VMUUA**	**CF18VMUURA**	**250**	18	40	20	M18×1.5	58	0.8	23 250	47 240	—	—	—	—	—	—	—	—	—	—
CF20MA	**CF20MRA**	**CF20MUUA**	**CF20MUURA**	**460**	20	52	24	M20×1.5	66	0.8	19 020	31 830	—	—	—	—	—	CF20FBR	—	CF20FBUUR	—	—
CF20VMA	**CF20VMRA**	**CF20VMUUA**	**CF20VMUURA**	**460**	20	52	24	M20×1.5	66	0.8	30 470	59 320	—	—	—	—	—	—	—	—	—	—
CF20-1MA	**CF20-1MRA**	**CF20-1MUUA**	**CF20-1MUURA**	**385**	20	47	24	M20×1.5	66	0.8	19 020	31 830	—	—	—	—	—	—	—	—	—	—
CF20-1VMA	**CF20-1VMRA**	**CF20-1VMUUA**	**CF20-1VMUURA**	**385**	20	47	24	M20×1.5	66	0.8	30 470	59 320	—	—	—	—	—	—	—	—	—	—
CF24MA	**CF24MRA**	**CF24MUUA**	**CF24MUURA**	**815**	24	62	29	M24×1.5	80	0.8	28 040	48 410	—	—	—	—	—	—	—	—	—	—
CF24VMA	**CF24VMRA**	**CF24VMUUA**	**CF24VMUURA**	**815**	24	62	29	M24×1.5	80	0.8	42 820	84 650	—	—	—	—	—	—	—	—	—	—
CF24-1MA	**CF24-1MRA**	**CF24-1MUUA**	**CF24-1MUURA**	**1 140**	24	72	29	M24×1.5	80	0.8	28 040	48 410	—	—	—	—	—	—	—	—	—	—
CF24-1VMA	**CF24-1VMRA**	**CF24-1VMUUA**	**CF24-1VMUURA**	**1 140**	24	72	29	M24×1.5	80	0.8	42 820	84 650	—	—	—	—	—	—	—	—	—	—

Stud diameter (d) 3 to 10mm : No grease refilling hole is provided (except "K" type)