Nutritional Counseling - 7th Edition

Lesson 2 Test Questions

1. What is the rate of miscarriages in the first 20 weeks of pregnancy?
a. 6%
b. 7%
c. 8%
d. 9%

2. The most common cause of miscarriage for women is:
a. structural abnormalities in the uterus.
b. the presence of a severe defect in the fetus.
c. maternal infection.
d. endocrine disorders.
e. unknown random events.

3. The two hormones secreted by the pituitary gland during the FOLLICULAR phase of a woman's cycle are:
a. follicle-stimulating hormone and progesterone.
b. progesterone and estrogen.
c. follicle-stimulating hormone and luteinizing hormone.
d. luteinizing hormone and progesterone.
e. luteinizing hormone and estrogen.

4. Fat cells produce all of the following hormones that may interfere with reproductive processes EXCEPT:
a. estrogen.
b. testosterone.
c. leptin.
d. insulin.
e. Fat cells do not produce any of these hormones.

5. Loss of body fat in obese men and women is related to:
a. improved hormone levels.
b. reduced oxidative stress.
c. improved conception rates.
d. All of the above
e. a and b only

6. A body mass index (BMI) >_____ is typically needed to sustain normal reproductive function in women.
a. 17
b. 20
c. 25
d. 30
e. 35

7. Women who experience multiple miscarriages, men who have sperm abnormalities, and women that ovulate infrequently may be classified as:
a. fertile.
b. infertile.
c. subfertile.
d. menopausal.
e. infecund.

8. The recommended daily intake of folic acid for ALL women who may become pregnant is:
a. 40 mcg.
b. 40 mg.
c. 400 mcg.
d. 400 mg.
e. 400 g.

9. The primary effect(s) of being underweight on reproduction in women is/are:
a. high likelihood of maternal complications.
b. the birth of small and early infants.
c. spina bifida or other NTDs.
d. All of the above
e. Both a and b

10. Cramps and other side effects of menstruation can be traced back to the production of _____ by the uterus.
a. progesterone
b. estrogen
c. prostaglandins
d. pituitary hormones
e. both a and b

11. When hormones are altered in the body, many changes take place that affect fertility; which of the following would NOT be one of those changes?
a. Change in length or presence of the luteal phase
b. A decrease in the production of sperm
c. Alterations in the passageways that ova and sperm travel
d. Absence of the follicular phase
e. All of the above would be changes that occur.

12. Young female athletes often experience a delay in menarche of approximately what duration?
a. 1-2 years
b. 2-4 years
c. No delay in menarche
d. 6 mo-1 year
e. None of the above

13. In a “typical” 28-day cycle, when would levels of luteinizing hormone most likely be the highest?
a. Day 1
b. Day 7
c. Day 10
d. Day 14
e. Day 28

14. Premenstrual dysphoric disorder (PMDD) is characterized by:
a. mood swings.
b. irritability.
c. depressed mood.
d. physical symptoms.
e. All of the above

15. Untreated phenylketonuria in pregnant women can lead to:
a. increased risk of heart defects in the infant.
b. infants with microcephaly.
c. mental retardation in their children.
d. All of the above
e. a and b only

16. _____ during the first 2 months of pregnancy is teratogenic and leads to a two- to three-fold risk of congenital abnormalities.
a. A high blood glucose level
b. Type 1 diabetes
c. Type 2 diabetes
d. Insulin resistance
e. Celiac disease

17. Diets that provide low-glycemic index carbohydrates along with _____ of fiber daily are associated with improved blood glucose control.
a. 15 g
b. 25-35 g
c. 14 g per 1000 calories
d. 38 g
e. 50 g

18. Excess central body fat is related to _____.

a. insulin resistance
b. increased sperm count
c. decreased testosterone production in females
d. increased testosterone production in males
e. decreased oxidative stress

19. **Use the following information to answer questions 19 and 20.**

Jane and her husband are interested in having a child, but she has had a hard time conceiving. She has met with her OB-GYN to have a physical, labs drawn, and a prenatal check-up in order to determine what the problem is. Lab work and other relevant data for Jane are as follows:
Age: 36
Blood pressure: 110/70 mm Hg
Fasting blood glucose: 130 mg/dL
HDL cholesterol 35 mg/dL
Blood triglycerides: 175 mg/dL
Waist circumference: 36"
Current weight: 150 lbs
Height: 5'3"

Based on the data above, Jane will likely be diagnosed with:
a. type 2 diabetes
b. metabolic syndrome
c. celiac disease
d. hypothalamic amenorrhea
e. gestational diabetes

20. Which of the following symptoms would indicate that Jane has this diagnosis?
a. Her blood pressure, weight, and height
b. Hard time with conception and her age
c. High fasting blood glucose, blood triglycerides, and HDL cholesterol levels
d. Her waist circumference, age, and blood pressure
e. All of the above