Nutritional Counseling - 7th Edition

Lesson 4 Test Questions

1. Which of the following is a nutritional benefit of breastfeeding?
a. It provides optimal nutrition to the infant.
b. The balance of nutrients matches requirements needed for human growth.
c. Infants do not need additional fluids or water when breastfeeding.
d. The low protein content is easily tolerated.
e. All of the above are considered nutritional benefits.

2. The cyclic release of what 2 hormones governs pubertal breast development?
a. Prolactin and oxytocin
b. Progesterone and estrogen
c. Prolactin and estrogen
d. Progesterone and oxytocin
e. Testosterone and progesterone

3. The functional units of the mammary gland are the:
a. lobules.
b. myoepithelial cells.
c. alveoli.
d. areolas.
e. secretory cells.

4. The major component of breast milk is _____, while the second largest component is _____.
a. water, lipids
b. lipids, water
c. protein, carbohydrate
d. carbohydrate, protein
e. protein, lipids

5. The dominant carbohydrate in human milk is _____.
a. A. galactose
b. B. glucose
c. C. lactose
d. D. sucrose
e. E. maltose

6. What nutrient forms a soft, easily digestible curd in the baby's stomach?
a. Copper
b. Vitamin K
c. Whey
d. Casein
e. Iron

7. A health care professional was asked by a nursing mom, “How many glasses of water should I drink a today?” What would be an appropriate recommendation?
a. A. 6-8 glasses
b. B. 8-10 glasses
c. C. >10 glasses
d. D. Drink enough fluids to keep your urine pale yellow.

Use the following information for questions 8-10:

A young woman comes into your office for a lactation consultation complaining that her 1-month-old baby is colicky and slow to gain weight. Her baby requires 6 to 7 diaper changes each day and suffers from diarrhea. She tells you she allows the baby to nurse equally on each breast so that she does not feel "overfull"; she is desperate for help and asks your advice on what to do. A 24-hour diet history provides the following information about her eating habits.

Breakfast: cereal, milk, banana, and walnut pieces; sometimes she has eggs
Lunch: peanut butter sandwich, salad, and grapes with a glass of milk
Dinner: fish or chicken, vegetables, potato or rice, applesauce, and milk
Snacks: change daily, but she likes trail mix because it is easy to eat when nursing

8. What would the best advice be for this woman?

a. Allow your baby to nurse on one breast only until it is completely empty.
b. Allow us to evaluate you while you are nursing your baby and see what you are doing.
c. Stop nursing immediately and use an infant formula so your baby starts growing.
d. Use supplemental infant formula after each feeding because the baby is obviously not getting enough to eat.
e. a and b only

9. What is likely happening to this baby and causing the diarrhea?
a. The baby is not latched on properly.
b. The mother is not producing enough breast milk.
c. The baby is getting too much foremilk and not enough hindmilk.
d. The baby has a poor suckle.
e. The baby is lactose intolerant.

10. After looking at her diet, what changes could you suggest to help with the baby’s colic?
a. Eliminate all fruit except canned fruit
b. Eliminate nuts
c. Eliminate dairy products
d. All of the above
e. b and c only

11. Continuing to nurse while you are sick actually protects your baby because:
a. you do not pass germs through breast milk.
b. your breast milk is full of antibodies that are passed on to your baby.
c. you do not contaminate bottles by handling them.
d. infant formulas are higher in vitamins and minerals and help boost the baby’s immune system.

12. A baby that is not given vitamin K at birth may have:
a. excessive bleeding due to a lack of blood clotting.
b. decreased calcium absorption.
c. increased incidence of colic.
d. increased incidence of diarrhea
e. All of the above

13. Which of the following would NOT be considered a common condition that is experienced by a woman who is breastfeeding?
a. Sore nipples
b. Engorgement
c. Mastitis
d. Plugged ducts
e. All of the above are common problems.

14. When is the safest time for a nursing mom to take a drug?
a. In the morning
b. After eating a meal
c. After the infant nurses
d. Any time is safe to take a drug.
e. It is never safe for a nursing mom to take drugs.

15. If a 110-lb nursing woman (50 kg) wants to drink alcohol, how many cans of beer (15 g alcohol/12 oz) can this woman drink and stay within the Institute of Medicine's alcohol recommendations?
a. 0
b. 1
c. 2
d. 3

16. Approximately _____ of term infants will become visibly jaundiced with their serum bilirubin levels exceeding 5 to 7 mg/dL.
Select one:
a. 20%
b. 30%
c. 40%
d. 50%
e. 60%

17. Hyperbilirubinemia in newborns is caused by _____.
a. destruction of red blood cells
b. high blood lipid levels
c. high maternal intake of vitamin A
d. labor lasting over 12 hours

18. The energy content of breast milk in women who deliver pre-term infants is _____.
a. 30-37 kcal/100 mL
b. 40-48 kcal/100 mL
c. 58-70 kcal/100 mL
d. 72-120 kcal/100 mL

19. A new mother goes to the mall shopping with her friends. She is gone longer than planned and is not able to nurse her baby until she returns 6 hours later. What is the most likely problem she will have?
a. A breast infection
b. Engorgement
c. Plugged ducts
d. Sore nipples
e. Mastitis

20. A lactation consultant is observing a new mom breastfeeding and notices that the baby is making smacking and clicking sounds as she sucks. This tells her that:
a. the baby is eating well and has a strong suckle.
b. the baby has a cleft palate and should be closely followed.
c. the baby is not latched on correctly and this may increase the risk of sore nipples.
d. this is just a noisy baby.
e. Noise is not an indicator of anything.

21. Large doses of St. John's wort decrease prolactin levels in women. This could potentially:
a. reduce oxytocin levels.
b. cause breast milk to taste like maple syrup.
c. cause a woman to become constipated.
d. reduce breast milk supply.
e. cause depression in some women.

22. Your best friend had a baby 3 months ago and is anxious to go "out on the town" with her friends. She is still breastfeeding, but would like to be able to have some drinks. What advice would you give her?
a. It is okay to drink while nursing because it actually helps babies sleep.
b. It is okay to drink while nursing because it increases breast milk production.
c. Pump your milk immediately after drinking and it will be eliminated from your body.
d. Pump milk before going out and use that until the alcohol has been cleared from your system.
e. Drink only beer because babies tolerate it.

23. You are at a nice restaurant and would like to order seafood for dinner; however, you are breastfeeding. Which of the following would have the lowest amount of mercury and be safest for you to eat?
a. Calamari
b. Swordfish
c. Shark
d. Tuna
e. King mackerel

24. Which of the following foods would a pediatrician recommend a nursing mother with no history of food allergies in the family restrict?
a. Peanuts and tree nuts
b. Wheat
c. Soy
d. Eggs
e. None of the above

25. A woman with mastitis should continue to nurse her baby.
a. True
b. False