Nutritional Counseling - 7th Edition

Lesson 5 Test Questions

1. Which of the following statements best describes motor development in infants?
a. Voluntary control of muscles starts from the head and moves down to the legs.
b. Voluntary control of muscles starts from being able to fan toes out at birth to blinking eyes in response to a loud noise or light.
c. Voluntary muscle control develops with central muscles first and then moves out to hand muscles.
d. Voluntary muscle control develops with rooting reflex and then moves out to hand muscles.
e. a and c


2. An example of sensorimotor development is _____.
a. thumb sucking
b. crying when hungry
c. blinking eyes in response to bright light
d. ability to sleep through the night
e. an increase in head circumference

3. The AVERAGE caloric need of infants in the first six months of life is _____ per kg of body weight, based on growth in breast-fed infants.
a. 57 Calories
b. 98 Calories
c. 108 Calories
d. 122 Calories
e. 154 Calories

4. Based on your answer to question #3, a 5-month-old infant would require approximately _____ total Calories per day based on a weight of 6 kg.
a. 648
b. 732
c. 924
d. 1037
e. 1251

5. A 3-month-old infant was taking 30 ounces/day of a standard formula. How many Calories did the infant consume each day?
a. 600
b. 300
c. 450
d. 510

Use the growth chart to answer questions 6 & 7.



alive ACADEMY

6. A newborn girl weighs 8 pounds at birth. Plot her weight on the provided growth chart and indicate which of the following percentiles she falls into.
Select one:
a. 10th
b. 25th
c. 50th
d. 75th
e. 90th

7. Based on your answer to #6, this baby is:
a. small for gestational age (SGA).
b. large for gestational age (LGA).
c. appropriate for gestational age (AGA).
d. None of the above

8. Which of the following conditions CANNOT be screened for shortly after birth?
a. PKU
b. Food allergy
c. Galactosemia
d. Sickle-cell disease
e. Hypothyroidism

9. An infant with a suspected protein intolerance may be:
a. put on a soy formula because plant proteins are well tolerated.
b. put on a hydrolyzed formula because the protein is broken down.
c. breast fed only because breast milk is the gold standard to feed babies
d. put on IV fluids with a fat replacement.

10. **Use the following information to answer questions 10-12.**

The mother of a 9-month-old vegetarian infant weighing 19 pounds (8.6 kg) provided the following diet history for her son.

Breakfast: 1/4 cup oatmeal made with water; 1/2 banana; 4 oz. apple juice
Lunch: Rice cake with 1 t. peanut butter; 1/2 c. applesauce; 4 oz. soy formula
Dinner: 1/4 cup mashed potatoes made with water; 1/4 cup lentil beans; 1/4 c. yam; 4 cherry tomatoes cut; 4 oz. soy formula
Snacks: 15 goldfish crackers and 1/4 c. canned fruit at 10 am; rice cake with 1/4 c. canned pears at 3 pm
Total calories = ~750
Protein = 21 grams

10. Nutrients of concern in this diet include:
a. calcium
b. vitamin B12
c. vitamin D
d. Iron
e. All of the above

11. Does this diet have an adequate amount of calories for a 9-month-old infant?
a. Yes
b. No

12. Does this diet have an adequate amount of protein for a 9-month-old infant?
a. Yes
b. No

13. An infant with what special condition requires less energy than a healthy infant?
a. Extremely low-birth-weight infant
b. Low-birth-weight infant
c. Infant with Down's syndrome
d. Infant born with difficulty breathing
e. Infant born with PKU

14. What is the gestation-adjusted age for a 9-month-old infant born preterm (32 weeks)?
a. 6.5 months
b. 7 months
c. 8 months
d. 8.5 months

15. Which of the following foods would NOT be appropriate for a baby with galactosemia?
a. Sugar solution
b. Apple juice
c. Soybean formula
d. Breast milk

16. Growth rates among infants that have the lung condition bronchopulmonary dysplasia (BPD) are slower due to all of the following EXCEPT:
a. higher nutritional requirements.
b. more muscle mass.
c. changes in endocrine systems.
d. changes in pulmonary systems.
e. All of the above are reasons that these infants have slower growth rates.

17. A gavage feeding is one that:
a. provides nutrition directly through the central vein and includes amino acids, dextrose, and a lipid emulsion.
b. provides nutrition through a tube inserted into the stomach or small intestine.
c. provides slow feedings from the mouth or nose into the stomach through a tube.
d. provides oral nutrition that has been pureed thoroughly so the infant does not choke.
e. provides nutrition through the use of an oral syringe.

18. **Please read the case study below and use the information to answer questions 18-20.**

Case Study: Rebecca, an infant born at 32 weeks, weighed 1200 g (2.6 lb), and was SGA. Her head circumference was 30 cm (< 5th percentile). The mother was not interested in breastfeeding. A dietitian evaluated Rebecca and established appropriate growth and devel opment goals for weight, length, head circumference, and body fat stores. A high-calorie form ula (22 kcal/oz) was also initiated.

18. What daily weight gain goal would the dietitian set for the first three months?

a. 10-25g/day
b. 20-30 g/day
c. 30-40 g/day
d. >40 g/day

19. Following discharge from the hospital, Rebecca showed signs of fatigue during feeding. The dietitian then recommended a higher-calorie formula. How many Calories/ounce would the new formula most likely contain?

a. 40 Calories
b. 24 Calories
c. 30 Calories
d. 35 Calories

20. Will Rebecca be able to sit in a high chair and maintain a stable feeding position at 6 months — the same physical development expected from a term infant?

a. Yes
b. No