Nutritional Counseling - 7th Edition

Lesson 6 Test Questions

1. On average, toddlers gain 8 oz/month and preschoolers gain _____ lb/year.
a. 4.4
b. 6.2
c. 8.3
d. 10.5

2. One "rule of thumb" regarding portion sizes for toddlers is:
a. Serve them as you would serve yourself and let them decide how much they would like to eat.
b. 1 tablespoon of food per year of age.
c. Allow toddlers to self serve and graze throughout the day as there are no actual portion sizes for this age group.
d. 1/4 cup of protein-type foods and ½ cup of all others.
e. None of the above is correct.

3. Studies have shown that restricting a young child's access to palatable food may:
a. promote desirability of that particular food.
b. increase disinterest in new foods.
c. encourage them to overeat these foods and have negative feelings.
d. All of the above
e. a and c only

4. Approximately how many exposures to a new food might it take for a toddler to accept the flavor or taste?
a. 1-2
b. 5-7
c. 8-10
d. >15

5. The Acceptable Macronutrient Distribution Ranges (AMDRs) for fat are _____ for children 1 to 3 years and _____ for children 4 to 18 years old.
a. 20-30%, <30%
b. 20-30%, 25-35%
c. 30-40%, <30%
d. 30-40%, 25-35%
e. It is the same for both age groups at <30%.

6. The RDA for iron for children ages 4-8 years is _____.
a. <5 mg/day
b. 8 mg/day
c. 10 mg/day
d. 18 mg/day
e. 29 mg/day

7. The general fiber recommendation for 5-year-old children is _____/day.
a. 5 g
b. 7 g
c. 10 g
d. 25 g
e. 35-50 g

8. **Use the following information for questions 8 & 9:**
A 5-year-old boy is brought in for a nutrition assessment and health check. He weighs 50 lb (22.7 kg), and is 45 in (114 cm) tall.
Based on the above information, this boy has a BMI of:
a. 13.1
b. 15.2
c. 17.4
d. 19.6
e. 21.8

9. What does this boy's BMI mean?
a. He is underweight.
b. He is normal weight.
c. He is at risk of overweight.
d. He is overweight.
e. He is obese.

10. In general, children ages 1-5 tend to consume more than enough of most nutrients in their diets EXCEPT _____.
a. calcium and zinc
b. fat and carbohydrate
c. vitamin C and iron
d. vitamin A and fluoride
e. iron and vitamin D

11. A decrease in appetite is a normal part of growth and development for toddlers and preschool age children.
a. True
b. False

12. Which of the following children would NOT be at risk for a nutrient deficiency?
a. Children suffering from abuse or neglect
b. Children who consume a vegetarian diet without dairy products
c. Children with failure to thrive
d. Children who participate in a dietary program for managing obesity
e. Children who consume a variety of basic foods

13. Which of the following nutrition problems is the LEAST common among young children?
a. Iron-deficiency anemia
b. Dental caries
c. Constipation
d. Lead poisoning

14. Recommendations for toddlers whose parents are vegetarian include all of the following EXCEPT:
a. Encourage toddlers to eat bran muffins when serving fruits and vegetables.
b. Include cheese or avocados in toddlers' diets.
c. Encourage toddlers to eat two to three snacks.
d. Include good sources of vitamin B12 in toddler's diets or supplement, if required.

15. It is estimated that up to _____ of children with disabilities have some type of nutritional problem.
a. 25%
b. 45%
c. 55%
d. 75%
e. 90%

16. A child who has Down syndrome would have a poorer health outcome associated with
a. skipping one meal.
b. offering meals in the school foodservice cafeteria on days when he is not attending.
c. reviewing his individualized education plan three weeks late.
d. mismatching his energy needs with food intake, thus leading to excessive weight gain.

17. Rett syndrome is a rare disorder characterized by:
a.damage that occurs to underdeveloped lungs resulting in breathing that requires extra effort.
b. a genetic change on the X chromosome resulting in severe neurological delays
c. damage to the part of the brain controlling movement of the legs, interfering with muscle control and ambulation.
d. damage to chromosome 7 that interferes with all the exocrine functions in the body.
e. destruction of the infection-fighting abilities of the body by a virus.

18. Characteristics of food choices by an autistic child might include all of the following EXCEPT:
a. preferring to eat solid foods rather than drink liquids.
b. refusing to eat when offered something he/she does not like.
c. having temper tantrums in which he/she can be injured.
d. preferring one type of drink above others.
e. All of the above ARE characteristics of food choices.

19. Healthy toddlers are likely to develop diarrhea from _____.
a. introduction of vegetables into their diet
b. addition of too much fat into their diet
c. consumption of eggs
d. drinking too much fruit juice
e. drinking 2% milk versus whole milk

20. Dietary management of celiac disease requires the elimination of:
a. wheat, rye, and barley.
b. wheat, rice, and soy.
c. wheat, rice, corn, and soy.
d. rice, corn, eggs, and bulgur.
e. fruits, vegetables, and nuts.

21. Which food may not be appropriate to serve a child with sickle-cell disease also receiving a blood transfusion containing iron?
a. Cereal with milk
b. Hamburger with tomatoes
c. Green beans and butter
d. Hostess snack cake
e. Potato chips

22. **Use the following diet record to answer questions 22 & 23.**

Breakfast: Instant oatmeal sweetened with brown sugar Mashed banana 8 oz. fortified juice
Lunch: Macaroni with butter 8 oz. fortified juice
Snack: Goldfish crackers 12 oz. fortified juice
Dinner: White bread without crusts and with butter 12 oz. fortified juice

22. What would indicate that the 3-year-old girl following this diet has a potential feeding problem?
a. Lack of variety
b. Bland food choices
c. Excessive fluid intake
d. All of the above
e. a and c only

23. What foods could you suggest to increase variety and still make it easy for her to eat?
a. Pureed pears or peaches
b. Macaroni made with milk and cheese
c. Peanut butter sandwich crackers
d. Fortified juice smoothie
e. All of the above

24. A child with cerebral palsy in a wheelchair will likely require _____ energy than/as a child with cerebral palsy that is able to walk.
a. more
b. less
c. the same amount of

25. Some children have asthma as a result of food allergies.
a. True
b. False