Nutritional Counseling - 7th Edition

Lesson 10 Test Questions

1. The human life span is projected to be _____ years.
a. 102-104
b. 105-110
c. 110-120
d. >120

2. Programmed aging theories propose that senescence occurs because
a. the telomeres capping the ends of chromosomes become shorter with each cell division and their loss eventually stops the chromosomes from replicating.
b. mistakes in the replication of cells or buildup of damaging by-products from biologic processes eventually destroy the organism.
c. unstable oxygen, formed normally during metabolism, can damage cells by initiating reactions that break down cell membranes.
d. fast-paced living shortens one's lifespan.

3. A decrease in physical activity and basal metabolic rate from early to late adulthood leads to an estimated decrease in daily energy needs by _____ Calories per year.
a. 7-10
b. 12-15
c. 20-23
d. 25-28
e. 34-37

4. It is difficult to meet vitamin and mineral needs via foods at Calorie levels below
a. 1300.
b. 1600.
c. 1800.
d. 2000.
e. It is hard to meet vitamin and mineral needs at ANY calorie level; therefore, a multivitamin is ALWAYS recommended.

5.Age-associated physiological system changes that affect nutritional health include all of the following EXCEPT:
a. increased secretion of saliva
b. reduced levels of estrogen and testosterone.
c. blunted appetite regulation.
d. reduced breathing capacity.
e. less blood flow.

6. Which statement describes how physiologic doses found in a vitamin-mineral supplement for the elderly differ from doses in supplements for the general adult population?
a. Additional vitamin B12 is added
b. Little or no iron is added
c. Decrease in zinc
d. Additional vitamin E is added
e. a and b

7. A short-stature female (5'2") was not consistently eating two or three meals a day. She usually had a piece of toast and coffee with cream and sugar at breakfast and never could quite eat all of her home-delivered noon meal. What dietary supplement would you recommend?
a. Multi-vitamin/mineral that is physiologically designed for elderly
b. Calcium supplement only
c. Folate, vitamin B12, and iron only
d. Calcium and magnesium only

8. Which of the following statements is NOT true regarding theories of aging?
a. Free radical damage is known to promote chronic conditions including heart disease, cataracts, and some cancers.
b. Scientists postulate that if they could shorten the telomeres of chromosomes more slowly than happens naturally, cell senescence could be delayed.
c. Protein cross-links form because of exposure to high glucose levels, resulting in adverse changes in tissue and organ function.
d. Cells from long-lived species (such as humans) have higher Hayflick limits than cells from shorter-lived species (such as mice or rats).

9. What is the most common reason that vitamin B12 deficiency, or at least compromised B12 status, occurs in older adults?
a. Diets are frequently low in vitamin B12, since oral problems and financial difficulties limit meat intake and meats are the best dietary sources of B12.
b. Pernicious anemia is common in the elderly.
c. Their diets provide primarily synthetic forms of vitamin B12, which are less absorbable than the protein-bound form found naturally in foods.
d. The elderly have a higher incidence of bacterial overgrowth, which decreases secretion of hydrochloric acid.
e. None of the above

10. Failing to cook foods long enough and to hold them at proper temperatures before consumption are among the most common practices that lead to foodborne illness among older adults.
a. True
b. False

11. Older people do NOT benefit from exercise as much as younger people.
a. True
b. False

12. The recommended Calorie intake for energy for females between the ages of 60 and 74 is 1900 Calories. Calculate how many grams of carbohydrate they should consume to meet the AMDR. (Round up.)
a. 130-145
b. 175-220
c. 215-310
d. 400-550

13. The amount of stored body water decreases with age.
a. True
b. False

14. The only chronic condition that has higher prevalence in older adults than arthritis is:
a. diabetes.
b. hypertension.
c. cancer.
d. stroke.
e. osteoporosis.

15. Diabetes leads to a tenfold greater risk of all of the following EXCEPT:
a. amputations.
b. neuropathies.
c. macular degeneration.
d. cataracts.
e. elevated blood lipids.

16. Which of the following is NOT a risk factor for osteoporosis?
a. Inadequate calcium intake
b. Heavy alcohol consumption
c. Low body weight
d. High iron intake

17. An elderly man who is 75 years old and recently had prostate cancer treatments would likely have:
a. a doubling of bone mass loss.
b. a slowing of bone mass loss.
c. a twenty-five percent chance of mortality within 6 months.
d. a fifty percent chance of mortality within 1 year.

18. The main symptoms of GERD include:
a. heartburn.
b. acid regurgitation.
c. bloating and cramping.
d. All of the above
e. a and b only

19. A deficiency in vitamin B12 may lead to:
a. irreversible neurological damage.
b. cognitive impairment.
c. constipation.
d. a and b
e. b and c

20. Seven signs and symptoms have been strongly related to dehydration in the elderly. Which of the following would NOT be one of these?
a. Hearing difficulty
b. Confusion
c. Dry tongue
d. Sunken appearance of eyes
e. Upper-body weakness

21. Which of the following is NOT one of the diets that was correlated with reduced stroke incidence?
a. DASH diet
b. South Beach Diet
c. The Prudent Diet
d. Mediterranean Diet

Use the following information to answer questions 22-25.

A 75-year-old female reports having lost 20 pounds in the last 3 months and now weighs 100 p ounds; she is 5'3". She is complaining that food has lost its taste, and when she does eat, she develops severe heartburn. She is now in your office for assessment. Her daily intake is ~1000 Calories with 35 g of protein.

1 cup non-fat milk
1 medium apple
1 slice bread + 3 t. butter
1 cup black coffee + 3 t. sugar
1/3 cup cooked rice
1/2 cup cooked zucchini
2 oz. ground beef
1 cup orange juice
1 oz. Cheddar cheese
Black coffee
2 martinis before dinner.

22. How does her current weight compare to her usual weight?
a. She is 77% of her usual body weight
b. She is 83% of her usual body weight
c. She is 94% of her usual body weight
d. She is 120% of her usual body weight

23. How does her intake compare to her estimated protein needs?
a. It is low; based on her current weight, she should be consuming at least 100 g per day.
b. It is high; based on her current weight, she should be consuming at least 25 g per day.
c. It is low; based on her current weight, she should be consuming between 45 and 70 g per day.
d. It is adequate to meet her needs based on her current weight and Calorie intake.

24. What dietary changes might help with her heartburn?
a. Skipping the martinis before dinner
b. Avoiding coffee
c. Changing her milk to whole vs. non-fat
d. All of the above
e. a and b only

25. What other suggestions could you give her to help prevent weight loss and increase protein in her diet?
a. Eat more calories throughout day
b. Exercise to help build muscle mass
c. Try a protein and energy supplement
d. Avoid foods that irritate you
e. All of the above