WELL-BEING

Emotional health during recovery

Edited 14 October 2026

Patient education. Follow your healthcare team’s advice.

How can a heart condition affect your feelings?

A heart diagnosis can bring fear, sadness, anger, or worry about the future. You may also be concerned about money, work, or caring for your family. These feelings deserve attention alongside physical recovery. Tell your care team how you feel, especially if sadness or anxiety persists. [1]

Understand the role of stress

Stress can affect sleep, energy, and habits such as eating, smoking, and taking medicines. During a stressful moment, your heart rate and blood pressure may rise. This does not mean that every worry will cause a heart event. The relationship is complex. Managing stress supports well-being, while medical treatment and follow-up remain essential parts of caring for your heart. [2,4]

Find support that fits

Healthy ways to cope may include talking with someone you trust, relaxation, counseling, or a stress management program. Some people find comfort in community or religious support. Physical activity may help when it follows your approved plan. Ask your doctor which approaches are suitable for you. Avoid using alcohol, tobacco, or unprescribed medicines to manage fear or help you sleep. [1,3]

Make space for a small pause

Choose a quiet moment in your day to notice what is troubling you. You could write a short note, talk with a friend, or try a relaxation method your doctor recommends. You do not have to force yourself to feel cheerful. A useful pause is simply time to recognize your needs and decide whether you want help with them.

Name the practical concern

Sometimes stress comes from a problem that needs a clear answer. List the concern in plain words: transport to sessions, medicine costs, returning to work, or caring for children. Ask the unit whom you should speak with about it. A family member may help make calls or take notes, but you should remain involved in decisions about your care.

Tell the team when feelings persist

If sadness, anxiety, or loss of interest continues or makes everyday life difficult, ask for professional assessment. You do not have to wait until it becomes severe. Mention changes in sleep, appetite, concentration, or motivation. Emotional health care is part of recovery, not a sign of weakness. If you feel at risk of harming yourself, seek urgent help immediately. [1,5]

Help family understand what you need

Tell loved ones what support would be useful. You might want company at a visit, help preparing meals, or a few minutes to talk without advice. Ask them to respect your care plan rather than pushing you to exercise more or dismissing symptoms as worry. New chest discomfort or severe breathlessness needs medical attention, even when you also feel anxious.

Keep recovery personal

Ask where you can find emotional support and what to do between visits. If you find a feeling hard to describe, write it down and bring the note. Your needs may change as you recover.

References

1. American Heart Association. (n.d.). Coping with feelings. https://www.heart.org/en/health-topics/cardiac-rehab/taking-care-of-yourself/coping-with-feelings

2. American Heart Association. (n.d.). Stress and heart health. https://www.heart.org/en/healthy-living/healthy-lifestyle/stress-management/stress-and-heart-health

3. National Heart, Lung, and Blood Institute. (n.d.). Manage stress. https://www.nhlbi.nih.gov/health/heart-healthy-living/manage-stress

4. MedlinePlus. (n.d.). Stress. https://medlineplus.gov/stress.html

5. National Institute of Mental Health. (n.d.). Caring for your mental health. https://www.nimh.nih.gov/health/topics/caring-for-your-mental-health

Cardiac Rehabilitation Unit
Cardiac Center · Bicol Medical Center
3rd Floor, 5-Storey Building · BMC Road, Concepcion Pequeña
Naga City, Camarines Sur 4400
(+63) 917-155-7163 · bmccardiaccenter@gmail.com
Ask about the program and appointment arrangements.
https://jusanmisolas.github.io/bmccare/