Azure VNet Flow Traffic Report

Generated 2026-10-19T09:58:35Z | Source local | Window 2026-10-18T10:00:00Z to 2026-10-18T13:00:00Z
Filters: action all; protocol all; destination ports any; IP contains any; min bytes 0


Summary

Measure	Value
Flow observations	301
Allowed / denied	240 / 61
Bytes / packets	15.2 MB / 22,425
Storage accounts read	2
Scopes in report	4
Subscriptions	0
Unique source / destination IPs	33 / 33
Allowed inbound duplicates skipped	99

Flow log monitoring

No storage account inventory in this run (local input or no accounts discovered).

Traffic between scopes (top 50 by bytes)

From	To	Flows	Allowed	Denied	Bytes	Share of bytes
stflowlogsapp01	stflowlogsdata02	131	100	31	6.0 MB	
stflowlogsapp01	Internet	47	47	0	3.1 MB	
Internet	stflowlogsapp01	35	35	0	2.3 MB	
stflowlogsapp01	stflowlogsapp01	30	30	0	2.0 MB	
stflowlogsdata02	vnet-hub	28	28	0	1.7 MB	
stflowlogsdata02	Internet	16	0	16	0 B	
vnet-hub	stflowlogsapp01	14	0	14	0 B	

Individual view per storage account

stflowlogsapp01

In: 79 flows, 4.3 MB | Out: 208 flows, 11.2 MB | Denied observations: 45
Top peers: stflowlogsdata02 (6.0 MB), Internet (5.4 MB), stflowlogsapp01 (4.1 MB), vnet-hub (0 B)
Top destination ports: 443/TCP (5.4 MB), 1433/TCP (4.1 MB), 445/TCP (2.0 MB), 8080/TCP (1.9 MB), 22/TCP (0 B)

stflowlogsdata02

In: 131 flows, 6.0 MB | Out: 44 flows, 1.7 MB | Denied observations: 47
Top peers: stflowlogsapp01 (6.0 MB), vnet-hub (1.7 MB), Internet (0 B)
Top destination ports: 1433/TCP (4.1 MB), 8080/TCP (1.9 MB), 53/UDP (1.7 MB), 443/TCP (0 B)

Top flows (top 150 of 242 rows by bytes)

First seen	Source	Destination	Port	Proto	Action	Dir	Flows	Bytes	Rule
2026-10-18 10:00	10.10.1.18	10.20.2.5	1433	TCP	allow	out	3	311.1 KB	UserRule_AllowSqlT..
2026-10-18 10:58	10.20.2.11	10.30.0.7	53	UDP	allow	out	2	280.9 KB	UserRule_AllowDnsT..
2026-10-18 10:31	10.10.1.16	20.190.151.1	443	TCP	allow	out	3	275.3 KB	DefaultRule_AllowI..
2026-10-18 10:33	10.10.1.10	52.96.0.1	443	TCP	allow	out	2	251.6 KB	DefaultRule_AllowI..
2026-10-18 10:46	10.10.1.15	10.20.2.6	1433	TCP	allow	out	3	229.0 KB	UserRule_AllowSqlT..
2026-10-18 10:10	10.10.1.8	104.46.162.5	443	TCP	allow	out	2	227.2 KB	DefaultRule_AllowI..
2026-10-18 10:11	10.10.1.5	10.20.2.11	1433	TCP	allow	out	1	225.1 KB	UserRule_AllowSqlT..
2026-10-18 11:16	10.10.1.12	10.20.2.6	1433	TCP	allow	out	2	217.5 KB	UserRule_AllowSqlT..
2026-10-18 10:08	10.10.1.7	10.20.2.7	8080	TCP	allow	out	1	217.3 KB	UserRule_AllowSqlT..

First seen	Source	Destination	Port	Proto	Action	Dir	Flows	Bytes	Rule
2026-10-18 12:31	13.107.42.14	10.10.1.14	443	TCP	allow	in	1	215.7 KB	UserRule_AllowWebIn
2026-10-18 12:27	10.10.1.13	10.20.2.10	8080	TCP	allow	out	1	201.3 KB	UserRule_AllowSqlT..
2026-10-18 11:57	10.10.1.14	20.190.151.1	443	TCP	allow	out	1	185.6 KB	DefaultRule_AllowI..
2026-10-18 10:29	52.96.0.1	10.10.1.14	443	TCP	allow	in	1	183.4 KB	UserRule_AllowWebIn
2026-10-18 11:41	10.10.1.8	10.20.2.10	8080	TCP	allow	out	2	182.1 KB	UserRule_AllowSqlT..
2026-10-18 11:18	10.10.1.13	10.20.2.7	8080	TCP	allow	out	1	180.6 KB	UserRule_AllowSqlT..
2026-10-18 10:22	52.96.0.1	10.10.1.5	443	TCP	allow	in	1	177.2 KB	UserRule_AllowWebIn
2026-10-18 10:40	10.10.1.7	52.96.0.1	443	TCP	allow	out	1	176.6 KB	DefaultRule_AllowI..
2026-10-18 11:47	10.10.1.5	40.112.72.205	443	TCP	allow	out	2	176.5 KB	DefaultRule_AllowI..
2026-10-18 10:22	20.190.151.1	10.10.1.17	443	TCP	allow	in	2	171.5 KB	UserRule_AllowWebIn
2026-10-18 10:19	10.10.1.9	10.10.1.8	445	TCP	allow	out	2	170.5 KB	DefaultRule_AllowV..
2026-10-18 12:06	104.46.162.5	10.10.1.4	443	TCP	allow	in	1	167.7 KB	UserRule_AllowWebIn
2026-10-18 11:25	10.10.1.18	10.10.1.5	445	TCP	allow	out	1	167.5 KB	DefaultRule_AllowV..
2026-10-18 11:56	10.10.1.13	10.10.1.16	445	TCP	allow	out	1	166.0 KB	DefaultRule_AllowV..
2026-10-18 11:23	10.10.1.8	10.20.2.7	1433	TCP	allow	out	1	160.1 KB	UserRule_AllowSqlT..
2026-10-18 10:12	10.10.1.4	10.10.1.17	445	TCP	allow	out	1	158.4 KB	DefaultRule_AllowV..
2026-10-18 10:17	10.10.1.15	104.46.162.5	443	TCP	allow	out	1	156.2 KB	DefaultRule_AllowI..
2026-10-18 11:32	10.10.1.6	10.10.1.18	445	TCP	allow	out	1	155.4 KB	DefaultRule_AllowV..
2026-10-18 10:48	13.107.42.14	10.10.1.17	443	TCP	allow	in	2	149.3 KB	UserRule_AllowWebIn
2026-10-18 10:09	13.107.42.14	10.10.1.12	443	TCP	allow	in	4	147.4 KB	UserRule_AllowWebIn
2026-10-18 10:35	104.46.162.5	10.10.1.14	443	TCP	allow	in	2	142.5 KB	UserRule_AllowWebIn
2026-10-18 11:20	10.10.1.11	10.10.1.9	445	TCP	allow	out	1	137.3 KB	DefaultRule_AllowV..
2026-10-18 11:15	10.20.2.11	10.30.0.4	53	UDP	allow	out	1	135.4 KB	UserRule_AllowDnsT..
2026-10-18 10:24	10.10.1.16	40.112.72.205	443	TCP	allow	out	1	135.1 KB	DefaultRule_AllowI..
2026-10-18 11:56	10.10.1.6	10.20.2.8	1433	TCP	allow	out	1	135.0 KB	UserRule_AllowSqlT..
2026-10-18 10:26	10.10.1.15	10.20.2.4	8080	TCP	allow	out	1	132.8 KB	UserRule_AllowSqlT..
2026-10-18 10:28	10.10.1.8	20.190.151.1	443	TCP	allow	out	2	132.5 KB	DefaultRule_AllowI..
2026-10-18 10:49	10.10.1.7	10.10.1.8	445	TCP	allow	out	1	132.4 KB	DefaultRule_AllowV..
2026-10-18 12:57	10.10.1.10	20.190.151.1	443	TCP	allow	out	1	131.5 KB	DefaultRule_AllowI..
2026-10-18 10:33	10.20.2.8	10.30.0.4	53	UDP	allow	out	1	129.2 KB	UserRule_AllowDnsT..
2026-10-18 11:01	10.10.1.6	10.10.1.16	445	TCP	allow	out	1	128.7 KB	DefaultRule_AllowV..
2026-10-18 11:28	10.10.1.9	10.20.2.4	1433	TCP	allow	out	2	127.2 KB	UserRule_AllowSqlT..
2026-10-18 10:12	10.10.1.18	10.20.2.7	1433	TCP	allow	out	1	125.7 KB	UserRule_AllowSqlT..
2026-10-18 10:33	10.10.1.9	10.10.1.6	445	TCP	allow	out	1	125.1 KB	DefaultRule_AllowV..
2026-10-18 11:40	10.10.1.19	10.20.2.6	1433	TCP	allow	out	1	124.4 KB	UserRule_AllowSqlT..
2026-10-18 12:24	10.20.2.10	10.30.0.5	53	UDP	allow	out	1	124.4 KB	UserRule_AllowDnsT..
2026-10-18 11:06	10.10.1.17	40.112.72.205	443	TCP	allow	out	1	123.0 KB	DefaultRule_AllowI..
2026-10-18 10:41	10.10.1.7	10.20.2.9	8080	TCP	allow	out	2	122.3 KB	UserRule_AllowSqlT..
2026-10-18 10:07	10.10.1.6	13.107.42.14	443	TCP	allow	out	1	120.7 KB	DefaultRule_AllowI..
2026-10-18 11:28	10.10.1.4	52.96.0.1	443	TCP	allow	out	1	120.5 KB	DefaultRule_AllowI..
2026-10-18 12:19	10.20.2.9	10.30.0.6	53	UDP	allow	out	2	119.4 KB	UserRule_AllowDnsT..
2026-10-18 12:32	10.10.1.7	104.46.162.5	443	TCP	allow	out	1	117.0 KB	DefaultRule_AllowI..
2026-10-18 12:15	10.10.1.13	10.20.2.10	1433	TCP	allow	out	1	116.8 KB	UserRule_AllowSqlT..
2026-10-18 10:52	10.10.1.4	10.20.2.10	1433	TCP	allow	out	2	116.2 KB	UserRule_AllowSqlT..
2026-10-18 12:14	10.10.1.8	10.20.2.10	1433	TCP	allow	out	1	116.1 KB	UserRule_AllowSqlT..
2026-10-18 11:54	10.10.1.16	10.20.2.6	1433	TCP	allow	out	2	116.0 KB	UserRule_AllowSqlT..
2026-10-18 10:22	104.46.162.5	10.10.1.7	443	TCP	allow	in	1	113.0 KB	UserRule_AllowWebIn
2026-10-18 11:43	10.10.1.14	10.20.2.10	1433	TCP	allow	out	1	112.8 KB	UserRule_AllowSqlT..
2026-10-18 11:08	10.10.1.17	10.20.2.7	1433	TCP	allow	out	3	112.6 KB	UserRule_AllowSqlT..
2026-10-18 12:06	10.10.1.19	10.10.1.9	445	TCP	allow	out	2	108.8 KB	DefaultRule_AllowV..
2026-10-18 12:07	10.10.1.19	104.46.162.5	443	TCP	allow	out	1	108.8 KB	DefaultRule_AllowI..
2026-10-18 11:24	10.10.1.15	10.20.2.10	1433	TCP	allow	out	1	108.3 KB	UserRule_AllowSqlT..

First seen	Source	Destination	Port	Proto	Action	Dir	Flows	Bytes	Rule
2026-10-18 12:31	10.10.1.9	10.10.1.10	445	TCP	allow	out	1	107.8 KB	DefaultRule_AllowV..
2026-10-18 10:52	10.20.2.11	10.30.0.5	53	UDP	allow	out	2	105.5 KB	UserRule_AllowDnsT..
2026-10-18 12:19	10.10.1.15	10.20.2.7	1433	TCP	allow	out	1	105.2 KB	UserRule_AllowSqlT..
2026-10-18 11:17	10.10.1.7	10.20.2.5	1433	TCP	allow	out	2	103.8 KB	UserRule_AllowSqlT..
2026-10-18 10:52	10.20.2.10	10.30.0.4	53	UDP	allow	out	1	102.5 KB	UserRule_AllowDnsT..
2026-10-18 12:33	10.10.1.14	10.20.2.7	8080	TCP	allow	out	1	101.5 KB	UserRule_AllowSqlT..
2026-10-18 12:55	10.10.1.16	10.20.2.10	1433	TCP	allow	out	1	98.9 KB	UserRule_AllowSqlT..
2026-10-18 11:35	10.10.1.17	10.20.2.10	8080	TCP	allow	out	1	97.8 KB	UserRule_AllowSqlT..
2026-10-18 11:29	10.10.1.17	10.20.2.4	1433	TCP	allow	out	2	97.2 KB	UserRule_AllowSqlT..
2026-10-18 10:05	10.20.2.8	10.30.0.6	53	UDP	allow	out	2	96.7 KB	UserRule_AllowDnsT..
2026-10-18 10:28	10.10.1.11	10.20.2.11	1433	TCP	allow	out	1	94.4 KB	UserRule_AllowSqlT..
2026-10-18 10:46	10.20.2.7	10.30.0.7	53	UDP	allow	out	1	93.5 KB	UserRule_AllowDnsT..
2026-10-18 12:35	104.46.162.5	10.10.1.17	443	TCP	allow	in	2	93.4 KB	UserRule_AllowWebIn
2026-10-18 12:21	10.10.1.8	10.20.2.4	1433	TCP	allow	out	1	93.1 KB	UserRule_AllowSqlT..
2026-10-18 11:42	10.10.1.11	10.20.2.9	1433	TCP	allow	out	3	90.1 KB	UserRule_AllowSqlT..
2026-10-18 10:14	10.10.1.11	10.20.2.7	1433	TCP	allow	out	1	88.6 KB	UserRule_AllowSqlT..
2026-10-18 10:57	10.10.1.5	10.20.2.8	1433	TCP	allow	out	1	87.4 KB	UserRule_AllowSqlT..
2026-10-18 11:59	20.190.151.1	10.10.1.7	443	TCP	allow	in	1	87.0 KB	UserRule_AllowWebIn
2026-10-18 11:33	10.20.2.4	10.30.0.6	53	UDP	allow	out	2	86.7 KB	UserRule_AllowDnsT..
2026-10-18 10:29	20.190.151.1	10.10.1.19	443	TCP	allow	in	1	84.7 KB	UserRule_AllowWebIn
2026-10-18 10:13	10.10.1.12	10.20.2.4	8080	TCP	allow	out	2	84.2 KB	UserRule_AllowSqlT..
2026-10-18 11:18	10.10.1.11	10.20.2.4	8080	TCP	allow	out	1	80.4 KB	UserRule_AllowSqlT..
2026-10-18 11:25	10.20.2.10	10.30.0.7	53	UDP	allow	out	1	79.5 KB	UserRule_AllowDnsT..
2026-10-18 10:49	10.10.1.13	52.96.0.1	443	TCP	allow	out	2	79.0 KB	DefaultRule_AllowI..
2026-10-18 12:20	10.10.1.17	10.20.2.8	1433	TCP	allow	out	1	76.8 KB	UserRule_AllowSqlT..
2026-10-18 10:53	10.10.1.12	10.20.2.9	8080	TCP	allow	out	1	76.6 KB	UserRule_AllowSqlT..
2026-10-18 11:08	10.10.1.18	10.20.2.10	1433	TCP	allow	out	2	76.4 KB	UserRule_AllowSqlT..
2026-10-18 12:03	40.112.72.205	10.10.1.11	443	TCP	allow	in	1	76.4 KB	UserRule_AllowWebIn
2026-10-18 12:16	10.20.2.5	10.30.0.5	53	UDP	allow	out	1	76.0 KB	UserRule_AllowDnsT..
2026-10-18 10:23	10.10.1.11	10.20.2.5	1433	TCP	allow	out	1	76.0 KB	UserRule_AllowSqlT..
2026-10-18 12:07	20.190.151.1	10.10.1.8	443	TCP	allow	in	1	75.9 KB	UserRule_AllowWebIn
2026-10-18 10:55	10.10.1.12	10.20.2.11	1433	TCP	allow	out	1	75.7 KB	UserRule_AllowSqlT..
2026-10-18 11:51	10.10.1.5	10.20.2.10	1433	TCP	allow	out	2	71.4 KB	UserRule_AllowSqlT..
2026-10-18 11:42	10.10.1.9	104.46.162.5	443	TCP	allow	out	2	69.2 KB	DefaultRule_AllowI..
2026-10-18 10:26	20.190.151.1	10.10.1.10	443	TCP	allow	in	2	67.4 KB	UserRule_AllowWebIn
2026-10-18 11:31	10.10.1.5	10.20.2.4	1433	TCP	allow	out	1	66.0 KB	UserRule_AllowSqlT..
2026-10-18 10:52	10.10.1.4	10.10.1.12	445	TCP	allow	out	1	65.3 KB	DefaultRule_AllowV..
2026-10-18 11:20	10.20.2.10	10.30.0.6	53	UDP	allow	out	1	65.0 KB	UserRule_AllowDnsT..
2026-10-18 10:35	10.20.2.6	10.30.0.4	53	UDP	allow	out	3	64.6 KB	UserRule_AllowDnsT..
2026-10-18 12:08	10.10.1.12	10.20.2.7	1433	TCP	allow	out	1	61.3 KB	UserRule_AllowSqlT..
2026-10-18 11:13	13.107.42.14	10.10.1.16	443	TCP	allow	in	1	61.1 KB	UserRule_AllowWebIn
2026-10-18 10:53	10.10.1.9	10.20.2.6	8080	TCP	allow	out	1	59.8 KB	UserRule_AllowSqlT..
2026-10-18 11:44	10.10.1.15	40.112.72.205	443	TCP	allow	out	1	59.5 KB	DefaultRule_AllowI..
2026-10-18 10:28	10.20.2.8	10.30.0.7	53	UDP	allow	out	2	59.3 KB	UserRule_AllowDnsT..
2026-10-18 12:36	10.10.1.7	10.20.2.7	1433	TCP	allow	out	1	58.9 KB	UserRule_AllowSqlT..
2026-10-18 11:35	10.10.1.13	104.46.162.5	443	TCP	allow	out	1	57.3 KB	DefaultRule_AllowI..
2026-10-18 10:05	10.10.1.9	10.10.1.16	445	TCP	allow	out	1	55.2 KB	DefaultRule_AllowV..
2026-10-18 10:36	10.10.1.8	10.20.2.6	1433	TCP	allow	out	1	54.8 KB	UserRule_AllowSqlT..
2026-10-18 11:24	10.10.1.19	20.190.151.1	443	TCP	allow	out	1	53.5 KB	DefaultRule_AllowI..
2026-10-18 10:39	104.46.162.5	10.10.1.8	443	TCP	allow	in	1	52.9 KB	UserRule_AllowWebIn
2026-10-18 10:14	10.10.1.10	10.10.1.13	445	TCP	allow	out	1	52.1 KB	DefaultRule_AllowV..
2026-10-18 11:29	10.10.1.18	10.20.2.6	1433	TCP	allow	out	2	50.5 KB	UserRule_AllowSqlT..

First seen	Source	Destination	Port	Proto	Action	Dir	Flows	Bytes	Rule
2026-10-18 12:11	20.190.151.1	10.10.1.9	443	TCP	allow	in	1	50.5 KB	UserRule_AllowWebIn
2026-10-18 11:02	52.96.0.1	10.10.1.18	443	TCP	allow	in	1	50.4 KB	UserRule_AllowWebIn
2026-10-18 10:26	10.10.1.15	10.20.2.6	8080	TCP	allow	out	1	50.3 KB	UserRule_AllowSqlT..
2026-10-18 11:16	10.10.1.5	20.190.151.1	443	TCP	allow	out	3	50.1 KB	DefaultRule_AllowI..
2026-10-18 11:16	10.10.1.10	10.20.2.9	1433	TCP	allow	out	1	48.1 KB	UserRule_AllowSqlT..
2026-10-18 10:57	10.10.1.15	52.96.0.1	443	TCP	allow	out	1	47.1 KB	DefaultRule_AllowI..
2026-10-18 12:33	10.10.1.13	13.107.42.14	443	TCP	allow	out	1	47.1 KB	DefaultRule_AllowI..
2026-10-18 10:35	10.10.1.15	10.20.2.5	8080	TCP	allow	out	1	46.8 KB	UserRule_AllowSqlT..
2026-10-18 10:42	10.10.1.19	10.10.1.4	445	TCP	allow	out	1	46.8 KB	DefaultRule_AllowV..
2026-10-18 12:00	10.10.1.6	10.10.1.5	445	TCP	allow	out	1	46.0 KB	DefaultRule_AllowV..
2026-10-18 12:51	10.10.1.12	13.107.42.14	443	TCP	allow	out	1	45.6 KB	DefaultRule_AllowI..
2026-10-18 11:00	52.96.0.1	10.10.1.8	443	TCP	allow	in	1	44.7 KB	UserRule_AllowWebIn
2026-10-18 12:31	10.20.2.7	10.30.0.5	53	UDP	allow	out	1	43.9 KB	UserRule_AllowDnsT..
2026-10-18 11:23	10.10.1.18	10.20.2.11	8080	TCP	allow	out	1	42.4 KB	UserRule_AllowSqlT..
2026-10-18 10:37	10.20.2.8	10.30.0.5	53	UDP	allow	out	1	41.4 KB	UserRule_AllowDnsT..
2026-10-18 11:28	10.10.1.11	10.20.2.6	1433	TCP	allow	out	1	37.2 KB	UserRule_AllowSqlT..
2026-10-18 12:01	10.10.1.17	10.10.1.13	445	TCP	allow	out	1	36.9 KB	DefaultRule_AllowV..
2026-10-18 10:13	13.107.42.14	10.10.1.9	443	TCP	allow	in	1	36.4 KB	UserRule_AllowWebIn
2026-10-18 11:56	10.10.1.19	52.96.0.1	443	TCP	allow	out	1	36.4 KB	DefaultRule_AllowI..
2026-10-18 10:05	10.10.1.12	10.20.2.6	8080	TCP	allow	out	1	35.8 KB	UserRule_AllowSqlT..
2026-10-18 10:36	10.10.1.12	52.96.0.1	443	TCP	allow	out	1	35.4 KB	DefaultRule_AllowI..
2026-10-18 11:54	10.10.1.5	10.10.1.12	445	TCP	allow	out	1	34.5 KB	DefaultRule_AllowV..
2026-10-18 11:33	10.10.1.7	10.10.1.16	445	TCP	allow	out	1	33.6 KB	DefaultRule_AllowV..
2026-10-18 12:39	10.10.1.12	20.190.151.1	443	TCP	allow	out	1	33.5 KB	DefaultRule_AllowI..
2026-10-18 10:21	10.10.1.18	10.20.2.8	8080	TCP	allow	out	1	32.7 KB	UserRule_AllowSqlT..
2026-10-18 12:40	10.10.1.8	10.20.2.11	1433	TCP	allow	out	2	32.3 KB	UserRule_AllowSqlT..
2026-10-18 12:32	10.10.1.6	10.20.2.6	8080	TCP	allow	out	1	31.0 KB	UserRule_AllowSqlT..
2026-10-18 10:08	10.10.1.13	10.10.1.5	445	TCP	allow	out	1	30.6 KB	DefaultRule_AllowV..
2026-10-18 11:34	10.10.1.10	10.20.2.8	8080	TCP	allow	out	1	30.3 KB	UserRule_AllowSqlT..
2026-10-18 11:40	10.10.1.14	10.20.2.8	1433	TCP	allow	out	1	28.5 KB	UserRule_AllowSqlT..
2026-10-18 11:16	10.10.1.19	10.20.2.7	8080	TCP	allow	out	1	27.0 KB	UserRule_AllowSqlT..
2026-10-18 11:32	10.10.1.14	10.20.2.6	8080	TCP	allow	out	1	26.9 KB	UserRule_AllowSqlT..
2026-10-18 11:39	10.10.1.4	13.107.42.14	443	TCP	allow	out	2	26.2 KB	DefaultRule_AllowI..
2026-10-18 12:12	10.10.1.9	13.107.42.14	443	TCP	allow	out	1	25.9 KB	DefaultRule_AllowI..
2026-10-18 11:03	10.10.1.9	10.20.2.5	8080	TCP	allow	out	1	25.3 KB	UserRule_AllowSqlT..
2026-10-18 12:08	10.10.1.7	10.10.1.12	445	TCP	allow	out	1	24.6 KB	DefaultRule_AllowV..
2026-10-18 12:02	10.10.1.13	10.10.1.15	445	TCP	allow	out	1	23.7 KB	DefaultRule_AllowV..

Notes

- Counts are flow log observations: one per NSG or VNet flow tuple. A flow crossing two logged networks is observed at both; the duplicate allowed inbound observation is skipped.
- Offline topology from topology.json: 3 network(s), 3 prefix(es).