Recovery handover in Word

Before the column sections: recovery starts here.

Section 2 column 1

Checkpoint 2.1.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.5: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.6: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.7: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.8: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.9: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.10: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.11: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.12: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.13: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.14: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.15: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.16: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.17: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.18: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.19: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.20: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.21: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.22: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.23: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.24: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.25: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.26: preserve the recovery plan & confirm <all> owners.

Section 2 column 2

Checkpoint 2.2.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.2.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.2.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.2.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.2.5: preserve the recovery plan & confirm <all> owners.

End of section 2 column 2.

Checkpoint 2.1.27: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.28: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.29: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.30: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.31: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.32: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.33: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.34: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.35: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.36: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.37: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.38: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.39: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.40: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.41: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.42: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.43: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.44: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.45: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.46: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.47: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.48: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.49: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.50: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.51: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.52: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.53: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.54: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.55: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.56: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.57: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.58: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.59: preserve the recovery plan & confirm <all> owners.

Checkpoint 2.1.60: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.61: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.62: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.63: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.64: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.65: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.66: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.67: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.68: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.69: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.70: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.71: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.72: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.73: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.74: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.75: preserve the recovery plan & confirm <all> owners.
Checkpoint 2.1.76: preserve the recovery plan & confirm <all> owners.

End of section 2 column 1.

After section 2: ordinary content spans the page again.

Section 3 column 1

Checkpoint 3.1.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.1.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.1.3: preserve the recovery plan & confirm <all> owners.

End of section 3 column 1.

Section 3 column 2

Checkpoint 3.2.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.2.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.2.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.2.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.2.5: preserve the recovery plan & confirm <all> owners.

End of section 3 column 2.

Section 3 column 3

Checkpoint 3.3.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.3.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.3.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.3.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.3.5: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.3.6: preserve the recovery plan & confirm <all> owners.
Checkpoint 3.3.7: preserve the recovery plan & confirm <all> owners.

End of section 3 column 3.

After section 3: ordinary content spans the page again.

Section 4 column 1

Checkpoint 4.1.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.1.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.1.3: preserve the recovery plan & confirm <all> owners.

End of section 4 column 1.

Section 4 column 2

Checkpoint 4.2.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.2.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.2.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.2.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.2.5: preserve the recovery plan & confirm <all> owners.

End of section 4 column 2.

Section 4 column 3

Checkpoint 4.3.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.3.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.3.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.3.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.3.5: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.3.6: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.3.7: preserve the recovery plan & confirm <all> owners.

End of section 4 column 3.

Section 4 column 4

Checkpoint 4.4.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.4.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.4.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.4.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.4.5: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.4.6: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.4.7: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.4.8: preserve the recovery plan & confirm <all> owners.
Checkpoint 4.4.9: preserve the recovery plan & confirm <all> owners.

End of section 4 column 4.

After section 4: ordinary content spans the page again.

Section 5 column 1

Checkpoint 5.1.1: preserve the recovery plan & confirm <all> owners.
Checkpoint

Section 5 column 2

Checkpoint 5.2.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.2.2: preserve

Section 5 column 3

Checkpoint 5.3.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.3.2: preserve

Section 5 column 4

Checkpoint 5.4.1: preserve the recovery plan & confirm <all> owners.
Checkpoint

Section 5 column 5

Checkpoint 5.5.1: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.5.2: preserve

5.1.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.1.3: preserve the recovery plan & confirm <all> owners.

End of section 5 column 1.

the recovery plan & confirm <all> owners.
Checkpoint 5.2.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.2.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.2.5: preserve the recovery plan & confirm <all> owners.

End of section 5 column 2.

the recovery plan & confirm <all> owners.
Checkpoint 5.3.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.3.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.3.5: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.3.6: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.3.7: preserve the recovery plan & confirm <all> owners.

End of section 5 column 3.

5.4.2: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.4.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.4.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.4.5: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.4.6: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.4.7: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.4.8: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.4.9: preserve the recovery plan & confirm <all> owners.

End of section 5 column 4.

the recovery plan & confirm <all> owners.
Checkpoint 5.5.3: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.5.4: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.5.5: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.5.6: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.5.7: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.5.8: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.5.9: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.5.10: preserve the recovery plan & confirm <all> owners.
Checkpoint 5.5.11: preserve the recovery plan & confirm <all> owners.

End of section 5 column 5.

After section 5: ordinary content spans the page again.